

ATTENTION OWNER: Confidentiality
 Privilege Notice on on reverse side
 of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
 MC 177
 P.O. Box 13087
 Austin, TX 78711-3087
 512-239-0530

1) OWNER CLAYTON WILLIAMS-WASH MCADAMS ADDRESS 6 DESTA DR., SU 3000 MIDLAND TX 79705
 (Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 8 MILES SE OF MADISONVILLE, TX. GRID # 60-02-9
 County WALKER (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling:
 Started 5-21-19 98
 Completed 5-22-19 98

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7 1/2	Surface	562

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOPSOIL
2	32	CLAY
32	60	SHALE
60	224	STREAKY SAND
224	230	SHALE
230	244	STREAKY SAND
244	285	SANDY SHALE
285	291	SHALE
291	301	SAND
301	326	SHALE
326	377	STREAKY SAND
377	408	SHALE
408	440	STREAKY SAND
440	460	SHALE
460	531	STREAKY SAND CONT. OVER

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from 10 ft. to 562 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC WELL CASING	0	403	
4	N	PVC SCREEN	403	442	.014
4	N	PVC BLANK	442	462	
4	N	PVC SCREEN	462	532	.014

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 0 ft. to 10 ft. No. of sacks used 2
 _____ ft. to _____ ft. No. of sacks used _____
 Method used PRESSURE
 Cemented by SIEGERT WATER WELLS, INC.
 Distance to septic system field lines or other concentrated contamination 150 ft.
 Method of verification of above distance FILE ID LANDOWNER SEQ.# _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 235 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)] 15
 Pitless Adapter Used [Rule 338.44(3)(B)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 100 gpm with 97 ft. drawdown after 2 hrs.

11) WATER LEVEL:
 Static level 25 ft. below land surface Date 5-22-98
 Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? - GOOD Depth of strata 408-440
 Was a chemical analysis made? Yes No 460-531

12) PACKERS:
 Type _____ Depth _____
N/A

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SIEGERT WATER WELLS, INC. WELL DRILLER'S LICENSE NO. 4252PW
 (Type or print)

ADDRESS 4411 BURT RD. BRYAN, TEXAS 77807
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-02-9A
Located on map yes
Received: 7/27/77
dk

1) OWNER:
Person having well drilled LOUIS M. LAWLIS (Name) Address RT 2 Box 42-E MIDWAY, TEXAS (Street or RFD) (City) (State)
Landowner SAME (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 15 miles in N direction from HUNTSVILLE (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* WELL BEDIAS CK North HY 247 FM 980
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 187 ft. Depth of completed well 187 ft. Date drilled 3-30-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	37	SAND
37	39	LIGNITE
39	165	BLUE CLAY
165	187	SAND

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from 177 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 177 +1 SGH 40

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 177 187 # 8

8) WATER LEVEL:
Static level 70 ft. below land surface Date 3-30-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? Good depth of strata 12

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME F.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State)
(Signed) F.A. Holly (Water Well Driller) F.A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
APR 4 1977
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAY 24 1977
Central Records
Texas Water Development Board

WALKER #2

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Joe Flynt (Name) Address Rt. 1 Box 626 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 16 miles in NW direction from HUNTSVILLE (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 0160-11-4

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 03/10/1987 Completed 03/11/1987

Table with columns: DIAMETER OF HOLE (Dia. (in.), From (ft.), To (ft.)) and rows for different depths (0-2, 2-6, 6-44, etc.)

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with columns: From (ft.), To (ft.), Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 440 ft. to 340 ft. No. of Sacks Used 6

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 40 ft. below land surface Date 03/11/87

12) PACKERS: Lead Type Depth 435

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 50 gpm with 18 ft. drawdown after 18 hrs.

RECEIVED JUN - 5 1987

TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Route 11 Box 607 Huntsville Texas 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 0002-9 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

State of Texas WELL REPORT

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Clayton Williams Energy ADDRESS PO Box Box 400 Deanville Tx 77852
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Walker 236 Hwy 2989 15 M. N I-45 STATE WELL # _____
County (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-02-9

6) WELL LOG:
Date Drilling:
Started 5-21 1998
Completed 5-23 1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10	Surface	516

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	bit t.s.
1	21	br.cl. & cleiche
21	101	bl.cl.
101	121	soft bl:cl.
121	161	soft bl.cl. w/ sd.st.
161	181	cl. w/ sd.st.
181	281	bl.cl.
281	283	cl.
283	295	sd.
295	313	bl.cl.
313	317	sd.
317	381	bl:cl.
381	401	bl. / sd.st.
401	421	cl. w/ sd.st.
421	476	bl.cl.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from 416 ft. to 516 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
6	N	PVC Casing	0	416	
6	N	PVC slotted	416	516	#16

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 30 ft. No. of sacks used 6
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 62 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond McPike (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

