

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Candlyn HAVARD (Name) ADDRESS 191 Old Midway Rd. Midway, Tx. (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 191 Old Midway Rd. Midway, Tx. 75852 Long. _____ Lat. _____
 (Street, RFD or other) (City) (State) (Zip) Grid # 60-03-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

6) WELL LOG:
Date Drilling: _____
Started: 6-7-1900
Completed: 6-12-1900

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	173'
3 7/8"	173'	184'

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-3	78-84	Sand Lignite
3-8	84-90	clay shale
8-14	90-91	Lignite Rock
14-17	91-95	Sand
17-21	95-101	Lignite
21-29	101-105	Rock Sand
29-53	105-123	Lignite
53-58	123-138	Rock Lignite
58-61	138-147	Sandy shale shale
61-72	147-163	Lignite
72-74	163-166	Rock Sand shale
74-78	166-169	Sand Rock

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	173'	*40
2	N	PVC screen	165'	185'	*6

14) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
 Depth to pump bowls, cylinder, jet, etc., 140 ft.

9) CEMENTING DATA
 Cemented from 173 ft. to 73 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 8
 Method used pressure
 Cemented by Richard Myker
 Distance to septic system field lines or other concentrated contamination N/A ft.
 Method of verification of above distance None

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pileless Adapter Used
 Approved Alternative Procedure Used

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 16'
 Was a chemical analysis made? Yes No

11) WATER LEVEL:
 Static level 39 ft. below land surface Date 6-12-00
 Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 165'

FILE ID	SEQ #

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
 ADDRESS P.O. Box 1788 (Street or RFD) (City) Trinity (State) Tx (Zip) 75862
 (Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Myker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Dobbins, Mike ADDRESS 905 W 16TH St. Houston TX 77008
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 15 miles in NNW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

60-03-8

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling: 3/18 1993
Started 3/19 1993
Completed _____ 19____

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	158

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed

Gravel Packed Other _____

If Gravel Packed give Interval ... from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0-3	Top soil	90-146	Blue Clay
3-6	Sand	146-158	Sand
6-21	Brown Clay		
21-23	Blue Clay		
23-27	Lignite		
27-51	Blue Clay		
51-53	Sand		
53-66	Clay		
66-72	Sand		
72-80	Clay		
80-90	Sand + Stripes		(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	7 1/2	146	
2	N	PVC wrapped	148	158	#8

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 146 ft. to 158 ft. No. of Sacks Used 7
1 1/2 ft. to 16 ft. No. of Sacks Used 1

Method used pressure
Cemented by Henry Lee

13) TYPE PUMP:

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bows, cylinder, jet, etc., 120 ft.

14) WELL TESTS:

Type Test: Pump Bailor Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? Yes No

10) SURFACE COMPLETION

Specified Surface Steel Installed [Rule 287.44(2)(A)]

Specified Steel Sleeve Installed [Rule 287.44(3)(A)]

Pitless Adapter Used [Rule 287.44(3)(B)]

Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL DATA

State No. _____ Date 3/22/93
Artesian flow _____ Date _____

12) PACKERS:

Type	Depth
1) R x R Triseal	141
1) Slip Triseal	142

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service WELL DRILLER'S LICENSE NO. 02221W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Henry Lee (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. _____ Located on map _____

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Spring ADDRESS _____ (Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker _____ (Street, RFD or other) (City) (State) (Zip) GRID # 60 03 8

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 3-20 1996
Completed 3-21 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6</u>	Surface	<u>108</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>1</u>	<u>10</u>	<u>clay sand</u>
<u>10</u>	<u>30</u>	<u>sand (11) rk (14)</u>
<u>30</u>	<u>50</u>	<u>big rk (15) shale</u>
<u>50</u>	<u>100</u>	<u>shale</u>
<u>100</u>	<u>102</u>	<u>shale</u>
<u>102</u>	<u>110</u>	<u>rk</u>
<u>110</u>	<u>115</u>	<u>rk shale</u>

WATER RESOURCES DIVISION
NATURAL RESOURCE CONSERVATION COMMISSION
JUN 26 1997

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from 35 ft. to 73/108 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>0</u>	<u>88</u>	
<u>4</u>	<u>N</u>	<u>PVC Screen</u>	<u>88</u>	<u>108</u>	<u>.00</u>

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 90 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 10 ft. No. of sacks used 5
_____ ft. to _____ ft. No. of sacks used _____
Method used _____
Cemented by _____
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 1-10 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 45 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME G. Snook Drilling Co WELL DRILLER'S LICENSE NO. 1490
(Type or print)

ADDRESS P.O. Box 85 Tola Tx 77861
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

4 WALKER

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER JACK BAILEY P.O. BOX 185 GOODRICH, TX. 77335
2) LOCATION OF WELL: County WALKER 12 miles in NNW direction from HUNTSVILLE

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 0160-13-2

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other

6) WELL LOG: Date Drilling: Started 08/31/87, Completed 08/31/87
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 90 ft. to 10 ft. No. of Sacks Used 6
Method used PRESSURE
Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 30 ft. below land surface Date 8/31/87
Artesian flow gpm. Date 8/31/87

12) PACKERS: Type R Depth 86

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 80 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 30 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026/2221
ADDRESS 607 HWY 19 HUNTSVILLE TEXAS 77340
(Signed) Raymond M. P... (Registered Driller Trainee)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#10 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-03-8F Located on map YES Received: C.F.S.

1) OWNER Bill Smith (Name) Address 11715 Woodsage Houston, Texas 77024 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 13 miles in NW direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines
See attached map. map on 60-18-3H

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 11-12-81
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 218
7) BOREHOLE COMPLETION: Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-2 top soil, 2-9 white clay, 9-15 sand, 15-42 brown clay, 42-55 blue clay, 55-62 rock streaks, 62-86 blue clay, 86-96 lignite and brown clay, 96-205 blue clay, 205-207 rock, 207-218 sand.

CEMENTING DATA: Cemented from 206 ft. to 156 ft. Method used Pressure Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level 42 ft. below land surface Date 11-17-81 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 202

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 180 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 11 ft. Was a chemical analysis made? No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 40 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 (Type or Print) ADDRESS P.O. Box 638 Riverside, Texas 77367 (Street or RFD) (City) (State) (Zip) (Signed) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
DEC 16 1981
DEPT. OF
WATER RESOURCES

WALKER

dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-03-8F Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Herbert R. Muery Address 10318 Chadwick St. Houston, Texas 77029
2) LOCATION OF WELL: County Walker 13 miles in NW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-10-3H

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 11-15-81
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 196
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA (Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen), and 9) WATER LEVEL (Static level, Artesian flow, Date)

RECEIVED AUG 17 1982 CR/TDWR

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 13 ft. Was a chemical analysis made? No

10) PACKERS: Lead L 180
11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 160 ft.
12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 40 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) Ralph A. Cadwallader Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
DEC 16 1981
DEPT. OF
WATER RESOURCES

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT


For use by TWC only
Well No. 60-03-80
Located on map 1424
By JW Date 11/6/63
Map no. 236

1) Well Owner: Mr Lanley Huntsville Texas
Name Street or RFD City State

2) Land Owner: Same
Name Street or RFD City State

3) Intended use: Industrial ; Municipal ; Irrigation ; Other Household

4) Location of well: County Walker Labor _____ League _____ Abstract No. _____
NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey
(Circle as many as are known)



DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 6 inch Date drilled Nov 6, 1963

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	25	Surface Soil an Sand			
25	48	Clay Gray			
48	52	Shale			
52	69	Sand			
69	92	Blue Clay			
92	139	Blue Shale			
139	157	Sand			
157	159	Shale			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall
 Under reamed
 Gravel packed
 Open hole
 Other _____

CASING

Type: Old New
 Cemented from _____ ft.
 to _____ ft.

Diameter (inches)	Setting	
	from (ft)	to (ft)
4	0	139

SCREEN

Type Bar-lug
 Perforated Slotted

Diameter (inches)	Setting	
	from (ft)	to (ft)
2 1/2	137	157

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Signature _____

Hooly Mining Co

Company Name

Reg. No. 443

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level <u>75</u> ft. below <u>surface</u>		
Pumping level		
feet	hours	gpm

Pump type Submersible
 Designed pumping rate 550 gpm gph
 Type power unit Electric
 Horsepower 3/4
 Depth to bowls, cylinder, jet, etc., 126 ft. below pump base.


Name of contractor testing well or installing permanent pump if other than your company: _____

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-03-8B
Located on map yes
Received: 72
dl

1) OWNER:
Person having well drilled Pappie Trizzell (Name) Address Medway (Street or RFD) Tex (City) (State)
Landowner same (Name) Address same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 14 miles in n direction from Huntsville Tex (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

(Use reverse side if necessary)
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 197 ft. Depth of completed well 197 ft. Date drilled 12-15-71
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	50	sand
50	180	Red clay
180	197	water sand

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from 186 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 - 186

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

10) SCREEN:
Type stainless steel
Perforated Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 186 197 12 ga

8) WATER LEVEL:
Static level 80 ft. below land surface Date 12-15-71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 147 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME N.R. Bigham (Type or Print) Water Well Drillers Registration No. 649
ADDRESS PO Box 4002 Sargent (Street or RFD) Tex (City) (State)
(Signed) N.R. Bigham (Water Well Driller) Bigham Pump & Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 27 1972

Central Records
Texas Water Development Board

RECEIVED
JAN 3 1972
TEXAS WATER
DEVELOPMENT BOARD

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-03-80 Located on map Yes Received: 73 dr

1) OWNER: Person having well drilled MR J. D. LANGLEY Address RT MIDWAY TEXAS Landowner SAME Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 15 miles in N direction from HUNTSVILLE



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 293 ft. Depth of completed well 293 ft. Date drilled 11-22-72 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include SAND, HD ROCK, GRAY SHALE LIGNITE STRS, BLUE CLAY, ROCK 7' FINE SAND, STICKY BLUE CLAY, VERY FINE SAND.

9) Casing: Type: Old New Steel Plastic Other Cemented from 288 ft. to 225 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 288 - +1 SCH 40

10) SCREEN: Type STAINLESS STEEL Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 288 293 #6

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole 8) WATER LEVEL: Static level 60 ft. below land surface Date 11-22-72 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 260 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? GOOD depth of strata 33

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS (Signed) E. A. HOLLY (Water Well Driller) E. A. HOLLY (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 20 1973
Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

DEC - 4 1972

RECEIVED


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-03-8D
Located on map Y-5
Received: 7/3
dlb

1) OWNER:
Person having well drilled MR EDWARD HALE Address 2292 JEAN ST. HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER MIDWAY 15 miles in N direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or Give legal location with distances and directions from
hiway number, etc.* adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 316 ft. Depth of completed well 316 ft. Date drilled 11-14-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	16	SURFACE SOIL + BROWN SAND
16	68	BLUE CLAY
68	82	LIGNITE STRS
82	162	BLUE CLAY
162	165	SAND
165	202	ROCKY BLUE CLAY
202	293	STICKY BLUE CLAY
293	316	FINE SAND

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 293 ft. to 222 ft.
Diameter (inches) 4 Setting From (ft.) 293 To (ft.) +1 Gage SC# 40
10) SCREEN:
Type STAINLESS STEEL
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 293 To (ft.) 216 Slot Size # 4

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole _____
8) WATER LEVEL:
Static level 60 ft. below land surface Date 11-14-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____
12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 23

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E. A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E. A. HOLLY E. A. HOLLY CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

DEC 4 1972

RECEIVED

RECEIVED

FEB 20 1973

General Records
Texas Water Development Board

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-03-8E
Located on map Y22
Received: 79 SAE

1) OWNER MR JACK BAILEY Address Box 37 CHANNELVIEW TEXAS 77530
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County WALKER 15 miles in NW direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. #3, Map on 60-19-65

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 10-4-78

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>175</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0</u>	<u>22</u>	<u>CLAY & SAND</u>						
<u>22</u>	<u>27</u>	<u>LIGNITE</u>						
<u>27</u>	<u>141</u>	<u>BLUE CLAY</u>	<u>4</u>	<u>N</u>	<u>PLASTIC</u>	<u>11</u>	<u>165</u>	<u>SC# 40</u>
<u>141</u>	<u>142</u>	<u>ROCK</u>						
<u>142</u>	<u>165</u>	<u>BLUE CLAY</u>	<u>2 1/2</u>	<u>N</u>	<u>STAINLESS STEEL</u>	<u>165</u>	<u>175</u>	<u># 8</u>
<u>165</u>	<u>175</u>	<u>SAND</u>						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA
Cemented from 165 ft. to 100 ft.
Method used PRESSURE
Cemented by E.A. HOLLY
(Company or Individual)

9) WATER LEVEL:
Static level 75 ft. below land surface Date 9-15-78
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
LEAD 160

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm. with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? SULFUR Depth of strata 10
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77767
(Street or RFD) (City) (State) (Zip)
(Signed) E.A. Holly E.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

R E C E I V E D

DEC 14 1978

**DEPT. OF
WATER RESOURCES**

RECEIVED

APR 17 '79

CR TDWR

#12 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jack Bothe Address 632 / E. 12 1/2 St. Houston, TX 77008
2) LOCATION OF WELL: County Walker 15 miles in NNW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8/1/83
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 202
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Sand, Brown clay, Lignite and Sand streaks, Blue clay, Sand, Blue clay, Blue clay, Sand.

CEMENTING DATA: Cemented from 191 ft. to 91 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

RECEIVED

JAN 14 1984

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 12
Was a chemical analysis made? Yes No

10) PACKERS: Type Lead Depth 186

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS P.O. Box 638 Riverside Texas 77367

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-03-86 Located on map Yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#4 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Terry Lovett Address Rt. 5 Box 237 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 15 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. map 60-20-6P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7/9/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA: Cemented from 132 ft. to 100 ft. Method used Henry Lee

9) WATER LEVEL: Static level 62 ft. below land surface Date 7-10-84

10) PACKERS: Type Lead Depth L 127

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: poor gpm with ft. drawdown after hrs.

RECEIVED OCT 15 1984 DEPT. OF WATER RESOURCES

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
Type of water? good Depth of strata 10 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) RANDY A. GONZALES (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-03-8G Located on map YES C-F-S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Texas Trinity Energy Co Address 2711 Little York Box 8-Suite 390, Houston TX 77098
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 15 miles in N direction from Huntsville
(N.E., S.W., etc.) (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 0760-11-4

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other GAS
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: 04/03 19 87
Started 04/04 19 87
Completed _____ 19 _____
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
5 Surface 200
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From To	
0-2		Top soil					
2-16		Brown clay					
16-20		Blue clay and lighte streaks	2	N	steel casing	2.0 177	
20-28		Blue clay and sand streaks					
28-30		Hard blue clay and lighte stks.					
30-39		Lignite					
39-45		Blue clay					
45-50		Blue clay and lignite streaks					
50-57		Hard blue clay & lignite streaks					
57-59		Sand					
59-64		Blue clay					
64-70		Hard blue clay					
70-117		Blue clay					
117-118		Lignite					
118-128		Sand					
128-180		Blue clay					
180-190		Sandy blue clay					
190-200		Blue clay					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 177 ft. No. of Sacks Used 14
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Pressure
Cemented by Holly Water Well service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
JUN - 5 1987

TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026
(Type or Print)

ADDRESS 607 Hwy 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6003-8 Located on map _____

X

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#10

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Texas Trinity Energy Co. Address 2711 Little York-Box 8 suite 390 Houston TX 77098

2) LOCATION OF WELL: County Walker 15 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 0260-11-4

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other Gas 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 02/16 19 87 Completed 02/17 19 87 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 5 181 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, Brown clay, Lignite, Blue clay, Sand, etc.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 0 ft. to 177 ft. No. of Sacks Used 14 Method used Pressure Cemented by Holly Water Well Service

10) SURFACE COMPLETION Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

12) PACKERS: Type Depth

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata 3+ Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, TX 77340

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6803-8 Located on map

RECEIVED JUN 5 1987

TEXAS WATER COMMISSION

X

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER James Fails ADDRESS PO BOX 1926 Huntsville TX 77342
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker FM 247 Huntsville TX 77340 GRID # 60-03-8
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started S-17 19 99
S-18 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	120

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	10	Sa.
10	22	Sa.st.
22	24	Lign.
24	28	Bl.
28	31	Lign.
31	42	Bl.
42	69	Bl. & lign.
69	99	Bl.
99	112	Sa.
112	117	R.cl.
117	120	Sa.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	108	
2	N	PVC Screen	110	120	#6

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 108 ft. No. of sacks used 9
ft. to _____ ft. No. of sacks used _____
Method used By pressure
Cemented by H.Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 105 ft.

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 13
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
Static Level 21 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

12) PACKERS: Type Depth
2-2" Rubber packers RxR 102' & 103'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print)
ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX 77340 (State) (Zip)
(Signed) Henry Lee (Licensed Well Driller) (Signed) _____ (Registered Driller/Trainer)
WELL DRILLER'S LICENSE NO. 2221W
EMP # _____ (State) (Zip) DESC CC _____
JUL 12 1999
COMMENT _____ TEMP _____

