

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-03-9B  
Located on map YES  
Received: RJB

1) OWNER Kaiser Oil Co. (Name) Address 410 7th Street Denver Colorado 80202 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County ~~WALKER~~ WALKER 30 miles in NE direction from Huntsville (N.E., S.W., etc.) (Town)

MND Drl. Rig #02

Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map.

3) TYPE OF WORK (Check):

New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):

Domestic  Industrial  Public Supply  
 Irrigation  Test Well  Other \_\_\_\_\_

5) DRILLING METHOD (Check):

Mud Rotary  Air Hammer  Driven  Bored  
 Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)

	Surface	
Date drilled <u>6-25-81</u>	<u>6.5</u>	<u>0</u> <u>500</u>

7) BOREHOLE COMPLETION:

Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0	7	Surface
7	31	Clay
31	36	Sand
36	110	Clay
110	120	Lignite
120	140	Clay
140	155	Sand
155	212	Clay
212	230	Sand
230	250	Rock Strata
250	270	Shale
270	272	Rock
272	357	Shale
357	392	Sand & Rock Strata
392	400	Clay
400	406	Sand
406	420	Clay
420	423	Sand
423	447	Clay
447	475	Sand
475	500	Rock

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	N	PVC Casing	0	220	
		" "	240	360	
		" "	380	460	
4"	N	PVC Slotted Screen	220	240	
		" "	360	380	
		" "	460	480	

CEMENTING DATA

Cemented from 0 ft. to 10 ft.

Method used Slurry

Cemented by J & S Well Svc.  
(Company or Individual)

9) WATER LEVEL:

Static level 50 ft. below land surface Date 6-26-81

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth

11) TYPE PUMP:

Turbine  Jet  Submersible  Cylinder  
 Other jetted with air compressor

Depth to pump bowls, cylinder, jet, etc., 320 ft.

1" Sch. 40 PVC Airline

12) WELL TESTS:

Type Test:  Pump  Bailer  Jetted  Estimated

Yield: 120 gpm with - ft. drawdown after - hrs.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water?  Yes  No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_

Was a chemical analysis made?  Yes  No

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E. Richardson Water Well Drillers Registration No. 1994  
(Type or Print)

ADDRESS P.O. Box 675 Bellville Texas 77418  
(Street or RFD) (City) (State) (Zip)

(Signed) John E. Richardson J & S Well Service  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JUL 26 1982  
CR/TL/WT

DEPT. OF  
WATER RESOURCES

1982

1982



RECEIVED  
JUL 26 1982  
CR/TDWR

RECEIVED  
JUL 14 1981  
DEPT. OF  
WATER RESOURCES

#5 WALKER

JWP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-03-9A Located on map YES Received: CIFS.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Gertrude Shoemate Address P.O. Box 536 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 11 miles in North direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-12-82

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 9-29-80
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 205
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Includes rows for 0-2 sand, 2-10 white clay, 10-22 brown clay, 22-57 blue clay, 57-62 sand, 62-78 blue clay, 78-84 sand, 84-105 blue clay, 105-110 sand, 110-134 blue clay, 134-138 sand streaks, 138-141 blue clay, 141-142 rock, 142-178 blue clay, 178-180 streaks-sand, 180-195 blue clay, 195-205 sand.

RECEIVED APR 15 1982 CR/TD

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Cementing Data: Cemented from 194 ft. to 144 ft. Method used Pressure. Cemented by Holly Water Well Service.

9) WATER LEVEL: Static level 83 ft. below land surface Date 9-30-80. Artesian flow gpm. Date.

10) PACKERS: Type Rubber, Depth 190. 11) TYPE PUMP: Submersible, Depth to pump bowls, cylinder, jet, etc., 180 ft. 12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 30 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Sulfur Depth of strata 10 ft. Was a chemical analysis made? No.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) Ralph A. Cadwallader Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:


"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

C.I.

Texas Dept. of Water Resources

DEC - 8 1980



#2 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-03-9A Located on map YES Received: CIF-2.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER C. H. Grayson Address 2022 Ocean View Dr. Seabrook, Texas 77586

2) LOCATION OF WELL: County Walker 11 miles in North direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. Mapon 60-12-8L

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 9-11-80. DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.). 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA. Cemented from 192 ft. to 142 ft. Method used Pressure. Cemented by Ralph A. Cadwallader.

9) WATER LEVEL: Static level 83 ft. below land surface. Date 9-12-80. Artesian flow gpm. Date.

10) PACKERS: Type Rubber, Depth 188 ft.

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER". Type of water? Sulfur. Depth of strata 11 ft. Was a chemical analysis made? No.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 Riverside, Texas 77367

(Signed) [Signature] Holly Water Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Texas Dept. of Water Resources  
DEC - 8 1980