

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA

Name **Andarko Petroleum Company** Address **P O Box 1330** City **Houston** State **Texas** Zip **77251-1330**

2) WELL LOCATION

County **Walker - Wash McAdams** Physical Address **1.9 Miles North East of Mossy Grove** City **Madisonville** State **Texas** Zip

3) Type of Work Lat. **30 52 30** Long. **95 44 18** Grid # **60-03-7**

New Well Deepening Reconditioning
4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date Started **01/23/01** Completed **01/25/01**
7) Drilling Method (check) Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

From (ft)	To (ft)	Description and color of formation material
0	3	Sand
3	100	Clay & Rock
100	130	Sand

From (ft)	To (ft)	Description and color of formation material	Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen
130	250	Clay	6	New	PVC Casing	0 250	
250	265	Sand	6	New	PVC Slotted Screen	250 270	.020
265	270	Clay	6	New	PVC Casing	270 320	
270	290	Sand & Clay	6	New	PVC Slotted Screen	320 340	.020
290	322	Clay					
322	340	Sand 340 - 370 Clay					
370	390	Sand & Clay 390 - 480 Clay & Rock					
480	530	Sand 530 - 550 Clay					
550	610	Sand 610 - 630 Clay					

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other
If Gravel Packed give the interval from ft. to ft.
Casing, Blank Pipe, and Well Screen Data
Cementing from **0** ft. to **15** ft. # of sacks used **11**
Method Used **Slurry**
Cementing By **J & S Water Wells**
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:
From (ft) To (ft) From (ft) To (ft) Sacks used

14) Typepump Turbine Jet Submersible Cylinder
Depth to pump bowls, cylinder, jet, etc., **357** ft.
15) Water Test Type test Pump Bailer Jetted Estimated
Yield: **140** gpm with ft. drawdown after hrs.

16) Water Quality Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Depth of Strata
Was a chemical analysis made? Yes No

Company or Individual's Name (type or print) **J & S Water Wells - Tomas Salinas** Lic. No. **54238W**
Address **P O Box 675** City **Bellville** State **Texas** Zip **77418**
Signature **Tomas Salinas** Date **1/27/01** Signature Date

FILED
DESC CO
MAY 10 2001
COMPLINT

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711.

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-04-7A
Located on map YES
Received: TH

1) OWNER Moran Corporation lease Address Hemlock
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker miles in _____ direction from _____
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other oil rig pit
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 10-18-78
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 266
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	To	Gage Casing Screen
0'	30'	white Claiche						
30'	45'	hd blue sand						
45'	57'	Blue sand	4	N	PVC	0	266	
57'	75'	hd Claiche						
75'	90'	Blue shale shall						
90'	116'	Sandy shell						
116'	120'	Sandy shale						
135'	150'	"						
152'	165'	Gravel shale (soft)						
165'	240'	sand						
240'	266'	sand						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____
(Company or Individual)

9) WATER LEVEL:
Static level 40 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other Compressor
Depth to pump bowls, cylinder, jet, etc., _____ ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Glenn Snook Water Well Drillers Registration No. 1490
(Type or Print)
ADDRESS Box 1161 Iola Texas 77861
(Street or RFD) (City) (State) (Zip)
(Signed) Glenn Snook Snook Drilling Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
SEP 19 1979
Texas Dept. of Water Resources
ORNDORF
1982.80
RECEIVED

#16 WALKER

1.2 mi S/NL
13 mi E/WL

Please use black ink,
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER McCann, Robert Address 1621 Avenue R Huntsville, TX 77340
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County WALKER 15 miles in N/NW direction from HUNTSVILLE
 (N.E., S.W., etc.) (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. 60-13-9

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling:
 Started 4-14 19 86
 Completed 19

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>182</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2		Top soil						
2-17		Brown clay						
17-22		Blue clay	4	N	Plastic	-1 1/2	92	40
22-52		Hard blue clay						
52-55		Brown clay	2 1/2	N	slotted	77	89	
55-79		Blue clay						
79-82		Sandy blue clay						
82-87		Sand <u>WELL HERE</u>						
87-101		Blue clay						
101-107		Sand						
107-132		Blue clay						
132-140		Sandy clay						
140-147		Sand						
147-182		Blue clay						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 15 ft. to 0 ft. No. of Sacks Used 8
 _____ ft. to _____ ft. No. of Sacks Used _____
 Method used FROM TOP
 Cemented by HOLLY WATER WELLS

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]


11) WATER LEVEL:
 Static level 20 ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 4 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? GOOD SUGAR Depth of strata 8
 Was a chemical analysis made? Yes No



I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
 Well No. 60-04-7
 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.