

Walker #3

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Charles Larry (Name) Address 7311 Towerview (Street or RFD) Missouri City, Texas (City) 77489 (State) (Zip)

2) LOCATION OF WELL: County Walker 20 miles in N direction from Huntsville (Town) (N.E., S.W., etc.)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 0160-20-1

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 1-9 1989 Completed 1-11 1989 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 229 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include soil, clay, sand, lignite, and rock streaks.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 217 ft. to 117 ft. No. of Sacks Used 6 Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow 2 gpm. Date 1-10-89

12) PACKERS: Rubber R 214

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 20 gpm with ft. drawdown after hrs.

RECEIVED FEB 10 1989

TEXAS WATER COMMISSION

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? GOOD Depth of strata 11ft/ Was a chemical analysis made? No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 (Street or RFD) Huntsville, Texas (City) 77340 (State) (Zip)

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-05-1 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#6 WALKER

236

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Stream Energy, Inc. Address Box 44245 Oklahoma City, Okla. 73144
2) LOCATION OF WELL: County Fxixix Walker 12 miles in NNW direction from Riverside

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 0760-21-1

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, Other Supply
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other

6) WELL LOG: Date Drilling: Started 9-20-88, Completed 9-22-88. DIAMETER OF HOLE: Dia. (in.) 6.5, From (ft.) Surface, To (ft.) 312

7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-4 top soil, 4-14 brown clay, 14-16 lignite, 16-34 rock streaks, 34-118 blue clay, 118-124 sand streaks, 124-162 blue clay, 162-184 sand streaks and rock, 184-190 sand, 190-198 clay streaks, 198-204 sand, 204-218 blue clay, 218-229 sand, 229-287 blue clay, 287-312 sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns for Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Includes PVC casing with no screen.

9) CEMENTING DATA [Rule 319.44(b)]: Cemented from 222 ft. to 122 ft. No. of Sacks Used 6. Method used Pressure. Cemented by Henry Lee.

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)], Pitless Adapter Used [Rule 319.44(d)], Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level, Artesian flow, Date

12) PACKERS: Type, Depth

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other air line. Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated. Yield: 20 gpm with ft. drawdown after hrs.

RECEIVED OCT 18 1988 TEXAS WATER COMMISSION

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? GOOD. Depth of strata 36. Was a chemical analysis made? No.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026
ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-05-1 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

18mi N/SL
15mi W/EL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Exxon Co., USA Address P.O. Box 2180 Houston, Tx. 77001
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Walker 10 miles in NW direction from Trinity
 (N., E., S.W., etc.) (Town)

Trinity State Bank #5 Kelly 11

Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other Drilled/Supply

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling:
 Started 12/12/85
 Completed 19

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	510

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-10		Clay
10-70		Sand & Grav.
70-95		Clay & Rock
95-125		Sand & Rock
128-130		Clay
130-150		Coarse Sand
150-190		Clay & Rocks
190-207		Coarse Sand
207-510		Rocks & Clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
		Casing	0-130		
		PVC-Slotted Supply	150-190	130-150	
			190-210		

9) CEMENTING DATA [Rule 319.44(b)] 10
 Cemented from _____ ft. to _____ ft. No. of Sacks Used _____
 _____ ft. to Slurry ft. No. of Sacks Used _____
 Method used J & S Well Service
 Cemented by _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
45 Static level _____ ft. below land surface 12/12/85 Date _____
 Artesian flow _____ gpm. Date _____


12) PACKERS:

Type	Depth
<u>30-210</u>	

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WATER QUALITY: Yes No
 Did you knowingly penetrate any strata which contained undesirable water?
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

14) WELL TESTS:
 Type Test: Pump Bailer N/M Jetted Estimated 3
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.



I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal. J & S WELL SERVICE 1994

COMPANY NAME 1056 E. 1ST STREET Water Well Driller's License No. BELLVILLE TEXAS 77418
 ADDRESS _____ (Street or RFD) (City) (State) (Zip)
 (Signed) John E. Richardson (Signed) _____ (Licensed Water Well Driller) (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-05-1 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



22 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER A.M. Hewitt Address Rt. 2 Box 25x1 Trinity, TX 75862
2) LOCATION OF WELL: County Walker 16 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. map on 60-05-1C

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5-3-85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 593
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, Sand, Brown clay, Blue clay, Lignite, etc.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 559 ft. to 359 ft.
10 ft. to 0 ft.
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level ... ft. below land surface Date 5-6-85
Artesian flow 2 gpm.
12) PACKERS: Type L Depth 554
13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder
Depth to pump bowls, cylinder, jet, etc., 140 ft.

RECEIVED
AUG - 9 1985
DEPT. OF WATER RESOURCES
JUN 10 1985
DEPT. OF WATER RESOURCES

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 51 Ft.
Was a chemical analysis made? Yes No
14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 60 gpm with ... ft. drawdown after ... hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-05-10 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

442-482	Sandy blue clay
482-502	Blue clay
502-516	Sandy blue clay
516-532	Sand
532-534	Rock
534-538	Sand
538-542	Blue clay
542-593	Sand

#14 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dr. Gerald Etheredge Address 2902 Montgomery Rd., Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 16 miles in N direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-05-85
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 578 ft. to 378 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION Specified Surface Slab Installed, Pliers Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level, Artesian flow, Date 4-7-85

12) PACKERS: Lead, L, 558

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated, Yield: 60 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-05-1C Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

7 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-05-10 Located on map YES Received: Rub

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Riley Hefley Address 2155 Lake Village Dr. Kingwood, Texas 77339
2) LOCATION OF WELL: County Walker 9 miles in West direction from (TRINITY Co.) Trinity

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. ON 38-61-44

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 9-17-81
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA
Cemented from 138 ft. to 88 ft.
Method used Pressure
Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL: Static level 80 ft. below land surface Date 9-18-81
Artesian flow gpm. Date

10) PACKERS: Type Depth
Rubber L 134

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 133 ft.

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 10 gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 14 ft.
Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CAIWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
-PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
OCT - 21 1991
DEPT. OF
WATER RESOURCES

3 1/2


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-05-1A Located on map YES Received: 8-71 Form GW 8 Form GW 9

1) OWNER: Mr Bob Croucher 4377 N Macgregor Houston, Texas Same

2) LOCATION OF WELL: WALKER Trinity County Trinity Labor League Abstract No. 6 W miles in direction from Trinity, Texas



3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] 5) TYPE OF WELL (Check): Rotary [] Driven [] Dug [] Cable [] Jetted [] Bored []

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 410 ft. Depth of completed well 410 ft. Date drilled 7-25-71

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include red clay, sand, rock, blue clay, brown Clay, fine sand, brown clay, sticky brown clay.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Brown clay sand stks, Sand.

7) COMPLETION (Check): Straight wall [X] Gravel packed [] Other [] Under reamed [] Open hole []

8) WATER LEVEL: Static level 10 ft. below land surface Date 7-25-71

9) CASING: Type: old [] New [X] Steel [] Plastic [] Other [] Cemented from 399 ft. to 200 ft.

10) SCREEN: Type Stainless steel Bar-Weld Perforated [] Slotted []

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 4, x-1, 399, sch. 40

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2 1/2, 399, 410, 8

11) WELL TESTS: Was a pump test made? [] Yes [X] No If yes by whom? Yield: _____ gpm with _____ ft. drawdown after _____ hrs

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 3/4 Designed pumping rate 900 gpm [] gph [X] Type power unit Electric Depth to bowls, cylinder, jet, etc., 80 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 Address Box 37 Riverside Texas 77367 (Signed) E.A. Holly (Water Well Driller) E.A. Holly Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED

AUG 27 1971

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

JUL 30 1971

RECEIVED