

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER JAMES NOLAN ADDRESS 8623 TRANQUIL PARK DR. SPRING, TX 77379
 (Name) (Street or RFD) (City) (State) (Zip)
 2) ADDRESS OF WELL'S LOCATION: RED HILL RD. 7/10 MI HUNTSVILLE, TX 77340 Long. _____ Lat. _____
 County WALKER (Street, RFD or other) (City) (State) (Zip) Grid # 60-10-4

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

6) WELL LOG:
 Date Drilling: _____
 Started 2-25-01
 Completed 3-8-01

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>7 1/2</u>	Surface	<u>10</u>
<u>6 1/2</u>	<u>10</u>	<u>351</u>
<u>3 7/8</u>	<u>351</u>	<u>435</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-20</u>		<u>SAND</u>
<u>20-160</u>		<u>SHALE</u>
<u>160-180</u>		<u>SANDY SHALE</u>
<u>180-260</u>		<u>SHALE</u>
<u>260-370</u>		<u>SANDY SHALE</u>
<u>370-435</u>		<u>SAND</u>

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other INSIDE SCREEN
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>330</u>	<u>40</u>
<u>2 1/2</u>	<u>N</u>	<u>BLANK LINER</u>	<u>315</u>	<u>358</u>	
<u>2</u>	<u>N</u>	<u>BLANK LINER</u>	<u>358</u>	<u>400</u>	
<u>2 1/2</u>	<u>N</u>	<u>S.S. SCREEN</u>	<u>400</u>	<u>435</u>	<u>.08</u>

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
 Cemented from 0 ft. to 10 ft. No. of sacks used 3
260 ft. to 330 ft. No. of sacks used 7
 Method used PRESSURE
 Cemented by J. B. BRADFORD
 Distance to septic system field lines or other concentrated contamination _____ ft.
 Method of verification of above distance NOTHING THERE

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 210 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 40 gpm with 30 ft. drawdown after 2 hrs.

11) WATER LEVEL:
 Static level 90 ft. below land surface Date 3-8-01
 Artesian flow _____ gpm. Date _____
FILED

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) PACKERS:
 Type _____ REQ Depth 315
LIR EMPA K
MAY 17 2001

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME J. B. BRADFORD SONS WELL DRILLER'S LICENSE NO. 1881 WPK
 (Type or print)
 ADDRESS 616 N. McIVER MADISONVILLE, TX 77854
 (Street or RFD) (City) (State) (Zip)
 (Signed) James B. Bradford (Signed) _____
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																	
1) OWNER <u>Carroll Hall</u> (Name) ADDRESS <u>PO Box 1419 Madronville, TX 77864</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Hall</u> <u>1696 Estates Tract 18 Sevier, TX 77831</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>60-10-4</u>																																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																	
6) WELL LOG: Date Drilling: Started <u>12-4</u> 19 <u>95</u> Completed <u>12-16</u> 19 <u>95</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> </tr> <tr> <td><u>6 7/4</u></td> <td>Surface</td> <td><u>360</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>360</u></td> <td><u>493</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 7/4</u>	Surface	<u>360</u>	<u>3 7/8</u>	<u>360</u>	<u>493</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																								
Dia. (in.)	From (ft.)	To (ft.)																																			
<u>6 7/4</u>	Surface	<u>360</u>																																			
<u>3 7/8</u>	<u>360</u>	<u>493</u>																																			
From (ft.) To (ft.) Description and color of formation material <u>0-18" Top Soil</u> <u>18"-20' tan clay</u> <u>20-115 grey clay</u> <u>115-116 rock</u> <u>116-228 grey clay</u> <u>228-233 grey clay</u> <u>233-374 grey clay</u> <u>374-385 grey sand</u> <u>385-475 shale</u> <u>475-490 dark grey sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																			
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																			
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>Plastic Casing</u></td> <td><u>0</u></td> <td><u>360</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Blank</u></td> <td><u>350</u></td> <td><u>481</u></td> <td></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Plastic Wrap Screen</u></td> <td><u>481</u></td> <td><u>491</u></td> <td><u>8GA</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>Plastic Blank Shank</u></td> <td><u>491</u></td> <td><u>493</u></td> <td></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>Plastic Casing</u>	<u>0</u>	<u>360</u>		<u>2 1/2</u>	<u>N</u>	<u>Blank</u>	<u>350</u>	<u>481</u>		<u>2 1/2</u>	<u>N</u>	<u>Plastic Wrap Screen</u>	<u>481</u>	<u>491</u>	<u>8GA</u>	<u>2 1/2</u>	<u>N</u>	<u>Plastic Blank Shank</u>	<u>491</u>	<u>493</u>	
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																
			From	To																																	
<u>4</u>	<u>N</u>	<u>Plastic Casing</u>	<u>0</u>	<u>360</u>																																	
<u>2 1/2</u>	<u>N</u>	<u>Blank</u>	<u>350</u>	<u>481</u>																																	
<u>2 1/2</u>	<u>N</u>	<u>Plastic Wrap Screen</u>	<u>481</u>	<u>491</u>	<u>8GA</u>																																
<u>2 1/2</u>	<u>N</u>	<u>Plastic Blank Shank</u>	<u>491</u>	<u>493</u>																																	
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>20</u> ft. No. of sacks used <u>7</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>Pumped</u> Cemented by <u>Jim Grady</u> Distance to septic system field lines or other concentrated contamination <u>180</u> ft. Method of verification of above distance <u>WALK A TAPE</u>																																			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>160</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>75</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>45</u> ft. below land surface Date <u>12-15-95</u> Artesian flow _____ gpm. Date _____																																			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>soft</u> Depth of strata <u>16'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <u>16' formation</u> Type <u>4X7</u> Depth <u>20'</u> <u>Packer</u>																																			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																					
COMPANY NAME <u>De & Enterprises</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>5049W</u>		ADDRESS <u>Rt 2 Box 800 Montgomery, TX 77356</u> (Street or RFD) (City) (State) (Zip)																																			
(Signed) <u>Jimmy H. [Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																			

Please attach electric log, chemical analysis, and other pertinent information, if available.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER DAN URBANOSKI Address HUNTSVILLE TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 17 miles in N direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map NO 1

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 9-25-85

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 7/8</u>	Surface	<u>420</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other Gravel Screen
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
<u>0</u>	<u>70</u>	<u>SHALE</u>					
<u>70</u>	<u>75</u>	<u>SAND</u>					
<u>75</u>	<u>185</u>	<u>SHALE</u>	<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0 - 400</u>	<u>40</u>
<u>185</u>	<u>300</u>	<u>SANDY SHALE</u>	<u>2 1/2</u>	<u>N</u>	<u>BLANK LINER</u>	<u>384 - 405</u>	
<u>300</u>	<u>320</u>	<u>SAND (DRY)</u>	<u>2 1/2</u>	<u>N</u>	<u>S.S. Rod-Base</u>	<u>405 - 420</u>	<u>.08</u>
<u>320</u>	<u>400</u>	<u>SHALE</u>					
<u>400</u>	<u>420</u>	<u>SAND</u>					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 300 ft. to 400 ft.
ft. to _____ ft.
Method used Pumped
Cemented by J.B. Bradford & Son

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 75 ft. below land surface Date 9-25-85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 15 gpm with 90 ft. drawdown after 3 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME J.B. BRADFORD & SON'S Water Well Driller's License No. 1881
(Type or Print)

ADDRESS 66 N. McIVER MADISONVILLE, TEXAS 77864
(Street or RFD) (City) (State) (Zip)

(Signed) James B. Bradford (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-10-4 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#15 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Earl Covington Sr. Address Rt. 1 Box 345 Bedias, TX 77831
2) LOCATION OF WELL: County WALKER 15 miles in WNW direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. map on 60-05-1C

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-01-85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 362
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Red clay, Brown clay, Blue clay, Sand streaks, Sand, Rock and sand streaks, Blue clay, Brown clay, Blue clay, Sand.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 338 ft. to 238 ft.
0 ft. to 10 ft.
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level ft. below land surface Date
Artesian flow gpm. Date

12) PACKERS: Type Depth
Lead L 323

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS:
Type Test: Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 31 Ft.
Was a chemical analysis made? Yes No

RECEIVED RECEIVED
AUG - 9 1985 JUN 10 1985

DEPT. OF WATER RESOURCES DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-10-46 Located on map YES.C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-10-4F Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER C.R. Robertson (Name) Address Bishop Rd Huntsville TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 13 miles in W direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-19-3H

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Public Supply [] Irrigation [] Test Well [] Other [] 5) DRILLING METHOD (Check): Mud Rotary [X] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other []

6) WELL LOG: Date drilled 3 JUNE 83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 71 7) BOREHOLE COMPLETION: Open Hole [] Straight Wall [X] Underreamed [] Gravel Packed [] Other [] If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include SAND, RED CLAY, SAND 16 GA, Sch 40 PVC, MFG SCREEN.

CEMENTING DATA Cemented from ft. to ft. Method used Cemented by (Company or Individual)

9) WATER LEVEL: Static level 24 ft. below land surface Date 4 JUNE 83 Artesian flow gpm. Date

RECEIVED JUL - 1 1983 DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine [] Jet [X] Submersible [] Cylinder [] Other [] Depth to pump bowls, cylinder, jet, etc., 42 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes [] No [X] If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 53 Was a chemical analysis made? Yes [] No [X]

12) WELL TESTS: Type Test [] Pump [] Bailer [] Jetted [X] Estimated [] Yield: 12 gpm with 3 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Eugene M. Poldrack Water Well Drillers Registration No. 2209 ADDRESS 440 GRAHAM Rd Huntsville TX 77340 (Signed) Eugene M. Poldrack (Water Well Driller) CLEARWATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

1992

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 60-10-4E
Located on map Yes
Received: C.F.S.

1) OWNER David Daino Address Rt 1, Box 341 Bedian TX 77831
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 16 miles in NW direction from Huntsville
(Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 10-21-82

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0 - 15		Cal.
15 - 30		Cal shle
30 - 41		shly
41 - 45		sndy shle
45 - 55		shly
55 - 65		sndy shle
65 - 69		snd
69 - 79		sndy shle

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC slotted	0	79	

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____
(Company or Individual)

9) WATER LEVEL:
Static level 20 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

RECEIVED
MAR - 4 1983
DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth
None

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 60' ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 10-15 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Glenn G. Snook Water Well Drillers Registration No. 1490
(Type or Print)
ADDRESS 716 W. Collard MADISONVILLE TX 77864
(Street or RFD) (City) (State) (Zip)
(Signed) Glenn Snook Snook DRLG. Co.
(Water Well Driller) (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

115
36
79

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER: GAVIN SUBLETT (Name) Address: (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County: WALKER (Name) 5-7 miles in EAST (N.E., S.W., etc.) direction from BEDIAS (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. map on 60-12-16

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging
4) PROPOSED USE (Check):
Domestic Industrial Public Supply
Irrigation Test Well Other
5) DRILLING METHOD (Check):
Mud Rotary Air Hammer Drive Bored
Air Rotary Cable Tool Jetted Other

6) WELL LOG:
Date drilled: Mar 14, 84
DIAMETER OF HOLE:
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 115
7) BOREHOLE COMPLETION:
Open Hole Straight Wall Underreamed
Gravel Packed Other
If Gravel Packed give interval ... from 79 ft. to 115 ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen.
0-15 Surface (gray clay)
15-20 " "
20-95 Blue or Dark Gray Silty
95-115 SAND
4 N PVC Casing
4 N PVC .012 Slotted Screen
95-115

CEMENTING DATA
Cemented from ft. to ft.
Method used: Volclay treatment
Cemented by: 79'
(Company or Individual)

9) WATER LEVEL:
Static level: 5' ft. below land surface Date: 3-17-84
Artesian flow gpm. Date:

RECEIVED
NOV 13 1984
DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP:
Turbine Jet Submersible Cylinder
Other
Depth to pump bowls, cylinder, jet, etc.: 60 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? Yes No

12) WELL TESTS:
Type Test Pump Bailer Jetted Estimated
Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
COMPANY NAME: SNOOK DRILLING Co Water Well Driller's License No. #1490
ADDRESS: 716 W. Gollard Madisonville Tex
(Signed) [Signature] (Signed) [Signature]
Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-10-4E
Located on map Yes C.F.S.

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

2-11-81

CONFIDENTIAL
2-11-81
[Signature]

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

112

111

112-112

112

0

112-112

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

112
112
112
112

[Handwritten scribbles]

112-112

CONFIDENTIAL
[Stamp]

112

[Large handwritten signatures and notes at the bottom of the page]

WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-10-4D Located on map YES Received: C.E.S.

1) OWNER Mary Gallow (Name) Address RT. 1 Box 344D BEDIAS, TEX 77831 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 17 miles in WNW direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. map 60-29-10

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Date drilled 11-4-82

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-2 top soil, 2-15 brown clay, 15-72 blue clay, 72-93 sand, 93-125 sand streaks, 125-136 sand.

Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 4 N Plastic -1 1/2 124 40, 2 1/2 N Plastic undercut 135 125 #10.

CEMENTING DATA Cemented from surface ft. to 10 ft. Method used from top Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 15 ft. below land surface Date 11-4-82 Artesian flow gpm. Date

RECEIVED JAN 18 1983

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth 4x6 rubber 104 K packer on screen 120

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 11 ft. Was a chemical analysis made?

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 25 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, Henry Lee Water Well Drillers Registration No. 2026, 2111 (Type or Print)

ADDRESS P.O. Box 638 Riverside, Texas 77367 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] Holly Water Wells (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#8 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-10-4B Located on map YES Received: C.F.S.

1) OWNER Dave Grayum (Name) Address Rt. 1 Box 256 (Street or RFD) Huntsville, Texas 77340 (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 17 miles in NW direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... [] Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines [X] See attached map. map on 60-21-3B

3) TYPE OF WORK (Check): [X] New Well [] Deepening [] Reconditioning [] Plugging
4) PROPOSED USE (Check): [X] Domestic [] Industrial [] Public Supply [] Irrigation [] Test Well [] Other
5) DRILLING METHOD (Check): [X] Mud Rotary [] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other

6) WELL LOG: Date drilled 8-7-80
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 362
7) BOREHOLE COMPLETION: [] Open Hole [X] Straight Wall [] Underreamed [] Gravel Packed [] Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include soil, clay, sand, and rock layers.

RECEIVED APR 7 1982 CR/TL...

CEMENTING DATA: Cemented from 350 ft. to 300 ft. Method used Pressure Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level 40 ft. below land surface Date 8-9-80 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead 346 ft.

11) TYPE PUMP: [] Turbine [] Jet [X] Submersible [] Cylinder [] Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 23 ft. Was a chemical analysis made? [] Yes [X] No

12) WELL TESTS: [] Type Test [] Pump [] Bailer [X] Jetted [] Estimated Yield: 60 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Holly Water Well Service (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED

SEP 11 1980

**DEPT. OF
WATER RESOURCES**

#5 Walker

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-10-4B
Located on map Yes
Received: KLW

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Tom Green (Name) Address Rt.1 Box 342 Bedias, Texas 77831 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 15 miles in NW direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. Map on 60-13-8B Dup

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 6-22-81

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>423</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2	top soil							
2-26	brown clay							
26-79	blue clay		4	N	Plastic	-1 1/2	343	40
79-95	sand streaks							
95-104	blaw clay		2 1/2	N	Stainless steel	355	345	#10
104-108	sand							
108-132	sand streaks							
132-137	sand							
137-229	blue clay							
229-235	sand							
235-346	blue clay							
346-353	sand							
353-423	blue clay							

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA

Cemented from 343 ft. to 293 ft.
Method used Pressure
Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL:
Static level 40 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Lead L 340

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailor Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 7 ft.
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
(Type or Print)

ADDRESS P.O. Box 638 Riverside, Texas 77367
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] Holly Water Well Service
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP - 2 1981
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 60-10-4A
Located on map yes
Received: 74
dlb

WATER WELL REPORT

MR BILL JORDAN

1) OWNER:
Person having well drilled _____ Address 7015 GULF FREEWAY HOUSTON TEX
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 20 miles in N.W direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
OWPL FM 1696 CRAAB PRAIRIE HUNTSVILLE
or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging
4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other
5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 244 ft. Depth of completed well 244 ft. Date drilled 5-15-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	RED CLAY & SAND
22	82	BLUE CLAY
82	104	BROWN CLAY
104	114	LIGNITE
114	238	BLUE CLAY
238	244	SAND

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 234 ft. to 200 ft.
Diameter (inches) 4 Setting From (ft.) 234 To (ft.) + Gage 1 SCH 40
10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) 2 1/2 Setting From (ft.) 234 To (ft.) 244 Slot Size #6

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 80 ft. below land surface Date 5-14-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? SULFOR depth of strata 6

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY 17 1974
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
OCT 8 1974
Central Records
Texas Water Development Board