Send original copy by certified return receipt requested m[redacted]: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30[redacted]

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) **OWNER** Ben L. Silguers (Name) **ADDRESS** 8122 Warren Rd. Houston Tx 77040 (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:** County Walker Peck A-93A C86-1.2 TRAC 1 A-430 Huntsville Tx 77340 (Street, RFD or other) (City) (State) (Zip) **GRID #** 60-10-8
Scales Ranch

3) **TYPE OF WORK (Check):** ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE (Check):** ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) **WELL LOG:**
Date Drilling:
Started 3-26 1998
Completed 3-27 1998

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	10'
3 7/8	10'	66'

7) **DRILLING METHOD (Check):** ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Sand
2	6	Clay
6	20	Sand
20	24	Clay
24	34	Sand
34	52	clay
52	66	Sand

(Use reverse side of Well Owner's copy, if necessary)

8) **Borehole Completion (Check):** ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	PVC	0	56	#40
2	N	PVC screen	56	66	#8

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from _____ ft. to _____ ft. No. of sacks used _____
0 ft. to 10 ft. No. of sacks used 8
Method used _____
Cemented by _____
Distance to septic system field lines or other concentrated contamination 105 ft.
Method of verification of above distance Tape

10) **SURFACE COMPLETION**
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) **WATER LEVEL:**
Static level 34' ft. below land surface Date 3-26-98
Artesian flow _____ gpm. Date _____

12) **PACKERS:** Rubber Type Formation Depth 56'

13) **TYPE PUMP:**
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 50' ft.

14) **WELL TESTS:**
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 12'
Was a chemical analysis made? ☐ Yes ☒ No

FILE ID	SEQ #
EMP #	DESC CO
SEP 30 1998	
COMMENT	TEMP

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) **WELL DRILLER'S LICENSE NO.** 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) **(Signed)** Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) *White - TNRCC Yellow - DRILLER Pink - WELL OWNER*

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Bill Jordan (Name) ADDRESS 1697 FM 1696 (Street or RFD) Huntsville (City) TX (State) 77340 (Zip)

2) ADDRESS OF WELL: County Walker 1697 FM 1696 (Street, RFD or other) Huntsville (City) TX (State) 77340 (Zip) Long. ____ Lat. ____ GRID # 60-10-8

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boding [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) N

6) WELL LOG:
Date Drilling: Started 2/15 19 99 — 2/19 19 99

DIAMETER OF HOLE

Dia.. (in.)	From (ft.)	To (ft.)
6.75	Surface	756

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [X] Cable Tool [ ] Jetted [ ] Other ____

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	13	Sa.
13	22	Sa.st.
22	32	Sa.
32	35	Mlly.cl. & lign.
35	66	Bl.cl.
66	69	Lign.
69	97	Bl.cl.
97	102	Sa.st.
102	122	Sa.
122	131	Sa.st.
131	142	Bl.cl.
142	162	Bl. & br.cl.
162	189	Bl.cl.
189	195	Lign.

(Use reverse side if necessary)

8) Borehole Completion (Check): [X] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other ____
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	Galv. Steel casing	-1.5	731	
2.5	N	SST Pipe base	735	755	#6
		Screen			

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
581 ft. to 731 ft. No. of sacks used 7
Method used Pressure
Cemented by H. Lee
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

13) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other ____
Depth to pump bowls, cylinder, jet, etc., 360 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed (Rule 338.44(2)(A)]
[ ] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[X] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type Test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 15 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL
Static Level 115 ft. below land surface Date ____
Artesian flow ____ gpm Date ____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 27
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
2 Rubber packers RxR	712' & 713'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 2281W

ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX (State) 77340 (Zip)

(Signed) Henry Lee (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

FILE ID | SEQ # | EMP # | DESC CO | COMMENT | MAR 26 1999

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-1-94)

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
195	202	Sa.st.
202	205	Sa.
205	206	Lign.
206	276	Bl.cl.
276	282	Sa.st.
282	297	Sa.
297	302	Bl.cl.
302	317	Sa.st.
317	322	Bl.cl.
322	332	Sa.st.
332	342	Sa. & lign. St.
342	362	Sa.bl. & sa.st.
362	402	Bl.cl.
402	482	Sa.st.
482	499	Sa.
499	501	r.st.
501	517	Sa.
517	518	Rock
518	545	Sa.
545	555	Bl.cl.
555	562	Sa.
562	582	Sa.st.
582	597	Bl.cl.
597	622	Sa.
622	662	Sa.st.
662	682	Bl.cl.
682	702	Sa.st.
702	708	Sa.
708	729	Bl.
729	756	Sand

Send original copy by certified mail to: TNRCC, P.O. B[illegible]087, Austin, TX 78711-3087 *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) **OWNER** Henderson (Name) **ADDRESS** English Rd. (Street or RFD) Huntsville (City) TX (State) 77340 (Zip)

2) **ADDRESS OF WELL** County Walker English Rd. (Street or RFD) Huntsville (City) TX (State) 77340 (Zip) **STATE WELL #** 60-10-8

3) **TYPE OF WORK (Check):** ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE (Check):** ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) **WELL LOG:**
Date Drilling:
Started 10-5- 19 95
Completed 10-8- 19 95

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	250
3 7/8	250	330

7) **DRILLING METHOD (Check):** ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	21	Clay
21	32	Clay + Lignight
32	44	Sand
44	55	Clay + Lignight
55	107	Lignight
107	110	Clay
110	122	Lignight
122	124	Clay
124	160	Lignight
160	176	Clay
176	180	Rock
180	250	Clay
250	260	Sand
260	262	Rock
262	265	Lignight
265	270	Rock
270	313	Clay
313	330	Sand

(Use reverse side if necessary)

8) **Borehole Completion (Check):** ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	250	40
2	N	PVC	250	310	40
2	N	PVC SLOTT	310	330	#6

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from 250 ft. to 150 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 5
Method used Pressure
Cemented by Richard McKee
Distance to septic system field lines _____ ft. NO Septic System
Method of verification of above distance

13) **TYPE PUMP:** ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 240 ft.

10) **SURFACE COMPLETION**
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.41]

RECEIVED JUN 1997 TEXAS NATURAL RESOURCES CONSERVATION COMMISSION

14) **WELL TESTS:**
Type test: ☑ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

11) **WATER LEVEL:**
Static level 79 ft. below land surface Date
Artesian flow _____ gpm. Date

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 20
Was a chemical analysis made? ☐ Yes ☐ No

12) **PACKERS:** Rubber Type K Depth 245

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Ser (Type or print) **WELL DRILLER'S LICENSE NO.** 2011 W.P.K.

ADDRESS PO Box 1788 (Street or RFD) Trinity (City) TX (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) **(Signed)** Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

#7A WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER K. E. Lyons (Name) Address 1104 Felnton Baytown, TX 77520 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker, 16 miles in W (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ON 60-21-5

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 7-17 19 89 Completed 7-19 19 89

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	594

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	10	brown clay
10	19	sand streaks
19	24	lignite
24	32	sand
32	37	blue clay
37	44	lignite and brown clay
44	53	meally clay
53	72	blue clay
72	84	lignite
84	104	blue clay
104	113	lignite and blue clay
113	117	sand
117	181	blue clay
181	201	sand
201	341	blue clay w/sand streaks
341	359	sand
359	433	blue clay
433	450	sand
450	454	blue clay
454	472	sand and meally clay
472	572	blue clay
572	594	sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION: ☒ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	-1.5	460	40
2.5	N	SSt	594	579	#8

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 460 ft. to 360 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☒ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

RECEIVED AUG 21 1989 TEXAS WATER COMMISSION

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type: Lead Depth: L 450

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 22 ft
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 60-10-8
Located on map _____

WWD-012 (Rev.01-28-87) TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.


HOUSTON COUNTY
MADISON COUNTY
TRINITY COUNTY
LIVINGSTON RESERVOIR
HUNTSVILLE
SAM HOUSTON NATIONAL FOREST
HUNTSVILLE STATE PARK
MOSSY GROVE
CRABBS PRAIRIE
WESLEY GROVE
RIVERSIDE
COUNTRY CAMPUS
DODGE
PHELPS
7A
8
9
10
11
12
13
14
3+4
5+7
6
1
2

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-10-8A
Located on map 105
Received: C.F.S.

1) OWNER C H R BURROUGHS (Name) Address 705 E. LoBIT (Street or RFD) Baytown (City) Tex (State) 77520 (Zip)

2) LOCATION OF WELL
County Walker _____ miles in _____ (N.E., S.W., etc.) direction from _____ (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

#2. ☒ See attached map. Mason 38-18-4B

3) **TYPE OF WORK** (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**
Date drilled 8-9-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface 0	120

From (ft.)	To (ft.)	Description and color of formation material
0	34	Top Soil & Clay
34	36	Sand #6
36	45	Hard Z. & Clay
45	48	Sand #8
48	70	Hard Formation
70	87	Sand
87	110	Hard Z
110	120	Sand #8

7) **BOREHOLE COMPLETION:**
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC Well Casing	0	110	
4	N	Slotted Screen	110	120	8

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) **WATER LEVEL:**
Static level 80 ft. below land surface Date 8-10-82
Artesian flow _____ gpm. Date _____

10) **PACKERS:** Type Formation Depth Rubber 110 - 90'-20'

11) **TYPE PUMP:**
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 80' ft.

12) **WELL TESTS:**
☐ Type Test: ☐ Pump ☐ Bailer None ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
DEC 29 1982
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME O.R. BILLINGS (Type or Print) Water Well Drillers Registration No. 1929

ADDRESS 25330 RICHARD RD (Street or RFD) SPRING (City) TEX (State) 77373 (Zip)

(Signed) O.R. Billings (Water Well Driller) Allweather W.W. Sc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to: TNRCC, P.O. B[illegible]3087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) **OWNER** Bill Jordan (Name) **ADDRESS** 1697 FM 1696 W. Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:** County Walker 1697 FM 1696 W Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip) **STATE WELL #** _____

3) **TYPE OF WORK (Check):** [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) **PROPOSED USE (Check):** [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) 60-10-8

6) **WELL LOG:**
Date Drilling:
Started 4-29 19 98
Completed 5-4 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	756

7) **DRILLING METHOD (Check):** [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other _____

N

From (ft.)	To (ft.)	Description and color of formation material
0	1	top bit soil
1	11	sa.
11	21	sa.st.
21	31	sa.
31	33	mlly cl
33	35	lign.
35	67	bl.
67	70	lign.
70	97	bl.
97	101	sa.st.
101	121	sa.
121	131	sa.st.
131	141	bl.
141	161	bl. & br.cl.
161	189	bl.

(Use reverse side if necessary)

FILE
EMPR
COMMENT
JUL 06 1998

8) **Borehole Completion (Check):** [X] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	Pvc casing	-1.5	731	
2	N	Pipe base scr.	735	756	#8

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
581 ft. to 731 ft. No. of sacks used 7
Method used by pressure
Cemented by H. Lee
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) **TYPE PUMP:** [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other _____
Depth to pump bowls, cylinder, jet, etc., 360 ft.

10) **SURFACE COMPLETION**
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[ ] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[X] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) **WELL TESTS:**
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

11) **WATER LEVEL:**
Static level 116 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 27
Was a chemical analysis made? [ ] Yes [X] No

12) **PACKERS:**

	Type	Depth
2 Rubber Packers	RxR	713&714

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) **WELL DRILLER'S LICENSE NO.** 2221W

ADDRESS 607 Hwy 19 (Street or RFD) Huntsville (City) Tx (State) 77340 (Zip)

(Signed) Henry Lee (Licensed Well Driller) **(Signed)** _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
189	195	lign.
195	205	sa.st.
205	206	lign.
206	276	bl.
276	301	sa.st.
301	315	sa.
315	321	bl.
321	331	sa.st.
331	341	sa. & lign.
341	361	sa.bl. & sa.st.
361	401	bl.
401	441	sa.
441	461	sa.st.
461	473	sa.
473	481	st.
481	497	sa.
497	498	rock
498	517	sa.
517	518	rock
518	545	sa.
545	555	bl.
555	561	sa.
561	581	sa.st.
581	596	bl.
596	621	sa.
621	661	sa.st.
661	681	bl.
681	701	sa.st.
701	706	sa.
706	729	bl.
729	756	sa.

Send original copy by certified return receipt requested m[illegible] TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30[illegible]

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Darrell Hall (Name) ADDRESS P.O Box 1419 (Street or RFD) Madisonville (City) TX (State) 778[illegible] (Zip)

2) ADDRESS OF WELL: County Walker CR 227 East (Street, RFD or other) Bedias (City) TX (State) 77864 (Zip) GRID # 60-10-8

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling:
Started 2-24 1997.
Completed 3-15 1997.

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	600

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0-6		Sand.
6-12		Gumbo.
12-30		Sand Rock.
30-40		Sandy Shale.
40-80		Shale
80-90		Lignite.
90-100		Sand.
100-165		Gray shale.
165-195		Sand.
195-240		Gray shale.
240-300		Sandy shale + Lignite
300-400		Gray shale.
400-540		Sandy shale.
540-580		Gray Shale.
580-600		Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other Cemented
If Gravel Packed give interval ... from 559 ft. to 600 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	580	
2 1/2	N	Pipe Base SS	580	600	86A
2 1/2	N	Galv Pip	559	580	

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 10 ft. No. of sacks used 11 mix
455 ft. to 580 ft. No. of sacks used 25
Method used Pressure
Cemented by Terry Long
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance NO Septic

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other NO Pump
Depth to pump bowls, cylinder, jet, etc., ____ ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☑ Estimated
Yield: 30 gpm with 130 ft. drawdown after 4 hrs.

11) WATER LEVEL:
Static level 120 ft. below land surface Date 3-15-97
Artesian flow ____ gpm. Date ____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☑ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? IRON Depth of strata 195
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
2-2 1/2 K-Packers	559

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Long Drilling Co. (Type or print) WELL DRILLER'S LICENSE NO. 4799 WP

ADDRESS Rt 2 Box 54 B (Street or RFD) Crockett (City) (State) (Zip)

(Signed) [illegible] (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

FILE ID | EMP # | JUN 08 1998 | DESC CO 75835 | COMMENT

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) *White - TNRCC Yellow - DRILLER Pink - WELL OWNER*

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087 *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) **OWNER** William Craig (Name) **ADDRESS** 12118 Sagittarius East (Street or RFD) Willis (City) TX (State) 77378 (Zip)

2) **ADDRESS OF WELL:** County Walker Scales Ranch Rd (Street, RFD or other) Huntsville (City) TX (State) (Zip) Long. ____ Lat. ____ GRID # 60-10-8

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling: Started 4/23 19 99 — 4/29 19 99

DIAMETER OF HOLE

Dia.. (in.)	From (ft.)	To (ft.)
6.75	Surface	612

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	16	Calc.
16	22	Bl. & br.cl.
22	25	Sa.
25	46	Bl.
46	48	Lign.
48	80	Sa.
80	96	Bl.
96	102	Sa.
102	117	Bl.
117	142	Bl.
142	157	Bl. & br.cl.
157	172	Lign.
172	174	Sa.
174	342	Bl.

(Use reverse side if necessary)

8) Borehole Completion (Check): ☒ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	-1.5	586	
2.5	N	SST Rod Base	592	612	#8

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
436 ft. to 586 ft. No. of sacks used 7
Method used Pressure
Cemented by H. Lee
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 220 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed (Rule 338.44(2)(A))
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☒ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 15 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL
Static Level 145 ft. below land surface Date ____
Artesian flow ____ gpm Date ____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 28
Was a chemical analysis made? ☐ Yes ☒ No

12) PACKERS:

Type	Depth
2 2.5" Rubber Packers RxR	568' & 569'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) **WELL DRILLER'S LICENSE NO.** 2221W

ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX (State) 77340 (Zip)

(Signed) Henry Lee (Licensed Well Driller) **(Signed)** ____ (Registered Driller Trainee)

FILE ID | SEQ # | DESC CO | MAY 10 1999 | COMMENT | CB

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-1-94)

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
342	344	Rock
344	376	Bl.
376	382	Sa.st.
382	402	Sandy bl.
402	422	Bl.
422	442	Sa. & cl.st.
442	458	Sa.cl.
458	459	Rock
459	462	Sa.cl.
462	466	Sa.
466	467	Rock
467	469	Sa.
469	470	Rock
470	472	Sa.
472	473	Rock
473	482	Sa.
482	542	Sandy cl.
542	562	Bl.cl.
562	570	cl.
570	579	Sa.
579	582	Sandy cl.
582	584	cl.
584	612	Sand

FILE ID		SEQ #
EMP #	MAY 1 0 1999	DESC CO
COMMENT		CB