

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Jimmy Savell (Name) ADDRESS 48 Teel Rd Midway Tx 75852 (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: County Walker 48 Teel Rd. Midway Tx 75852 Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) Grid # 60-11-2

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 6-13 1900 Completed 6-15 1900
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	147'
3 7/8"	147'	164'

From (ft.)	To (ft.)	Description and color of formation material
0-21	126-133	clay shale
21-27	133-136	Light rock
27-30	136-140	Light rock
30-42	140-142	Light sandstone
42-44	142-164	Sand
44-48	164-	Sand
48-63		shale
63-67		shale
67-71		Rock
71-84		Light rock
84-105		shale
105-126		shale

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	147	*40
2	N	PVC	140	144	*40
2	N	PVC SCREEN	144	164	*6

13) Well plugged within 48 hours
Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____
From (ft) To (ft) From (ft) To (ft)

9) CEMENTING DATA
Cemented from 147' ft. to 10' ft. No. of sacks used 5 bags
0 ft. to 10 ft. No. of sacks used 6
Method used pressure
Cemented by Richard Myer
Distance to septic system field lines or other concentrated contamination 150 ft.
Method of verification of above distance tape

14) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 36' ft. below land surface Date 6-15-00
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 22'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 140

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2001T WPK DESC CO _____
ADDRESS P.O. Box 1788 (Street or RFD) (City) Trinity (City) Tx (State) 75852 (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Myer (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: *Confidentiality*
 Privilege Notice on reverse side
 of Well Owner's copy

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
 P.O. Box 12157
 Austin, TX 78711
 512-463-7880

1) OWNER OZARKA WATER SUPPLY ADDRESS 4250 CAMBRIDGE RD FT WORTH TX 76155
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County WALKER FM 1696 C. PRAIRIE TX GRID # 60-11-2
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG:

Date Drilling:	DIAMETER OF HOLE		
	Dia.. (in.)	From (ft.)	To (ft.)
Started <u>3-23</u> 19 <u>00</u>	<u>18.00</u>	Surface	<u>-30</u>
Completed <u>4-4</u> 19 <u>00</u>	<u>12.25</u>	<u>-30</u>	<u>-96</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	25	TAN SAND & CLAY
25	64	BLUE SHALE
64	96	TAN GRAVELLY SAND

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Xx Gravel Packed Other _____
 If Gravel Packed give interval ... from -36.8 ft. to -84.1 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia.	New or	Steel, Plastic, etc. Perf., Slotted, etc.	Setting (ft.)		Gage Casting
13	N	STEEL CASING	+1.5	-30	
6	N	SS STEEL CASING	+1.5	-63.1	
6	N	SS STEEL SCREEN	-63.1	-84.1	020

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	
		NA		

9) CEMENTING DATA
 Cemented from 0 ft. to -25.5 ft. No. of sacks used 12
 BENTONITE -25.5 ft. to -36.8 ft. No. of sacks used 8
 Method used TREMIE
 Cemented by ANDREWS & FOSTER
 Distance to septic system field lines or other concentrated contamination NA ft.
 Method of verification of above distance NA

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Toher NA
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL
 Static Level NA ft. below land surface Date _____
 Artesian flow 140+ Gpm Date 4-4-00

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) PACKERS: Type _____ Depth _____
NA

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME ANDREWS & FOSTER
(Type or print)

WELL DRILLER'S LICENSE NO. 3248R 1 4 2000

ADDRESS P.O. BOX 348 ATHENS
(Street or RFD) (City)

TX 75751
(State) (Zip)

(Signed) Ronald S. Ellis
(Licensed Well Driller)

(Signed) _____
(Registered Driller Trainee)

FILE ID	SEQ #
EMP #	DESC CO
<u>3248R 1 4 2000</u>	<u>75751</u>
COUNTY	(Zip)

Please attach electric log, chemical analysis, and other pertinent information, if available.

60-11-2 X

WALKER #2

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER R.G. Bowman Address Rt. 2 Box 136-B Midway, TX 75852
2) LOCATION OF WELL: County WALKER 12 miles in NW direction from HUNTSVILLE

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. ON 60-11-8

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other

6) WELL LOG: Date Drilling: 06/06/87 19
Started 06/07/87 19
Completed 06/07/87 19
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 111
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 18 ft. to 89 ft. No. of Sacks Used 5
18 ft. to 3 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Holly Water Well Service

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 38 ft. below land surface Date 06/06/87
Artesian flow gpm. Date

12) PACKERS: Type Depth
Rubber 2 1/2 84

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 25 gpm with ft. drawdown after hrs.

RECEIVED AUG 19 1987

TEXAS WATER COMMISSION

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 50 Ft.
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well sService Water Well Driller's License No. 2026/2221

ADDRESS 607 Hwy. 19XX Huntsville, TX 77340

(Signed) [Signature] (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only. Well No. 60-11-2 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WALKER

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Lee Carroll (Name) Address Rt. 6 Box 491 Livingston, TX 77351 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 15 miles in NW direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-13-6J

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
 Date drilled 7-23-85

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	123

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
0-2	Top soil		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial Setting (ft.) From To Gage Casing Screen
2-4	Brown clay		
4-5	Rock		4 N Plastic -1 1/2 111 40
5-22	Brown clay		
22-30	Blue clay		2 1/2 N PVC Undercut 122 112 #8
30-34	Lignite		
34-58	Blue clay		
58-72	Lignite Streaks		
72-82	Blue clay		
82-97	Brown clay		
97-98	Rock		
98-102	Sand streaks		
102-123	Sand		

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 111 ft. to 60 ft.
10 ft. to 0 ft.
 Method used Pressure
 Cemented by Henry Lee

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

12) PACKERS:
 Type _____ Depth _____
 Lead _____ 107

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
AUG 26 1985

DEPT. OF WATER RESOURCES

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Good Depth of strata 21 Ft
 Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) Randy H. Pennington (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-11-2.H Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

25 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-11-26 Located on map YES Received: C.F.S.

1) OWNER George Langley Address Rt. 2 Box 140-B Midway, Texas 75852
2) LOCATION OF WELL: County Walker 13 miles in NW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-18-3K

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-19-83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 116
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include 0-2 top soil, 2-28 brown clay, 28-88 blue clay, 88-116 sand.

CEMENTING DATA Cemented from 104 ft. to 4 ft. Method used Pressure Cemented by Ralph A. Cadwallader (Company or Individual)

RECEIVED JUN-7 1983 DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber R 100

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 100 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 28 ft. Was a chemical analysis made? No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log; and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

1983
MAY 11 1983
10 11 AM
MAY 11 1983

#10 Walker

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-11-2F Located on map YES Received: RDB

1) OWNER Elf Aquitaine Address 950 Threadneedle Suite 200 Houston, Tex. 77097
2) LOCATION OF WELL: County Walker 14 miles in NW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other Supply
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5-5-81
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 670
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, and 8) CASING, BLANK PIPE, AND WELL SCREEN DATA. Includes rows for soil, clay, sand, and lignite formations, and casing data for plastic pipe.

9) WATER LEVEL: Static level, Artesian flow
10) PACKERS: Formation packer rubber 160 ft.
11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder
12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 65 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

581-603 sandy clay
603-870 blue clay

[JUL 14 1982

CR/ID...

RECEIVED
JUN 9 1981
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-11-2E
Located on map W-20
Received: 7/9 SAC

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER WILLIAM HORTON (Name) Address RT 2 BOX 42-E MIDWAY TEXAS 75852 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 10 miles in NE direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 9 map on 60-20-5C

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 6-5-79
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 252
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
0-2		TOP SOIL					
2-4		LIME STONE					
4-19		SAND	4	N	PLASTIC	-1 1/2 → 240	SC40
19-21		LIGNITE					
21-33		SAND CLAY (BROWN)	2 1/2	N	STAINLESS SCREEN	240 - 252	#10
33-103		SAND					
103-180		BLUE CLAY					
180-182		SAND					
182-243		BLUE CLAY					
243-252		SAND					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 240 ft. to 190 ft.
Method used PRESSURE
Cemented by E.A. HOLLY CO. (Company or Individual)

9) WATER LEVEL:
Static level 68 ft. below land surface Date 6-7-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
LEAD 235

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 200' ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? 5 ppm SULFIDE Depth of strata 8'
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801
ADDRESS BOX 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State) (Zip)
(Signed) E.A. Holly (Water Well Driller) E.A. Holly CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

RECEIVED

JUN 29 1979

**DEPT. OF
WATER RESOURCES**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
AUG 13 '79
CR/TDWR

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-11-2D
Located on map Yes
Received: 79 SAC

1) OWNER Gipco Productions (Name) Address Okla city Okla. (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 15 miles in East direction from Madisonville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 1-4-78
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface _____
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0	3	surface					
3	95	clay					
95	120	sand				0	525
120	240	clay					
240	260	sand					
260	400	clay					
400	415	sand					
415	500	clay					
500	530	sand					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 115 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 55 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Munton Beuth (Type or Print) Water Well Drillers Registration No. 482
ADDRESS Box 954 (Street or RFD) Yorktown Texas (City) (State) (Zip)
(Signed) Munton Beuth (Water Well Driller) Beuth Garage & Welding (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED

SEP 13 1978

DEPT. OF
WATER RESOURCES

RECEIVED

MAR 8 '79

CR/DWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-11-2C
Located on map yes
Received: 7-5-75
dlf

1) OWNER:
Person having well drilled LANELEY Address _____ (Street or RFD) _____ (City) _____ (State)
Landowner SAME Address _____ (Street or RFD) _____ (City) _____ (State)

2) LOCATION OF WELL:
County WALKER 12 miles in NE direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* WALKER MI 247 North FM 2989 FM 980 HUNTSVILLE
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 150 ft. Depth of completed well 150 ft. Date drilled 9-5-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	ROCK
10	32	SAND
32	38	LIGNITE
38	121	BLUE CLAY
121	123	SAND
123	140	SANDY BLUE CLAY
140	150	SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 140 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 140 11 SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 140 150 #6

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No Yes If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test: _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 70 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 130 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? GOOD depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS BOX 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
SEP 28 1975
TEXAS WATER
DEVELOPMENT BOARD

JAN 28 1976
TEXAS WATER DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-11-2B
Located on map 25-755
Received: 25-755
elc

1) OWNER:
Person having well drilled MR. M.J. Benson Address 1247 Knollcrest Houston, Tex
(Name) (Street or RFD) (City) (State)
Landowner same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 12 miles in N direction from Huntsville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* *not*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check): New Well _____ Deepening _____ Reconditioning _____ Plugging _____		4) PROPOSED USE (Check): Domestic _____ Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____			5) TYPE OF WELL (Check): Rotary _____ Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____		
---	--	---	--	--	---	--	--

6) WELL LOG:
Diameter of hole 6 $\frac{1}{2}$ in. Depth drilled 112 ft. Depth of completed well 112 ft. Date drilled 4-23-75
All measurements made from +1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	37	top sandy soil
37	58	blue gray clay
58	82	fine sand
82	102	med sand
102	112	good sand

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 25 ft. to 100 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	+1	100	sch 40

10) SCREEN:
Type stainless steel
Perforated _____ Slotted _____
Diameter (inches) 2 $\frac{1}{2}$ Setting From (ft.) 102 To (ft.) 112 Slot Size 8

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 40 ft. below land surface Date 4-23
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? good depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS P.O. Box 37 Riverside Texas 77367
(Street or RFD) (City) (State)
(Signed) *E.A. Holly* E.A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 23 1975
Central Council
Texas Water Development Board

RECEIVED
APR 28 1975
WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-71-2A
Located on map Y.P.S.
Received: 69
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Gibbs Bros Company Address 1118 1/2 11th Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: Walker
County Walker Labor _____ League _____ Abstract No. _____
NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section _____ Block No. _____ Survey _____
(Circle as many as are known)

miles in 15 n direction from Huntsville
(NE, SW, etc.) (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging
4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other
5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 156 ft. Depth of completed well 156 ft. Date drilled 5-20-69
All measurements made from x-1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	48	Clay and Sand
48	50	Lignite
50	58	Blue Clay
58	62	Sand
62	86	Blue clay
86	114	Rock

From (ft.)	To (ft.)	Description and color of formation material
114	139	Shale
139	156	Sand

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open hole

8) WATER LEVEL:
Static level 75 ft. below land surface Date 5-22-69
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old New Steel Plastic Other
Cemented from No ft. to _____ ft.

10) SCREEN:
Type Stainless Steel Bar-Weld
Perforated Slotted

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	X-1	146	8 1/2

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
2 1/2	146	156	8

11) WELL TESTS:
Was a pump test made? Yes No If yes by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? good depth of strata _____

12) PUMP DATA:
Manufacturer's Name Ruth-Berry
Type Submersible H.P. 3/4
Designed pumping rate _____ gpm 780 gph
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 127 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801
(Type or Print)
Address Box 37 Riverside Texas
(Street or RFD) (City) (State)
(Signed) _____ E.A. Holly Company
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

8

Faint header text at the top of the page.

Faint text on the right side of the page.

Faint text in the middle section of the page.

Faint text in the lower middle section of the page.

RECEIVED
JUN 2 1969
TEXAS WATER
DEVELOPMENT BOARD