

#2 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mike Hackfeld Address P.O. Box 6698 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 7 miles in NW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

3) TYPE OF WORK (Check): New Well, Reconditioning, Deepening, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 1-08-85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 197 ft. to 97 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level 23 ft. below land surface Date 1-9-85 Artesian flow gpm. Date

RECEIVED APR - 8 1985

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth Lead L 193

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 100 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 70 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 30 Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 60-11-68 Located on map YES-C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**


The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).


APR - 8 1985

RECEIVED




LEGEND

	INTERSTATE HIGHWAY
	FEDERAL HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	CANAL
	DAM
	RESERVOIR
	LAKE
	RIVER
	CREEK
	STREAM
	SPRING
	WELL
	MINE
	QUARRY
	CEMETERY
	SCHOOL
	CHURCH
	POST OFFICE
	CITY
	TOWN
	VILLAGE
	HAMLET
	UNINCORPORATED PLACE
	BOUNDARY
	ELEVATION
	CONTOUR
	SPOT ELEVATION
	BENCH MARK
	NORTH ARROW
	SCALE



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



1970 CENSUS FIGURES
HIGHWAYS REVISED TO MARCH 1, 1978
POLYCONIC PROJECTION NORTH AMERICAN DATUM
CHARTER U.S. COAST AND GEODETIC SURVEY AND U.S. COAST AND GEODETIC SURVEY
ADJUSTMENTS AND STATE ADJUSTMENTS

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Bonnie Thompson	12649 Aries Loop	Willis	Texas	77318

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	55 Pinedale	Huntsville	TX	77320

3) Type of Work

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell

If Public Supply well, were plans submitted to the TNRCC? Yes No

5) N↑

6) Drilling Date

Started 12 / 8 / 00
Completed 12 / 14 / 00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
10"	0	10'
6 3/4	10'	195'
3 7/8	195'	214'

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

0-3'	139'-141'	Brown clay / Rock
3-13'	141'-164'	Grey clay / Blue clay
13-16'	164'-167'	Rock
16-26'	167'-194'	Sand / Blue clay
26-53'	194'-195'	White clay / Rock
53-71'	195'-214'	White clay / Sand
71-104'		White clay
104-106'		Rock
106-128'		Blue clay
128-139'		Blue clay

8) Borehole Completion Open Hole Straight Wall

Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC	0	195'	*40
2	N	PVC	191'	194'	*40
2	N	PVC SCREEN	194'	214'	*8"±

9) Cementing Data

Cementing from 195 ft. to 95 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 5

Method Used pressure
Cementing By Richard Myker
Distance to septic system field or other concentrated contamination 150 ft.
Method of verification of above distance Tepe

13) Plugged

Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:
From (ft) To (ft) From (ft) To (ft) Sacks used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., 140 ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate and strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water good Depth of Strata 19'
Was a chemical analysis made Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level 80 ft. below Date 12/14/00
Artesian Flow _____ gpm. Date _____ / _____ / _____

12) Packers Rubber Type K Depth 191'

Company or individual's Name (type or print)	<u>Gray's Water Well</u>			
Address	<u>P.O. Box 1788</u>	City	<u>Trinity</u>	State <u>TX</u> Zip <u>75862</u>
Signature	<u>Vernon Gray</u>	Date	<u>1 / 2 / 01</u>	Signature <u>Richard Myker</u> Date <u>12 / 18 / 00</u>
Licensed Driller/Pump Installer		Apprentice		

#6 Walker

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jim Davis (Name) Address Rt 1 Box 558-A Huntsville, Tex 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 6 miles in NW direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:

Section No. Block No. Township

Abstract No. Survey Name

Distance and direction from two intersecting section or survey lines

See attached map. on 60-13-3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 9-25 1989 Completed 9-26 1989

Table with columns: DIAMETER OF HOLE (Dia. (in.), From (ft.), To (ft.)), rows for 0-2, 2-17, 17-49, 49-71, 71-77, 77-127, 127-131, 131-241, 241-244, 244-288, 288-295

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with columns: From (ft.), To (ft.), Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 285 ft. to 185 ft. No. of Sacks Used 7

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

RECEIVED DEC 15 1989

11) WATER LEVEL: Static level 6 ft. below land surface Date 9-27-89

12) PACKERS: Rubber K 278

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield 25 gpm with 7 ft. drawdown after 11 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME holly Water Wells Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-11-6 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-11-6A
Located on map Co YES
Received: RW

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER John Douthay (Name) Address Huntsville (Street or RFD) Texas (City) 77309 (State) (Zip)
2) LOCATION OF WELL: County WALKER 7 miles in North (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Map 60-28-8J

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 4-15-81
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 297
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	1	Top soil						
1	50	black clay						
50	83	Rock	4	N	PVC	0	297	Sch. 40
83	115	black clay						
115	118	Rock	2 1/2	N	EURFLOW PVC SCREEN	297	317	.014
118	297	black clay						
297	317	water SAND	2 1/2	N	PVC BLANK	287	297	Sch. 80

CEMENTING DATA
Cemented from 115 ft. to 297 ft.
Method used PRESSURE Pumped
Cemented by M+M WELL SERVICE (Company or Individual)

9) WATER LEVEL:
Static level 40 ft. below land surface Date 4-17-81
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 125 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD MCKAY (Type or Print) Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 (Street or RFD) Willis (City) TEX (State) 77378 (Zip)
(Signed) Donald McKay (Water Well-Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

1981

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP - 21 1981
DEPT. OF
WATER RESOURCES