

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>Brent Dorman</b>	Address <b>331 Oak Lawn</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77340</b>
-----------------------------	--------------------------------	---------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker</b>	Physical Address <b>Pinedale Rd</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77340</b>
-------------------------	--	---------------------------	--------------------	---------------------

**3) Type of Work**

New Well     Deepening  
 Reconditioning

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # **60-11-9**

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
If Public Supply well, were plans submitted to the TNRCC?     Yes     No

**5) N↑**

**6) Drilling Date**

Started 2/18/03  
Completed 2/24/03

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	236

**7) Drilling Method (check)**     Driven

Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	14	Br.cl.
14	38	Sd.
38	106	Bl.cl.
106	115	Sd.
115	121	Cl w/ lig.st.
121	131	Bl.cl.
131	141	R & lig.st.
141	215	Bl.cl.
215	217	Sd.
217	225	Bl.cl.
225	236	Sd.

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	223	
2.5	N	PVC Screen	225	235	#12

**9) Cementing Data**  
Cementing from -1.5 ft. to 20 ft. # of sacks used 2  
73 ft. to 223 ft. # of sacks used 7

Method Used Pressure  
Cementing By R. McPike  
Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**

Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**10) Surface Completion**

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

**14) Typepump**

Turbine     Jet     Submersible     Cylinder  
 Other 120  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

**11) Water Level**

Static level 10 ft. below    Date   /  /    
Artesian Flow \_\_\_\_\_ gpm.    Date   /  /  

**15) Water Test**

Typetest  Pump     Bailer     Jetted     Estimated  
Yield: 50 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**12) Packers**

Type	Depth
<b>2 - 2.5" K Packers</b>	<b>RxR 218-219'</b>

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water Good    Depth of Strata 11  
Was a chemical analysis made?     Yes     No

Company or Individual's Name (type or print) **Holly Water Wells, LTD**

Address <b>2928 State Hwy 19</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
----------------------------------	------------------------	-----------------	------------------

Signature Rogers and McPike    Date   /  /      Signature \_\_\_\_\_    Date   /  /  

Apprentice APR 22 2003    Date \_\_\_\_\_

**RECEIVED**  
Lic. No. **3114W**  
IDLE MAIL ROOM  
State **TX**    Zip **77320**  
**APR 22 2003**  
RECEIPT # \_\_\_\_\_    AMOUNT \_\_\_\_\_

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616  
Toll free (800)803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**A. WELL IDENTIFICATION AND LOCATION DATA**

**1) OWNER**

Name <i>Jewell Taylor</i>	Address <i>P.O. Box 1222</i>	City <i>Cleespring</i>	State <i>Texas</i>	Zip <i>77331</i>
------------------------------	---------------------------------	---------------------------	-----------------------	---------------------

**2) WELL LOCATION**

County <i>Walker 236</i>	Physical Address <i>102 Taylor Lane</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77340</i>
-----------------------------	--	---------------------------	-----------------------	---------------------

<b>3) Type of Work</b> <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening	<b>4) Proposed Use (check)</b> <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply    If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No	Lat. _____ Long. _____ Grid # <i>60-11-1</i>	<b>5)</b> N ↑
---	---	--	---------------

<b>6) Drilling Date</b> Started <i>11/5/01</i> Completed <i>11/8/01</i>	<b>Diameter of Hole</b> <table border="1"> <tr> <th>Dia.(in)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td><i>10"</i></td> <td><i>0</i></td> <td><i>207</i></td> </tr> <tr> <td><i>6 3/4</i></td> <td><i>10'</i></td> <td><i>207'</i></td> </tr> <tr> <td><i>3 7/8</i></td> <td><i>207</i></td> <td><i>221'</i></td> </tr> </table>	Dia.(in)	From (ft)	To (ft)	<i>10"</i>	<i>0</i>	<i>207</i>	<i>6 3/4</i>	<i>10'</i>	<i>207'</i>	<i>3 7/8</i>	<i>207</i>	<i>221'</i>	<b>7) Drilling Method (check)</b> <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____
Dia.(in)	From (ft)	To (ft)												
<i>10"</i>	<i>0</i>	<i>207</i>												
<i>6 3/4</i>	<i>10'</i>	<i>207'</i>												
<i>3 7/8</i>	<i>207</i>	<i>221'</i>												

From (ft)	To (ft)	Description and color of formation material	8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from _____ ft. to _____ ft.																														
		<i>0-1 Top Soil</i>	<b>Casing, Blank Pipe, and Well Screen Data</b> <table border="1"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New Or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><i>4</i></td> <td><i>N</i></td> <td><i>PVC</i></td> <td><i>0</i></td> <td><i>207</i></td> <td><i>#40</i></td> </tr> <tr> <td><i>2</i></td> <td><i>N</i></td> <td><i>PVC</i></td> <td><i>201</i></td> <td><i>211</i></td> <td><i>#40</i></td> </tr> <tr> <td><i>2</i></td> <td><i>N</i></td> <td><i>PVC</i></td> <td><i>211</i></td> <td><i>221</i></td> <td><i>#6</i></td> </tr> </tbody> </table>					Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen	From	To	<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>207</i>	<i>#40</i>	<i>2</i>	<i>N</i>	<i>PVC</i>	<i>201</i>	<i>211</i>	<i>#40</i>	<i>2</i>	<i>N</i>	<i>PVC</i>	<i>211</i>	<i>221</i>	<i>#6</i>
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial									Setting (ft)			Gage Casing Screen																			
								From	To																								
<i>4</i>	<i>N</i>	<i>PVC</i>						<i>0</i>	<i>207</i>	<i>#40</i>																							
<i>2</i>	<i>N</i>	<i>PVC</i>						<i>201</i>	<i>211</i>	<i>#40</i>																							
<i>2</i>	<i>N</i>	<i>PVC</i>						<i>211</i>	<i>221</i>	<i>#6</i>																							
		<i>1-12 Blue shale</i>																															
		<i>12-20 Lignite</i>																															
		<i>20-80 Blue clay</i>																															
		<i>80-112 Blue clay</i>																															
		<i>112-145 Lignite</i>																															
		<i>145-207 Blue clay</i>																															
		<i>207-221 Sand</i>																															

**9) Cementing Data**  
 Cementing from *207* ft. to *107* ft. # of sacks used *5*  
 from *0* ft. to *10* ft. # of sacks used *7*  
 Method Used *Pressure*  
 Cementing By *R. N. Gray*  
 Distance to septic system field or other concentrated contamination *160 ft.*  
 Method of verification of above distance \_\_\_\_\_

**13) Plugged**     Well plugged within 48 hours  
 Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Type Pump**  
 Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet etc. *180* ft.

**15) Water Test**  
 Type test  Pump     Bailer     Jetted     Estimated  
 Yield: *10* gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**  
 Did you knowingly penetrate a strata which contain undesirable constituents.  
 YES     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER  
 Type of water *900d*    Depth of Strata *14'*  
 Was a chemical analysis made     Yes     No

**10) Surface Completion**  
 Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used


**11) Water Level**  
 Static level *96* ft. below Date *11/8/01*  
 Artesian Flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

**12) Packers** *Rebital* Type *C ROOM* Depth: *201'*

Company or individual's Name (type or print) <i>Gray's Water Well</i>	Lic. No. <i>2011 WPR</i>
Address <i>PO Box 1788</i>	City <i>Trinity</i> State <i>Tx.</i> Zip <i>75862</i>
Signature <i>Vernon Gray</i> <i>11/8/01</i>	Signature <i>Richard Meyer</i> <i>11/8/01</i>
Licensed Driller/Pump Installer	Apprentice







**LEGEND**


[Symbol]	Interstate
[Symbol]	State Highway
[Symbol]	County Road
[Symbol]	Proposed Highway
[Symbol]	Waterway
[Symbol]	Setback
[Symbol]	Right-of-Way
[Symbol]	Other

DEC 12 1997

FILE ID


COMMENT


TRINITY COUNTY



**GENERAL HIGHWAY MAP  
WALKER COUNTY  
TEXAS**

PREPARED BY THE  
STATE DEPARTMENT OF HIGHWAYS  
AND PUBLIC TRANSPORTATION  
TRANSPORTATION PLANNING DIVISION  
IN COOPERATION WITH THE  
FEDERAL DEPARTMENT OF TRANSPORTATION  
FEDERAL HIGHWAY ADMINISTRATION





11 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-11-1B Located on map YES Received: RWB

1) OWNER Dave Bush (Name) Address Rt. 1 Box 726-B Hitchcock, Texas 77563 (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 10 miles in NW direction from Huntsville (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 5-11-81 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 573 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-2 top soil, 2-20 brown clay, 20-32 lignite, 32-68 blue clay, 68-72 sand, 72-74 blue clay, 74-129 sand, 129-138 sand streaks, 138-143 sand, 143-152 blue clay, 152-162 sand, 162-170 sand streaks, 170-182 sand, 182-199 blue clay, 199-204 sand, 204-246 blue clay, 246-268 blue clay and lignite, 268-417 blue clay, 417-423 sand streaks, 423-513 blue clay, 513-554 sandy clay, 554-573 sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 558 ft. to 458 ft. Method used Pressure Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 550

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 50 gpm with ft. drawdown after hrs. 13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 19 ft. Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 (Type or Print) ADDRESS P.O. Box 638 Riverside, Texas 77367 (Street or RFD) (City) (State) (Zip) (Signed) [Signature] Holly Water Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JUL 14 1982  
CR/TDWR

RECEIVED  
JUN 9 1981  
DEPT. OF  
WATER RESOURCES

#78 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-11-1A Located on map NES Received: RWB

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Halbert Brinegar Address Rt. 4 Box 307-14B Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 15 miles in NW direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-2-81 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 545
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 524 ft. to 475 ft. Method used Pressure Cemented by Ralph A. Cadwallader

9) WATER LEVEL: Static level 85 ft. below land surface Date 4-6-81 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 514

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 8 gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good-saline Depth of strata 22 ft. Was a chemical analysis made? Yes by owner

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JUL 14 1982  
CR/TDWR

RECEIVED  
JUN 9 1981  
DEPT. OF  
WATER RESOURCES

#4 Walker

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Olan Butler (Name) Address Rt 10 Box 173 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 3 miles in N direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. on 60-21-1

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 9-6-88 19 Completed 9-7-88 19
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6.5 Surface 200
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include soil, caliche, blue clay, sand, etc.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 185 ft. to 85 ft. No. of Sacks Used 6 0 ft. to 15 ft. No. of Sacks Used 2 Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 60 ft. below land surface Date 9-7-88 Artesian flow gpm. Date

12) PACKERS: Type Depth rubber R 185

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 40 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-11-9 Located on map

RECEIVED OCT 18 1988

TEXAS WATER COMMISSION

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.  
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Mathews Address Rt. 1 Box 418, Huntsville, TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 7 miles in NW direction from Huntsville  
(N.E., S.W., etc.) (Town)

Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. 60-13-9

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Monitor  Public Supply  Irrigation  Test Well  Injection  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  Driven  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_

6) WELL LOG:  
Date Drilling: Started 3/13 19 86 Completed 3/14 19 86  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 162  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
			From	To			
0-2		Top soil					
2-20		Sand streaks					
20-26		Rock	4	N	Plastic	-1 1/2	116
26-48		Galiche					
48-55		Rock	2 1/2	N	Plastic	117	137
55-100		Blue clay					
100-106		Sand					
106-117		Meally clay					
117-142		Sand					
142-148		Blue clay					
148-162		Rock					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 116 ft. to 56 ft. No. of Sacks Used 6  
10 ft. to 0 ft. No. of Sacks Used 3  
Method used Pressure  
Cemented by Henry Lee

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth  
Lead 112

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 25  
Was a chemical analysis made?  Yes  No

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.


I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026-2221  
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-11-9 Located on map \_\_\_\_\_



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-11-9B  
Located on map yes  
Received: 76  
*all*

1) OWNER:  
Person having well drilled GERALD C. TUOMEY (Name) Address Box 1979 HUNTSVILLE TEXAS (Street or RFD) (City) (State)  
Landowner SAME (Name) Address \_\_\_\_\_ (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, \_\_\_\_\_ miles in 7 direction from HUNTSVILLE (N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_

Block \_\_\_\_\_ Survey \_\_\_\_\_

Abstract No. \_\_\_\_\_

(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well \_\_\_\_\_ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic \_\_\_\_\_ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary \_\_\_\_\_ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 526 ft. Depth of completed well 526 ft. Date drilled 9-15-76  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	48	BROWN CLAY
48	230	BLUE CLAY
230	247	ROCK
247	276	SANDY BLUE CLAY
276	370	BLUE CLAY
370	410	STICKY BLUE CLAY
410	470	BROWN CLAY
470	526	SAND

9) CASING:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 515 ft. to 450 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	515	+1	SCH 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 516 526 #10

7) COMPLETION (Check):  
Straight wall \_\_\_\_\_ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

8) WATER LEVEL:  
Static level 30 ft. below land surface Date 9-15-76  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? Good depth of strata 56

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801  
ADDRESS Box 37 RIVERSIDE TEXAS (Street or RFD) (City) (State)  
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
SEP 20 1976  
TEXAS WATER  
DEVELOPMENT BOARD

JAN 14 1977  
Central District  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-11-9A  
Located on map yes  
Received: 70  
*dlr*

1) OWNER:  
Person having well drilled J.F. Oliver Address 820 1/2 19th St. Huntsville, Texas  
(Name) (Street or RFD) (City) (State)  
Landowner Same Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 5 miles in north direction from Huntsville  
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 in. Depth drilled 174 ft. Depth of completed well 174 ft. Date drilled 11-21-69  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	Clay and Rock
26	45	White Clay
45	120	Gray hard shale
120	154	Blue shale
154	174	sand

9) Casing:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 153 ft. to 50 ft.  
Diameter (inches) \_\_\_\_\_ Setting \_\_\_\_\_ Slot Size \_\_\_\_\_  
From (ft.) To (ft.)  
4 X-1 154 83/4

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

10) SCREEN:  
Type Stainless Steel Bar-Weld  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting \_\_\_\_\_ Slot Size \_\_\_\_\_  
From (ft.) To (ft.)  
2 1/2 154 174 10

8) WATER LEVEL:  
Static level 40 ft. below land surface Date 11-20-69  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 126 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? good depth of strata 20

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly company Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS P.O. Box 37 Riverside Texas 77367  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. Holly Company  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

4

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

01114 J 8

J 0 0

2

2005

11-11

151

151

20

152

100

10-10-1970

RECEIVED  
MAY 11 1970  
TEXAS WATER DEVELOPMENT BOARD

RECEIVED  
MAY 11 1970  
TEXAS WATER DEVELOPMENT BOARD

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER Brinson Sangster ADDRESS 9780 E. Shore Dr. Willis, Tx 77378  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker I-45 Exit 123 Huntsville, Tx 77340 STATE WELL # \_\_\_\_\_  
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:  
Date Drilling:  
Started 4-5 1996  
Completed 4-9 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	170

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

5) \_\_\_\_\_  
60-11-9 ↑

From (ft.)	To (ft.)	Description and color of formation material
0	1	Top bit Soil
1	16	caliche
16	60	bl. cl.
60	68	wh. cl.
68	74	sa.
74	76	cl.
76	80	lign.
80	88	bl. cl.
88	90	rock
90	140	bl. cl.
140	170	sa.

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC casing	-1.5	158	
2	N	stainless screen	159	169	6

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from -1.5 ft. to 12 ft. No. of sacks used 2  
160 ft. to 170 ft. No. of sacks used 7  
Method used by pressure  
Cemented by Henry Lee  
Distance to septic system field lines \_\_\_\_\_ ft.  
Method of verification of above distance No septic

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow 6 gpm. Date 4-9-96

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 30  
Was a chemical analysis made?  Yes  No

12) PACKERS: Type Depth  
2.5" Packer BP- R x L 153"

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W  
(Type or print)  
ADDRESS 607 Hwy 19 Huntsville Tx 77340  
(Street or RFD) (City) (State) (Zip)  
(Signed) Henry Lee (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



<b>ATTENTION OWNER: Confidentiality</b> Privilege Notice on Reverse Side		<b>State of Texas</b> <b>WELL REPORT</b>		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																																		
1) OWNER <u>John Paul Lampson</u> (Name) ADDRESS <u>112 Timberwilde</u> (Street or RFD) <u>Huntsville Tx</u> (City) <u>77340</u> (State) (Zip)																																																						
2) ADDRESS OF WELL: County <u>Walker</u> <u>Pinedale Rd. E. of IH 45</u> (Street or RFD) (City) (State) (Zip) STATE WELL # _____																																																						
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																																		
6) WELL LOG: Date Drilling: Started <u>11-11</u> 19 <u>96</u> Completed <u>11-13</u> 19 <u>96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">6.5</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">254</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	6.5	Surface	254				7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																									
Dia. (in.)	From (ft.)	To (ft.)																																																				
6.5	Surface	254																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>3</td><td>top bit soil</td></tr> <tr><td>3</td><td>15</td><td>r. st.</td></tr> <tr><td>15</td><td>23</td><td>sa.</td></tr> <tr><td>23</td><td>43</td><td>bl.</td></tr> <tr><td>43</td><td>47</td><td>sa. st.</td></tr> <tr><td>47</td><td>77</td><td>sa.</td></tr> <tr><td>77</td><td>146</td><td>bl.</td></tr> <tr><td>146</td><td>152</td><td>sa.</td></tr> <tr><td>152</td><td>156</td><td>lign.</td></tr> <tr><td>156</td><td>173</td><td>bl.</td></tr> <tr><td>173</td><td>183</td><td>bl. &amp; r. st.</td></tr> <tr><td>183</td><td>240</td><td>bl.</td></tr> <tr><td>240</td><td>241</td><td>r.</td></tr> <tr><td>241</td><td>243</td><td>sa. (coarse)</td></tr> <tr><td>243</td><td>250</td><td>sa. &amp; r. st.</td></tr> <tr><td>250</td><td>254</td><td>(Use reverse side if necessary)</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	3	top bit soil	3	15	r. st.	15	23	sa.	23	43	bl.	43	47	sa. st.	47	77	sa.	77	146	bl.	146	152	sa.	152	156	lign.	156	173	bl.	173	183	bl. & r. st.	183	240	bl.	240	241	r.	241	243	sa. (coarse)	243	250	sa. & r. st.	250	254	(Use reverse side if necessary)	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																																				
0	3	top bit soil																																																				
3	15	r. st.																																																				
15	23	sa.																																																				
23	43	bl.																																																				
43	47	sa. st.																																																				
47	77	sa.																																																				
77	146	bl.																																																				
146	152	sa.																																																				
152	156	lign.																																																				
156	173	bl.																																																				
173	183	bl. & r. st.																																																				
183	240	bl.																																																				
240	241	r.																																																				
241	243	sa. (coarse)																																																				
243	250	sa. & r. st.																																																				
250	254	(Use reverse side if necessary)																																																				
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																				
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">N</td> <td>PVC Casing</td> <td style="text-align: center;">-1.5</td> <td style="text-align: center;">239</td> <td> </td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td>PVC Screen</td> <td style="text-align: center;">241</td> <td style="text-align: center;">251</td> <td style="text-align: center;">.008</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	239		2	N	PVC Screen	241	251	.008																													
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																	
			From	To																																																		
4	N	PVC Casing	-1.5	239																																																		
2	N	PVC Screen	241	251	.008																																																	
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> <u>154</u> ft. to <u>254</u> ft. No. of sacks used <u>7</u> Method used <u>from top by pressure</u> Cemented by <u>H. Lee</u> Distance to septic system field lines _____ ft. Method of verification of above distance _____																																																				
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc. _____		RECEIVED JAN 27 1997 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION																																																				
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																				
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level _____ ft. below land surface    Date _____ Artesian flow _____ gpm.    Date _____																																																				
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Type</th> <th style="width:30%;">Depth</th> </tr> </thead> <tbody> <tr> <td>Rubber Packer    RxR</td> <td style="text-align: center;">232'</td> </tr> <tr> <td> </td> <td> </td> </tr> </tbody> </table>				Type	Depth	Rubber Packer    RxR	232'																																													
Type	Depth																																																					
Rubber Packer    RxR	232'																																																					
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																						
COMPANY NAME <u>Holly Water Wells</u> (Type or print) ADDRESS <u>607 Hwy 19</u> (Street or RFD)		WELL DRILLER'S LICENSE NO. <u>2221W</u> <u>Huntsville</u> Tx <u>77340</u> (City) (State) (Zip)																																																				
(Signed) <u>H. Lee</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																				

Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530

1) OWNER Jim Gribbles (Name) ADDRESS 307 Moss Hill Lane TX. 77303 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Pinedale Rd. Huntarville TX 77340 (Street or RFD) (City) (State) (Zip) GRID # 60-11-9

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

5)

6) WELL LOG:  
Date Drilling: 5-5-95  
Started 5-8-1995  
Completed 5-9-1995

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>210</u>
<u>3 7/8</u>	<u>210</u>	<u>236</u>

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other

From (ft.)	To (ft.)	Description and color of formation material
<u>0-21</u>	<u>21</u>	<u>Clay</u>
<u>21-63</u>	<u>63</u>	<u>Sand</u>
<u>63-64</u>	<u>64</u>	<u>Rock</u>
<u>64-104</u>	<u>104</u>	<u>Hard Clay</u>
<u>104-119</u>	<u>119</u>	<u>Sand Rock</u>
<u>119-168</u>	<u>168</u>	<u>Clay</u>
<u>168-170</u>	<u>170</u>	<u>Rock</u>
<u>170-205</u>	<u>205</u>	<u>Clay</u>
<u>205-207</u>	<u>207</u>	<u>Clay + Sand</u>
<u>207-210</u>	<u>210</u>	<u>Clay</u>
<u>210-222</u>	<u>222</u>	<u>Sand</u>
<u>222-224</u>	<u>224</u>	<u>Clay</u>
<u>224-229</u>	<u>229</u>	<u>Sand</u>
<u>229-236</u>	<u>236</u>	<u>Clay</u>

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>210</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>205</u>	<u>210</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC SLOTT</u>	<u>210</u>	<u>220</u>	<u>10</u>
<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>220</u>	<u>236</u>	<u>40</u>

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from 210 ft. to 110 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 11  
Method used Pressure  
Cemented by Vernon Gray  
Distance to septic system field lines \_\_\_\_\_ ft. None  
Method of verification of above distance \_\_\_\_\_

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level 71 ft. below land surface Date 5-9-95  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) PACKERS: 1K Type Rubber Depth 205

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's W/well Ser. (type or print) WELL DRILLER'S LICENSE NO. 2011 WPK  
ADDRESS PO Box 1788 TRINITY TX 75862 (Street or RFD) (City) (State) (Zip)  
(Signed) \_\_\_\_\_ (Licensed Well Driller) (Signed) Richard M. Yee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



<b>ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side</b>		<b>State of Texas WELL REPORT</b>		<b>Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530</b>																																	
1) OWNER <u>Preston Murphy</u> (Name) ADDRESS <u>20 Woodlodge Dr.</u> (Street or RFD) <u>Huntsville Tx</u> (City) <u>77340</u> (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>20 Woodlodge Dr</u> (Street, RFD or other) <u>Huntsville</u> (City) (State) (Zip) GRID # <u>60-11-9</u>																																			
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																	
6) WELL LOG: Date Drilling: Started <u>7-27</u> 19 <u>98</u> Completed <u>7-29</u> 19 <u>98</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> </tr> <tr> <td>9 3/4</td> <td>Surface</td> <td>132</td> </tr> <tr> <td>4</td> <td>132</td> <td>140</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	9 3/4	Surface	132	4	132	140	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																								
Dia. (in.)	From (ft.)	To (ft.)																																			
9 3/4	Surface	132																																			
4	132	140																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>2</td><td>t.s.</td></tr> <tr><td>2</td><td>10</td><td>br.cl.</td></tr> <tr><td>10</td><td>20</td><td>sand</td></tr> <tr><td>20</td><td>30</td><td>sandstone</td></tr> <tr><td>30</td><td>55</td><td>calichie</td></tr> <tr><td>55</td><td>120</td><td>b clay</td></tr> <tr><td>120</td><td>128</td><td>sand</td></tr> <tr><td>128</td><td>140</td><td>bc</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	2	t.s.	2	10	br.cl.	10	20	sand	20	30	sandstone	30	55	calichie	55	120	b clay	120	128	sand	128	140	bc	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>10</u> ft. to <u>130</u> ft.								
From (ft.)	To (ft.)	Description and color of formation material																																			
0	2	t.s.																																			
2	10	br.cl.																																			
10	20	sand																																			
20	30	sandstone																																			
30	55	calichie																																			
55	120	b clay																																			
120	128	sand																																			
128	140	bc																																			
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																			
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>4</td><td>N</td><td>PVC Casing</td><td>-1.5</td><td>10</td><td>#40</td></tr> <tr><td>4</td><td>N</td><td>PVC screen</td><td>10</td><td>20</td><td>#20</td></tr> <tr><td>4</td><td>N</td><td>PVC Casing</td><td>20</td><td>120</td><td>#40</td></tr> <tr><td>4</td><td>N</td><td>PVC Screen</td><td>120</td><td>130</td><td>#20</td></tr> </tbody> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	10	#40	4	N	PVC screen	10	20	#20	4	N	PVC Casing	20	120	#40	4	N	PVC Screen	120	130	#20		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																														
			From	To																																	
4	N	PVC Casing	-1.5	10	#40																																
4	N	PVC screen	10	20	#20																																
4	N	PVC Casing	20	120	#40																																
4	N	PVC Screen	120	130	#20																																
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>10</u> ft. to <u>SUR</u> ft. No. of sacks used <u>6</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>from top</u> Cemented by <u>Ralph Cadwallader</u> Distance to septic system field lines or other concentrated contamination <u>NA</u> ft. Method of verification of above distance _____																																			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed. [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>12</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>9.0</u> ft. below land surface    Date <u>7-29-98</u> Artesian flow _____ gpm.    Date _____																																			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>8</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type    Depth <u>None used</u>																																			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.		COMPANY NAME <u>Holly Water wells</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2026WPK</u>		FILE ID    SEQ # _____    _____ AUG 17 1998 COMMENT    (State)    (Zip) _____    _____ (Registered Driller Trainee)																																	
ADDRESS <u>2928 SH 19</u> (Street or RFD) <u>Huntsville Tx</u> (City) <u>77340</u> (State) (Zip) (Signed) <u>Ralph Cadwallader</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																			

Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530

1) OWNER Ted Carpenter ADDRESS 837 Moffutt Springs Huntsville TX 77320  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 837 Moffutt Springs Huntsville TX 77320 GRID # 60-11-9  
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boding  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG: Date Drilling: Started 9-16 19 99 9-20 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	501

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	5	Gumbo
5	15	Calc.
15	22	Bl.
22	42	Sa.
42	62	Sa. H. Bl. St.
62	72	Sa.
72	99	Bl.
99	102	H. Bl.cl.
102	122	H. Bl. & calc.
122	142	Soft & sa. Bl.
142	162	Sa.cl.
162	168	Sa.
168	222	Bl.
222	255	Mily. Bl.

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casina	-1.5	480	
2.5	N	SST Screen	491	501	#6

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2  
330 ft. to 480 ft. No. of sacks used 7  
Method used Pressure  
Cemented by H. Lee  
Distance to septic system field lines or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 50 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 21  
Was a chemical analysis made?  Yes  No

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL  
Static Level 30 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_

12) PACKERS: Type Depth  
2 - 2.5" Rubber Packer RxR 469' & 470'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W  
(Type or print)

ADDRESS 2928 SH 19 Huntsville TX 77320  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

EMP # \_\_\_\_\_ SEQ # \_\_\_\_\_  
DESC CO \_\_\_\_\_  
OCT 25 1999  
COMMENT \_\_\_\_\_

Faint header text at the top of the page, possibly including a title or reference number.

First main paragraph of text, containing several lines of faint, illegible characters.

Second main paragraph of text, continuing the faint, illegible content.

Third main paragraph of text, with some faint markings and possibly a small graphic or diagram.

Fourth main paragraph of text, appearing as a block of faint, illegible characters.

Fifth main paragraph of text, located in the lower half of the page.

Faint footer text at the bottom of the page, possibly including a page number or date.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
255	262	Sa.st.
262	298	Mlly. Cl.
298	308	Sa.
308	310	Lign.
310	318	Mlly.cl.
318	335	H. BL
335	409	BL
409	414	Hard Rock
414	422	Mlly cl.
422	426	BL
426	430	Sa.
430	462	Mlly. BL
462	465	BL
465	469	Sa.st.
469	480	BL
482	501	Sand

FILE ID	SEQ #
EMP #	DESC CO
OCT 25 1999	
COMMENT	



Please use black ink.  
Send original copy by  
certified mail to the  
Texas Water Commission  
P.O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dobby R. Murray (Name) Address P.O. Box 6227 Huntsville, TX 77348 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 7 miles in N direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
 Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map.

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Monitor  Public Supply  Irrigation  Test Well  Injection  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  Driven  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_

6) WELL LOG: Date Drilling: Started 10-19-87 Completed 10-27-87  
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 260  
7) BOREHOLE COMPLETION:  Open Hole  Straight Wall  Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	1/2	top soil (sandy)						
1/2	9	Clay (Grey+Black)						
9	22	Colache (White+grey)	4		PVCsch 40cas	0	240	40
22	33	Colache (black+grey)						
33	55	sand (grey)	4		PVCsch 40screen			
55	90	shale (black+grey)			slotted	240	260	.006
90	110	shale (green)						
110	132	shale (green)						
132	143	shale (grey)						
143	165	shale (unit) (Br. green)						
165	176	shale (grey)						
176	231	shale (blue+grey)						
231	253	sand (grey)						
253	260	sand (brown+grey)						

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 10 ft. No. of Sacks Used 18  
Method used 4 ft. x 4 in. Sabon surface  
Cemented by A.L. Slott

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 17 ft. below land surface Date 10-23-87  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Formation Depth 240

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
Depth to pump bowls, cylinder, jet, etc., 120 ft.

14) WELL TESTS:  
Type Test:  Pump  Bailor  Jetted  Estimated  
Yield: 10 gpm with 70 ft. drawdown after 4 hrs.

RECEIVED  
DEC 22 1987

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.  
COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275  
ADDRESS Rt. 4 Box 1094 Huntsville Texas 77348  
(Signed) Arthur L. Slott (Licensed Water Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)  
Please attach electric log, chemical analysis, and other pertinent information, if available.  
For TWC use only  
Well No. 6011-9  
Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."



The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

I Bobby R. Marney  
 II Montgomery Co. Bannston mens



**LEGEND**

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	CANAL
	LAKE/RESERVOIR
	RIVER
	STREAM
	MARSH
	SWAMP
	FOREST
	PARK
	CEMETERY
	SCHOOL
	CHURCH
	POST OFFICE
	GAS STATION
	TELEPHONE EXCHANGE
	ELECTRIC SUBSTATION
	WATER TOWER
	WINDMILL
	WELL
	MINE
	QUARRY
	DAM
	BRIDGE
	TUNNEL
	ELEVATION SPOT
	CONTOUR LINE
	SPOT ELEVATION
	BOUNDARY
	SECTION CORNER
	TOWNSHIP CORNER
	RANGE CORNER
	MERIDIAN CORNER
	SECTION CENTER
	TOWNSHIP CENTER
	RANGE CENTER
	MERIDIAN CENTER




**GENERAL HIGHWAY MAP  
 WALKER COUNTY  
 TEXAS**

PREPARED BY THE  
 STATE DEPARTMENT OF HIGHWAYS  
 AND PUBLIC TRANSPORTATION  
 TRANSPORTATION PLANNING DIVISION  
 IN COOPERATION WITH THE  
 U.S. DEPARTMENT OF TRANSPORTATION  
 FEDERAL HIGHWAY ADMINISTRATION



1969  
 HIGHWAYS REVISED TO MARCH 1, 1969  
 CONTROL: U.S. COAST AND GEODETIC SURVEY AND U.S. GEOLOGICAL SURVEY



#58 WALKER ✓

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Albert Archuleta Address P.O. Box 7372 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 1 miles in N direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-02-85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 321
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Gumbo, Calichie, Rock streaks, Sand streaks, Rock, Brown clay, Blue clay, Sand streaks, Blue clay, Hard blue clay, Sand, Blue clay, Sand, Blue clay, Rock, Blue clay, Sandy blue clay, Rock streaks, Sand stone, Blue clay, Sand, Blue clay.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 299 ft. to 199 ft.
10 ft. to 0 ft.
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level . . . ft. below land surface Date . . .
Artesian flow . . . gpm. Date . . .

12) PACKERS: Type Depth
Lead L 294

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., . . . ft.

14) WELL TESTS:
Type Test: Pump, Bailer, Jetted, Estimated
Yield: . . . gpm with . . . ft. drawdown after . . . hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Route 11 Box 607 Huntsville, TX 77340
(Signed) Henry Lee (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)
Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR Use only Well No. 60-11-9 Located on map

RECEIVED OCT 22 1985

RECEIVED APR 28 1986 TEXAS WATER COMMISSION

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



TEXAS WATER  
COMMISSION

APR 29 1958

1-1-58

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>Curtis Cunningham</b>	Address <b>#9 Old Oaks Rd</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
----------------------------------	----------------------------------	---------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker</b>	Physical Address <b>Pinedale Rd</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
-------------------------	--	---------------------------	--------------------	---------------------

**3) Type of Work** Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # **60-11-9**

New Well     Deepening     Reconditioning

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic

Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell

If Public Supply well, were plans submitted to the TNRCC?     Yes     No

<b>6) Drilling Date</b> Started <b>05/01/01</b>  Completed <b>05/02/01</b>	<b>Diameter of Hole</b>			<b>7) Drilling Method (check)</b> <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____
	Dia. (in)	From (ft)	To (ft)	
	6.75	-1.5	321	

From (ft)	To (ft)	Description and color of formation material	<b>8) Borehole Completion</b> <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____			
0	1	Bit t.s.	If Gravel Packed give the interval from _____ ft. to _____ ft.			
1	11	W.cl.	<b>Casing, Blank Pipe, and Well Screen Data</b>			
11	34	Sd.				
34	101	Bl.cl.				
101	121	Bl.cl.w/sd.st.	Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To
121	141	Bl.cl.w/r.st.	4	N	PVC Casing	-1.5 238
141	216	Bl.cl.	2.5	N	Undercut screen	240 250 #10
216	228	Sd.				
228	237	Bl.cl.				
237	241	Sd.st.				
241	261	Sd. w/cl.st.				
261	281	Bl.cl. w/sd.st.				

**9) Cementing Data**  
Cementing from **-1.5** ft. to **20** ft. # of sacks used **2**  
**88** ft. to **238** ft. # of sacks used **7**

Method Used **Pressure**  
Cementing By **R. McPike**  
Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**     Well plugged within 48 hours

Casing left in well: \_\_\_\_\_    Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**     Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., **140** ft.

**15) Water Test**  
Type test  Pump     Bailer     Jetted     Estimated  
Yield: **20** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**  
Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water **Good**    Depth of Strata **10**  
Was a chemical analysis made?     Yes     No

Company or Individual's Name (type or print) **Holly Water Wells, Inc.**    Lic. No. **3114W**

Address **2928 SH 19**    City **Huntsville**    State **TX**    Zip **77320**

Signature *Raymond McPike*    Date \_\_\_\_\_    Signature \_\_\_\_\_    Date \_\_\_\_\_  
Licensed Driller/Pump Installer    Apprentice

**10) Surface Completion**

<input type="checkbox"/> Specified Surface Slab Installed	REG ID _____	SEQ # _____
<input type="checkbox"/> Specified Surface Sleeve Installed	EMP # _____	DATE _____
<input checked="" type="checkbox"/> Pitless Adapter Used	MAY 29 2001	
<input type="checkbox"/> Approved Alternative Procedure Used		

**11) Water Level**

Static level **45** ft. below \_\_\_\_\_ Date / /

Artesian Flow \_\_\_\_\_ gpm. Date / /

**12) Packers**

Type	Depth
<b>2- 2.5" K Packers</b>	<b>RxR 223'</b>

