

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name RME Petroleum	Address P.O. Box 1330	City Houston	State TX	Zip 77251
------------------------------	---------------------------------	------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker - Bombay #1	Physical Address 9.8 miles NW of Huntsville	City Madisonville	State Tx	Zip
-------------------------------------	---	-----------------------------	--------------------	-----

3) Type of Work

New Well Deepening
 Reconditioning

Lat. 30 51 36 Long. 095 36 519 60-12-1

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) N↑

X

6) Drilling Date

Started **12/05/02**
Completed **12/06/02**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
8.5	0	290

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	155	Clay & Rock
155	250	Sand
250	290	Clay & Rock

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
6	New	PVC Casing	0	150	40
6	New	PVC Screen	150	250	.020

9) Cementing Data

Cementing from **0** ft. to **15** ft. **11** ft. to _____ ft. # of sacks used _____
Method Used **Slurry**
Cementing By **J & S Water Wells**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged

Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., **231** ft.

15) Water Test

Typetest Pump Bailer Jetted
Yield: **130** gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water _____ Depth of Strata _____

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure # _____


11) Water Level

Static level **70** **12/06/02**
_____ Gpm. Date ____/____/____

12) Packers

	Type	Depth
1	Shale	15'
1	Shale	150'

Company or Individual's Name (type or print) J & S Water Wells - Tomas Salinas		Lic. No. 54238W		
Address P O Box 675		City Bellville	State TX	Zip 77418
Signature Tomas Salinas	Date 12/09/02	Signature _____	Date ____/____/____	
Licensed Driller/Pump Installer		Apprentice		



Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Darryl Shreeves	Address 2454 Fm 247	City Midway	State TX	Zip 75853
--------------------------------	-------------------------------	-----------------------	--------------------	---------------------

2) WELL LOCATION

County Walker County	Physical Address 2454 Fm 247	City Midway	State TX	Zip 75853
--------------------------------	--	-----------------------	--------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # **60-12-1**

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) **↑**

6) Drilling Date

Started **9/6/02**
Completed **9/10/02**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
10"	0	10'
6 3/4	10'	178'
3 7/8	178	193'

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0-6	Sand	119-129 Lignite
6-28	Tanclay	129-140 Blueshale
28-34	Rock	140-161 Blueshale
34-44	Tanclay	161-165 Sand
44-45	Rock	165-176 Blueclay
45-68	Blueshale	176-178 Sand Stone
68-90	Blueshale	178-193
90-92	Sand	
92-96	Rock	
96-119	Blue shale	

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC	0	178'	*40
2	N	PVC screen	173'	193'	*6

9) Cementing Data
Cementing from **178** ft. to **78** ft. # of sacks used **5**
0 ft. to **10** ft. # of sacks used **8**
Method Used **Pressure**
Cementing By **R. Gray**
Distance to septic system field or other concentrated contamination **N/A** ft.
Method of verification of above distance **None**

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion RECEIVED
 Specified Surface Slab Installed MAIL ROOM SH
 Specified Surface Sleeve-Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used DEC 16 2002

14) Type Pump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., **160** ft.

11) Water Level
Static level **54** ft. below Date **9/10/02**
Artesian Flow _____ gpm. Date _____

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: **20** gpm with _____ ft. drawdown after _____ hrs.

12) Packers Rubber Type **K** Depth **173'**

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water **good** Depth of Strata **17'**
Was a chemical analysis made Yes No

Company or individual's Name (type or print) Vernon Gray/Brays Waterwell	Lic. No. 2611WPH
Address PO Box 1788	City Trinity
State TX	Zip 75862
Signature Vernon Gray	Date 9/15/02
Signature Richard Miller	Date 9/15/02
Licensed Driller/Pump Installer	Apprentice

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																															
1) OWNER <u>TRA</u> (Name)		ADDRESS <u>PO Box 1635 Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip)																																	
2) ADDRESS OF WELL: County <u>Walker</u> (Street or RFD) (City) (State) (Zip)		<u>Huntsville Tx 77340</u>		STATE WELL # _____																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____																															
6) WELL LOG: Date Drilling: Started <u>11-2</u> 19 <u>96</u> Completed <u>11-3</u> 19 <u>96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">12</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">67</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	12	Surface	67				7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																						
Dia. (in.)	From (ft.)	To (ft.)																																	
12	Surface	67																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0-1</td><td></td><td>top soil</td></tr> <tr><td>1-10</td><td></td><td>br cl</td></tr> <tr><td>10-20</td><td></td><td>bl cl</td></tr> <tr><td>20-21</td><td></td><td>rock</td></tr> <tr><td>21-22</td><td></td><td>cl</td></tr> <tr><td>22-29</td><td></td><td>sand</td></tr> <tr><td>29-30</td><td></td><td>rock</td></tr> <tr><td>30-42</td><td></td><td>sand</td></tr> <tr><td>42-67</td><td></td><td>sand st</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0-1		top soil	1-10		br cl	10-20		bl cl	20-21		rock	21-22		cl	22-29		sand	29-30		rock	30-42		sand	42-67		sand st	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from <u>20</u> ft. to <u>67</u> ft.			
From (ft.)	To (ft.)	Description and color of formation material																																	
0-1		top soil																																	
1-10		br cl																																	
10-20		bl cl																																	
20-21		rock																																	
21-22		cl																																	
22-29		sand																																	
29-30		rock																																	
30-42		sand																																	
42-67		sand st																																	
(Use reverse side if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 10%;">Dia. (in.)</th> <th rowspan="2" style="width: 10%;">New or Used</th> <th rowspan="2" style="width: 30%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width: 20%;">Setting (ft.)</th> <th rowspan="2" style="width: 10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">N</td> <td>PVC</td> <td style="text-align: center;">+18</td> <td style="text-align: center;">27</td> <td style="text-align: center;">40</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">N</td> <td>PVC (slotted)</td> <td style="text-align: center;">27</td> <td style="text-align: center;">67</td> <td style="text-align: center;">020</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	6	N	PVC	+18	27	40	6	N	PVC (slotted)	27	67	020										
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																														
			From	To																															
6	N	PVC	+18	27	40																														
6	N	PVC (slotted)	27	67	020																														
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>60</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> _____ ft. to _____ ft. No. of sacks used _____ Method used _____ Cemented by <u>Holly water well</u> Distance to septic system field lines _____ ft. Method of verification of above distance _____																																	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input checked="" type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																	
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata <u>19</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>35</u> ft. below land surface Date <u>11-6-96</u> Artesian flow _____ gpm. Date _____																																	
12) PACKERS:		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">Type</th> <th style="width: 30%;">Depth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">n/a</td> <td> </td> </tr> </tbody> </table>				Type	Depth	n/a																											
Type	Depth																																		
n/a																																			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																			
COMPANY NAME <u>Holly Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>3114-W</u>																																	
ADDRESS <u>607 HWY 19</u> <u>Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip)		(Signed) _____ (Registered Driller Trainee)																																	
(Signed) _____ (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																	

Please attach electric log, chemical analysis, and other pertinent information, if available.

1A


File original copy with Texas Water Development Board P. O. Box 12386, Capitol Station Austin, Texas 78711

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWDB only Well No. 60-12-1A Located on map V.C.S. By dlr Date 68 Map no.

1) Well Owner: Edd Artherholt, Huntsville, Texas
2) Land Owner: Same
3) Intended use: Home
4) Location of well: County Walker, Labor, League, Abstract No.



DRILLERS LOG OF WELL
Method of drilling: Rotary, Diameter of hole 7 in., Date drilled 8-5-67

Table with 6 columns: From (ft), To (ft), Description and color of formation material, From (ft), To (ft), Description and color of formation material. Rows include Surface Soil, Clay, Blue Clay, Hard Shale, Blue Clay, Sand.

COMPLETION DATA

Form with three main sections: COMPLETION (Straight wall checked), CASING (Type New checked, Cemented from 104 to 50 ft, Diameter 4 inches, Setting X-1 to 104), SCREEN (Type Bar-Lug checked, Perforated checked, Slotted unchecked, Diameter 2 1/2 inches, Setting 102 to 112).

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Signature: E.A. Holly, Company Name: E.A. Holly Co, Reg. No. 001

Please attach electric log, chemical analysis, and other pertinent information if available.


If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA
Static water level: Flowed
Pump type: Submersible
Designed pumping rate: 720 gpm
Type power unit: Electric
Horsepower: 3/4 HP
Depth to bowls, cylinder, jet, etc.: 84 ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

Faint header text at the top left of the page.

Faint header text at the top right of the page.



Fto ...
 ...
 ...
 ...
 ...

RECEIVED

APR - 9 1968

Central Records
 Texas Water Development Board

RECEIVED
 MAR 26 1968
 TEXAS WATER
 DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Sierraville Crushstone Address _____ (Name) (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL County Walker 12-15 miles in N direction from Huntsville (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-10-2E

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 8-15-84
 DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>8 3/4</u>	Surface	<u>60</u>

 7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial Setting (ft.) From To Gage Casing Screen
<u>0 - 20</u>		<u>Surf.</u>	
<u>20 - 40</u>		<u>shale</u>	
<u>40 - 60</u>		<u>grey shale</u>	<u>6 N PVC casing & slotted pipe</u> <u>0 40</u> <u>sho</u>

CEMENTING DATA
 Cemented from _____ ft. to _____ ft.
 Method used Surface to 10ft
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 12 ft. below land surface Date 8-15-84
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

RECEIVED
DEC 18 1984

DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 35' ft.
 12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 3-5 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Snook Drilling Co. Water Well Driller's License No. 1490
 ADDRESS 716 W. Colvard Madisonville TX 77864
 (Street or RFD) (City) (State) (Zip)
 (Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
 For TDWR use only
 Well No. 60-12-1A
 Located on map Yes DLF


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-1B Located on map Y-5 Received: 6/9/69 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Gibbs Bros & Company Address 1118 1/2 11th Huntsville, Texas Landowner Same

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey miles in 10 N direction from Huntsville, Texas



3) TYPE OF WORK (Check): New Well [checked] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [checked] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] 5) TYPE OF WELL (Check): Rotary [checked] Driven [] Dug [] Cable [] Jetted [] Bored []

6) WELL LOG: Diameter of hole 6 in. Depth drilled 288 ft. Depth of completed well 288 ft. Date drilled 6-6-69 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Yellow Clay, Sand, Blue Clay, Rock, Blue Clay, Sand (Fine), Clay & Lignite Stks, White Sand.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Includes note: (Use reverse side if necessary)

7) COMPLETION (Check): Straight wall [checked] Gravel packed [] Other [] Under reamed [] Open hole []

8) WATER LEVEL: Static level 83 ft. below land surface Date 6-6-69 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [] New [checked] Steel [] Plastic [] Other [] Cemented from 268 ft. to 150 ft.

10) SCREEN: Type Bar-Weld Stainless Steel Perforated [] Slotted []

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 4, 268, X-1

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2 1/2, 268, 288, 8

11) WELL TESTS: Was a pump test made? [] Yes [checked] No If yes by whom? Yield: gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [] Yes [checked] No Did any strata contain undesirable water? [] Yes [] No Type of water? Sulfur depth of strata 66

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 3/4 Designed pumping rate 710 gpm gph [checked] Type power unit Electric Depth to bowls, cylinder, jet, etc., 168 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Helly Water Well Drillers Registration No. 801 Address Box 37 Riverside 77367 Texas (Signed) E.A. Helly Company

Please attach electric log, chemical analysis, and other pertinent information, if available.

Handwritten mark resembling the number 8.

1969 JUN 30

DEPARTMENT OF WATER RESOURCES

1969

STATE OF TEXAS

1969

1969 JUN 30

1969 JUN 30

1969 JUN 30

1969

1969

1969 JUN 30

1969 JUN 30

TEXAS WATER DEPARTMENT BOARD

JUN 30 1969

RECEIVED

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-12-1C Located on map yes Received: 79082C

1) OWNER COLUMBIA DRILLING Address (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 12 miles in N direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. #6, Map on 60-20-4G

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 1-25-79

Table with columns: DIAMETER OF HOLE (Dia. (in.), From (ft.), To (ft.)), Surface, 6 1/2, 576

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-40 BROWN & BLUE CLAY, 40-42 ROCK, 42-47 SAND, 47-62 BROWN CLAY, 62-65 ROCK, 65-85 SAND (SLOTTED), 85-86 ROCK, 86-132 BLUE CLAY, 132-142 SAND STKS, 142-188 BLUE CLAY, 188-192 SAND (SLOTTED), 192-254 BLUE CLAY, 254-268 SAND STKS (SLOTTED), 268-343 BLUE CLAY, 343-483 SANDY BLUE CLAY, 483-488 ROCK, 488-576 SANDY BLUE CLAY

Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) (From, To), Gage Casing Screen. Rows include: 4 N PLASTIC, 4 N SLOTTED, 188 192, 254 268

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from ft. to ft. Method used Cemented by (Company or Individual)

9) WATER LEVEL: Static level 70 ft. below land surface Date 1-26-79 Artesian flow gpm. Date

10) PACKERS: Type Depth RUBBER 254

11) TYPE PUMP: Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? SULFUR Depth of strata Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS P.O. Box 37 RIVERSIDE TEXAS 77340 (Signed) E.A. HOLLY Co. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

JUL 6 '79

CR/DWR

RECEIVED

APR 19 1979

**DEPT. OF
WATER RESOURCES**

WALKER #9
 1m. NISL
 3m. YEL

Please use black ink.
 Send original copy by
 certified mail to the
 Texas Water Commission
 P.O. Box 13087
 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Rafter S (Name) Address 1621 Avenue R Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: County Walker 16 miles in NNW direction from Huntsville (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. on 60-13-4

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling:
 Started 8-4 19 86
 Completed 8-5 19 86
 DIAMETER OF HOLE
 Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 200

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-24		Top soil
4-24		Sand streaks
24-35		Sand
35-44		Lignite
44-59		Blue clay
59-64		Rock streaks
64-95		Blue clay
95-104		Lignite and rock streaks
104-109		Brown clay
109-116		Sand
116-130		Blue clay
130-136		Sand streaks
136-142		Blue clay
142-144		Sand
144-159		Blue clay
159-177		Fine sand
177-200		Blue clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	109	40
2 1/2	N	PVC Undercut	109	119	#10
2 1/2	N	PVC Undercut	159	179	#8

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 100 ft. to 50 ft. No. of Sacks Used 4
0 ft. to 10 ft. No. of Sacks Used 2
 Method used Pressure
 Cemented by Holly Water Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 56 ft. below land surface Date 8-5-86
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Lead Depth 104

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
 DEC 18 1986

TEXAS WATER COMMISSION

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? GOOD Depth of strata 18
 Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
 For TWC use only Well No. 60-12-1 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Riverside Crushed Rock Address _____ (Name) (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL _____ (County) Walker _____ miles in 3 direction from Midway (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 8-3-84
 DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>6 5/8</u>	Surface	<u>180/170</u>
<u>3 1/2</u>	<u>180/170</u>	<u>170/180</u>

 7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
0	20	Rock w/shly & lignite streaks					
20	40	shly w/streak of sand					
40	60	" "	4	N	PVC Casing	0 - 150	
60	80	shly	4	N	PVC T.R. Screen	150 - 170	012
80	100	Sandy shly					
100	120	Brittle shly					
120	140	Grey shly					
140	160	Sandy shly w/5' sand					
160	170	Sandy w/lignite streak					
170	180	Sand & shly streak					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 CEMENTING DATA
 Cemented from _____ ft. to _____ ft.
 Method used _____
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 75 ft. below land surface Date 8-9-84
 Artesian flow _____ gpm. Date _____

RECEIVED
 NOV 13 1984
 DEPT. OF WATER RESOURCES

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 120' ft.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
 COMPANY NAME Snook Drilling Co Water Well Driller's License No. #1490
 ADDRESS 716 W. Colvard (Street or RFD) Midville, Tex (City) 77864 (State) (Zip)
 (Signed) Alvin Snook (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-163 Located on map YESC.F.S.


GRAND SUBLET
115'

RIVERSIDE DEP
180' CAUSKED
RTR




LEGEND

1	STATE HIGHWAY	10	RAILROAD
2	COUNTY ROAD	11	RAILROAD CROSSING
3	LOCAL ROAD	12	RAILROAD CROSSING
4	UNIMPROVED ROAD	13	RAILROAD CROSSING
5	UNIMPROVED ROAD	14	RAILROAD CROSSING
6	UNIMPROVED ROAD	15	RAILROAD CROSSING
7	UNIMPROVED ROAD	16	RAILROAD CROSSING
8	UNIMPROVED ROAD	17	RAILROAD CROSSING
9	UNIMPROVED ROAD	18	RAILROAD CROSSING
10	UNIMPROVED ROAD	19	RAILROAD CROSSING
20	UNIMPROVED ROAD	20	RAILROAD CROSSING
21	UNIMPROVED ROAD	21	RAILROAD CROSSING
22	UNIMPROVED ROAD	22	RAILROAD CROSSING
23	UNIMPROVED ROAD	23	RAILROAD CROSSING
24	UNIMPROVED ROAD	24	RAILROAD CROSSING
25	UNIMPROVED ROAD	25	RAILROAD CROSSING
26	UNIMPROVED ROAD	26	RAILROAD CROSSING
27	UNIMPROVED ROAD	27	RAILROAD CROSSING
28	UNIMPROVED ROAD	28	RAILROAD CROSSING
29	UNIMPROVED ROAD	29	RAILROAD CROSSING
30	UNIMPROVED ROAD	30	RAILROAD CROSSING
31	UNIMPROVED ROAD	31	RAILROAD CROSSING
32	UNIMPROVED ROAD	32	RAILROAD CROSSING
33	UNIMPROVED ROAD	33	RAILROAD CROSSING
34	UNIMPROVED ROAD	34	RAILROAD CROSSING
35	UNIMPROVED ROAD	35	RAILROAD CROSSING
36	UNIMPROVED ROAD	36	RAILROAD CROSSING
37	UNIMPROVED ROAD	37	RAILROAD CROSSING
38	UNIMPROVED ROAD	38	RAILROAD CROSSING
39	UNIMPROVED ROAD	39	RAILROAD CROSSING
40	UNIMPROVED ROAD	40	RAILROAD CROSSING
41	UNIMPROVED ROAD	41	RAILROAD CROSSING
42	UNIMPROVED ROAD	42	RAILROAD CROSSING
43	UNIMPROVED ROAD	43	RAILROAD CROSSING
44	UNIMPROVED ROAD	44	RAILROAD CROSSING
45	UNIMPROVED ROAD	45	RAILROAD CROSSING
46	UNIMPROVED ROAD	46	RAILROAD CROSSING
47	UNIMPROVED ROAD	47	RAILROAD CROSSING
48	UNIMPROVED ROAD	48	RAILROAD CROSSING
49	UNIMPROVED ROAD	49	RAILROAD CROSSING
50	UNIMPROVED ROAD	50	RAILROAD CROSSING
51	UNIMPROVED ROAD	51	RAILROAD CROSSING
52	UNIMPROVED ROAD	52	RAILROAD CROSSING
53	UNIMPROVED ROAD	53	RAILROAD CROSSING
54	UNIMPROVED ROAD	54	RAILROAD CROSSING
55	UNIMPROVED ROAD	55	RAILROAD CROSSING
56	UNIMPROVED ROAD	56	RAILROAD CROSSING
57	UNIMPROVED ROAD	57	RAILROAD CROSSING
58	UNIMPROVED ROAD	58	RAILROAD CROSSING
59	UNIMPROVED ROAD	59	RAILROAD CROSSING
60	UNIMPROVED ROAD	60	RAILROAD CROSSING
61	UNIMPROVED ROAD	61	RAILROAD CROSSING
62	UNIMPROVED ROAD	62	RAILROAD CROSSING
63	UNIMPROVED ROAD	63	RAILROAD CROSSING
64	UNIMPROVED ROAD	64	RAILROAD CROSSING
65	UNIMPROVED ROAD	65	RAILROAD CROSSING
66	UNIMPROVED ROAD	66	RAILROAD CROSSING
67	UNIMPROVED ROAD	67	RAILROAD CROSSING
68	UNIMPROVED ROAD	68	RAILROAD CROSSING
69	UNIMPROVED ROAD	69	RAILROAD CROSSING
70	UNIMPROVED ROAD	70	RAILROAD CROSSING
71	UNIMPROVED ROAD	71	RAILROAD CROSSING
72	UNIMPROVED ROAD	72	RAILROAD CROSSING
73	UNIMPROVED ROAD	73	RAILROAD CROSSING
74	UNIMPROVED ROAD	74	RAILROAD CROSSING
75	UNIMPROVED ROAD	75	RAILROAD CROSSING
76	UNIMPROVED ROAD	76	RAILROAD CROSSING
77	UNIMPROVED ROAD	77	RAILROAD CROSSING
78	UNIMPROVED ROAD	78	RAILROAD CROSSING
79	UNIMPROVED ROAD	79	RAILROAD CROSSING
80	UNIMPROVED ROAD	80	RAILROAD CROSSING
81	UNIMPROVED ROAD	81	RAILROAD CROSSING
82	UNIMPROVED ROAD	82	RAILROAD CROSSING
83	UNIMPROVED ROAD	83	RAILROAD CROSSING
84	UNIMPROVED ROAD	84	RAILROAD CROSSING
85	UNIMPROVED ROAD	85	RAILROAD CROSSING
86	UNIMPROVED ROAD	86	RAILROAD CROSSING
87	UNIMPROVED ROAD	87	RAILROAD CROSSING
88	UNIMPROVED ROAD	88	RAILROAD CROSSING
89	UNIMPROVED ROAD	89	RAILROAD CROSSING
90	UNIMPROVED ROAD	90	RAILROAD CROSSING
91	UNIMPROVED ROAD	91	RAILROAD CROSSING
92	UNIMPROVED ROAD	92	RAILROAD CROSSING
93	UNIMPROVED ROAD	93	RAILROAD CROSSING
94	UNIMPROVED ROAD	94	RAILROAD CROSSING
95	UNIMPROVED ROAD	95	RAILROAD CROSSING
96	UNIMPROVED ROAD	96	RAILROAD CROSSING
97	UNIMPROVED ROAD	97	RAILROAD CROSSING
98	UNIMPROVED ROAD	98	RAILROAD CROSSING
99	UNIMPROVED ROAD	99	RAILROAD CROSSING
100	UNIMPROVED ROAD	100	RAILROAD CROSSING



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



#1 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Norman Smith (Name) Address Rt. 6 Box 198 (Street or RFD) Huntsville, TX 77340 (City) (State) (Zip)
2) LOCATION OF WELL: County Walker (8) miles in NE (N.E., S.W., etc.) direction from Huntsville (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 1-5-84 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 222
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from . ft. to . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, Gumbo, Sand, Lignite Streaks, Course Sand, Blue clay, Sand streaks, etc.

CEMENTING DATA: Cemented from 197 ft. to 97 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 8 ft. below land surface Date 1-6-84 Artesian flow gpm. Date

10) PACKERS: Type Lead Depth L 194

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No Type of water? Good Depth of strata 21 Ft. Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 (Street or RFD) Huntsville, TX (City) 77340 (State) (Zip) (Signed) Randy A. [Signature] (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-1F Located on map Yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WALKER

#1 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-1E Located on map W-3 Received: C.F.S.

1) OWNER John F. Lawlis Address 503 E 16th St. Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 9 miles in NNW direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7-5-83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 124
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen

CEMENTING DATA Cemented from 112 ft. to 12 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 20 ft. below land surface Date 7-7-83 Artesian flow gpm. Date

RECEIVED AUG - 9 1983 DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth Rubber R 104

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 80 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 31 ft. Was a chemical analysis made? No

12) WELL TESTS: Type Test: 30 gpm with ft. drawdown after hrs. Pump, Bailer, Jetted, Estimated

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) RALPH A. CADWALLADER Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

12-10-80

12-10-80

12-10-80

12-10-80

110 Walker

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-1D Located on map YES Received: C.F.S.

1) OWNER Raymond Carroll Address Rt. 6 Box 391 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 14 miles in NNW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-13-6E

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 3-3-83
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 128
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include top soil, caliche, sand, blue clay, brown clay and lignite, sand streaks, blue clay, and sand.

CEMENTING DATA: Cemented from 60 ft. to surface ft. Method used from top formation packer 60 ft. Cemented by Henry Lee

RECEIVED APR 13 1983 DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 7 ft. below land surface Date 3-4-83

10) PACKERS: Lead L 92

11) TYPE PUMP: Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 80 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 54 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 80 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, Henry Lee Water Well Drillers Registration No. 2026, 2221 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Ralph A. Cadwallader Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
MAY 2 1977
WATER WELL DRILLERS BOARD
AUSTIN, TEXAS