

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name Tim Vance	Address 85 Young Rd	City Huntsville	State TX	Zip 77340
--------------------------	-------------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker 236	Physical Address 85 Young Rd	City Huntsville	State TX	Zip 77340
-----------------------------	--	---------------------------	--------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

Lat.	Long.	Grid # 60-12-4
------	-------	-----------------------

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date

Started 9/6/02
Completed 9/9/02

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	129

7) Drilling Method (check) Driven

Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	2	Top bit soil
2	8	Gumbo
8	19	Sa&calc
19	48	BL
48	50	Br.cl
50	110	BL
110	119	Sa.
119	129	Cl.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____

If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	109	
2.5	N	PVC Screen	110	120	#10

(Use reverse side of Well Owner's copy, If necessary)

13) Plugged Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

9) Cementing Data

Cementing from -1.5 ft. to 109 ft. # of sacks used 9
_____ ft. to _____ ft. # of sacks used _____

Method Used **Pressure**

Cementing By **H. Lee**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., 95 ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water **Good** Depth of Strata **10**
Was a chemical analysis made? Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Driftless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level 21 ft. below _____ Date NOV 23 2004
Artesian Flow _____ gpm. _____ Date _____

12) Packers

Type	Depth
2-2.5" Rubber Packers RxR	104-105'

Company or Individual's Name (type or print) **Holly Water Wells, LTD.** Lic. No. **2221W**

Address **2928 State Hwy 19** City **Huntsville** State **TX** Zip **77320**

Signature Henny Lee Licensed Driller/Pump Installer	Date	Signature	Date
		Apprentice	

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8000
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name John Keys	Address PO BOX 1877	City Huntsville	State TX	Zip 77342
--------------------------	-------------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker 236	Physical Address Off FM 247	City Huntsville	State TX	Zip
-----------------------------	---------------------------------------	---------------------------	--------------------	-----

3) Type of Work

<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning	4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No	Lat. _____ Long. _____ Grid # 60-12-4
--	---	--

6) Drilling Date

Started 3-21-02	4) Diameter of Hole <table border="1"> <tr> <th>Dia. (in)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td align="center">7 7/8</td> <td align="center">-1.5</td> <td align="center">127</td> </tr> </table>	Dia. (in)	From (ft)	To (ft)	7 7/8	-1.5	127	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____
Dia. (in)		From (ft)	To (ft)					
7 7/8	-1.5	127						
Completed 3-22-02								

From (ft)	To (ft)	Description and color of formation material
0	1	Top bit soil
1	3	Sa.
3	10	Calc.R.
10	15	Sa.st.
15	21	r.
21	23	Sa.
23	25	Bl.
25	27	Sa.
27	35	Sa.&r.st.
35	45	H.bl.
45	60	Bl.
60	61	r.

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
 If Gravel Packed give the interval from **97** ft. to **127** ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	107	
4	N	PVC Screen	107	127	#10

Cementing from **-1.5** ft. to **20** ft. # of sacks used **3**
 _____ ft. to _____ ft. # of sacks used _____
 Method Used **Pressure**
 Cementing By **H. Lee**
 Distance to septic system field or other concentrated contamination _____ ft.
 Method of verification of above distance _____

13) Plugged Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., **100** ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
 Type of water **Good** Depth of Strata **20**
 Was a chemical analysis made? Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level **34** ft. below Date _____
 Artesian Flow _____ gpm. Date _____

12) Packers

Gravel pack Type _____ Depth _____
 NOV 22 2004

Company or Individual's Name (type or print) **Holly Water Wells, LTD** Lic. No. **2221W**
 Address **2928 State Hwy 19** City **Huntsville** State **TX** Zip **77320**
 Signature *Holly Lee* Date _____ Signature _____ Date _____
 Licensed Driller/Pump Installer Apprentice

RECEIVED
 TDLR MAIL ROOM SH
 MAY 03 2002
RECEIVED
 CENTRAL FILE ROOM
 NOV 22 2004

236

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name **John Paul Lampson** Address **1600 Normal Park** City **Huntsville** State **TEXAS** Zip **77340**

2) WELL LOCATION

County **Walker** Physical Address **Pinedale Rd** City **Huntsville** State **TX** Zip **77340**

3) Type of Work

New Well Deepening
 Reconditioning

Lat. _____ Long. _____ Grid # **60-12-4**

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date

Started **10/11/02**
Completed **10/15/02**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	356

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	11	Sd.
11	21	Br.sdy.cl.
21	31	Sd.
31	48	Bl.cl.
48	52	R.
52	61	Bl.cl.
61	71	Bl.cl. w/ r.st.
71	81	Bl.cl. w/ lig.st.
81	91	Bl.cl. w/sd.st.
91	95	Sd.
95	131	Bl.cl.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	344	
2.5	N	U.C. Screen	346	356	#10

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

9) Cementing Data
Cementing from **-1.5** ft. to **20** ft. # of sacks used **2**
194 ft. to **344** ft. # of sacks used **7**
Method Used **Pressure**
Cementing By **R.McPike**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) Typepump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., **160** ft.

10) Surface Completion Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used
RECEIVED
DEC 12 2002
RECEIPT # _____ AMOUNT _____

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: **50** gpm with _____ ft. drawdown after _____ hrs.

11) Water Level
Static level **25** ft. below Date **/ /**
Artesian Flow _____ gpm. Date **/ /**

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water **Good** Depth of Strata **12**
Was a chemical analysis made? Yes No

12) Packers	Type	Depth
2 - 2.5" K Packers	RxR	336-337

Company or Individual's Name (type or print) **Holly Water Wells, LTD** Lic. No. **3114W**

Address **2928 State Hwy 19** City **Huntsville** State **TX** Zip **77320**

Signature **R. McPike** Date **/ /** Signature _____ Date **/ /**
Licensed Driller/Pump Installer Apprentice

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
131	141	Sd.st.
141	158	Sd.
158	161	Cl.
161	201	Bl.cl.
201	221	Bl.cl w/ sd.st.
221	226	Cl.
226	237	Sd.
237	241	Cl.
241	243	Lig.
243	281	Bl.cl.
281	301	Bl. Meally cl.
301	344	Bl.cl.
344	356	Sd.

RECEIVED	
TDLR MAIL ROOM SH	
DEC 12 2002	
RECEIPT #	AMOUNT

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

1) OWNER Lillie Bridges ADDRESS 192 George Wilson Rd. Huntsville, Tx. 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County Walker 192 George Wilson Rd. Huntsville, Tx. 77340 GRID # 60-12-4
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 3-13-1998
Completed 3-15-1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	165'
3 7/8	165'	184'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-6		clay
6-20		Sand
20-21		Rock
21-31		clay
31-75		shale
75-77		Sand
77-107		shale
107-115		Rock
115-152		shale
152-156		Rock
156-158		Sandg
158-184		Sand

(Use reverse side of Well Owner's copy, if necessary)

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 150 ft.

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 26'
Was a chemical analysis made? Yes No

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	165	*40
2 1/2	N	PVC Blank	167'	164'	*40
2	N	PVC Screen	164'	184'	*8+10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 165 ft. to 65 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 12
Method used pressure
Cemented by Richard McKee
Distance to septic system field lines or other concentrated contamination 104 ft.
Method of verification of above distance Tape

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 124' ft. below land surface Date 3-15-98
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 156'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well
(Type or print)
ADDRESS P.O. Box 1788
(Street or RFD)
(Signed) Vernon Gray
(Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 2016 WJK
(City) Trinity
(Signed) Richard McKee
(Registered Driller Trainee)

FILE ID	SEQ #
EMP # <u>2016 WJK</u>	DESC CO. _____
DATE <u>SEP 30 1998</u>	TEMP _____
COMMENT (State) _____	(Zip) _____

Please attach electric log, chemical analysis, and other pertinent information, if available.

DATE		TIME
NO.	SECRET	NO.
CLASS		CLASS

#56 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James H. Young III Address 307 La Jolla Circle Houston, TX 77060
2) LOCATION OF WELL: County WALKER 8 miles in NNW direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-13-6J

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7/29/85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]: Cemented from 123 ft. to Surface ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level 6 ft. below land surface Date 7-31-85 Artesian flow gpm. Date

RECEIVED AUG 26 1985

12) PACKERS: Type Lead Depth 119

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 33 Ft. Was a chemical analysis made?

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 30 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) Randy D. Germaine (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-4J Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#76 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Richard Shelly Address P.O. Box 6271 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 7 miles in North direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 60-20-4P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5/10/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 138 ft. to 38 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 134

RECEIVED JUL - 6 1984 DEPT. OF WATER RESOURCES

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made?

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 70 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-46 Located on map 460MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#44 Walker

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jerry McMillian (Name) Address P.O. Box 1593 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 7 miles in North direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 60-20-4P

3) TYPE OF WORK (Check): XX New Well, Reconditioning, Deepening, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 6/4/84 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 131 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Sand, Sand streaks, Lignite, Sand streaks, Sand, Sand streaks, Sand.

CEMENTING DATA Cemented from 111 ft. to 111 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 17 Ft. Was a chemical analysis made? Yes No

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 107

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) Fred A. [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-4P-12-4H Located on map 450 MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

STATE OF TEXAS
DEPARTMENT OF WATER RESOURCES
AUSTIN, TEXAS

11

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-4F Located on map 402 Received: 79 STE

1) OWNER Ms BERYL POOLE (Name) Address P.O. Box 1093 HUNTSVILLE TEXAS 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 10 miles in N.W. direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 11 Map on 60-20-5C

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Public Supply [] Irrigation [] Test Well [] Other [] 5) DRILLING METHOD (Check): Mud Rotary [X] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other []

6) WELL LOG: Date drilled 6-4-79 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 82 7) BOREHOLE COMPLETION: Open Hole [] Straight Wall [X] Underreamed [] Gravel Packed [] Other [] If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0-4 BROWN CLAY, 4-9 SAND ROCK, 9-10 ROCK, 10-67 SAND, 67-68 BLUE CLAY, 68-82 SAND. Casing: 4 N PLASTIC (72-71), 1/2 N PLASTIC (72-82).

CEMENTING DATA Cemented from ft. to ft. Method used Cemented by (Company or Individual)

9) WATER LEVEL: Static level 30 ft. below land surface Date 6-4-79 Artesian flow gpm. Date

10) PACKERS: Type Depth RUBBER 72

11) TYPE PUMP: Turbine [] Jet [] Submersible [X] Cylinder [] Other [] Depth to pump bowls, cylinder, jet, etc., 70 ft.

12) WELL TESTS: Type Test [] Pump [] Bailer [] Jetted [] Estimated [] Yield: gpm with ft. drawdown after hrs. 13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 14 Was a chemical analysis made? [] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State) (Zip) (Signed) E.A. HOLLY (Water Well Driller) E.A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

RECEIVED
JUN 29 1979

**DEPT. OF
WATER RESOURCES**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
AUG 13 '79
CR/TDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-12-4E Located on map 105 Received: 7/6/76

1) OWNER: Person having well drilled MR JOHN KAY Address RT 6 Box 341 HUNTSVILLE, TEX (Name) (Street or RFD) (City) (State) Landowner SAME Address (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER 8 miles in N direction from HUNTSVILLE (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc. * Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 268 ft. Depth of completed well 268 ft. Date drilled 10-23-76 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-22 BROWN CLAY, 22-33 SAND BRK + ROCK, 33-52 HARD BLUE CLAY, 52-56 SAND, 56-72 ROCK, 72-142 BLUE CLAY, 142-182 HARD BLUE CLAY, 182-234 BLUE CLAY, 234-268 SAND (COARSE)

9) Casing: Type: Old New Steel Plastic Other Cemented from 248 ft. to 200 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 248 + 1 SGT 40 10) SCREEN: Type STAINLESS STEEL Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 248 268 # 10

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 65 ft. below land surface Date 10-15-76 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Good depth of strata 34

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS (Signed) E.A. Holly (Water Well Driller) F.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 8 1976

Central Records
TEXAS Water Development Board

RECEIVED
NOV - 1 1976
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 60-12-4D
Located on map YES
Received: 26
J.W.

WATER WELL REPORT

1) OWNER:
Person having well drilled WELDON DUNCAN Address RT 3 Box 839 HUNTSVILLE TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 12 miles in NE direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 163 ft. Depth of completed well 163 ft. Date drilled 4-28-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 24		CLAY
24 - 42		ROCK
42 - 92		BLUE CLAY
92 - 101		FINE SAND
101 - 139		BLUE CLAY (HARD)
139 - 152		STICKY BLUE CLAY
152 - 163		SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 152 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 152 11 SCH

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 153 163 # 8

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 4.5 ft. below land surface Date 4-28-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No No
Did any strata contain undesirable water? Yes _____ No _____
Type of water? Good depth of strata 11

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type of Print)
ADDRESS Box 77 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 2 1976
Central Records
Texas Water Development Board

RECEIVED
MAY 19 1976
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAY 18 1976
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-12-4C
Located on map Yes
Received: 7/21/72
alt

1) OWNER:
Person having well drilled MR ALTON BELL Address HY 247 N. HUNTSVILLE TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, _____ miles in NE direction from HUNTSVILLE, TEXAS
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, or hiway number, etc.*

Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 89 ft. Depth of completed well 89 ft. Date drilled 9-16-71
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old <input type="checkbox"/> <u>New</u> <input type="checkbox"/> Steel <input type="checkbox"/> <u>Plastic</u> <input type="checkbox"/> Other <input type="checkbox"/>
0	22	SURFACE SAND & CLAY	Cemented from <u>79</u> ft. to <u>50</u> ft.
22	42	BROWN CLAY	Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
42	57	BLUE CLAY	<u>4</u> <u>79</u> <u>X-1</u> <u>SEN 40</u>
57	89	SAND	
(Use reverse side if necessary)			10) SCREEN: Type <u>STAINLESS STEEL BAR-WELD</u>
			Perforated _____ Slotted _____
			Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
			<u>2 1/2</u> <u>79</u> <u>89</u> <u># 8</u>

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

8) WATER LEVEL:
Static level 20 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? NO depth of strata 32

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E. A. Holly E. A. HOLLY CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 27 1972

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

JAN 19 1972

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-10-4B
Located on map Y.S.
Received: 7/1
ellr

1) OWNER:
Person having well drilled W.E. Coburn Address Route 3 Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner W.E. Coburn Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 6 miles in N direction from Huntsville, Texas
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
 Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
 Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 320 ft. Depth of completed well 320 ft. Date drilled 6-17-70
All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-3		Surface dirt
3-27		Grey clay
27-130		Blue shale
130-152		Water sand
152-180		Blue shale
180-186		Rock
186-280		Blue shale
280-320		Water sand

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 250-280 ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0-280 .173

10) SCREEN:
Type Plastic
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 280 320 .012

7) COMPLETION (Check):
 Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes No _____ If yes, by whom? Anders
Yield: 10 gpm with 0 ft. drawdown after 4 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 82 ft. below land surface Date 6-20-70
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Thomas G. Anders Water Well Drillers Registration No. I226
(Type or Print)
ADDRESS P.O. Box 4 Huntsville, Texas 77340
(Street or RFD) (City) (State)
(Signed) Thomas Anders Thomas Anders
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 17 1971
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAR 8 1971
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only Well No. 60-12-4A Located on map 1/2 S Received: 6/9/81

1) OWNER: Person having well drilled Mr. Frazin Address Huntsville Texas (Name) (Street or RFD) (City) (State) Landowner _____ (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 6 miles in N. E. direction from Huntsville (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well Deepening _____ Reconditioning _____ Plugging _____ 4) PROPOSED USE (Check): Domestic Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____ 5) TYPE OF WELL (Check): Rotary Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____

6) WELL LOG: Diameter of hole 4" in. Depth drilled 172 ft. Depth of completed well 172 ft. Date drilled 11-21-68 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-160 Shale Blue, 160-172 SAND T.O.

9) CASING: Type: Old _____ New Steel _____ Plastic _____ Other _____ Cemented from Drove on Shoulder ft. to _____ ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 160 10-79

10) SCREEN: Type Plastic wrapped Perforated _____ Slotted _____ Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2" 160 172 6-10

7) COMPLETION (Check): Straight wall _____ Gravel packed _____ Other _____ Under reamed _____ Open Hole _____

11) WELL TESTS: Was a pump test made? Yes _____ No _____ If yes, by whom? J.B. Bradford Yield: 15 gpm with 70 ft. drawdown after 24 hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____

8) WATER LEVEL: Static level 70 ft. below land surface Date 11-21-68 Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., 147 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes _____ No Did any strata contain undesirable water? Yes _____ No Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME J.B. BRADFORD Water Well Drillers Registration No. 765 ADDRESS 303 N McIVER MADISONVILLE TEXAS (Street or RFD) (City) (State) (Signed) J.B. Bradford J.B. Bradford & SON (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 5 1970
Central Records
Texas Water Board

TELETYPE BOARD
TELETYPE BOARD

NOV 19 1968

RECEIVED

#4 WALKER

DUP

1) OWNER Edd Artherholt, Jr. Address Rt. 6 Box 360 Huntsville, Texas 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 7 miles in North direction from Huntsville
(N.E., S.W., etc.) (Town)

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. map on 60-21-5R

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 12-22-80

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>110</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
			From	To			
		<u>0-6 red clay</u>					
		<u>6-16 sand</u>					
		<u>16-20 blue clay</u>	<u>4</u>	<u>N</u>	<u>Plastic</u>	<u>-1 1/2</u> <u>97</u>	<u>40</u>
		<u>20-31 brown clay</u>					
		<u>31-98 blue clay</u>	<u>2 1/2</u>	<u>N</u>	<u>Plastic</u>	<u>109</u> <u>99</u>	<u>#12</u>
		<u>98-110 sand</u>					
		<u>rock</u>					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA

Cemented from 97 ft. to 47 ft.
Method used Pressure
Cemented by Ralph A. Cadwallader
(Company or Individual)

9) WATER LEVEL:
Static level 45 ft. below land surface Date 12-23-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Rubber R&R 94 ft.

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 93 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 35 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 12 ft.
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
(Type or Print)

ADDRESS P.O. Box 638 Riverside, Texas 77367
(Street or RFD) (City) (State) (Zip)

(Signed) Ralph A. Cadwallader Holly Water Well Service
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED
 MAR 11 1981
 DEPT. OF WATER RESOURCES

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
JUL 14 1982
CR/TDWR

RECEIVED
MAR 17 1981
DEPT. OF
WATER RESOURCES

#8 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER A.L. CAUTHEN Address RT. 2 BOX 242 HUNTSVILLE, TX. 77340

2) LOCATION OF WELL WALKER County miles in direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 0160-13-2

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling Started Completed 10/07/87 19 10/07/87 19

Table with columns: Dia. (in.), From (ft.), To (ft.). Rows: 6 1/2 Surface 172

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-2 TOP SOIL, 2-7 SAND, 7-12 RED CLAY, 12-39 WHITE CLAY, 39-42 SAND STREAKS, 42-67 SANDY WHITE CLAY, 67-97 BLUE CLAY, 97-102 ROCK STREAKS, 102-109 BLUE CLAY, 109-172 SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows: 4 N PVC -1.5 156 40, 2 1/2 N PVC UNDERCUTT 156-166 #10

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 156 ft. to 60 ft. No. of Sacks Used 6 Method used PRESSURE Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow 25 gpm. Date

12) PACKERS: Rubber K 152

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? GOOD Depth of strata 63 FT Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 15 gpm with ft. drawdown after hrs.

RECEIVED NOV 18 1987

TEXAS WATER COMMISSION

(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026/2221

ADDRESS 607 HWY. 19 HUNTSVILLE, TX. 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6012-4 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#2 WALKER

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER N. J. DAUGHERTY Address P. O. BOX 434 SPRING, TX. 77383

2) LOCATION OF WELL: County WALKER miles in direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. on 60-21-5

3) TYPE OF WORK (Check): 4) PROPOSED USE (Check): 5) DRILLING METHOD (Check):

6) WELL LOG: Date Drilling: Started 12/28/87 Completed 12/29/87 7) BOREHOLE COMPLETION: 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 143 ft. to 43 ft. No. of Sacks Used 6

10) SURFACE COMPLETION 11) WATER LEVEL: Static level 10 ft. below land surface Date 12/29/87

12) PACKERS: Type Depth K-PACKER 137

13) TYPE PUMP: 14) WELL TESTS: Type Test: 30 gpm with 100 ft. drawdown after 25 hrs.

RECEIVED MAR 24 1988

TEXAS WATER COMMISSION

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026/2221 ADDRESS 607 HWY. 19 HUNTSVILLE, TX. 77340

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-12-4 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.