

Well Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616 Toll free (800) 803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: water.well@license.state.tx.us WELL REPORT

1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA

Name: Gene Woods, Address: PO BOX 844, City: Huntsville, State: TX, Zip: 77342

2) WELL LOCATION County: Walker, Physical Address: 231 FM 2628, City: Huntsville, State: TX, Zip: 77340

3) Type of Work: New Well, Reconditioning, 4) Proposed Use: Domestic, 5) N↑

6) Drilling Date: Started 11/21/02, Completed 11/22/02, 7) Drilling Method: Mud Rotary

Table with columns: From (ft), To (ft), Description and color of formation material. Rows include Bit t.s., Br.cl., Bl.cl., Sd.st., Fine sd, R.st., Cl w/ sd.st., Fine sd, Bl.cl.

8) Borehole Completion: Open Hole, 9) Cementing Data: Cementing from -1.5 ft. to 391 ft. # of sacks used 31

10) Surface Completion: Specified Surface Sleeve Installed, 11) Water Level: Static level 125 ft. below

12) Packers: 2 - 2.5 K Packers, Type: RxR, Depth: 383-384

13) Plugged: Well plugged within 48 hours, 14) Typepump: Submersible

15) Water Test: Typetest Pump, Yield: 25 gpm with 23 ft. drawdown after 240 ft.

16) Water Quality: Did you knowingly penetrate any strata which contain undesirable constituents? NO

Company or Individual's Name (type or print) Holly Water Wells, LTD, Lic. No. 3114W, Address 2928 State Hwy 19, City Huntsville, State TX, Zip 77320



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
275	281	Sd
281	301	Blcl.
301	318	Cl
318	321	Sd.st.
321	338	Blcl.
338	341	Sd
341	361	Cl w/ r.st.
361	377	Blcl
377	383	Sd.st.
383	391	Cl
391	414	Sd

<b>RECEIVED</b>	
TDLR MAIL ROOM <span style="float:right">CH</span>	
DEC 12 2002	
RECEIPT #	AMOUNT

236

ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

# State of Texas WELL REPORT

Texas Department of Licensing &  
Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

1) OWNER Marciela ALVEREZ ADDRESS 221 University Ave. Huntsville Tx 77340  
(Name) #94 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: Medow Link Huntsville Tx 77340 Long. \_\_\_\_\_ Lat. \_\_\_\_\_  
County (Street, RFD or other) (City) (State) (Zip) Grid # 60-12-5

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
 If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:

Date Drilling: Started <u>10-15</u> 19 <u>98</u> Completed <u>10-28</u> 19 <u>98</u>	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
	10"	Surface	10'
	6 3/4	10'	3401'

7) DRILLING METHOD (Check):  Driven  Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0-5	5	Sand
5-10	10	clay
10-18	18	Sand
18-23	23	Rock
23-40	40	clay
40-61	61	clay
61-71	71	clay
71-79	79	Sand
79-95	95	clay
95-98	98	Rock
98-111	111	clay
111-114	114	Rock
114-132	132	clay
132-146	146	clay
146-149	149	Rock
149-171	171	clay
171-190	190	clay
190-218	218	clay
218-221	221	Sand
221-240	240	clay
240-262	262	clay
262-276	276	clay
276-278	278	Rock
278-304	304	clay

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
 If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	380'	#40
2	N	PVC Blank	367'	381'	
2	N	PVC Screen	381'	401'	#8

13)  Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA  
 Cemented from 380 ft. to 280 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 5  
 Method used pressure  
 Cemented by Richard McKee  
 Distance to septic system field lines or other concentrated contamination 178 ft.  
 Method of verification of above distance Tape

14) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 200 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed  
 Specified Steel Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

15) WELL TESTS:  
 Type test:  Pump  Bailer  Jetted  Estimated  
 Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
 Static level 63' ft. below land surface Date 10-28-98  
 Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

16) WATER QUALITY:  
 Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? good Depth of strata 28'  
 Was a chemical analysis made?  Yes  No

12) PACKERS: Rubber Type K Depth 367

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK  
(Type or print) (License ID)

ADDRESS P.O. Box 1788 Trinity Tx 75862  
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray JUN 05 2000 Richard McKee  
(Licensed Well Driller) (Signed) (Registered Driller Trainee)

COMMENT: Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530

1) OWNER Ken Florence ADDRESS 27 Allen Dr. Huntsville Tx 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:  
County Walker 6miles N of Huntsville off Hwy 247 GRID # \_\_\_\_\_  
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

5) 60-12-5

6) WELL LOG:  
Date Drilling:  
Started 4-28 19 97  
Completed 4-29 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	155

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0	2	top bit soil
2	26	clach r.
26	60	bl.
60	62	sa.
62	66	bl.
66	78	sa.
78	79	lign.
79	97	bl.
97	100	sa.
100	129	bl.
129	133	sa.
133	137	sa.
137	155	sa.

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	138	
2	N	PVC Screen	145	155	

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from -1.5 ft. to 155 ft. No. of sacks used 10  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_  
Method used pressure  
Cemented by H. lee  
Distance to septic system field lines or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:  
Type test:  Pump  Bailor  Jetted  Estimated  
Yield: 25 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level 50 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 18  
Was a chemical analysis made?  Yes  No

12) PACKERS:	Type	Depth
<u>Rubber packer</u>	<u>RxR</u>	<u>133</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W  
(Type or print)  
ADDRESS 607 Hwy 19 Huntsville Tx 77340  
(Street or RFD) (City) (State) (Zip)  
(Signed) Henry Lee (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		<b>State of Texas</b> <b>WELL REPORT</b>		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																															
1) OWNER <u>Alford Johnson</u> (Name) ADDRESS <u>12106 Sugar Springs Dr.</u> (Street or RFD) <u>No. TX</u> (City) <u>77027</u> (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> (Street or RFD) <u>Allen Rd.</u> (City) <u>Huntsville Tx 77340</u> (State) (Zip) GRID # <u>60-12-5</u>																																																	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																															
6) WELL LOG: Date Drilling: _____ Started <u>9-15</u> 19 <u>95</u> Completed <u>9-25</u> 19 <u>95</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>308</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>308</u></td> <td><u>320</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>308</u>	<u>3 7/8</u>	<u>308</u>	<u>320</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																						
Dia. (in.)	From (ft.)	To (ft.)																																																	
<u>6 3/4</u>	Surface	<u>308</u>																																																	
<u>3 7/8</u>	<u>308</u>	<u>320</u>																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0-4</u></td><td><u>Top Soil</u></td><td><u>248-249 Rock</u></td></tr> <tr><td><u>4-21</u></td><td><u>Sand Stone</u></td><td><u>249-250 Blue shale</u></td></tr> <tr><td><u>21-40</u></td><td><u>Hard Blue shale</u></td><td><u>250-271 Blue shale</u></td></tr> <tr><td><u>40-61</u></td><td><u>Blue shale</u></td><td><u>271-286 Blue shale</u></td></tr> <tr><td><u>61-82</u></td><td><u>Blue shale</u></td><td><u>286-287 Rock</u></td></tr> <tr><td><u>82-103</u></td><td><u>Blue shale</u></td><td><u>287-292 Blue shale</u></td></tr> <tr><td><u>103-124</u></td><td><u>Blue shale</u></td><td><u>292-308 Blue shale</u></td></tr> <tr><td><u>124-143</u></td><td><u>Blue shale</u></td><td><u>308-313 Sand</u></td></tr> <tr><td><u>143-166</u></td><td><u>Blue shale</u></td><td><u>313-318 Sand</u></td></tr> <tr><td><u>166-187</u></td><td><u>Blue shale</u></td><td><u>318-319 Sand</u></td></tr> <tr><td><u>187-208</u></td><td><u>Blue shale</u></td><td><u>319-320 Clay Grey</u></td></tr> <tr><td><u>208-225</u></td><td><u>Blue shale / sand streak</u></td><td></td></tr> <tr><td><u>225-227</u></td><td><u>Rock</u></td><td></td></tr> <tr><td><u>227-229</u></td><td><u>Blue shale</u></td><td></td></tr> <tr><td><u>229-248</u></td><td><u>Blue shale</u></td><td></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-4</u>	<u>Top Soil</u>	<u>248-249 Rock</u>	<u>4-21</u>	<u>Sand Stone</u>	<u>249-250 Blue shale</u>	<u>21-40</u>	<u>Hard Blue shale</u>	<u>250-271 Blue shale</u>	<u>40-61</u>	<u>Blue shale</u>	<u>271-286 Blue shale</u>	<u>61-82</u>	<u>Blue shale</u>	<u>286-287 Rock</u>	<u>82-103</u>	<u>Blue shale</u>	<u>287-292 Blue shale</u>	<u>103-124</u>	<u>Blue shale</u>	<u>292-308 Blue shale</u>	<u>124-143</u>	<u>Blue shale</u>	<u>308-313 Sand</u>	<u>143-166</u>	<u>Blue shale</u>	<u>313-318 Sand</u>	<u>166-187</u>	<u>Blue shale</u>	<u>318-319 Sand</u>	<u>187-208</u>	<u>Blue shale</u>	<u>319-320 Clay Grey</u>	<u>208-225</u>	<u>Blue shale / sand streak</u>		<u>225-227</u>	<u>Rock</u>		<u>227-229</u>	<u>Blue shale</u>		<u>229-248</u>	<u>Blue shale</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																																	
<u>0-4</u>	<u>Top Soil</u>	<u>248-249 Rock</u>																																																	
<u>4-21</u>	<u>Sand Stone</u>	<u>249-250 Blue shale</u>																																																	
<u>21-40</u>	<u>Hard Blue shale</u>	<u>250-271 Blue shale</u>																																																	
<u>40-61</u>	<u>Blue shale</u>	<u>271-286 Blue shale</u>																																																	
<u>61-82</u>	<u>Blue shale</u>	<u>286-287 Rock</u>																																																	
<u>82-103</u>	<u>Blue shale</u>	<u>287-292 Blue shale</u>																																																	
<u>103-124</u>	<u>Blue shale</u>	<u>292-308 Blue shale</u>																																																	
<u>124-143</u>	<u>Blue shale</u>	<u>308-313 Sand</u>																																																	
<u>143-166</u>	<u>Blue shale</u>	<u>313-318 Sand</u>																																																	
<u>166-187</u>	<u>Blue shale</u>	<u>318-319 Sand</u>																																																	
<u>187-208</u>	<u>Blue shale</u>	<u>319-320 Clay Grey</u>																																																	
<u>208-225</u>	<u>Blue shale / sand streak</u>																																																		
<u>225-227</u>	<u>Rock</u>																																																		
<u>227-229</u>	<u>Blue shale</u>																																																		
<u>229-248</u>	<u>Blue shale</u>																																																		
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																	
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>308</u></td> <td><u>#40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>308</u></td> <td><u>320</u></td> <td><u>#6</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>308</u>	<u>#40</u>	<u>2</u>	<u>N</u>	<u>PVC</u>	<u>308</u>	<u>320</u>	<u>#6</u>																										
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																														
			From	To																																															
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>308</u>	<u>#40</u>																																														
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>308</u>	<u>320</u>	<u>#6</u>																																														
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>308</u> ft. to <u>208</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>7</u> Method used <u>pressure</u> Cemented by <u>Richard M. Keen</u> Distance to septic system field lines: <u>N/A</u> ft. Method of verification of above distance: <u>No Tanks or Lines</u>																																																	
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>240</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(b)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71] <div style="text-align: right; font-size: 2em; font-weight: bold; border: 1px solid black; padding: 5px;">                         RECEIVED                          JUN 1997                     </div>																																																	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>25</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>66</u> ft. below land surface Date <u>9-25-95</u> Artesian flow _____ Date _____																																																	
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>12'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <u>Rubber</u> Type <u>K</u> Depth <u>283'</u>																																																	
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																			
COMPANY NAME <u>Grays Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>																																																	
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)		<u>Trinity</u> (City)		<u>Tx</u> (State) <u>75862</u> (Zip)																																															
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard M. Keen</u> (Registered Driller Trainee)																																																	

Please attach electric log, chemical analysis, and other pertinent information, if available.



WALKER #1 1m: NISH  
5m: E

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Water Commission  
P.O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Guy Smith Address Rt. 4 Box 710 Huntsville, TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County WALKER 5 miles in N direction from HUNTSVILLE  
(Town)

Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. ON 60-12-5

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Domestic  Industrial  Monitor  Public Supply  Irrigation  Test Well  Injection  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_

6) WELL LOG:  
Date Drilling:  
Started 01-06 19 87  
Completed 01-07 19 87  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 289

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-4		Top soil
4-32		Caliche
32-85		Blue clay
85-86		Rock
86-99		Sand
99-102		Blue clay
102-104		Rock
104-167		Blue clay
167-168		Rock
168-175		Blue clay
175-186		Rock
186-194		Sand
194-197		Blue clay
197-204		Rock
204-206		Sand
206-215		Blue clay
215-218		Rock
218-261		Blue clay
261-262		Sand
262-272		Blue clay
272-284		Sand
284-289		Sandy clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	272	40
2 1/2	N	PVC	272	282	#10

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 272 ft. to 172 ft. No. of Sacks Used 6  
0 ft. to 10 ft. No. of Sacks Used 2  
Method used Pressure  
Cemented by Holly Water Well Service

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 68 ft. below land surface Date 01-07-87  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:

Type	Depth
Lead	267

RECEIVED  
FEB 17 1987

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY: **TEXAS WATER COMMISSION**  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? GOOD Depth of strata 12 Ft.  
Was a chemical analysis made?  Yes  No

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 30 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS Route 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) Randy A. [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-12-5 Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



#41 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-12-50 Located on map yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dave Newman (Name) Address 3324 Thornwood (Street or RFD) Huntsville Tx 77340 (City) (State) (Zip) 2) LOCATION OF WELL: County WALKER 7 miles in N direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

See attached map. map on 60-18-3K

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging 4) PROPOSED USE (Check): [X] Domestic [ ] Industrial [ ] Public Supply [ ] Irrigation [ ] Test Well [ ] Other 5) DRILLING METHOD (Check): [X] Mud Rotary [ ] Air Hammer [ ] Driven [ ] Bored [ ] Air Rotary [ ] Cable Tool [ ] Jetted [ ] Other

6) WELL LOG: Date drilled 5/31/83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 147 7) BOREHOLE COMPLETION: [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include: 0-2 Top soil, 2-22 White & Brown caliche clay, 22-41 Sand streaks, 41-42 Rock, 42-61 Sand & Rock streaks, 61-62 Rock, 62-65 Rock & Lignite, 65-92 Blue clay, 92-96 Sand, 96-121 Blue clay, 121-122s Sand, 122-147 Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 135 ft. to 35 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

RECEIVED

JUN - 7 1983

DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 30 ft. below land surface Date 6-1-83 Artesian flow . . . gpm. Date . . .

10) PACKERS: Type Rubber Depth 131

11) TYPE PUMP: [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 26 Ft Was a chemical analysis made? [ ] Yes [X] No

12) WELL TESTS: [ ] Type Test [ ] Pump [ ] Bailer [X] Jetted [X] Estimated Yield: 30 gpm with . . . ft. drawdown after . . . hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader/Henry Lee Water Well Drillers Registration No. 2026/2221 ADDRESS P.o. Box 638 Riverside, Tx 77367 (Signed) [Signature] Holly Water Well Service (Company Name)

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#18 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-5P Located on map Yes Received: C.K. 8.

1) OWNER David Bradham Address P.O. Box 1955 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 7 miles in North direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. map on 60-12-82

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 12-3-80
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval . . . from 350 ft. to 135 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Perf., Slotted, etc., Screen Mgf., if commercial, Setting (ft.), Gage Casing Screen. Rows include soil, clay, sand, and rock layers.

CEMENTING DATA: Cemented from 123 ft. to 73 ft. Method used Pressure. Cemented by Holly Water Well Service.

9) WATER LEVEL: Static level, Artesian flow, Date
10) PACKERS: Rubber, R&R, 119

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 118 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 20 gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? good. Depth of strata 35 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

TXS Dept. of Water Resources

DEC - 8 1980

RECEIVED  
WELLS

# WALKER

dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 00-12-5P Located on map yes Received: C.F.S.

1) OWNER Presley Clemons Address Rt. 6 Box 183 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 7 miles in North direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 00-21-5R

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 2-23-81
DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 203
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-2 top soil, 2-8 red clay, 8-17 sand stone, 17-35 white clay, 35-122 hard blue clay, 122-143 blue clay, 143-151 sandy blue clay, 151-153 sand, 153-182 sandy blue clay, 182-189 blue clay, 189-196 sand, 196-203 blue clay.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 188 ft. to 138 ft. Method used Pressure Cemented by Holly Water Well Service

9) WATER LEVEL: Static level 86 ft. below land surface Date 2-25-81 Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber R&R 184

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 176 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 7 ft. Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Ralph A. Cadwallader Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JUL 14 1982  
CR/TDWR

**RECEIVED**  
MAR 17 1981  
DEPT. OF  
WATER RESOURCES

#115

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-5N Located on map YES Received: TH

1) OWNER Mr. Wayne Gray (Name) Address FM 247 (Street or RFD) Huntsville, Tx. (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 10 miles in N direction from Huntsville (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-21-6B

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging 4) PROPOSED USE (Check): [ ] Domestic [ ] Industrial [ ] Public Supply [ ] Irrigation [ ] Test Well [ ] Other Supply 5) DRILLING METHOD (Check): [X] Mud Rotary [ ] Air Hammer [ ] Driven [ ] Bored [ ] Air Rotary [ ] Cable Tool [ ] Jetted [ ] Other

6) WELL LOG: Date drilled 4/16/80 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 6-3/4 4 270 7) BOREHOLE COMPLETION: [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 string cemented If Gravel Packed give interval . . . from ft. to ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA Cemented from 247 ft. to 127 ft. Method used Halliburton Cemented by Robinson Water Well Service (Company or Individual)

9) WATER LEVEL: Static level 75 ft. below land surface Date 4/17/80 Artesian flow gpm. Date

10) PACKERS: Type K Depth 240

11) TYPE PUMP: 260' - 1 1/4" Blow Line [ ] Turbine [ ] Jet [ ] Submersible [ ] Cylinder [ ] Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: [ ] Type Test [ ] Pump [ ] Bailer [ ] Jetted [ ] Estimated Yield: gpm with ft. drawdown after hrs. 13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? potable Depth of strata Was a chemical analysis made? [ ] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464 ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip) (Signed) M.E. Robinson Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
DEC 11 1980  
CR/TDWR

RECEIVED  
JUN 27 1980

Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-12-5M  
Located on map YES  
Received: TH

1) OWNER ROBERT M<sup>rs</sup> CANN (Name) Address 162 LAVER R HUNTSVILLE TEXAS 77340 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County WALKER 12 miles in N direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
 Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map. Map on 60-19-4H

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 11-15-79  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
Surface \_\_\_\_\_  
6 1/2 \_\_\_\_\_ 215  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from 153 ft. to 131 ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	6	TOP SOIL						
6	10	SAND						
10	16	LIGNITE						
16	20	BLUE CLAY	6	N	PLASTIC	125	47	3 1/2" 40
20	24	LIGNITE						
24	70	BLUE CLAY	4	N	STAINLESS STEEL	131	153	#8
70	74	LIGNITE						
74	104	BLUE CLAY						
104	110	SAND						
110	131	BLUE CLAY						
131	143	SAND						
143	145	SAND STRKS						
145	153	SAND						
153	201	BLUE CLAY						
201	215	SANDY CLAY (NO GOOD)						

CEMENTING DATA  
Cemented from 125 ft. to 50 ft.  
Method used PRESSURE  
Cemented by E.A. HOLLY (Company or Individual)

9) WATER LEVEL:  
Static level 20 ft. below land surface Date 11-15-79  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS:  
Type LEAD Depth 120

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 20  
Was a chemical analysis made?  Yes  No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801  
ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State) (Zip)  
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

RECEIVED  
SEP 17 '80  
CR/TDWH

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Texas Dept. of Water Resources

RECEIVED  
MAY 7 1980

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-12-5L  
Located on map YES  
Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Joe L. Penny (Name) Address 1403 - 14th St. Huntsville Texas 71340 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker miles in 7 mi N direction from Huntsville, Texas (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map. Map on 60-22-7E

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 8-15-79  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 127  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	18	Red Clay						
18	30	SAND STONE						
30	34	SAND						
34	54	SANDSTONE	4 N		Plastic	117	1	40
54	118	Blue Clay						
118	127	SAND	2 1/2 N		STAINLESS STEEL	117	127	10

CEMENTING DATA  
Cemented from 117 ft. to 60 ft.  
Method used PRESSURE  
Cemented by E.A. Holly Co. (Company or Individual)

9) WATER LEVEL:  
Static level 75 ft. below land surface Date 8-15-79  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
lead 112 FT

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 110 ft.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 9 FT.  
Was a chemical analysis made?  Yes  No

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Co. (Type or Print) Water Well Drillers Registration No. 801  
ADDRESS P.O. Box 37 (Street or RFD) Riverside, Texas (City) 77367 (State) (Zip)  
(Signed) E.A. Holly (Water Well Driller) E.A. Holly Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DEPT. OF  
WATER RESOURCES  
OCT 24 1979  
**RECEIVED**

**RECEIVED**  
MAR 19 '80  
CR/TDWR

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. WD 12-5L Located on map 480 MM Received:

1) OWNER James Griswold Address RFD Huntville Tex 2) LOCATION OF WELL: County Walker 2 miles in NW direction from Pine Prairie

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... 3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 7-8-84 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 140 7) BOREHOLE COMPLETION: Straight Wall Underreamed Gravel Packed Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

CEMENTING DATA Cemented from 0 ft. to 15 ft. Method used Cemented by

9) WATER LEVEL: Static level 53 ft. below land surface Date 7-8-84 Artesian flow gpm. Date

RECEIVED JUL 16 1984 DEPT. OF WATER RESOURCES (Use reverse side if necessary)

10) PACKERS: Type Depth Rubber 15' Rubber 118'

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 100

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 7 gpm with 15 ft. drawdown after 1 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L. Graham Water Well Drillers Registration No. 1781 ADDRESS P.O. Box 1590 Willis Tex 77328 (Signed) [Signature] (Water Well Driller) Air Flo Water Well (Company Name)

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

2007

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-12-5K  
Located on map 82  
Received: 79 SAC

1) OWNER BILLY PIPKINS (Name) Address 609 POWELL RD. HUNTSVILLE TEX 77340 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County WALKER 12 miles in SW direction from RIVERSIDE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map. #5, Map on 60-19-65

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 10-23-78  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 236  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
	<u>0-24</u>	<u>SURFACE SOIL - CLAY</u>						
	<u>24-154</u>	<u>BLUE CLAY</u>	<u>4</u>	<u>N</u>	<u>PLASTIC</u>	<u>71</u>	<u>220</u>	<u>SC# 40</u>
	<u>154-156</u>	<u>SAND</u>						
	<u>156-159</u>	<u>CLAY</u>	<u>2 1/2</u>		<u>STAINLESS</u>	<u>220</u>	<u>231</u>	<u>#8</u>
	<u>159-224</u>	<u>BLUE CLAY</u>						
	<u>224-236</u>	<u>SAND</u>						

CEMENTING DATA  
Cemented from 220 ft. to 175 ft.  
Method used PRESSURE  
Cemented by E.A. Holly Co (Company or Individual)

9) WATER LEVEL:  
Static level 32 ft. below land surface Date 10-23-78  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
LEAD 210

11) TYPE PUMP:  
 Turbin  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801  
ADDRESS Box 37 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip)  
(Signed) E.A. Holly (Water Well Driller) E.A. Holly Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

**2) LOCATION OF WELL:**

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

**RECEIVED**  
DEC 14 1978

DEPT. OF  
WATER RESOURCES

REC

APR 17 79

CRWDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only  
Well No. 60-12-5J  
Located on map yes  
Received: 7/21/77  
ok

1) OWNER:  
Person having well drilled MR ME. HUTTLE Address 4502 CK BEND DR. HOUSTON, TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, \_\_\_\_\_ miles in 7 direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
Give legal location with distances and directions from adjacent sections or survey lines.



Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check): HUNTSVILLE  
New Well \_\_\_\_\_ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic \_\_\_\_\_ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary \_\_\_\_\_ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 144 ft. Depth of completed well 144 ft. Date drilled 11-2-77  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 22		TOP SOIL
22 - 42		SAND
42 - 105		BLUE CLAY
105 - 110		HR ROCK
110 - 130		BLUE CLAY
130 - 144		SAND

9) CASING:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 134 ft. to SURFACE ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 134 +1 SCN 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 134 144 # 6

7) COMPLETION (Check):  
Straight wall \_\_\_\_\_ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level Flow ft. below land surface Date 11-2-77  
Artesian pressure 2 lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? GOOD depth of strata 14

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801  
(Type of Print)  
ADDRESS BOX 37 RIVERSIDE TEXAS 77367  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. HOLLY CO  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
NOV 4 1977  
DEPT. OF  
WATER RESOURCES

RECEIVED  
JAN 30 1978

Central Records  
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-12-54  
Located on map 74425  
Received: dk

1) OWNER:  
Person having well drilled HERAM Turner Address Huntsville Tex  
(Name) (Street or RFD) (City) (State)  
Landowner Same Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 5 miles in N.W. direction from Huntsville  
(N.E., S.W., etc.) (Town)



OR Give legal location with distances and directions from adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  Irrigation  Test Well  Other

5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 130 ft. Depth of completed well 130 ft. Date drilled 8-14-74  
All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-4		Surface sand & clay
4-40		white shale
40-120		blue clay
120-130		sand

9) Casing:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 50 ft. to 120 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	+1	- 120	

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other \_\_\_\_\_  
 Under reamed  Open Hole

10) SCREEN:  
Type stainless steel  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
2 1/2	120 -	130	# 8

8) WATER LEVEL:  
Static level 10.5 ft. below land surface Date 8-14-74  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 115 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes  No   
Did any strata contain undesirable water? Yes  No   
Type of water? good depth of strata 10 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 Riverside Texas  
(Street or RFD) (City) (State)  
(Signed) Dale Holly E.A. Holly Co.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
APR 3 1976  
Central Records  
Texas Water Development Board

RECEIVED  
SEP 4 1974  
TEXAS WATER  
DEVELOPMENT BOARD

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-54 Located on map 109 Received: 7/1/74

1) OWNER: Person having well drilled Phil Peden Address P.O. Box 1448 Huntsville, Texas Landowner same

2) LOCATION OF WELL: County Walker, 5 miles in N.W. direction from Huntsville

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 351 ft. Depth of completed well 351 ft. Date drilled 8-10-74

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include surface sand & clay, white shale, void, blue clay, brown sand, blue shale, sand.

9) Casing: Type: Old, New, Steel, Plastic, Other. Cemented from 250 ft. to 341 ft. Diameter (inches) 4, Setting From (ft.) +1, To (ft.) - 341, Gage SCH. 40

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL: Static level 75 ft. below land surface Date 8-10-74

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs.

Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? good depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 ADDRESS Box 37 Riverside, Texas (Signed) Dale Holly E.A. Holly Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
APR 3 1976  
Central Records  
Texas Water Development Board

RECEIVED  
SEP 4 1974  
TEXAS WATER  
DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-502 Located on map yes Received: 7-4-74

1) OWNER: Person having well drilled L. B. BILLINGSLEY Address P.O. Box 245 HUNTSVILLE TEXAS Landowner SAME

2) LOCATION OF WELL: County WALKER 5 miles in N.E direction from HUNTSVILLE



Give legal location with distances and directions from adjacent sections or survey lines. Labor \_\_\_\_\_ League \_\_\_\_\_ Block \_\_\_\_\_ Survey \_\_\_\_\_ Abstract No. \_\_\_\_\_ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check): New Well \_\_\_\_\_ Deepening \_\_\_\_\_ Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_

4) PROPOSED USE (Check): Domestic \_\_\_\_\_ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_ Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_

5) TYPE OF WELL (Check): Rotary \_\_\_\_\_ Driven \_\_\_\_\_ Dug \_\_\_\_\_ Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 180 ft. Depth of completed well 180 ft. Date drilled 3-12-74

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-49 WHITE CLAY, 49-116 BLUE CLAY, 116-160 HARD BLUE CLAY, 160-180 SAND

9) CASING: Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_ Cemented from 169 ft. to 100 ft. Diameter (inches) 4 Setting From (ft.) 169 To (ft.) +1 Gage SEN 40

10) SCREEN: Type STAINLESS STEEL Perforated \_\_\_\_\_ Slotted \_\_\_\_\_ Diameter (inches) 2 1/2 Setting From (ft.) 170 To (ft.) 180 Slot Size #10

7) COMPLETION (Check): Straight wall \_\_\_\_\_ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_ Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS: Was a pump test made? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_ Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs. Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs. Artesian flow \_\_\_\_\_ gpm Temperature of water \_\_\_\_\_

8) WATER LEVEL: Static level 60 ft. below land surface Date 3-12-74 Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_ Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_ Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_ Type of water? GOOD depth of strata 20 FT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E. A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS (Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JUN 28 1974  
County Records  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

MAR 21 1974

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-12-5F  
Located on map Y a s  
Received: 23  
dlr

1) OWNER:  
Person having well drilled MR. JAMES HIGH Address \_\_\_\_\_ (Street or RFD) \_\_\_\_\_ (City) \_\_\_\_\_ (State)  
(Name)  
Landowner SAME Address \_\_\_\_\_ (Street or RFD) \_\_\_\_\_ (City) \_\_\_\_\_ (State)  
(Name)

2) LOCATION OF WELL:  
County WALKER, 8 miles in N.E direction from Huntsville  
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Deepening <input type="checkbox"/> Plugging	4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Test Well <input type="checkbox"/> Municipal <input type="checkbox"/> Other	5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable <input type="checkbox"/> Driven <input type="checkbox"/> Jetted <input type="checkbox"/> Dug <input type="checkbox"/> Bored
--	--	--

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 244 ft. Depth of completed well 244 ft. Date drilled MAY 22, 1977  
All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	SURFACE SAND
10	22	White Clay
22	184	Blue SHALE & CLAY
184	190	Fine SAND
190	229	Blue Clay
229	244	SAND

9) Casing:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 175 ft. to 230 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4" +1 - 230 SCN 40

10) SCREEN:  
Type Stainless Steel  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 230 - 244 # 6

7) COMPLETION (Check):  
 Straight wall  
 Under reamed  
 Gravel packed  
 Open Hole  
 Other

11) WELL TESTS:  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 20 ft. below land surface Date 5-26-73  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes  No   
Did any strata contain undesirable water? Yes  No   
Type of water? Good depth of strata 15 Feet

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. Holly Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 RIVERSIDE, TEXAS  
(Street or RFD) (City) (State)  
(Signed) Dale Holly E. A. Holly Co.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

**RECEIVED**  
JUL 13 1973  
Central Records  
Texas Water Development Board

**RECEIVED**  
JUN 18 1973  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 6072-5E  
Located on map Y83  
Received: 72  
dlr

1) OWNER:  
Person having well drilled MR VERNON DUFRER JR. Address HY 247 N. HUNTSVILLE, TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_ (Street or RFD) (City) (State)  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 5 miles in N.E. direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well \_\_\_\_\_ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic \_\_\_\_\_ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary \_\_\_\_\_ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 290 ft. Depth of completed well 290 ft. Date drilled 2-25-72  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	42	RED CLAY + BROWN SAND
42	142	HARD BLUE SHALE
142	162	BLUE CLAY + SAND STRS
162	167	HARD ROCK
167	214	BLUE SHALE
214	222	HARD ROCK
222	268	SANDY BLUE CLAY
268	290	SAND

9) Casing:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 278 ft. to 250 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 278 ±1 SEN 40  
10) SCREEN:  
Type STAINLESS STEEL BARWELD  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 278 290 #6

7) COMPLETION (Check):  
Straight well \_\_\_\_\_ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_  
8) WATER LEVEL:  
Static level 116 ft. below land surface Date 2-25-72  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? Good depth of strata 22

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 RIVERSIDE TEXAS  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. Holly Co.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

APR 19 1972

Central Records  
Texas Water Development Board

RECEIVED  
MAR 9 1972  
TEXAS WATER  
DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-50 Located on map YCS Received: 6/9/69 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Ruth M Cady Address 2011 Ave Q Huntsville, Texas Landowner Same

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey miles in 5 direction from Huntsville, Texas



3) TYPE OF WORK (Check): New Well [X] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [X] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [X] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 6 in. Depth drilled 212 ft. Depth of completed well 212 ft. Date drilled 8-1-69 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-26 Brown Clay, 26-32 Sand, 32-40 Rock, 40-90 Blue Clay, 90-93 Rock, 93-105 Sand, 105-190 Blue Clay

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Row: 190-212 Sand. (Use reverse side if necessary)

7) COMPLETION (Check): Straight wall [X] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ]

8) WATER LEVEL: Static level 80 ft. below land surface Date 8-1-69 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [ ] New [X] Steel [ ] Plastic [ ] Other [ ] Cemented from 192 ft. to 75 ft.

10) SCREEN: Bar-Weld Stainless Steel Type Perforated [ ] Slotted [ ]

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 4, X-1, 192

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2 1/2, 192, 212, 10

11) WELL TESTS: Was a pump test made? [ ] Yes [X] No If yes by whom? Yield: gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [ ] Yes [X] No Did any strata contain undesirable water? [ ] Yes [X] No Type of water? Good depth of strata 20

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 1 Designed pumping rate 990 gpm [ ] gph [X] Type power unit Electric Depth to bowls, cylinder, jet, etc., 147 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 Address Box 37 Riverside Texas (Signed) C.O. Holly E.A. Holly Company

Please attach electric log, chemical analysis, and other pertinent information, if available.

DEPARTMENT OF TEXAS WATER  
AUG 15 1969

OCT 24 1969  
Central Records  
Texas Water Management Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-5B Located on map 1/2-9 Received: 69/12-9 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Dr Rita Huff Address 2011 Ave Q Huntsville Texas Landowner Same

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey

5 miles in NE direction from Huntsville, Texas



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well [X] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [X] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [X] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 6 in. Depth drilled 229 ft. Depth of completed well 229 ft. Date drilled 4-12-69 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Brown Clay, Blue Clay, Sand Strks, Blue Clay, hard fine sand, Very hard rock, Sand Strks, Blue Clay.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Fine Sand, Blue Clay, Sand, Blue clay some rock strks, Sand (good). Includes note: (Use reverse side if necessary)

7) COMPLETION (Check): Straight wall [X] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ]

8) WATER LEVEL: Static level 67 ft. below land surface Date 4-14-69 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [ ] New [X] Steel [ ] Plastic [ ] Other [ ] Cemented from 218 ft. to 100 ft.

10) SCREEN: Type Stainless Steel Bar-Weld Perforated [ ] Slotted [ ]

Table with 4 columns: Diameter (inches), Setting From (ft.), To (ft.), Gage. Row: 4, X-1, 218, 11 lbs

Table with 4 columns: Diameter (inches), Setting From (ft.), To (ft.), Slot size. Row: 2 1/2, 219, 229, 10

11) WELL TESTS: Was a pump test made? [ ] Yes [ ] No Yield: gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [ ] Yes [X] No Did any strata contain undesirable water? [ ] Yes [X] No Type of water? Good depth of strata 10 ft.

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 1 hp Designed pumping rate 810 gpm gph [X] Type power unit Electric Depth to bowls, cylinder, jet, etc., 168 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Company Water Well Drillers Registration No. 801 Address Box 97 Riverside 77367 Texas (Signed) E.A. Holly Co. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**RECEIVED**  
JUN 4 1969

Central Region  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

APR 18 1969

File original copy with  
Texas Water Commission  
P. O. Box 2311, Capitol Station  
Austin 11, Texas

State of Texas

**DRILLERS LOG AND WELL DATA REPORT**


For use by TWC only  
Well No. 60-12-5A  
Located on map 44  
By ND Date 1/66  
Map no. 236

1) Well Owner: Mr Woods 1429 Ave I Huntsville, Texas  
Name Street or RFD City State

2) Land Owner: Same  
Name Street or RFD City State

3) Intended use: Industrial  ; Municipal  ; Irrigation  ; Other Home

4) Location of well: County Walker Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_  
NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey  
(Circle as many as are known)



Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

**DRILLERS LOG OF WELL**

Method of drilling: Rotary Diameter of hole 6 1/2 in. Date drilled 6-13-66

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	26	Surface Soil			
26	93	Hard Blue Clay			
93	149	Soft Blue Clay			
149	193	Hard Rock			
193	244	Blue Clay			
244	260	Hard Blue Clay			
260	280	Sand			
280	283	Blue Clay			

(Use continuation sheets if necessary)

**COMPLETION DATA**

COMPLETION	CASING	SCREEN
Straight wall <input checked="" type="checkbox"/>	Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/>	Type <u>Bar-Lug</u>
Under reamed <input type="checkbox"/>	Cemented from <u>210</u> ft. to <u>260</u> ft.	Perforated <input type="checkbox"/> Slotted <input type="checkbox"/>
Gravel packed <input type="checkbox"/>	Diameter (inches)   Setting from (ft)   to (ft)	Diameter (inches)   Setting from (ft)   to (ft)
Open hole <input type="checkbox"/>	<u>4</u>   <u>x 1</u>   <u>260</u>	<u>2 1/2</u>   <u>260</u>   <u>280</u>
Other _____		

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

E.A. Holly  
Signature

E.A. Holly  
Company Name

Reg. No. 801

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

**WATER LEVEL AND PUMP DATA**

Static water level <u>150</u> ft. below _____	Pump type <u>Submersible</u>												
<table border="1"> <thead> <tr> <th>feet</th> <th>Pumping level hours</th> <th>gpm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	feet	Pumping level hours	gpm										Designed pumping rate <u>800</u> gpm <input type="checkbox"/> gph <input checked="" type="checkbox"/>
	feet	Pumping level hours	gpm										
	Type power unit <u>Electric</u>												
	Horsepower <u>1 hp</u>												
	Depth to bowls, cylinder, jet, etc., <u>210</u> ft. below pump base.												

Name of contractor testing well or installing permanent pump if other than your company: \_\_\_\_\_

TEXAS WATER  
DEVELOPMENT BOARD

JUN 20 1966

RECEIVED

Central Records  
Texas Water Development Board