

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616  
Toll free (800)803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: water.well@license.state.tx.us

**WELL REPORT**

**A. WELL IDENTIFICATION AND LOCATION DATA**

**1) OWNER**

Name <i>William &amp; Uldip</i>	Address <i>139 Hadley Creek Road</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77320</i>
------------------------------------	---	---------------------------	-----------------------	---------------------

**2) WELL LOCATION**

County <i>Walker 236</i>	Physical Address <i>139 Hadley Creek Road</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77320</i>
-----------------------------	--	---------------------------	-----------------------	---------------------

**3) Type of Work**

New Well     Reconditioning  
 Replacement     Deepening

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # *60-12-7*

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
 Rig Supply    If Public Supply well, were plans submitted?     Yes     No

5)    *NT*

**6) Drilling Date**

Started *5/2/02*  
Completed *5/7/02*

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<i>10"</i>	<i>0</i>	<i>10</i>
<i>6 3/4</i>	<i>10</i>	<i>168</i>
<i>3 7/8</i>	<i>168</i>	<i>205</i>

**7) Drilling Method (check)**

Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

**From (ft)    To (ft)    Description and color of formation material**

<i>0-8</i>	<i>Black clay</i>	<i>101-131</i>	<i>Brown clay</i>
<i>8-10</i>	<i>Rock</i>	<i>131-140</i>	<i>Rock</i>
<i>10-15</i>	<i>white clay</i>	<i>140-163</i>	<i>Bluish shale</i>
<i>15-16</i>	<i>Rock</i>	<i>163-166</i>	<i>Sandstone</i>
<i>16-40</i>	<i>white clay</i>	<i>166-183</i>	<i>Sand</i>
<i>40-60</i>	<i>white clay</i>	<i>183-185</i>	<i>white clay</i>
<i>60-80</i>	<i>Tan clay</i>	<i>185-205</i>	<i>Sand</i>
<i>80-89</i>	<i>Tan clay</i>		
<i>89-93</i>	<i>Rock</i>		
<i>93-101</i>	<i>Sand</i>		

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>168</i>	<i>40</i>
<i>2</i>	<i>N</i>	<i>PVC</i>	<i>164</i>	<i>185</i>	<i>40</i>
<i>2</i>	<i>N</i>	<i>PVC Screen</i>	<i>185</i>	<i>205</i>	<i>10</i>

**9) Cementing Data**

Cementing from *168* ft. to *68* ft. # of sacks used *5*  
*0* ft. to *10* ft. # of sacks used *11*

Method Used *pressure*  
Cementing By *Ryan*  
Distance to septic system field of other concentration contamination *200'*  
Method of verification of above distance *Tap*

**13) Plugged**

Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Type Pump**

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet etc., *140* ft.

**15) Water Test**

Type test  Pump     Bailer     Jetted     Estimated  
Yield: *40* gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate a strata which contain undesirable constituents.  
 YES     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER  
Type of water *good*    Depth of Strata *18*  
Was a chemical analysis made     Yes     No

**10) Surface Completion**

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

**11) Water Level**

Static level *75* ft. below Date *5/7/02*  
Artesian Flow \_\_\_\_\_ gpm Date \_\_\_\_\_

**12) Packers**

*Geo Central Fire Room*    Type *Rubber*    Depth *164'*  
Formation *Rubber*    *185'*

Company or individual's Name (type or print)

*Gray's Water Well Service*

Lic. No. *2011WPK*

Address *P.O. Box 1788*

City *Trinity*

State *TX*

Zip *75862*

Signature *Vernon Gray*

Date *5/9/02*

Signature *Richard Myer*

Date *5/9/02*

Licensed Driller/Pump Installer

Date

Apprentice

Date



Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
**Water Well Driller/Pump Installer Program**  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-0646  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>St Paul United Methodist</b>	Address <b>322 Horace Smith Rd</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77340</b>
---	---------------------------------------	---------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker 236</b>	Physical Address <b>Horace Smith Rd</b>	City <b>Huntsville</b>	State <b>Tx</b>	Zip
-----------------------------	--	---------------------------	--------------------	-----

**3) Type of Work**

New Well     Deepening  
 Reconditioning

Lat.	Long.	Grid # <b>60-12-7</b>
------	-------	-----------------------

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic    **5) N↑**  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
If Public Supply well, were plans submitted to the TNRCC?     Yes     No

**6) Drilling Date**

Started 7/1/02  
Completed 7/3/02

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	240

**7) Drilling Method (check)**     Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	11	Clieche
11	21	W & br.cl.
21	39	Sd.
39	65	Bl.cl.
65	73	Sd.
73	74	H.R.
74	81	Bl.cl.
81	85	Sd.st.
85	119	Bl.cl.
119	140	Sd.
140	141	Bl.cl.

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	204	
2.5	N	U.C. Screen	210	240	#10

**9) Cementing Data**  
Cementing from -1.5 ft. to 20 ft. # of sacks used 2  
54 ft. to 204 ft. # of sacks used 7

Method Used **Pressure**  
Cementing By **R.McPike**  
Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**     Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

RECEIVED TDLR MAIL ROOM SH

**10) Surface Completion**

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pressure Adapter Used  
 Approved Alternative Procedure Used

**11) Water Level**  
Static level 142 ft. below \_\_\_\_\_ Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ Date \_\_\_\_\_

**14) Type pump**

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 180 ft.

**15) Water Test**

Typetest  Pump     Bailer     Jetted     Estimated  
Yield: 10 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**12) Packers**    Type \_\_\_\_\_    Depth \_\_\_\_\_  
2 - 2.5" K Packers    2 2 2004    RxR    199-200

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water Good    Depth of Strata 37  
Was a chemical analysis made?     Yes     No

Company or Individual's Name (type or print) **Holly Water Wells, LTD**

Address 2928 State Hwy 19    City Huntsville    State TX    Zip 77320

Signature Raymond M. Pike    Date \_\_\_\_\_    Signature \_\_\_\_\_    Date \_\_\_\_\_  
Licensed Driller/Pump Installer    Apprentice

ICEQ - CENTRAL FILE ROOM







12-1-77

12-1-77

12-1-77

12-1-77

12-1-77

12-1-77

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-  
Toll free (800) 803-9202

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

Email address: water.well@license.state.tx.us

**WELL REPORT**

**A. WELL IDENTIFICATION AND LOCATION DATA**

**1) OWNER**

Name <b>Charlotte Westley</b>	Address <b>17415H-75 North</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
----------------------------------	-----------------------------------	---------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker</b>	Physical Address <b>Tram Rd off Rosenwall Rd</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
-------------------------	---	---------------------------	--------------------	---------------------

**3) Type of Work**

New Well     Deepening  
 Reconditioning

Lat.	Long.	Grid # <b>60-12-7</b>
<b>4) Proposed Use (check)</b> <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic		
<input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell		
If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		

**6) Drilling Date**

Started **6/27/02**  
Completed **6/28/02**

<b>Diameter of Hole</b>			<b>7) Drilling Method (check)</b> <input type="checkbox"/> Driven		
Dia. (in)	From (ft)	To (ft)	<input type="checkbox"/> Air Rotary	<input checked="" type="checkbox"/> Mud Rotary	<input type="checkbox"/> Bored
<b>6.75</b>	<b>-1.5</b>	<b>300</b>	<input type="checkbox"/> Air Hammer	<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Jetted
			<input type="checkbox"/> Other _____		

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	21	Br.cl.w/sd.st.
21	35	Sd.
35	41	R&bl.cl.
41	61	Bl.cl.w/r.st.
61	138	Bl.cl.
138	141	Sd.st.
141	149	Sd.
149	168	Bl.cl.
168	181	Sd.w/cl.st.
181	185	Sd.st.
185	197	Bl.cl.

(Use reverse side of Well Owner's copy, If necessary)

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	279	
2.5	N	U.C Screen	280	300	#10

**9) Cementing Data**  
Cementing from **-1.5** ft. to **20** ft. # of sacks used **4**  
**129** ft. to **279** ft. # of sacks used **7**

Method Used **Pressure**  
Cementing By **R. McPike**  
Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**     Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., **220** ft.

**15) Water Test**

Type test  Pump     Bailer     Jetted     Estimated  
Yield: **20** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water **Good**    Depth of Strata **19**  
Was a chemical analysis made?     Yes     No

**10) Surface Completion**  
 Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used  
RECEIVED  
TOILET MAIL ROOM  
SEP 10 2002

**11) Water Level**  
Static level **132** ft. below \_\_\_\_\_ Date \_\_\_\_\_  
Artesian Flow \_\_\_\_\_ gpm Date \_\_\_\_\_  
RECEIVED

**12) Packers**    **NOV 22 2004**    Type **rxr**    Depth **274275**  
**2 - 2.5" k packers**  
ICEQ - CENTRAL FILE ROOM  
Lic. No. 31440

Company or Individual's Name (type or print) **Holly Water Wells, LTD**

Address **2928 State Hwy 19**    City **Huntsville**    State **TX**    Zip **77320**

Signature **Raymond McPike**    Date \_\_\_\_\_    Signature \_\_\_\_\_    Date \_\_\_\_\_  
Licensed Driller/Pump Installer    Apprentice





Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

Texas Department of License and Regulation  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202

Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA**

Name **Dr Basil Long** Address **1411 14th St** City **Huntsville** State **TX** Zip **77340**

**2) WELL LOCATION**

County **Walker** Physical Address **Rosenwall Rd** City **Huntsville** State **TX** Zip

**3) Type of Work**

New Well  Deepening  
 Reconditioning

Lat. Long. Grid # **60-12-7**

**4) Proposed Use (check)**  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

**6) Drilling Date**

Started **1/13/03**  
Completed **1/14/03**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	181

**7) Drilling Method (check)**  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	21	W.&br.cl.
21	31	Br.cl.
31	61	Bl.cl.
61	81	Bl.cl. w/ r.st.
81	165	Bl.cl.
165	180	Sd.
180	181	Cl.

**8) Borehole Completion**  Open Hole  Straight Wall  
 Under-reamed  Gravel Packed  Other  
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	165	
2.5	N	UC Screen	170	180	#8

**13) Plugged**

Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**9) Cementing Data**  
Cementing from **-1.5** ft. to **165** ft. # of sacks used **9**  
Method Used **Pressure**  
Cementing By **R. McPike**  
Distance to septic system field or other concentrated contamination ft.  
Method of verification of above distance

**14) Typepump**

Turbine  Jet  Submersible  Cylinder  
 Other

Depth to pump bowls, cylinder, jet, etc., **160** ft.

**15) Water Test**

Typetest  Pump  Bailer  Jetted  Estimated  
Yield: **12** gpm with ft. drawdown after hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes  NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water **Good** Depth of Strata **15**  
Was a chemical analysis made?  Yes  No

**10) Surface Completion**  
 Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used  
RECEIVED  
TDLR MAIL ROOM AR  
FEB 13 2003

**11) Water Level**  
Static level **118** ft. below Date / /  
Artesian Flow gpm. Date / /

12) Packers	Type	Depth
2 - 2.5 K Packers	RxR	160-161

Company or Individual's Name (type or print) **Holly Water Wells, LTD** Lic. No. **3114W**

Address **2928 State Hwy 19** City **Huntsville** State **TX** Zip **77320**

Signature *Raymond McPike* Date / / Signature Apprentice Date / /

# State of Texas WELL REPORT

Texas Department of Licensing &  
Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

1) OWNER HAROLD L. THOMPSON ADDRESS P.O. BOX 506 BALVESTON, TX 77553-0506  
(Name) (Street or RFD) (City) (State) (Zip)  
 2) ADDRESS OF WELL'S LOCATION: 2 MILES MOFFET SPRINGS RD HUNTSVILLE  
County (Street, RFD or other) (City) (State) (Zip) Long. Lat. Grid # 60-12-7

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
 (4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
 If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:  
 Date Drilling: \_\_\_\_\_  
 Started 8-5-02  
 Completed 8-12-02

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>7 1/2</u>	Surface	<u>10</u>
<u>6 1/2</u>	<u>10</u>	<u>191</u>

7) DRILLING METHOD (Check):  Driven  Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
<u>0-10</u>		<u>SHALE</u>
<u>10-70</u>		<u>SAND</u>
<u>70-145</u>		<u>SHALE</u>
<u>145-160</u>		<u>SAND</u>
<u>160-170</u>		<u>SHALE</u>
<u>170-191</u>		<u>SAND</u>

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
 If Gravel Packed give interval from 170 ft. to 191 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4 N</u>		<u>P.V.C.</u>	<u>0</u>	<u>172</u>	<u>40</u>
<u>2 1/2 N</u>		<u>BLANK LINED</u>	<u>170</u>	<u>176</u>	
<u>2 1/2 N</u>		<u>S.S. SCREEN</u>	<u>176</u>	<u>191</u>	<u>.08</u>

(Use reverse side of Well Owner's copy, if necessary)

9) CEMENTING DATA  
 Cemented from 0 ft. to 10 ft. No. of sacks used 3  
102 ft. to 172 ft. No. of sacks used 7  
 Method used PRESSURE  
 Cemented by J.B. BRADFORD  
 Distance to septic system field lines or other concentrated contamination 100 ft.  
 Method of verification of above distance MEASURED

13)  Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

10) SURFACE COMPLETION  
 Specified Surface Stabilization  
 Specified Steel Sleeve Installation  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

14) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 170 ft.

11) WATER LEVEL  
 Static level 174 ft. below land surface Date 8-12-02  
 Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WELL TESTS:  
 Type test:  Pump  Bailer  Jetted  Estimated  
 Yield: 15 gpm with 35 ft. drawdown after 2 hrs.

12) PACKERS:

Type	Depth
<u>L I R</u>	<u>170</u>

16) WATER QUALITY:  
 Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
 Was a chemical analysis made?  Yes  No

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME J.B. BRADFORD & SONS WELL DRILLER'S LICENSE NO. 1881 WPK  
(Type or print)  
 ADDRESS 616 N. McIVER MADISONVILLE, TN 37054  
(Street or RFD) (City) (State) (Zip)  
 (Signed) Jones B. Bradford (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-12-72  
Located on map yes  
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MARK LENOEMAN (Name) Address HUNTSVILLE TX 77340 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County WALKER 2 miles in N direction from HUNTSVILLE (Town) (N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
 Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map.

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 28 July 83  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 174  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	2	SAND						
2	18	RED CLAY						
18	36	CALACHE	4	N	Sch 40 PVC	0	148	
36	72	GRAY SHALE	4	N	MFG SCREEN	148	168	12
72	138	BLUE SHALE	4	N	Sch 40 PVC	168	174	
138	168	.12 GAUGE SAND						
168	174	BLUE CLAY						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
CEMENTING DATA  
Cemented from 0 ft. to 10 ft.  
Method used \_\_\_\_\_  
Cemented by CLEARWATER Well Service  
(Company or Individual)

9) WATER LEVEL:  
Static level 20 ft. below land surface Date 29 July 83  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

**RECEIVED**  
NOV - 9 1983  
DEPT. OF  
WATER RESOURCES

10) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 60 ft.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? GOOD Depth of strata 30'  
Was a chemical analysis made?  Yes  No

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 25 gpm with 0 ft. drawdown after 3 1/2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME EUGENE M. POLDRAEK (Type or Print) Water Well Drillers Registration No. 2289  
ADDRESS 440 Gerham Rd (Street or RFD) HUNTSVILLE TX 77340 (City) (State) (Zip)  
(Signed) Eugene M. Poldraek (Water Well Driller) CLEARWATER Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

02 19 89  
02 19 89  
02 19 89



11 11  
11 11  
11 11



11 11  
11 11  
11 11

11 11  
11 11  
11 11



Texas Dept. of Water Resources

RECEIVED  
NOV - 9 1983

DWP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-12-7E Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Sunny Freeman (Name) Address (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County Walker miles in (N.E., S.W., etc.) direction from (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging 4) PROPOSED USE (Check): [X] Domestic [ ] Industrial [ ] Public Supply [ ] Irrigation [ ] Test Well [ ] Other 5) DRILLING METHOD (Check): [X] Mud Rotary [ ] Air Hammer [ ] Driven [ ] Bored [ ] Air Rotary [ ] Cable Tool [ ] Jetted [ ] Other

6) WELL LOG: Date drilled 7) BOREHOLE COMPLETION: [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other If Gravel Packed give interval ... from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-15 sand, 3-15 Clay, 15-80 gamma clay, 80-110 sand sand.

CEMENTING DATA Cemented from ft. to ft. Method used Cemented by (Company or Individual)

RECEIVED

JAN - 3 1983

DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [ ] Yes [ ] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? [ ] Yes [ ] No

12) WELL TESTS: [ ] Type Test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Thomas Anders Jr (Type or Print) Water Well Drillers Registration No. 1984 ADDRESS F.M. 2929 (Street or RFD) Huntsville (City) Tex (State) 77340 (Zip) (Signed) Sunny Anders (Water Well Driller) Anders Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**


The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



*From 0ms go out under pass Truck Stop First Road*

*on Right*



**LEGEND**

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRPORT
	CITY
	TOWN
	VILLAGE
	HAMLET
	UNINCORPORATED PLACE
	WATER
	LAKE RESERVOIR
	RIVER STREAM
	CANAL
	DAM
	POWER PLANT
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL BUILDING
	WAREHOUSE
	GAS STATION
	TELEPHONE OFFICE
	FIRE STATION
	POST OFFICE
	POLICE STATION
	JAIL
	PRISON
	HOSPITAL
	SCHOOL BUS STOP
	BUS STOP
	FERRY
	CABLE CAR
	TROLLEY
	RAILROAD STATION
	AIRPORT TERMINAL
	AIRPORT RUNWAY
	AIRPORT TAXIWAY
	AIRPORT RAMP
	AIRPORT HANGAR
	AIRPORT CONTROL TOWER
	AIRPORT TOWER LIGHT
	AIRPORT BEACON
	AIRPORT OBSTRUCTION LIGHT
	AIRPORT OBSTRUCTION TOWER
	AIRPORT OBSTRUCTION LIGHT TOWER
	AIRPORT OBSTRUCTION LIGHT TOWER WITH FLASHING LIGHT
	AIRPORT OBSTRUCTION LIGHT TOWER WITH STEADY LIGHT
	AIRPORT OBSTRUCTION LIGHT TOWER WITH FLASHING LIGHT AND STEADY LIGHT
	AIRPORT OBSTRUCTION LIGHT TOWER WITH FLASHING LIGHT AND STEADY LIGHT AND FLASHING LIGHT
	AIRPORT OBSTRUCTION LIGHT TOWER WITH FLASHING LIGHT AND STEADY LIGHT AND FLASHING LIGHT AND STEADY LIGHT



**GENERAL HIGHWAY MAP  
WALKER COUNTY  
TEXAS**

PREPARED BY THE  
STATE DEPARTMENT OF HIGHWAYS  
AND PUBLIC TRANSPORTATION  
TRANSPORTATION PLANNING DIVISION  
U.S. DEPARTMENT OF TRANSPORTATION  
FEDERAL HIGHWAY ADMINISTRATION

1969

1970 CENSUS FIGURES  
HIGHWAYS REVISED TO MARCH 1, 1970  
POUCHKIN PROJECTION NORTH AMERICAN DATUM  
GENERAL U.S. COAST AND GEODETIC SURVEY AND U.S. GEODETIC SURVEY  
ADAPTED BY U.S. DEPARTMENT OF TRANSPORTATION, FEDERAL HIGHWAY ADMINISTRATION

Scale: 1" = 10 Miles

8 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Wilburn Cox (Name) Address Rt 10 Box 166 Huntsville, Tex 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 2 miles in NW direction from Huntsville (Town) (N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 01760-21-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 7-28 1989 Completed 7-29 1989

Table with columns: DIAMETER OF HOLE (Dia. (in.), From (ft.), To (ft.)), rows for 0-2 top soil, 2-22 white clay, 22-35 caliche, 35-61 blue clay, 61-87 sand

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with columns: From (ft.), To (ft.), Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) (From, To), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 77 ft. to 0 ft. No. of Sacks Used 8 Method used Pressure Cemented by Raymond McPike

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 55 ft. below land surface Date 7-29-89 Artesian flow gpm. Date

12) PACKERS: Type Depth K packer 74

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 73 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 25 ft./ Was a chemical analysis made? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 10 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) (Licensed Water Well Driller) (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6012-7 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

For TWDB use only Well No. 60-12-7c Located on map year 5 Received: 7/7/73

WATER WELL REPORT

1) OWNER: Person having well drilled Ned Meister Address Hontsville Texas Landowner Ned Meister Address Hontsville Texas

2) LOCATION OF WELL: County Walker, 5 miles in W direction from Hontsville



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other. 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 150 ft. Depth of completed well 150 ft. Date drilled 3-15-73

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, clay, blue shale, sand, and shale.

9) Casing: Type: Old, New, Steel, Plastic, Other. Cemented from 0 to 130 ft. Diameter (inches) 4, Setting From (ft.) 0 To (ft.) 130 Gage 40. 10) SCREEN: Type Plastic, Perforated, Slotted. Diameter (inches) 4, Setting From (ft.) 130 To (ft.) 150 Slot Size 20ga.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole.

11) WELL TESTS: Was a pump test made? Yes No. Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm. Temperature of water.

8) WATER LEVEL: Static level 81 ft. below land surface. Artesian pressure lbs. per square inch. Depth to pump bowls, cylinder, jet, etc. below land surface. Jet 7 gal/min.

12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? depth of strata.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Paul Siegent Water Well Drillers Registration No. 1448 ADDRESS Box 516 New Waverly Texas (Signed) Paul Siegent A A A Water Wells Inc. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

**RECEIVED**  
APR 24 1973  
Central Records  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

MAR 29 1973

**RECEIVED**

#21 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Kent Roscher Address 1803 Avenue Q Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 2 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. map on 60-12-1F

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 3/19/84
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 200
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Perf., Slotted, etc., Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Caliche, Sand streaks, Sand, Lignite, Blue clay, Sand, Sand streaks, Sand, Blue clay, Sand, Blue clay, Rock, Sand streaks, Rock, Blue clay, Rock, Blue clay, Rock, Blue clay, Sand.

CEMENTING DATA: Cemented from 186 ft. to 86 ft., Method used Pressure, Cemented by Henry Lee

9) WATER LEVEL: Static level 95 ft. below land surface, Date 3-20-84, Artesian flow gpm, Date

10) PACKERS: Lead, L, 181

RECEIVED APR 11 1984 DEPT. OF WATER RESOURCES

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No, Type of water? Good, Depth of strata 22 Ft., Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated, Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]


Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-7F Located on map Y.C.S.C.F.S.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



#4

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 20-12-7E Located on map 705 Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER LEONARD EYTHELL Address P.O. Box 5030 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 3 miles in NW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map 60-13-5V

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 27 Aug 82
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
8 3/4 Surface 136
7) BOREHOLE COMPLETION: Gravel Packed, Other
If Gravel Packed give interval... from 111 ft. to 131 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include gray clay sand streaks, red shale, sandy blue shale, 12 ga. sand, PVC, well screen inc, PVC.

CEMENTING DATA
Cemented from 0 ft. to 15 ft.
Method used slurry
Cemented by Clearwater Well Service

9) WATER LEVEL:
Static level 36 ft. below land surface Date 28 Aug 82
Artesian flow gpm. Date

RECEIVED
SEP 13 1982
DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 101 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? No

12) WELL TESTS:
Type Test, Pump, Bailer, Jetted, Estimated
Yield: 12 gpm with 0 ft. drawdown after 3 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
- Kenneth Downes
NAME Eugene M. Poldrack Water Well Drillers Registration No. 2134
ADDRESS 440 Graham Road Huntsville, TX 77340
(Signed) Kenneth Downes CLEARWATER WELL SERVICE

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

STATE OF TEXAS  
DEPARTMENT OF WATER RESOURCES  
AUSTIN, TEXAS

#3

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-7F Located on map YES Received: C.F.8.

1) OWNER Dennis Wright Address North Gate Meadows, Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 5 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

See attached map. Map on 60-28-4E

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 18 Jan 83
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other two string

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 270 ft. to 380 ft. Method used pressure cemented Cemented by Eugene M. Poldrack

9) WATER LEVEL: Static level 190 ft. below land surface Date 6 Feb 83 Artesian flow gpm. Date

RECEIVED stamp

MAR 16 1983 stamp

DEPT. OF WATER RESOURCES stamp

(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 18' Was a chemical analysis made? No

10) PACKERS: Type K Depth 364

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 10 gpm with 0 ft. drawdown after 3 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Eugene M. Poldrack Water Well Drillers Registration No. 2289

ADDRESS 440 Graham Road Huntsville, TX 77340

(Signed) Eugene M. Poldrack CLEARWATER WELL SERVICE (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#6

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-12-79 Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Anthony Branch, Jr. Address Interstate 45 N Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 3.5 miles in NW direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map 60-28-4E

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 9 March 83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 2126
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other If Gravel Packed give interval from 100 ft. to 128 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 0 ft. to 10 ft. Method used slurry Cemented by Clearwater Well Service

9) WATER LEVEL: Static level 47 ft. below land surface Date 9 March 83 Artesian flow gpm. Date

RECEIVED MAR 16 1983 DEPT. OF WATER RESOURCES (Use reverse side if necessary)

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 102 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 15 gpm with 5 ft. drawdown after 3 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Eugene M. Poldrack Water Well Drillers Registration No. 2289 ADDRESS 440 Graham Road Huntsville TX 77340 (Signed) Eugene M. Poldrack CLEARWATER WELL SERVICE

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

# 23 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-2H Located on map YES Received: C.F.S.

1) OWNER Eddie Winn (Name) Address Rt. 4 Box 199 (Street or RFD) Conroe (City) TX 77302 (State) (Zip) 2) LOCATION OF WELL: County Walker (County) 1 (miles in) N (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-18-3K

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 4/13/83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 232 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0-2 Top soil, 2-14 Caliche, 14-22 Sand streaks, 22-42 Blue clay, 42-52 Sand, 52-59 Blue clay, 59-82 Sand streaks, 82-124 Blue clay, 124-137 Sand, 137-152 Blue clay, 152-154 Rock, 154-191 Blue clay, 191-199 Sand, 199-204 Sand streaks, 204-212 Sand streaks, 212-214 Rock, 214-220 Blue clay, 220-232 Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 220 ft. to 120 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 216

RECEIVED JUN-7 1983 DEPT. OF WATER RESOURCES (Use reverse side if necessary)

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata 12 Ft. Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader/Henry Lee (Type or Print) Water Well Drillers Registration No. 2026/2221 ADDRESS P.O. Box 638 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip) (Signed) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

STATE OF TEXAS  
DEPARTMENT OF WATER RESOURCES  
AUSTIN, TEXAS

#32 Walker

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-7J Located on map YES Received: C.F.S.

1) OWNER Perry McDonald Address 3331 Boettcher Huntsville TX 77340
2) LOCATION OF WELL: County Walker 1 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
See attached map. map on 60-18-3A

3) TYPE OF WORK (Check): New Well
4) PROPOSED USE (Check): Domestic
5) DRILLING METHOD (Check): Mud Rotary

6) WELL LOG: Date drilled 5-5-83
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 237
7) BOREHOLE COMPLETION: Straight Wall

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen. Rows include soil, clay, sand, and rock layers.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA. Cemented from 207 ft. to 107 ft. Method used Pressure. Cemented by Ralph A. Cadwallader.

RECEIVED

JUN - 7 1983

DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 104 ft. below land surface Date 5-6-83

10) PACKERS: Type Lead, Depth L 202

11) TYPE PUMP: Submersible. Depth to pump bowls, cylinder, jet, etc., 180 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? good. Depth of strata 13 ft.

12) WELL TESTS: Yield: 35 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-12-7K  
Located on map yes  
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr V. Willis (Name) Address Rt 1 Box 18 (Street or RFD) Huntsville TX (City) 77340 (State) (Zip)  
2) LOCATION OF WELL: County Walker 7 miles in N direction from Huntsville (Town)

Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. Map on 60-12-7L

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 10 Oct 83  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 165  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	10	SURFACE SAND						
10	12	Rock						
12	54	White Clay						
54	90	Brown Clay						
90	140	Shale & Clay Mix						
140	165	12 gr SAND						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
CEMENTING DATA  
Cemented from 0 ft. to 10 ft.  
Method used Slurry  
Cemented by Clearwater Well Ser (Company or Individual)

9) WATER LEVEL:  
Static level 80 ft. below land surface Date 11 Oct 83  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

**RECEIVED**  
NOV-9 1983  
DEPT. OF  
WATER RESOURCES

10) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 140 ft.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 25  
Was a chemical analysis made?  Yes  No

12) WELL TESTS:  
 Type Test  Pump  Bailer  Jetted  Estimated  
Yield: 12 gpm with 15 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME EUGENE M. POLDRACK (Type or Print) Water Well Drillers Registration No. 2289  
ADDRESS 440 Genham Rd (Street or RFD) Huntsville TX (City) 77340 (State) (Zip)  
(Signed) Eugene M. Poldrack (Water Well Driller) Clearwater Well Ser. (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



#10 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Keith Coogler Address P.O. Box 5092 Huntsville, TX 77340

2) LOCATION OR WALKER County 2 miles in N direction from Huntsville

Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. map on 60-12-1F

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 2/16/84

Table with columns: DIAMETER OF HOLE, Dia. (in.), From (ft.), To (ft.)

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with columns: From (ft.), To (ft.), Description and color of formation material

Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA: Cemented from 172 ft. to 72 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level 56 ft. below land surface Date 2-17-84

RECEIVED

APR 11 1984

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

10) PACKERS: Lead Type L Depth 168

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 25 gpm with 9 ft. drawdown after 9 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-7M Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WATER WELL DRILLERS BOARD  
COMMISSIONER STATE

#13 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER William Hagan Address Rt. 10 Box 172, Huntsville, TX 77340
2) LOCATION OF WELL Walker County 3 miles in NW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-20-2P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8/6/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 197 ft. to 97 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 60 ft. below land surface Date 8-7-84 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 181

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 80 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt.11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-2P-7A Located on map Yes C.F.S.

RECEIVED OCT 15 1984 DEPT. OF WATER RESOURCES

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WALKER #22

IT 20

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mattie Branch Address Rt. 10 Box 163 Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 2 miles in NW direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. Map 60-20-6P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 9-5-84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA
Cemented from 140 ft. to 40 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 136

RECEIVED OCT 15 1984 DEPT. OF WATER RESOURCES (Use reverse side if necessary)

11) TYPE PUMP: Turbine, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-7P Located on map YES-C.F.S.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#30 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Clarence Hardy (Name) Address P.O. Box 1259 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 2 miles in N direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-20-6P

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: DIAMETER OF HOLE table with columns Dia. (in.), From (ft.), To (ft.) and rows for 0-2 top soil, 2-8 brown clay, etc.

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: table with columns Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: continuation of table with rows for 0-2 top soil, 2-8 brown clay, etc.

CEMENTING DATA: Cemented from 178 ft. to 78 ft. Method used Pressure Cemented by Henry Lee

RECEIVED OCT 15 1984

DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 58 ft. below land surface Date 9-20-84

9) WATER LEVEL: Artesian flow gpm. Date

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No

10) PACKERS: Lead L Depth 173

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 40 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026 - 2221
ADDRESS Rt. 11 Box 607 Huntsville, Texas 77340
(Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 60-12-70 Located on map Yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#9 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James A. Johnson Address Box 2754 HSSU Huntsville, Texas 77341
2) LOCATION OF WELL: County Walker 1 miles in NNW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 0760-21-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling Started 3-7-88 Completed 3-8-88
DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 226
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Rows include 0-4 top soil, 4-17 sandstone, 17-19 rock, 19-37 blue clay, 37-39 rock, 39-44 sand streaks, 44-98 blue clay, 98-104 fine sand, 104-113 blue clay, 113-124 fine sand, 124-138 sand streaks, 138-159 blue clay, 159-164 sand, 164-192 blue clay, 192-194 rock, 194-203 sand, 203-205 rock, 205-226 sand w/ some rock streaks.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 209 ft. to 109 ft. No. of Sacks Used 6
2 ft. to 17 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Holly Water Wells

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 100 ft. below land surface Date 3-8-88
Artesian flow gpm. Date

12) PACKERS: Rubber Packer rxr 205

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 180 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 21 ft.
Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: 25 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026
ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-12-7 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

**"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."**

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.  
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MR. ROSSHATA (Name) Address 825 MONTROSE DR. PORT NECHES TX (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL County WALKER 4 miles in NW direction from HUNTSVILLE 77651 (Town)

Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. 0760-30-4

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Monitor  Public Supply  Irrigation  Test Well  Injection  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  Driven  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_

6) WELL LOG:  
Date Drilling: Started 5/3 1988 Completed 5/7 1988  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
Surface 6 1/2 0 194  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	3	hd black top soil						
3	17	soft white						
17	48	hd brn clay	4"	N	PVC	0	174	
48	58	fine sand	4"	N	PVC slotted	174	194	8ga
58	60	hd brn clay						
60	78	blue clay						
78	194	sand						

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 30 ft. No. of Sacks Used 10  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_  
Method used GRAVITY  
Cemented by BLW

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 80 ft. below land surface Date 5/7/88  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type AX 6 1/2 Depth FORMATION 30' @ 174'

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 18 gpm with 30 ft. drawdown after 2 hrs.

RECEIVED  
MAR 31 1989

TEXAS WATER COMMISSION

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BALLARD'S WATERWELL Water Well Driller's License No. 2384  
ADDRESS P.O. BOX 2004 WILLIS TX 77378  
(Signed) Charles H. Ballard (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6812-7 Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#2 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Bob Jeanes Address Rt. 8 Box 333 Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 2 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 60-20-7

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 2/1/86
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 228
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, White clay streaks, Sand, Hard blue clay, etc.

RECEIVED MAR 24 1986

TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 213 ft. to 113 ft. Method used Pressure Cemented by Henry Lee
10) SURFACE COMPLETION: Approved Alternative Procedure Used [Rule 319.71]
11) WATER LEVEL: Static level, Artesian flow
12) PACKERS: Lead 208
13) TYPE PUMP: Submersible, Depth to pump bowls, cylinder, jet, etc., 200 ft.
14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 25 gpm with ft. drawdown after hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? GOOD. Depth of strata. Was a chemical analysis made? No.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-7 Located on map.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#8 WALKER

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Stanley Kittrell Address 312 Julia Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 2 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 60-20-7

3) TYPE OF WORK (Check): XX New Well, 4) PROPOSED USE (Check): X Domestic, 5) DRILLING METHOD (Check): X Mud Rotary

6) WELL LOG: Date Drilling: Started Feb. 17 19 86, Completed Feb. 18 19 86, DIAMETER OF HOLE, 7) BOREHOLE COMPLETION: X Straight Wall

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 478 ft. to 378 ft. No. of Sacks Used 6

10) SURFACE COMPLETION: X Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 95 ft. below land surface Date 2/21/86

12) PACKERS: Lead 475

13) TYPE PUMP: X Submersible, Depth to pump bowls, cylinder, jet, etc., @ 200 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? X No, 14) WELL TESTS: X Estimated Yield: 50 gpm

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-7 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WATER WELL DRILLERS BOARD  
1000 WEST 11TH STREET  
DALLAS, TEXAS 75201  
TELEPHONE 754-1111  
FACSIMILE 754-1111

# 74-3 WALKER ✓

Please use black ink.  
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Robert D. Gibby Address P.O. Box 7316 Huntsville, TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County walker 1 miles in N direction from Huntsville  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map. 60-11-9 no map

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  
 Irrigation  Test Well  Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  
 Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
10-04-85	6 1/2	Surface	184

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-14		Red sand
14-64		White clay
64-84		Sand streaks
84-169		Blue clay
169-184		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	169	40
2 1/2	N	PVC	184	164	#12

9) CEMENTING DATA [Rule 319.44(b)]	
Cemented from	<u>169</u> ft. to <u>69</u> ft.
	<u>0</u> ft. to <u>10</u> ft.
Method used	<u>Pressure</u>
Cemented by	<u>Henry Lee</u>

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 100 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:

Type	Depth
Lead	165

RECEIVED  
NOV 26 1985

TEXAS WATER COMMISSION

(Use reverse side if necessary)

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 15 Gt.  
Was a chemical analysis made?  Yes  No

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 25 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-7 Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#4

sub

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-12-2A Located on map Yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER JOE H MOORE Address HUNTSVILLE TX 77340

2) LOCATION OF WELL: County WALKER 5 miles in N direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. Map 60-12-9S

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 27 Oct 82. DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 144. 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other. If Gravel Packed give interval... from 94 ft. to 144 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include White Clay, SAND, White Clay, SAND, SAND-CLAY STREAKS, White Clay, .014 GAUGE SAND, GRAY SHALE.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA. Cemented from 0 ft. to 7 ft. Method used SLURRY. Cemented by CLEARWATER Well Ser.

RECEIVED

NOV 15 1982

DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 52 ft. below land surface Date 28 Oct 82. Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 100 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No. If yes, submit "REPORT OF UNDESIRABLE WATER". Type of water? Depth of strata. Was a chemical analysis made? Yes No.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 45 gpm with 0 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME EUGENE M Poldrack Water Well Drillers Registration No. 2134

ADDRESS 440 GRAHAM Rd HUNTSVILLE TX 77340

(Signed) Kenneth Downes Clearwater Well Ser. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-7A Located on map Received: 6-27 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Frank Schalice Address Houston Texas Landowner Same

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey 5 miles in north direction from Huntsville



3) TYPE OF WORK (Check): New Well [checked] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [checked] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [checked] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 6 in. Depth drilled 85 ft. Depth of completed well 85 ft. Date drilled 5-5-69 All measurements made from x-1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Sandy Soil, Brown Clay, Blue Clay, Sand, Bottom Very Rock.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Includes note: (Use reverse side if necessary)

7) COMPLETION (Check): Straight wall [checked] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ]

8) WATER LEVEL: Static level 33 ft. below land surface Date 6-5-69 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [ ] New [checked] Steel [ ] Plastic [ ] Other [ ] Cemented from 73 ft. to 25 ft.

10) SCREEN: Type Bar-Weld Stainless Steel Perforated [ ] Slotted [ ]

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 4, x-1, 73.

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2 1/2, 73, 85, 8.

11) WELL TESTS: Was a pump test made? [ ] Yes [checked] No If yes by whom? Yield: gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [ ] Yes [checked] No Did any strata contain undesirable water? [ ] Yes [ ] No Type of water? good depth of strata 25

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 3/4 Designed pumping rate 810 gpm gph b Type power unit Electric Depth to bowls, cylinder, jet, etc., 63 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 Address Box 37 Riverside 27367 Texas (Signed) E.A. Holly E.A. Holly Company

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED  
JAN 10 1953  
TEXAS WATER  
DEVELOPMENT BOARD

**RECEIVED**  
AUG - 6 1979

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

**State of Texas**  
**WATER WELL REPORT**

For TDWR use only  
Well No. 60-12-7D  
Located on map YES  
Received: TH

1) OWNER Amylie Bridges (Name) Address Huntsville Tex (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County WALKER 6 miles in NORTH direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Section Texas County General Highway Map and attach the map to this form.  
 Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. Map on 60-18-8F

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled Dec 30 78  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6" 0 222  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0	45	Snd & Shle					
45	51	Rock 6' thick					
51	90	Limestone	4	N	PVC sch 40	0   209	40
90	168	Snd	2 1/2	N	PVC WOP Screen	212   222	80
168	209	Shle					.010
209	222	Sand					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
CEMENTING DATA  
Cemented from Bottom 209 ft. to upwards ft.  
Method used Equalization  
Cemented by Self (Company or Individual)

9) WATER LEVEL:  
Static level ? ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

11) TYPE PUMP:  
 Turbin  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 35 gpm with ? ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME GLENN G. SNOOK (Type or Print) Water Well Drillers Registration No. #1490  
ADDRESS P.O. Box 761 (Street or RFD) LOLA (City) TEX (State) 77861 (Zip)  
(Signed) Glenn G. Snook (Water Well Driller) Snook Drilling Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**2) LOCATION OF WELL:**

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
FEB 12 1980  
OR/TDWR  
SEP 19 1979  
TODAY Dept. of Water Resources

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616  
Toll free (800)803-9202

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

Email address: [water.well@license.state.tx.us](mailto:water.well@license.state.tx.us)

**WELL REPORT**

**A. WELL IDENTIFICATION AND LOCATION DATA**

**1) OWNER**

Name <b>George McGowan</b>	Address <b>Mozzette 152 <del>Wine</del> Springs</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
-------------------------------	--	---------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker</b>	Physical Address <b>mud pit Springs 152 <del>Wine</del> RD.</b>	City <b>Huntsville</b>	State <b>Texas</b>	Zip <b>77320</b>
-------------------------	--	---------------------------	-----------------------	---------------------

**3) Type of Work**

New Well     Deepening  
 Reconditioning

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # **60-12-7**

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
If Public Supply well, were plans submitted to the TNRCC?     Yes     No

**5) N↑**

**6) Drilling Date**

Started **11 / 1 / 00**  
Completed **11 / 14 / 00**

Diameter of Hole		
Dia.(in)	From (ft)	To (ft)
<b>6 3/4</b>	<b>0</b>	<b>210</b>
<b>3 7/8</b>	<b>210</b>	<b>229</b>

**7) Drilling Method (check)**

Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

**From (ft)    To (ft)    Description and color of formation material**

<b>0-2</b>	<b>120-140</b>	<b>Sand Shale</b>
<b>2-4</b>	<b>140-147</b>	<b>Clay Sand</b>
<b>4-13</b>	<b>147-189</b>	<b>Sand Stone hard shale</b>
<b>13-21</b>	<b>189-199</b>	<b>Sand hard packed clay</b>
<b>21-26</b>	<b>199-229</b>	<b>Shale Sand</b>
<b>26-52</b>		<b>Clay</b>
<b>52-80</b>		<b>Sand</b>
<b>80-90</b>		<b>Clay</b>
<b>90-115</b>		<b>Shale</b>
<b>115-120</b>		<b>Clay</b>

(Use reverse side of Well Owner's copy, If necessary)

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<b>2</b>	<b>NEW</b>	<b>Plastic</b>	<b>229</b>	<b>202</b>	<b>#8</b>
<b>4</b>	<b>NEW</b>	<b>Plastic</b>	<b>0</b>	<b>202</b>	<b>40</b>

**9) Cementing Data**

Cementing from **202** ft. to **102** ft. # of sacks used **5**  
**0** ft. to **10** ft. # of sacks used **5**  
Method Used **Pressure**  
Cementing By **Vernon Gray**  
Distance to septic system field or other concentrated contamination **50** ft.  
Method of verification of above distance **Tape**

**13) Plugged**     Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:				
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet etc., \_\_\_\_\_ ft. **180**

**15) Water Test**

Typetest  Pump     Bailer     Jetted     Estimated  
Yield: **25** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate and strata which contain undesirable constituents.  
 YES     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER  
Type of water **Good**    Depth of Strata **30**  
Was a chemical analysis made     Yes     No

**10) Surface Completion**

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

**11) Water Level**

Static level **126** ft. below    Date **11 / 14 / 00**  
Artesian Flow \_\_\_\_\_ gpm.    Date \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

**12) Packers**

Type	Depth
<b>V-Packers</b>	<b>198</b>

Company or individual's Name (type or print)

**Gray's Water Well**    City **Trinity**    State **TX**    Zip **75862**

Address **P.O. Box 1788**  
Signature **Vernon Gray**    Date **11 / 14 / 00**    Signature \_\_\_\_\_    Date \_\_\_\_\_  
Licensed Driller/Pump Installer    Apprentice    Date



ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

# State of Texas WELL REPORT

Texas Department of Licensing &  
Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

1) OWNER Darwin Snell ADDRESS 43 Pinedale Huntsville Tx 77320  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: 43 Pinedale Tx 77320 Long. \_\_\_\_\_ Lat. \_\_\_\_\_  
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-12-7

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:  
Date Drilling: \_\_\_\_\_  
Started 7-10 1900  
Completed 7-18 1900

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	188'
3 7/8	188'	213'

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0-6	134-140	Sand Rock
6-10	140-170	clay shale
10-31	170-195	Sand shale
31-32	195-201	Rock Sand
32-60	201-208	Sand Rock
60-75	208-213	Shale Sand
75-80		Lignite
80-105		Shale
105-108		Sand
108-120		shale
120-126		Lignite
126-134		Shale

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	Case	0	188'	#40
2	N	Blank	178	203	#40
2	N	Screen	203'	213'	#10

13)  Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA  
Cemented from 188 ft. to 88 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 8  
Method used pressure  
Cemented by Richard Baker  
Distance to septic system field lines or other concentrated contamination N/A ft.  
Method of verification of above distance None

14) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed  
 Specified Steel Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

15) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 45 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level 26' ft. below land surface Date 7-18-00  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

16) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 14'  
Was a chemical analysis made?  Yes  No

12) PACKERS: Rubber Type K Depth 178'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements hereon are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Service WELL DRILLER'S LICENSE NO. 2011 WRK  
(Type or print) (State)  
ADDRESS P.O. Box 1788 Trinity Texas 75862  
(Street or RFD) (City) (State) (Zip)  
(Signed) Vernon Gray (Signed) Richard Baker  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



#7 Walker

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Board  
P.O. Box 13087  
Austin, Texas 78711

1) OWNER Dr Salassie ADDRESS PO Box 483 Huntsville, Tx 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 1 miles in NW direction from Huntsville  
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

SEE ATTACHED MAP 0N60-14-4

3) TYPE OF WORK (Check):

New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):

Domestic  Industrial  Monitor  Public Supply  
 Irrigation  Test Well  Injection  De-Watering

5) DRILLING METHOD (Check):

Mud Rotary  Air Hammer  Jetted  Bored  
 Air Rotary  Cable Tool  Other \_\_\_\_\_

6) WELL LOG:

Date Drilling: Started 2-12 1990  
Completed 2-13 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	196

7) BOREHOLE COMPLETION:

Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0-3	top soil
3-14	brown clay
14-43	caliche
43-48	sand
48-89	blue clay
89-91	sand
91-96	blue clay
96-100	sand
100-183	blue clay
183-196	sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	184	40
		PVC	186	196	#8

REMOVED  
APR 4 1990

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 184 ft. to 84 ft. No. of Sacks Used 7  
0 ft. to 15 ft. No. of Sacks Used 2  
Method used Pressure  
Cemented by Henry Lee

13) TYPE PUMP:

Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]  
 Pitless Adapter Used [Rule 287.44(3)(B)]  
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:

Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 8 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:

Static level 120 ft. below land surface Date 2-13-90  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? 13 ft Depth of strata good  
Was a chemical analysis made?  Yes  No

12) PACKERS:

Type	Depth
Rubber	178

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026  
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) Richard A. [Signature] (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-122 Located on map \_\_\_\_\_



**ATTENTION OWNER: Confidentiality**  
*Privilege Notice on Reverse Side*

**State of Texas**  
**WELL REPORT**

**Texas Water Well Drillers Advisory Council**  
 P.O. Box 13087  
 Austin, TX 78711-3087  
 512-239-0530

1) **OWNER** Bobby Miller **ADDRESS** 123 Rosewall Rd. Huntsville Tx. 77340  
 (Name) (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:**  
 County Walker 123 Rosewall Rd. Huntsville Tx. 77340 **GRID #** 60-12-7  
 (Street or RFD) (City) (State) (Zip)

3) **TYPE OF WORK (Check):**  
 New Well  Deepening  
 Reconditioning  Plugging

4) **PROPOSED USE (Check):**  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
 If Public Supply well, were plans submitted to the TNRCC?  Yes  No

5)

6) **WELL LOG:**  
 Date Drilling:  
 Started 11-28 1994  
 Completed 11-29 1994

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	80

7) **DRILLING METHOD (Check):**  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0-4		top soil
4-12		limestone
12-50		clay
50-52		sand
52-70		clay
70-90		sand

8) **Borehole Completion (Check):**  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
 If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC casing	0	80	40
2	N	screen & blank	72	90	#6

RECEIVE  
 AUG 31 1995  
 TEXAS NATURAL RESOURCE  
 CONSERVATION COMMISSION

9) **CEMENTING DATA** [Rule 338.44(1)]  
 Cemented from 80 ft. to 04 ft. No. of sacks used 5  
0 ft. to 04 ft. No. of sacks used 3  
 Method used Pressure  
 Cemented by Vernon Gray  
 Distance to septic system field lines 150 ft.  
 Method of verification of above distance Measure

13) **TYPE PUMP:**  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 68 ft.

14) **WELL TESTS:**  
 Type test:  Pump  Bailer  Jetted  Estimated  
 Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

10) **SURFACE COMPLETION**  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

11) **WATER LEVEL:**  
 Static level 54 ft. below land surface Date 11-29-94  
 Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) **WATER QUALITY:**  
 Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
 Was a chemical analysis made?  Yes  No

12) **PACKERS:** Rubber Type K Depth 72

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

**COMPANY NAME** Gray's Water Well Service **WELL DRILLER'S LICENSE NO.** 2011 Wpk  
 (Type or print)

**ADDRESS** P.O. Box 1788 Trinity Tx. 75862  
 (Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Signed) Richard McKee  
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530

1) OWNER The Jack Oista Company ADDRESS 810 I-45 North Huntsville TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 810 I-45 North Huntsville TX 77340 GRID # 60-12-7  
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Monitor  Environmental Soil Boding  Domestic  Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG: Date Drilling: Started 5-26 20 00 6:14 20 00  
7) DRILLING METHOD (Check):  Driven  Air Rotary  Mud Rotary  Bored  Air Hammer  Cable Tool  Jetted  Other

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other  
If Gravel Packed give interval ... from \_\_\_\_\_ ft to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	DIAMETER OF HOLE		SETTING (ft.)		Gage Casting Screen
			Dia. (in.)	From (ft.)	To (ft.)	From	To
0	2	Top bit soil	6.75	Surface	520		
2	11	Calc.					
11	16	Sa.st.					
16	22	Calc.					
22	42	Wh.ci. & calc.					
42	54	Wh.ci.					
54	57	Sa.					
57	114	Bl.					
114	117	Sa.st.					
117	122	Sa.					
122	132	Sa.st.					
132	156	Sa.					
156	162	Bl.					
162	182	Sa.sr.					
182	207	Bl.					

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from -1.5 ft to 489 ft. No. of sacks used 48  
Method used Pressure  
Cemented by HWW  
Distance to septic system field lines or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL  
Static Level 276 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_

12) PACKERS: Type Depth  
2-2.5" Rubber packers RxR 478' & 479'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells, Inc. WELL DRILLER'S LICENSE NO. 2221W 4 2000  
(Type or print)

ADDRESS 2928 SH 19 Huntsville TX 77320  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

SECRET TO BE KEPT  
TOP SECRET

CONFIDENTIAL

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
207	209	Sa.
209	222	Bl.
222	242	Milly. Bl. & sa.st.
242	262	Sa.st.
262	282	Milly.bl.
282	292	Sa.st.
292	302	Milly.cl.
302	316	Bl.
316	322	Sa.st.
322	334	Bl.
334	342	Sa.
342	352	Bl.
352	356	Sa.
356	382	Bl.
382	396	Sa.
396	402	Sa.st.
402	412	Milly.
412	422	Sa.st.
422	452	Milly cl.
452	462	Sa.
462	478	Milly cl.
478	482	Sa.
482	496	Milly cl.
496	520	Sand

FILE #	1-850 #
EMP #	0088 68
JUL 24 2000	
COMMENT	CB

CONFIDENTIAL  
SECURITY INFORMATION  
CLASSIFICATION

1. The following information is classified as CONFIDENTIAL because it contains information that is so classified.

2. This information is classified as CONFIDENTIAL because it contains information that is so classified.

3. This information is classified as CONFIDENTIAL because it contains information that is so classified.

CONFIDENTIAL

#10 WALKER

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality Privileges Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711

1) OWNER Perry McDonald ADDRESS PO Box 1437 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 1 miles in N direction from Huntsville

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

SEE ATTACHED MAP on 60-11-5

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, De-Watering
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other

6) WELL LOG: Date Drilling: Started 7-9 19 90 Completed 7-10 19 90 DIAMETER OF HOLE: Dia. (In.) From (ft.) To (ft.) 6.5 Surface 217

7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-3 top soil, 3-48 white sandy clay, 48-72 sand, 72-99 blue clay, 99-145 sand and sand streaks, 145-173 blue clay, 173-183 sand streaks, 183-204 blue clay, 204-217 sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casting Screen.

9) CEMENTING DATA [Rule 287.44(1)] Cemented from 204 ft. to 104 ft. No. of Sacks Used 7 Method used Pressure Cemented by Henry Lee

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated. Yield: 20 gpm with ft. drawdown after hrs.

15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? Type of water? good Depth of strata 13 ft Was a chemical analysis made?

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level 104 ft. below land surface Date 7-10-90 Artesian flow gpm. Date

12) PACKERS: Rubber 199


RECEIVED AUG 29 1990 TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026 ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 60-12-2 Located on map





**ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side**

**State of Texas  
WELL REPORT**

**Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299**

1) OWNER Jerry Shonten (Name) ADDRESS 1123 Fruitvale Hl, TX 77038 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Moffitt Springs Huntsville Tx 77340 STATE WELL # 60-12-7  
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
 If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:  
 Date Drilling:  
 Started 5-15 1997  
 Completed 5-19 1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	212
3 7/8	212	223

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
 If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	212	+40
2	N	PVC Screen Blk	212	214	+40
2	N	PVC SCREEN	214	204	+10

9) CEMENTING DATA [Rule 338.44(1)]  
 Cemented from 212 ft. to 112 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 6  
 Method used pressure  
 Cemented by Richard Walker  
 Distance to septic system field lines N/A ft.  
 Method of verification of above distance No Lines or Tanks

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 200 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338-71]  
 DATE: JAN 05 1998

11) WATER LEVEL:  
 Static level 128 ft. below land surface Date 5-19-97  
 Artesian flow \_\_\_\_\_

12) PACKERS: Rubber Type K Depth 204'  
 DATE: SEP 05 1997

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Trinity Tx 75862 (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Walker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

