

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616 Toll free (800) 803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA

Name Tom Mainer Address 660 Old Phelps Rd City Huntsville State TX Zip 77340

2) WELL LOCATION

County Walker Physical Address 660 Old Phelps Rd City Huntsville State TX Zip

3) Type of Work Lat. Long. Grid # 60-12-9

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell

6) Drilling Date Started 11/15/02 Completed 11/18/02 7) Drilling Method (check) Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other

Table with columns: From (ft), To (ft), Description and color of formation material. Rows include Bit t.s., Br sdy cl, Sd, W.cl, Sdy cl, Br.cl, W.cl, Sd., Sd. & Gr., W.cl, W & br.cl.

8) Borehole Completion Open Hole Straight Wall Under-reamed Gravel Packed Other. Casing, Blank Pipe, and Well Screen Data table.

9) Cementing Data Cementing from -1.5 ft. to 20 ft. # of sacks used 2. Method Used Pressure. Cementing By R. McPike.

10) Surface Completion Specified Surface Slab Installed Specified Surface Sleeve Installed Pitless Adapter Used Approved Alternative Procedure Used. DEC 12 2002

11) Water Level Static level 175 ft. below Date / / Artesian Flow gpm. Date / /

12) Packers Type Depth 2 - 2.5" K Packers RxR 265-266

13) Plugged Well plugged within 48 hours. Casing left in well: Cement/Bentonite placed in well: Sacks used.

14) Typepump Turbine Jet Submersible Cylinder Other. Depth to pump bowls, cylinder, jet, etc., 240 ft.

15) Water Test Typetest Pump Bailer Jetted Estimated Yield: 12 gpm with ft. drawdown after hrs.

16) Water Quality Did you knowingly penetrate any strata which contain undesirable constituents? Type of water Good Depth of Strata 11 Was a chemical analysis made? No

Company or Individual's Name (type or print) Holly Water Wells, LTD Lic. No. 3114W Address 2928 State Hwy 19 City Huntsville State TX Zip 77320

Signature R. McPike Licensed Driller/Pump Installer Date / / Signature Apprentice Date / /



Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Pro  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7886 (512) 463-8616  
Toll free (800) 803-9202

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

Email address: water.well@license.state.tx.us

**WELL REPORT**

**A. WELL IDENTIFICATION AND LOCATION DATA**

**1) OWNER**

Name **Calvin Ellisor** Address **66 Ellisor Rd** City **Huntsville** State **TX** Zip **77320**

**2) WELL LOCATION**

County **Walker** Physical Address **Ellisor Rd** City **Huntsville** State **TX** Zip **77320**

**3) Type of Work**

New Well  Deepening  
 Reconditioning

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # **60-12-9**

**4) Proposed Use (check)**  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

**6) Drilling Date**

Started **1/4/01**  
Completed **1/7/01**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	198

**7) Drilling Method (check)**  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	18	Br.cl. w/ sd.st.
18	41	W.cl.
41	46	W.cl. w/ sd.st.
46	61	Br. meally cl.
61	81	Br.cl.
81	99	Br.&bl. Meally cl.
99	101	Bl.cl.
101	121	Bl.&br.cl.
121	129	Bl.cl.w/r.st.
129	141	Bl.cl.
141	161	Bl.cl.W/r.st.

**8) Borehole Completion**  Open Hole  Straight Wall  
 Under-reamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	182	
2.5	N	Undercut screen	188	198	#10

**13) Plugged**

Well plugged within 48 hours  
Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_  
From (ft) To (ft) From (ft) To (ft) Sacks used

**9) Cementing Data**  
Cementing from **-1.5** ft. to **182** ft. # of sacks used **18**  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used \_\_\_\_\_  
Method Used **Pressure**  
Cementing By **R.McPike**

Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_  
**RECEIVED**  
TDLR MAIL ROOM

**14) Typepump**

Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., **160** ft.

**10) Surface Completion**  
 Specified Surface Slab Installed **JAN 17 2002**  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used RECEIPT # \_\_\_\_\_ AMOUNT \_\_\_\_\_  
 Approved Alternative Procedure Used

**15) Water Test**

Typetest  Pump  Bailer  Jetted  Estimated  
Yield: **12** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**11) Water Level**  
Static level **102** ft. below Date **/ /**  
Artesian Flow \_\_\_\_\_ gpm. Date **/ /**

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes  NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water **Good** Depth of Strata **16**  
Was a chemical analysis made?  Yes  No

12) Packers	Type	Depth
<b>2 - 2.5" K packers</b>	<b>RxR</b>	<b>177 - 178</b>

Company or Individual's Name (type or print) **Holly Water Wells** Lic. No. **3114W**

Address **2928 State Hwy 19** City **Huntsville** State **TX** Zip **77320**

Signature *R. McPike* Date **1 / 1** Signature \_\_\_\_\_ Date \_\_\_\_\_  
Licensed Driller/Pump Installer Apprentice



# State of Texas WELL REPORT

Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880

1) OWNER Charles H Smith (Name) ADDRESS 890 Hwy 19 (Street or RFD) Huntsville, Tx (City) 77340 (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker (Street, RFD or other) 890 Hwy 19 (City) Huntsville, Tx (State) 77340 (Zip) Long. \_\_\_\_\_ Lat. \_\_\_\_\_ Grid # 60-12-9

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG: Date Drilling: Started 4-5 1999 Completed 4-7 1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	209'

7) DRILLING METHOD (Check):  Driven  Air Rotary  Mud Rotary  Bored  Air Hammer  Cable Tool  Jetted  Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0-1	81-100	Top Soil shale
1-3	100-105	clay
3-15	105-126	shale
15-19	126-128	Sand Rock
19-24	128-160	clay shale
24-44	160-161	shale Rock
44-45	161-174	shale
48-55	174-183	Sand Sand Stone
55-57	183-195	Rock shale
57-64	195-209	shale Sand
64-66		Rock
66-81		Sand

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	195'	195'	*40
2	N	PVC SCREEN	189'	209'	*8

9) CEMENTING DATA  
Cemented from 195' ft. to 95' ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 6

Method used Pressure  
Cemented by Richard M. Kee  
Distance to septic system field lines or other concentrated contamination N/A ft.  
Method of verification of above distance No Lines or Tanks

13)  Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:  Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed  
 Specified Steel Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

15) WELL TESTS:  
Type test:  Pump  Bailor  Jetted  Estimated  
Yield: 50 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level 90 ft. below land surface Date 4-7-99  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

16) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 15'  
Was a chemical analysis made?  Yes  No

12) PACKERS: Rubber Type K Depth 188'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) (City) Trinity (State) Tx (Zip) 75862

(Signed) Vernon Gray (Licensed Well Driller) EMP # \_\_\_\_\_ JUN 05 2000 (Signed) Richard M. Kee (Registered Driller Trainee) DESC CO \_\_\_\_\_

Please attach electric log, chemical analysis, and other pertinent information, if available.



# State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council  
MC 177  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530

ATTENTION OWNER: Confidentiality  
Privilege Notice on on reverse side  
of Well Owner's copy (pink)

1) OWNER Calvin Ellison (Name) ADDRESS 890 Hwy 19 N (Street or RFD) Huntsville Tx (City) 77340 (State) (Zip)

2) ADDRESS OF WELL:  
County Walker (Street, RFD or other) 890 Hwy 19 N. (City) Huntsville Tx (State) 77340 (Zip) GRID # 60-12-9

3) TYPE OF WORK (Check):  
 New Well     Deepening  
 Reconditioning     Plugging

4) PROPOSED USE (Check):     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
 If Public Supply well, were plans submitted to the TNRCC?     Yes     No

6) WELL LOG:  
Date Drilling:  
Started 2-10-1998  
Completed 2-12-1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10	285'
3 7/8	285'	294'

7) DRILLING METHOD (Check):     Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0-4		Top Soil
4-40		clay
40-57		Shale
57-60		Rock
60-64		Sand
64-74		Shale
74-76		Rock
76-92		Shale
92-98		Sand
98-102		Shale
102-105		Sand
105-124		Shale
124-187		Shale
187-266		Shale
266-268		Sandy

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check):     Open Hole     Straight Wall  
 Underreamed     Gravel Packed     Other \_\_\_\_\_  
 If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	285'	+40
2	N	PVC Blank	277'	284'	+40
2	N	PVC Screen	284'	294'	+8

13) TYPE PUMP:  
 Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 180 ft.

9) CEMENTING DATA [Rule 338.44(1)]  
 Cemented from 285' ft. to 185 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 7  
 Method used pressure  
 Cemented by Richard Mikee  
 Distance to septic system field lines or other concentrated contamination 175 ft.  
 Method of verification of above distance Tape

14) WELL TESTS:  
 Type test:     Pump     Bailer     Jetted     Estimated  
 Yield: 45 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:  
 Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes     No    If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? good    Depth of strata 12  
 Was a chemical analysis made?     Yes     No

11) WATER LEVEL:  
 Static level 132' ft. below land surface    Date 2-11-98  
 Artesian flow \_\_\_\_\_ gpm.    Date \_\_\_\_\_

12) PACKERS: Rubber    Type K    Depth 277

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print)    WELL DRILLER'S LICENSE NO. 2018ERWPAK1998

ADDRESS P.O. Box 1788 (Street or RFD)    Trinity (City)    Texas (State)    75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller)    (Signed) Richard Mikee (Registered Driller Trainee)

FILE ID	SEQ #
EMP #	DESC CU
COMMENT <u>15862</u> TEMP	

Please attach electric log, chemical analysis, and other pertinent information, if available.



100		100
100	100	100
100	100	100

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		<b>State of Texas WELL REPORT</b>		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299	
1) OWNER <u>Ann Yeager</u> (Name)		ADDRESS <u>945 Ellis Rd</u> (Street or RFD)		<u>Huntsville Tx 77340</u> (City) (State) (Zip)	
2) ADDRESS OF WELL: County <u>Walker</u> <u>945 Ellis Rd</u> (Street or RFD)		<u>Huntsville Tx 77340</u> (City) (State) (Zip)		STATE WELL # <u>6072-9</u>	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: Started <u>2-18</u> 19 <u>97</u> Completed <u>2-20</u> 19 <u>97</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>4 1/2</u> Surface <u>160</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
0-10 clay		CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casting Screen <u>2 N PVC</u> <u>0</u> <u>150</u> <u>#40</u> <u>2 N PVC Screen</u> <u>150</u> <u>160</u> <u>#8</u>			
10-30 clay					
30-39 sand					
39-49 clay					
49-59 clay					
59-79 clay					
79-99 clay					
99-109 clay					
109-129 clay					
129-145 sand clay					
145-160 sand		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>5</u> _____ ft. to _____ ft. No. of sacks used _____ Method used _____ Cemented by _____ Distance to septic system field lines <u>150</u> ft. Method of verification of above distance <u>Tap Measure</u>			
(Use reverse side if necessary)		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <u>JAN 05 1998</u> <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure [Rule 338.71]			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		11) WATER LEVEL: Static level <u>60</u> ft. below land surface Date <u>2-20-97</u> Artesian flow _____ gpm. Date _____			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		12) PACKERS: <u>Formation</u> Type <u>Rubber</u> Depth <u>150'</u> _____ Type _____ Depth _____ _____ Type _____ Depth _____			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>15</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.			
COMPANY NAME <u>Grays Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>			
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)		<u>Trinity Tx 75862</u> (City) (State) (Zip)			
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard M. Kue</u> (Registered Driller Trainee)			

Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER L.L. Kimes ADDRESS PO Box 1682 Onalaska Tx 77360-1682  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Walker 2 m. North of Huntsville on HWY 19 STATE WELL # \_\_\_\_\_  
County (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:  
Date Drilling:  
Started 3/24 1997  
Completed 3/28 1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	225

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

5) \_\_\_\_\_  
60-12-9  
↑

From (ft.)	To (ft.)	Description and color of formation material
0	2	top bit soil
2	22	wh. cl.
22	27	sa. st.
27	51	sa.
51	62	wh. cl. & bl.
62	82	mlly bl.
82	87	sa. st.
87	122	br. cl.
122	133	wh. cl.
133	142	br. & wh. cl.
142	155	blly br.
155	162	mlly bl.
162	182	mlly cl.
182	191	mlly. bl. & sa. st.
191	202	mlly cl.

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	179	
2	N	Screen	180	190	.008
2	N	Undercut PVC	215	225	.008

(Use reverse side if necessary)

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from -1.5 ft. to 179 ft. No. of sacks used 12  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_  
Method used by pressure from top  
Cemented by H. Lee  
Distance to septic system field lines \_\_\_\_\_ ft.  
Method of verification no septic

14) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 15 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.


10) SURFACE COMPLETION  
 Specified Surface Seal Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

11) WATER LEVEL:  
Static level 87 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:

Type	Depth
Rubber Packers R x R	173



I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W  
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



<b>ATTENTION OWNER: Confidentiality</b> Privilege Notice on Reverse Side		<b>State of Texas</b> <b>WELL REPORT</b>		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																																																			
1) OWNER <u>Riverside Water Corp.</u> ADDRESS <u>Po Box 194</u> <u>Riverside</u> Tx <u>77367</u> (Name) (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>Hwy 19</u> <u>Riverside</u> Tx <u>77367</u> STATE WELL # _____ (Street or RFD) (City) (State) (Zip)																																																																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input checked="" type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) 																																																																			
6) WELL LOG: Date Drilling: Started <u>1-16</u> 19 <u>96</u> Completed <u>1-25</u> 19 <u>96</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																																																					
DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">6.5</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">827</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	6.5	Surface	827				8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																												
Dia. (in.)	From (ft.)	To (ft.)																																																																					
6.5	Surface	827																																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">From (ft.)</th> <th style="width:10%;">To (ft.)</th> <th style="width:80%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>to 1</td><td>t.s.</td></tr> <tr><td>1</td><td>to 5</td><td>sd.</td></tr> <tr><td>5</td><td>to 40</td><td>clieche</td></tr> <tr><td>40</td><td>to 50</td><td>clieche w/ sd. st.</td></tr> <tr><td>50</td><td>to 173</td><td>bl. cl.</td></tr> <tr><td>173</td><td>to 181</td><td>bl. cl. w/ sd. st.</td></tr> <tr><td>181</td><td>to 198</td><td>bl. cl.</td></tr> <tr><td>198</td><td>to 201</td><td>r. st.</td></tr> <tr><td>201</td><td>to 211</td><td>bl. cl.</td></tr> <tr><td>211</td><td>to 217</td><td>r.</td></tr> <tr><td>217</td><td>to 221</td><td>cl.</td></tr> <tr><td>221</td><td>to 233</td><td>bl. cl.</td></tr> <tr><td>233</td><td>to 241</td><td>r. st.</td></tr> <tr><td>241</td><td>to 261</td><td>bl. cl.</td></tr> <tr><td>261</td><td>to 265</td><td>cl.</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">(Use reverse side if necessary)</p>		From (ft.)	To (ft.)	Description and color of formation material	0	to 1	t.s.	1	to 5	sd.	5	to 40	clieche	40	to 50	clieche w/ sd. st.	50	to 173	bl. cl.	173	to 181	bl. cl. w/ sd. st.	181	to 198	bl. cl.	198	to 201	r. st.	201	to 211	bl. cl.	211	to 217	r.	217	to 221	cl.	221	to 233	bl. cl.	233	to 241	r. st.	241	to 261	bl. cl.	261	to 265	cl.	CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">N</td> <td style="text-align: center;">PVC</td> <td style="text-align: center;">0</td> <td style="text-align: center;">780</td> <td style="text-align: center;">#40</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td style="text-align: center;">SST.</td> <td style="text-align: center;">800</td> <td style="text-align: center;">821</td> <td style="text-align: center;">#10</td> </tr> </tbody> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC	0	780	#40	2	N	SST.	800	821	#10
From (ft.)	To (ft.)	Description and color of formation material																																																																					
0	to 1	t.s.																																																																					
1	to 5	sd.																																																																					
5	to 40	clieche																																																																					
40	to 50	clieche w/ sd. st.																																																																					
50	to 173	bl. cl.																																																																					
173	to 181	bl. cl. w/ sd. st.																																																																					
181	to 198	bl. cl.																																																																					
198	to 201	r. st.																																																																					
201	to 211	bl. cl.																																																																					
211	to 217	r.																																																																					
217	to 221	cl.																																																																					
221	to 233	bl. cl.																																																																					
233	to 241	r. st.																																																																					
241	to 261	bl. cl.																																																																					
261	to 265	cl.																																																																					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																																		
			From	To																																																																			
4	N	PVC	0	780	#40																																																																		
2	N	SST.	800	821	#10																																																																		
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>670</u> ft. to <u>780</u> ft. No. of sacks used <u>7</u> <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> Method used <u>Pressure</u> Cemented by <u>Holly Water Wells</u> Distance to septic system field lines _____ ft. Method of verification of above distance _____																																																																					
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																																					
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>salty</u> Depth of strata <u>45</u> Was a chemical analysis made? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		11) WATER LEVEL: Static level <u>80 ±</u> ft. below land surface    Date <u>1-23-96</u> Artesian flow _____ gpm.    Date _____																																																																					
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Type</th> <th style="width:30%;">Depth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Rubber    KPacker</td> <td style="text-align: center;">790 ±</td> </tr> </tbody> </table>		Type	Depth	Rubber    KPacker	790 ±																																																																
Type	Depth																																																																						
Rubber    KPacker	790 ±																																																																						
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																																							
COMPANY NAME <u>Holly Water Wells</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>W3114</u>																																																																					
ADDRESS <u>607 Hwy 19</u> (Street or RFD)		<u>Huntsville</u> Tx <u>77340</u> (City) (State) (Zip)																																																																					
(Signed) <u>Raymond C. Pike</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																																					

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
265	to 272	r.
272	to 278	sd.
278	to 281	cl.
281	to 299	sd.
299	to 301	cl.
301	to 316	bl. cl.
316	to 321	sd. st.
321	to 341	bl. cl.
341	to 359	sd.
359	to 361	cl.
361	to 381	bl. cl.
381	to 401	bl. cl. w/ sd. st.
401	to 417	bl. cl.
417	to 421	r.
421	to 438	bl. cl.
438	to 445	sd.
445	to 465	bl. cl.
465	to 475	sd.
475	to 481	sd. st.
481	to 499	bl. cl.
499	to 501	sd. st.
501	to 520	sd.
520	to 524	cl.

621	to	641	cl. shale
641	to	681	bl.cl. shale
681	to	776	shale
776	to	827	sd.

524	to	549	sd.
549	to	577	bl. cl.
577	to	591	sd.
591	to	611	cl. w/ sd. st.
611	to	621	cl.

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER Riverside Water Corp. ADDRESS PO Box 194 Riverside TX 77367  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker HWY 19 Riverside TX 77367 STATE WELL # \_\_\_\_\_  
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No



6) WELL LOG:  
Date Drilling:  
Started 12-1 19 95  
Completed 1-4 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	800

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_


From (ft.)	To (ft.)	Description and color of formation material
0	to 1	t.s.
1	to 7	br. cl.
7	to 26	caliche
26	to 38	br. cl.
38	to 67	bl. cl.
67	to 90	sd.
90	to 163	bl. cl.
163	to 181	sd.
181	to 187	bl. cl.
187	to 199	sd. st.
199	to 225	bl. cl.
225	to 226	rock
226	to 234	bl. cl.
234	to 237	rock
237	to 291	bl. cl.

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	495	40
2	N	SST	620	640	#10
2	N	SST	520	540	#10

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from 495 ft. to surface ft. No. of sacks used 57  
ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_  
Method used Pressure  
Cemented by Holly Water Wells  
Distance to septic system field lines 2000 ft.  
Method of verification of above distance visual



13) TYPE PUMP:  
 Turbine  Jet  Submersible  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:  
Type test:  Pump  Bailor  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level 80 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) PACKERS:

Type	Depth
Rubber	k Packer 485

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026  
(Type or print)  
ADDRESS 607 HWY 19 Huntsville TX 77340  
(Street or RFD) (City) (State) (Zip)  
(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



1.3mi S/NL  
0.0mi W/EL

Please use black ink.  
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Calvin Elison (Name) Address Huntsville (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL County Walker 4 miles in N direction from Huntsville (Town) (N.E., S.W., etc.)


Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
 Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. 60-18-9

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_


6) WELL LOG: Date drilled 1-27-86  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 7/8 Surface 153  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.)   New or Used   Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial   Setting (ft.) From   To   Gage Casing Screen
<u>0 - 138</u>	<u>138</u>	<u>Sturdy shales</u>	<u>4 N PVC Casing</u>   <u>0</u>   <u>123</u>
<u>138 - 153</u>	<u>153</u>	<u>Sand w/ Hdr. sand stone</u>	<u>4 N PVC Screen</u>   <u>123</u>   <u>153</u>   <u>012</u>

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 10 ft.  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_



10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]



11) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
Depth to pump bowls, cylinder, jet, etc., 100 ft.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

14) WELL TESTS:  
Type Test:  Pump  Bailor  Jetted  Estimated  
Yield: 30 gpm with NO ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SNOOK DRILL CO Water Well Driller's License No. 1490  
ADDRESS Box 88 (Street or RFD) Dola (City) Tex (State) \_\_\_\_\_ (Zip)  
(Signed) Steve Ghosh (Licensed Water Well Driller) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-9 Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

RECEIVED  
DEPARTMENT OF WATER RESOURCES  
MAY 19 1980

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Board  
P.O. Box 13087  
Austin, Texas 78711

1) OWNER Calvin Elisor #3 ADDRESS Huntsville Tx  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 3 miles in N direction from Huntsville  
(Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

SEE ATTACHED MAP

on 60-19-1

3) TYPE OF WORK (Check):

New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):

Domestic  Industrial  Monitor  Public Supply  
 Irrigation  Test Well  Injection  De-Watering

5) DRILLING METHOD (Check):

Mud Rotary  Air Hammer  Jetted  Bored  
 Air Rotary  Cable Tool  Other \_\_\_\_\_

6) WELL LOG:

Date Drilling: 4-24-90  
Started \_\_\_\_\_ 19\_\_\_\_  
Completed \_\_\_\_\_ 19\_\_\_\_

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>162</u>

7) BOREHOLE COMPLETION:

Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from 126 ft. to 162 ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

0 - 56	-	Caliche, white
56 - 63	-	sand
63 - 84	-	sandy shale
84 - 90	-	snd
90 - 96	-	sandy shale
96 - 102	-	shly
102 - 120	-	sandy shale
120 - 126	-	red white
126 - 129	-	shly
129 - 132	-	snd

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>142</u>	
<u>4</u>	<u>N</u>	<u>PVC Screen</u>	<u>142</u>	<u>162</u>	<u>014</u>

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 10 ft. No. of Sacks Used \_\_\_\_\_  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_

13) TYPE PUMP:

Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft.

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]  
 Pitless Adapter Used [Rule 287.44(3)(B)]  
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:

Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 10-15 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:

Static level 56 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) PACKERS:

Type \_\_\_\_\_ Depth \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Glenn Snook Drilling Co WELL DRILLER'S LICENSE NO. 1490  
(Type or print)

ADDRESS 1205 N. May Madisonville Tx 77864  
(Street or RFD) (City) (State) (Zip)

(Signed) Glenn Snook (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-12-9 Located on map \_\_\_\_\_



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Board  
P.O. Box 13087  
Austin, Texas 78711

1) OWNER CALVIN ELISOR #2 ADDRESS \_\_\_\_\_ (Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL \_\_\_\_\_ (County) \_\_\_\_\_ (Town) \_\_\_\_\_ (City) \_\_\_\_\_ (State) \_\_\_\_\_ (Zip)  
\_\_\_\_\_ miles in \_\_\_\_\_ direction from \_\_\_\_\_  
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

SEE ATTACHED MAP

060-19-1

3) TYPE OF WORK (Check):

New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):

Domestic  Industrial  Monitor  Public Supply  
 Irrigation  Test Well  Injection  De-Watering

5) DRILLING METHOD (Check):

Mud Rotary  Air Hammer  Jetted  Bored  
 Air Rotary  Cable Tool  Other \_\_\_\_\_  
 Driven

6) WELL LOG:

Date Drilling: \_\_\_\_\_  
Started 4-1 1990  
Completed \_\_\_\_\_ 19\_\_\_\_

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	

7) BOREHOLE COMPLETION:

Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

0 - 12	col.
12 - 24	snd
24 - 30	shle + snd
30 - 48	snd
48 - 54	snd / gan shle
54 - 60	gan shle
60 - 132	shle 66-72 4 1/2
132 - 138	only 4 1/2 blk blk
138 - 144	snd
144 - 150	shle

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4 1/4	✓	PVC	0	140	
4 1/4		PVC Screen	140	160	014

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 11 ft. No. of Sacks Used 13 1/4  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_

13) TYPE PUMP:

Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft.

Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]  
 Pitless Adapter Used [Rule 287.44(3)(B)]  
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:

Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:

Static level 62 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) PACKERS:

Type \_\_\_\_\_ Depth \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Glenn Snook DRG. Co WELL DRILLER'S LICENSE NO. 1490  
(Type or print)

ADDRESS 1205 N Main Madisonville Tx 77864  
(Street or RFD) (City) (State) (Zip)

(Signed) Glenn Snook (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-12-9 Located on map \_\_\_\_\_



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Board  
P.O. Box 13087  
Austin, Texas 78711

1) OWNER Calvin Elisor #1 ADDRESS \_\_\_\_\_ (Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 3 miles in N direction from Hemphill (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 SEE ATTACHED MAP 0160-19-1

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Domestic  Industrial  Monitor  Public Supply  Irrigation  Test Well  Injection  De-Watering  
5) DRILLING METHOD (Check):  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_  Driven

6) WELL LOG:

Date Drilling:	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
Started <u>3-17</u> 19 <u>90</u>	<u>4</u>	Surface	<u>148</u>
Completed <u>3-25</u> 19 <u>90</u>	<u>4</u>	<u>148</u>	<u>168</u>
	<u>2</u>	<u>168</u>	<u>207</u>

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>6</u>	<u>Surf</u>
<u>12</u>	<u>12</u>	<u>Sand</u>
<u>30</u>	<u>30</u>	<u>white clay</u>
<u>42</u>	<u>42</u>	<u>Sandy w/ R Sand</u>
<u>48</u>	<u>48</u>	<u>Sandy</u>
<u>54</u>	<u>54</u>	<u>Sandy</u>
<u>72</u>	<u>72</u>	<u>Sandy</u>
<u>96</u>	<u>96</u>	<u>Sandy</u>
<u>108</u>	<u>108</u>	<u>Sandy</u>
<u>120</u>	<u>120</u>	<u>Sandy</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<input checked="" type="checkbox"/>	<u>PVC</u>	<u>0</u>	<u>168</u>	
<u>2</u>	<input checked="" type="checkbox"/>	<u>PVC Screen</u>	<u>148</u>	<u>207</u>	<u>008</u>

13) TYPE PUMP:  Turbine  Jet  Submersible  Cylinder  Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160

9) CEMENTING DATA [Rule 287.44(1)]  
Cemented from 0 ft. to 10 ft. No. of Sacks Used \_\_\_\_\_  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 5 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 287.44(2)(A)]  
 Pitless Adapter Used [Rule 287.44(3)(B)]  
 Approved Alternative Procedure Used [Rule 287.71]

15) WATER QUALITY:  
Did the drilling penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

11) WATER LEVEL:  
Static level 140 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:

Type	Depth
<u>402 formation</u>	<u>160'</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Glenn Snook DRIL Co. WELL DRILLER'S LICENSE NO. 1490  
ADDRESS 1205 N. May (Street or RFD) Madisonville (City) Tx (State) 77804 (Zip)  
(Signed) Glenn Snook (Licensed Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 60-12-9 Located on map \_\_\_\_\_



#6 A.K.K.K.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-95 Located on map Yes Received: RWB

1) OWNER Bryan Construction Co. Address P.O. Box 4087 Bryan, Texas 77801
2) LOCATION OF WELL: County Walker 3 miles in NE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-14-81
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Includes rows for soil, clay, sand, and rock layers.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 29 ft.
Was a chemical analysis made? Yes No

CEMENTING DATA
Cemented from 597 ft. to surface ft.
Method used Pressure
Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date
Artesian flow gpm. Date

10) PACKERS: Type Depth
Lead L 591

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JUL 14 1982  
CR/TDWR

RECEIVED  
JUN 9 1981  
DEPT. OF  
WATER RESOURCES

WALKER #6

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Billy Ray Pharrises (Name) Address Rt 11 Box 946 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 2 miles in NE direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines
See attached map. ON 60-19-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 6-27 1988 Completed 6-28 1988
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6.5 Surface 189
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other
If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include soil, clay, rock, sand streaks, etc.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 174 ft. to 74 ft. No. of Sacks Used 6 15 ft. to 0 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 80 ft. below land surface Date 6-28 88 Artesian flow gpm. Date

12) PACKERS: Type Depth Rubber R 170

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 25 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026
ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-12-9 Located on map

RECEIVED JUL 25 1988

TEXAS WATER COMMISSION

(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

**“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”**

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Board  
P.O. Box 13087  
Austin, Texas 78711

1) OWNER Kent Ramsey ADDRESS #13 Forest Dr. Huntsville, Tex 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:  
County Walker 2 miles in NE direction from Huntsville  
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

SEE ATTACHED MAP 0760-11-5

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging

4) PROPOSED USE (Check):  Domestic  Industrial  Monitor  Public Supply  Irrigation  Test Well  Injection  De-Watering

5) DRILLING METHOD (Check):  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_  Driven

6) WELL LOG: Date Drilling: Started 6-21-190 Completed 6-22-190

Diameter of Hole	Diameter of Hole		
	Dia. (in.)	From (ft.)	To (ft.)
	6.5	Surface	214

7) BOREHOLE COMPLETION:  Open Hole  Straight Wall  Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
						From	To	
0-2		top soil						
2-43		caliche						
43-103		white clay	4	N	PVC	1.5	199	40
103-171		brown clay						
171-193		blue clay	2	N	PVC UC	204	214	#8
193-203		sand streaks						
203-214		sand						

RECEIVED  
AUG 29 1990

9) CEMENTING DATA [Rule 287.44(1)]  
Cemented from 199 ft. to 99 ft. No. of Sacks Used 7  
0 ft. to 15 ft. No. of Sacks Used 2  
Method used Pressure  
Cemented by Henry Lee

13) TYPE PUMP:  Turbine  Jet  Submersible  Cylinder  Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS: Type Test:  Pump  Baller  Jetted  Estimated  
Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? 11 ft. Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 287.44(2)(A)]  
 Pitless Adapter Used [Rule 287.44(3)(B)]  
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL: Static level 60 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:	Type	Depth
	Rubber	193

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026  
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 6072-9 Located on map \_\_\_\_\_





93 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Larry Farnsworth Address P.O. Box 1231 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 16 miles in N direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

XX See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 11/8/85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, White clay, Rock, Sand streaks, blue clay, etc.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 142 ft. to 42 ft.
0 ft. to 10 ft.
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
XX Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level ft. below land surface Date
Artesian flow gpm. Date

12) PACKERS: Type Depth
Lead 137

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-9 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



#1

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-12-95 Located on map YES Received: C.A.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Skip Voyles (Name) Address ELLISORE RD HUNTSVILLE TX 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 4 miles in N direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 16 Sept 82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 270 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other TWO STRING If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0-83 GRAY CLAY, 84-108 GRAY W/ SHALE STREAKS, 109-131 yellow CLAY, 132-213 GRAY CLAY, 214-270 10 GAUGE SAND. Casing: 4" N sch 40 PVC, 2" N Mgf SCREEN, 2" N sch 40 PVC.

CEMENTING DATA Cemented from 130 ft. to 222 ft. Method used Slurry Cemented by CLEARWATER Well Ser (Company or Individual)

9) WATER LEVEL: Static level 102 ft. below land surface Date 17 Sept 82 Artesian flow gpm. Date

RECEIVED NOV 15 1992 DEPT. OF WATER RESOURCES (Use reverse side if necessary)

10) PACKERS: Type Depth 2" K packer 217

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 170 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 30 gpm with 0 ft. drawdown after 3 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME EUGENE M. Poldrack Water Well Drillers Registration No. 2134 ADDRESS 440 Graham Rd HUNTSVILLE TX 77340 (Signed) Kenneth Downer CLEARWATER Well Ser (Water Well Driller) (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



LAKE CONROE  
Normal Pool Elev 201.0'  
Max Flood Elev 214.0'

**R** E C E I V E **D**  
NOV 15 1982

Texas Dept. of Water Resources

32

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Bill Stevenson (Name) Address Unknown (Street or RFD) Riverside, Texas (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 3 miles in SW (N.E., S.W., etc.) direction from Riverside (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging 4) PROPOSED USE (Check): [X] Domestic [ ] Industrial [ ] Public Supply [ ] Irrigation [ ] Test Well [ ] Other 5) DRILLING METHOD (Check): [X] Mud Rotary [ ] Air Hammer [ ] Driven [ ] Bored [ ] Air Rotary [ ] Cable Tool [ ] Jetted [ ] Other

6) WELL LOG: Date drilled 8/16/85 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 6-3/4 312 7) BOREHOLE COMPLETION: [ ] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [X] Other 2 string cemented If Gravel Packed give interval ... from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include: 0-100 Hard Shale, 100-140 Limestone, 140-280 Hard Shale, 280-312 Black & White Sand, 4" N PVC Casing, 2 1/2" N Plastic Liner, 2 1/2" N PVC Slotted Screen.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 291 ft. to 0 ft. Method used Halliburton Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL: Static level 130 ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type K Depth 286

RECEIVED MAY - 5 1987

TEXAS WATER COMMISSION

11) TYPE PUMP: 2Hp Fairbanks 220 Gal Conv Tank [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other Depth to pump bowls, cylinder, jet, etc., 252 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? potable Depth of strata Was a chemical analysis made? [ ] Yes [ ] No

12) WELL TESTS: [ ] Type Test [ ] Pump [ ] Bailer [ ] Jetted [ ] Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Robinson Water Well (Type or Print) Water Well Driller's License No. 1464 ADDRESS 11607 FM 149 (Street or RFD) Houston, Tx. 77086 (City) (State) (Zip) (Signed) M E Robin (Licensed Water Well Driller) (Signed) T R (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-9 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



**LEGEND**

	INTERSTATE HIGHWAY
	U.S. HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRPORT
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL AREA
	RESIDENTIAL AREA
	FOREST
	LAKE
	CRICK
	RIVER
	POWER LINE
	TELEPHONE LINE
	WATER TOWER
	GAS STATION
	BUS STOP
	MILEAGE MARKER
	DIRECTIONAL ARROW

**GENERAL HIGHWAY MAP**  
 SUPPLEMENTARY SHEET  
 DETAIL OF CITIES AND TOWNS  
 WALKER COUNTY TEXAS

PREPARED BY THE  
 STATE DEPARTMENT OF HIGHWAYS  
 AND PUBLIC TRANSPORTATION  
 TRANSPORTATION PLANNING DIVISION  
 IN COOPERATION WITH THE  
 FEDERAL HIGHWAY ADMINISTRATION

U.S. DEPARTMENT OF TRANSPORTATION  
 FEDERAL HIGHWAY ADMINISTRATION

SCALE IN MILES

1961  
 1:50,000 GRAPHIC SCALE  
 HIGHWAYS REVISED TO OCTOBER, 1960

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dixie Thompson Address 7517 Bonham St. Houston Tx 77020  
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:  
 County WALKER 3 miles in NE direction from HANTSVILLE  
 (Town)

Legal description:  
 Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
 Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
 Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map. map on 60-03-86

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  
 Irrigation  Test Well  Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  
 Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:  
 Date drilled 10/5/83

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>407</u>

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
 If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2	2-22	Top soil
2-22	22-32	Brown clay
22-32	32-42	White clay
32-42	42-53	Sand streaks
42-53	53-96	Sand
53-96	96-102	Brown clay
96-102	102-192	Sand streaks
102-192	192-203	Brown clay
192-203	203-234	Rock
203-234	234-242	Brown clay
234-242	242-279	Sand
242-279	279-292	Brown clay
279-292	292-294	Sand
292-294	294-304	Rock streaks
294-304	304-315	Sand
304-315	315-322	Brown clay
315-322	322-353	Sandy clay
322-353	353-395	Sand
353-395	395-407	Brown clay
395-407		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	341	40
2 1/2	N	Stainless steel	406	396	#8

CEMENTING DATA  
 Cemented from 341 ft. to 241 ft.  
 Method used Pressure  
 Cemented by Henry Lee  
 (Company or Individual)

9) WATER LEVEL:  
 Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
 Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS:  
 Type Lead Depth 333

RECEIVED  
 JAN 14 1984

DEPT. OF  
 WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 180 ft.

13) WATER QUALITY:  
 Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
 If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? Good Depth of strata 12 Ft.  
 Was a chemical analysis made?  Yes  No

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
 Yield: 60 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
 (Type or Print)

ADDRESS P.O. Box 638 Riverside TX 77367  
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-9u Located on map Yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#29

WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James Card Address 1025 Pecan Huntville, TX 77340

2) LOCATION OF WELL: County Walker 3 miles in NE direction from Huntville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 60-20-4P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-12-84 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 188 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-2 top soil, 2-19 caliche, 19-39 sand, 39-42 rock, 42-50 brown clay, 50-111 meally clay, 111-139 brown clay, 139-162 meally clay, 162-174 brown clay, 174-188 sand.

CEMENTING DATA Cemented from 176 ft. to 76 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 64 ft. below land surface Date 4-13-84 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 172

RECEIVED

JUL - 6 1984

DEPT. OF WATER RESOURCES

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 14 ft. Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 45 gpm with . . . ft. drawdown after . . . hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026 & 2221

ADDRESS Rt. 11 Box 607 Huntville, Texas 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-94 Located on map 450 MM

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WATER WELL DRILLERS BOARD  
1000 WEST 11TH STREET  
AUSTIN, TEXAS 78701  
512-463-2200

Please use black ink.  
Send original copy by certified mail to the Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER J. BRIDGES Address HUNTSVILLE TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: WALKER 3 miles in N.E. direction from HUNTSVILLE  
County (N.E., S.W., etc.) (Town)

Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map. ON BACK

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  
 Irrigation  Test Well  Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  
 Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
<u>11-28-86</u>	<u>6 7/8</u>	<u>Surface</u>	<u>200</u>

7) BOREHOLE COMPLETION:

Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other INSIDE SCREEN

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>45</u>	<u>SHALE</u>
<u>45</u>	<u>50</u>	<u>SAND</u>
<u>50</u>	<u>180</u>	<u>SHALE</u>
<u>180</u>	<u>200</u>	<u>SAND</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>P.U.C.</u>	<u>0</u>	<u>180</u>	<u>40</u>
<u>2 1/2</u>	<u>N</u>	<u>PLASTIC LINER</u>	<u>160</u>	<u>180</u>	
<u>2 1/2</u>	<u>N</u>	<u>PLASTIC SCREEN</u>	<u>180</u>	<u>200</u>	<u>.12</u>

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 130 ft. to 180 ft.  
ft. to \_\_\_\_\_ ft.  
Method used Preme  
Cemented by J. B. Bradford & Son

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 75 ft. below land surface Date 11-28-86  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 130 ft.

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 12 gpm with 40 ft. drawdown after 2 hrs.

RECEIVED  
MAR 25 1987

Texas WATER COMMISSION

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 12 gpm with 40 ft. drawdown after 2 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME J. B. BRADFORD & SON'S Water Well Driller's License No. 1881  
(Type or Print)

ADDRESS 616 N. McIVER MADISONVILLE TX 77864  
(Street or RFD) (City) (State) (Zip)

(Signed) J. B. Bradford (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-12-9 Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 00-12-97  
Located on map YES  
Received: C.F.S.

1) OWNER Larry Jo Moore (Name) Address P.O. Bx. 2 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker miles in 10 mls. West direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map.

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 8-26-82  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
Surface  
7 0 109  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen	
						From	To	
0	25	Brown clay to 12' & sand						
25	45	Light brown sand						
45	65	sand (same sand but softer)	4"	N	Pvc casing	0	94	sch40
65	85	changed at 72' (softer) Lignite						
85	109	grey sand Lignite sand to 109 BOH 109						
			4"	N	Everflo screen	99	109	.012

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
CEMENTING DATA  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_ (Company or Individual)

9) WATER LEVEL:  
Static level 35 ft. below land surface Date 8-26-82  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
Formation Packer 84'

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.


12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Dennis Miller (Type or Print) Water Well Drillers Registration No. 2055  
ADDRESS P.O. Bx. 202 Livingston, Tx. 77351 (Street or RFD) (City) (State) (Zip)  
(Signed) Dennis Miller (Water Well Driller) Miller's Water Well Drilling (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."


The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

TEXAS DEPT.  
OF  
WATER RESOURCES  
DEC 17 1992



**LEGEND**

	INTERSTATE HIGHWAY
	FEDERAL HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	CITY
	TOWN
	VILLAGE
	UNINCORPORATED COMMUNITY
	WATER BODY
	LAKE
	RESERVOIR
	NATIONAL FOREST
	STATE PARK
	RESERVATION
	AIRPORT
	POWER LINE
	TELEPHONE LINE
	GAS LINE
	SEWER LINE
	WATER MAIN
	CANAL
	DITCH
	FENCED AREA
	SWAMP
	MARSH
	WETLAND
	SHADED AREA
	CONTOUR LINE
	SPOT ELEVATION
	BENCHMARK
	WELL
	SPRING
	MINE
	QUARRY
	CEMETERY
	CHURCH
	SCHOOL
	POST OFFICE
	FIRE STATION
	GAS STATION
	TELEPHONE BOOTH
	POWER POLE
	TELEPHONE POLE
	GAS POLE
	SEWER POLE
	WATER POLE
	CANAL POLE
	DITCH POLE
	FENCED POLE
	SWAMP POLE
	MARSH POLE
	WETLAND POLE
	SHADED POLE
	CONTOUR POLE
	SPOT ELEVATION POLE
	BENCHMARK POLE
	WELL POLE
	SPRING POLE
	MINE POLE
	QUARRY POLE
	CEMETERY POLE
	CHURCH POLE
	SCHOOL POLE
	POST OFFICE POLE
	FIRE STATION POLE
	GAS STATION POLE
	TELEPHONE BOOTH POLE
	POWER POLE POLE
	TELEPHONE POLE POLE
	GAS POLE POLE
	SEWER POLE POLE
	WATER POLE POLE
	CANAL POLE POLE
	DITCH POLE POLE
	FENCED POLE POLE
	SWAMP POLE POLE
	MARSH POLE POLE
	WETLAND POLE POLE
	SHADED POLE POLE
	CONTOUR POLE POLE
	SPOT ELEVATION POLE POLE
	BENCHMARK POLE POLE
	WELL POLE POLE
	SPRING POLE POLE
	MINE POLE POLE
	QUARRY POLE POLE
	CEMETERY POLE POLE
	CHURCH POLE POLE
	SCHOOL POLE POLE
	POST OFFICE POLE POLE
	FIRE STATION POLE POLE
	GAS STATION POLE POLE
	TELEPHONE BOOTH POLE POLE
	POWER POLE POLE POLE
	TELEPHONE POLE POLE POLE
	GAS POLE POLE POLE
	SEWER POLE POLE POLE
	WATER POLE POLE POLE
	CANAL POLE POLE POLE
	DITCH POLE POLE POLE
	FENCED POLE POLE POLE
	SWAMP POLE POLE POLE
	MARSH POLE POLE POLE
	WETLAND POLE POLE POLE
	SHADED POLE POLE POLE
	CONTOUR POLE POLE POLE
	SPOT ELEVATION POLE POLE POLE
	BENCHMARK POLE POLE POLE
	WELL POLE POLE POLE
	SPRING POLE POLE POLE
	MINE POLE POLE POLE
	QUARRY POLE POLE POLE
	CEMETERY POLE POLE POLE
	CHURCH POLE POLE POLE
	SCHOOL POLE POLE POLE
	POST OFFICE POLE POLE POLE
	FIRE STATION POLE POLE POLE
	GAS STATION POLE POLE POLE
	TELEPHONE BOOTH POLE POLE POLE



**1969**

1970 CENSUS FIGURES

HIGHWAYS REVISED TO MARCH 1, 1978

POCKET PROJECTION NORTH ARCTIC CURVE

COMPILED BY U.S. ENGINEER'S SURVEYING DIVISION

ADJUSTED AND FIELD INSTRUMENTS

Scale: 1 inch = 10 miles

**GENERAL HIGHWAY MAP**

**WALKER COUNTY**

**TEXAS**

PREPARED BY THE

STATE DEPARTMENT OF HIGHWAYS

AND PUBLIC TRANSPORTATION

TRANSPORTATION PLANNING DIVISION

IN COOPERATION WITH THE

U.S. DEPARTMENT OF TRANSPORTATION

FEDERAL HIGHWAY ADMINISTRATION

DEC 17 1992

TEXAS DEPT.  
OF  
WATER RESOURCES

7 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 00-12-9R Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER R. G. Ernst Address 14918 Bramblewood Houston, Texas 77079

2) LOCATION OF WELL: County Walker 3 miles in NE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-20-6K

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 3-19-82. DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 395. 7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include soil types and casing data.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA. Cemented from 383 ft. to 333 ft. Method used Pressure. Cemented by Holly Water Wells.

9) WATER LEVEL: Static level, Artesian flow, Date.

10) PACKERS: Lead, L, 379.

11) TYPE PUMP: Submersible, Cylinder. Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 20 gpm with 13 ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026. ADDRESS P.O. Box 638 Riverside, Texas 77367. (Signed) RALPH A. CADWALLADER Holly Water Well Service

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#8 WALKER

2188

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-12-9R Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Danny Slane (Name) Address Rt. 8 Box 73 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 3 miles in NE direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map 60-29-10

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging
4) PROPOSED USE (Check): [X] Domestic [ ] Industrial [ ] Public Supply [ ] Irrigation [ ] Test Well [ ] Other
5) DRILLING METHOD (Check): [X] Mud Rotary [ ] Air Hammer [ ] Driven [ ] Bored [ ] Air Rotary [ ] Cable Tool [ ] Jetted [ ] Other

6) WELL LOG: Date drilled 10-15-82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 182
7) BOREHOLE COMPLETION: [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other If Gravel Packed give interval . . . from ft. to ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, and 8) CASING, BLANK PIPE, AND WELL SCREEN DATA (Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen). Rows include 0-4 top soil, 4-22 white clay, 22-37 white caliche clay, 37-42 caliche rock, 42-94 neally clay, 94-122 brown clay, 122-167 blue clay, 167-182 sand.

CEMENTING DATA Cemented from 170 ft. to 100 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 55 ft. below land surface Date 10-16-82 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 166

11) TYPE PUMP: [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS: [ ] Type Test [ ] Pump [ ] Bailer [X] Jetted [X] Estimated Yield: 30 gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 15 ft. Was a chemical analysis made? [ ] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, HENRY LEE (Type or Print) Water Well Drillers Registration No. 2026, 2221 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Street or RFD) (City) (State) (Zip) (Signed) [Signature] Holly Water Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

CONFIDENTIAL  
SECTION  
WATER WELL DRILLERS ACT

#6 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-12-90 Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jack Prouty (Name) Address Rt. 9 Box 76 (Street or RFD) Huntsville, Texas 77340 (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 4 1/2 miles in North direction from Huntsville (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map on 60-21-36

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 7-29-80 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 384
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-7 sand, 7-41 white clay, 41-66 meally clay, 66-82 white clay, 82-92 sand streaks, 92-97 white clay, 97-109 sand streaks, 109-122 sand, 122-127 sand streaks, 127-138 sand, 138-178 blue clay, 178-181 sand, 181-199 blue clay, 199-203 sand, 203-367 blue clay, 367-384 sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 363 ft. to 313 ft. Method used Pressure Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL: Static level 89 ft. below land surface Date 7-31-80 Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber R&R 358

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 300 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 17 ft. Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Street or RFD) (City) (State) (Zip) (Signed) [Signature] (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

**RECEIVED**

**SEP 11 1980**

**DEPT. OF  
WATER RESOURCES**

#3

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-12-9P Located on map Yes Received: 7/28/81

1) OWNER MR BILL JOHNSON Address 220 PINE VALLEY HUNTSVILLE TEX 77340
2) LOCATION OF WELL: County WALKER 1 miles in N direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 3 Map M 60-20-SC

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 6-22-79 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 154
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval... from ft. to ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA. Includes rows for BROWN CLAY, SAND, BROWN CLAY, ROCK, BLUE CLAY, ROCK, SAND.

CEMENTING DATA Cemented from 144 ft. to 100 ft. Method used PRESSURE Cemented by E. A. HOLLY CO (Company or Individual)

9) WATER LEVEL: Static level 60 ft. below land surface Date 6-22-79 Artesian flow gpm. Date

10) PACKERS: Type Depth LEAD 139

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 18 Was a chemical analysis made? No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS BDX 37 RIVERSIDE TEXAS 77367 (Signed) E.A. HOLLY E.A. HOLLY CO

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

RECEIVED  
JUN 29 1979  
SECTION OF DEPT. OF WATER RESOURCES

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED

JUN 13 1979

CR/TDR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-12-9N Located on map yes Received: 78 ll

1) OWNER:  
 Person having well drilled MR WESLEY STYLES Address Box 651 HUNTSVILLE TEXAS  
 (Name) (Street or RFD) (City) (State)  
 Landowner SAME Address \_\_\_\_\_  
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
 County WALKER, \_\_\_\_\_ miles in NE direction from HUNTSVILLE  
 (N.E., S.W., etc.) (Town)



OR  
 Give legal location with distances and directions from adjacent sections or survey lines.  
 Labor \_\_\_\_\_ League \_\_\_\_\_  
 Block \_\_\_\_\_ Survey \_\_\_\_\_  
 Abstract No. \_\_\_\_\_  
 (NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
 4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  Irrigation  Test Well  Other  
 5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  Cable  Jetted  Bored

6) WELL LOG:  
 Diameter of hole 6 1/2 in. Depth drilled 285 ft. Depth of completed well 285 ft. Date drilled 4-27-78  
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 22		HARD WHITE CLAY
22 - 44		SAND
44 - 106		WHITE CLAY
106 - 111		SAND
111 - 124		BRKS
124 - 139		SAND
139 - 180		GRAY CLAY
180 - 273		BLUE CLAY
273 - 285		SAND

9) CASING:  
 Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
 Cemented from 273 ft. to 200 ft.  
 Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 273 +1 SC# 40  
 10) SCREEN:  
 Type STAINLESS STEEL  
 Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
 Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 275 285 #10

(Use reverse side if necessary)

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other \_\_\_\_\_  
 Under reamed  Open Hole

11) WELL TESTS:  
 Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
 Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Artesian flow \_\_\_\_\_ gpm  
 Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
 Static level 130 ft. below land surface Date 4-27-78  
 Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface.

12) WATER QUALITY:  
 Was a chemical analysis made? Yes  No   
 Did any strata contain undesirable water? Yes  No   
 Type of water? Good depth of strata 12

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
 NAME E.A. HOLLY CO Water Well Drillers Registration No. 801  
 (Type or Print)  
 ADDRESS Box 37 RIVERSIDE TEXAS 77367  
 (Street or RFD) (City) (State)  
 (Signed) E.A. Holly E.A. HOLLY CO.  
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
MAY 4 1978  
DEPT. OF  
WATER RESOURCES

RECEIVED  
JUN 29 1978

Central Records  
Texas Dept. of Water Resources


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-12-9M  
Located on map yes  
Received: 787  
dlr

1) OWNER:  
Person having well drilled MR TOM FRY (Name) Address RT 3 Box 133 HUNTSVILLE, TEXAS (Street or RFD) (City) (State)  
Landowner SAME (Name) Address \_\_\_\_\_ (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 3 miles in N direction from HUNTSVILLE (N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW $\frac{1}{4}$  NE $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic \_\_\_\_\_ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 187 ft. Depth of completed well 187 ft. Date drilled 11-18-77  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	TOP SOIL & CLAY
22	42	WHITE CLAY
42	82	HARD BLUE CLAY
82	102	BROWN CLAY
102	177	GRAY CLAY
177	187	SAND

9) CASING:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 177 ft. to 100 ft.  
Diameter (inches) 4 Setting From (ft.) 177 To (ft.) +1 Gage SCH 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) 2 1/2 Setting From (ft.) 177 To (ft.) 187 Slot Size # 8

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 90 ft. below land surface Date 11-18-77  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? Good depth of strata 10 FT.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME F.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801  
ADDRESS P.O. Box 37 RIVERSIDE TEXAS (Street or RFD) (City) (State)  
(Signed) F.A. Holly (Water Well Driller) F.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEPT. OF  
WATER RESOURCES  
NOV 22 1977  
RECEIVED

RECEIVED  
JAN 30 1978

Central Records  
Texas Dept. of Water Resources


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-12-9L  
Located on map 4-5  
Received: 77  
dlr

1) OWNER:  
Person having well drilled MR C. B. WHITECOTTON Address Rt 3 Box 288-C HUNTSVILLE, TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_ (Street or RFD) (City) (State)  
(Name)

2) LOCATION OF WELL:  
County WALKER, 4 1/2 miles in N. E direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_  
(Use reverse side if necessary)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  
 Irrigation  Test Well  Other

5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  
 Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 6 1/2 ft. Depth of completed well 339 ft. Date drilled 5-17-77  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	CLAY + BROWN SAND
26	114	BLUE CLAY
114	129	SAND
129	274	BLUE CLAY
274	297	SAND STR + CLAY
297	329	HARD BLUE CLAY
329	339	WHITE SAND (TIGHT)

9) CASING:  
Type: Old   New  Steel  Plastic  Other  
Cemented from 329 ft. to 250 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 329 +1 SOH 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated  Slotted   
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 329 339 #16

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other  
 Under reamed  Open Hole

8) WATER LEVEL:  
Static level 121 ft. below land surface Date 5-17-77  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 320 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes  No   
Did any strata contain undesirable water? Yes  No   
Type of water? Good depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 39 RIVERSIDE TEXAS 77367  
(Street or RFD) (City) (State)  
(Signed) E. A. Holly E. A. HOLLY CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
AUG 24 1977

Central Records  
Texas Water Development Board

RECEIVED  
JUL 7 1977  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-12-9K  
Located on map yes  
Received: 77  
dlr

1) OWNER:  
Person having well drilled MR CECIL GHORMLEY Address 2902 BURKE PASADENA, TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 4 1/2 miles in N direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_

Block \_\_\_\_\_ Survey \_\_\_\_\_

Abstract No. \_\_\_\_\_  
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening   
Reconditioning  Plugging   
4) PROPOSED USE (Check):  
Domestic  Industrial  Municipal   
Irrigation  Test Well  Other   
5) TYPE OF WELL (Check):  
Rotary  Driven  Dug   
Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 231 ft. Depth of completed well 231 ft. Date drilled 5-31-77  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
1	22	SURFACE SOIL
22	122	WHITE CLAY
122	219	BLUE CLAY
219	231	SAND

9) CASING:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 221 ft. to 175 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 221 71 SCH 40

(Use reverse side if necessary)

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 221 231 #8

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date 5-31-77  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? GOOD depth of strata 12

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS BOX 37 RIVERSIDE TEXAS  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. HOLLY CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

REGISTERED  
1977  
TEXAS WATER  
DEVELOPMENT BOARD

REGISTERED  
JUL 25 1977  
Texas Water Development Board

RECEIVED *Dup*

APR 24 1978

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-12-9K Located on map 425 Received: 28 4 DEPT. OF WATER RESOURCES

1) OWNER:  
 Person having well drilled JACK FLETCHER (Name) Address 2819 LOG RUN CIRCLE WOODLAND, TEXAS (Street or RFD) (City) (State)  
 Landowner SAME (Name) Address \_\_\_\_\_ (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
 County WALKER miles in 6 direction from HUNTSVILLE (N.E., S.W., etc.) (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
 Give legal location with distances and directions from adjacent sections or survey lines.  
 Labor \_\_\_\_\_ League \_\_\_\_\_  
 Block \_\_\_\_\_ Survey \_\_\_\_\_  
 Abstract No. \_\_\_\_\_  
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
 4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  Irrigation  Test Well  Other  
 5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  Cable  Jetted  Bored

6) WELL LOG:  
 Diameter of hole 6 1/2 in. Depth drilled 320 ft. Depth of completed well 320 ft. Date drilled 4-15-78  
 All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	BROWN CLAY
26	52	WHITE CLAY
52	74	SAND
74	144	HARD BLUE CLAY
144	243	BLUE CLAY
243	287	SAND & ROCK
287	320	SAND

9) CASING:  
 Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
 Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 300 250 SC#40

10) SCREEN:  
 Type STAINLESS STEEL  
 Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
 Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 300 320 #10

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other \_\_\_\_\_  
 Under reamed  Open Hole

11) WELL TESTS:  
 Was a pump test made? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
 Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Artesian flow \_\_\_\_\_ gpm  
 Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
 Static level 85 ft. below land surface Date 4-15-78  
 Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY:  
 Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_  
 Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
 Type of water? GOOD depth of strata 33

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
 NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801  
 ADDRESS Box 37 RIVERSIDE TEXAS (Street or RFD) (City) (State)  
 (Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

8721 AS 41A

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JUN 29 1978

Central Records  
Texas Dept. of Water Resources


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-12-9J  
Located on map yes  
Received: 77 yes  
alt

1) OWNER:  
Person having well drilled MR P. D. MARSHMAN Address 2002 BUCHANAN PASADENA, TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_ (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 5 miles in N.E. direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW $\frac{1}{4}$  NE $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  
 Irrigation  Test Well  Other  
5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  
 Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 157 ft. Depth of completed well 157 ft. Date drilled 4-9-77  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	36	WHITE CLAY + SAND
36	71	WHITE CLAY
71	120	BROWN SAND
120	142	BLUE CLAY
142	157	SAND

9) CASING:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 147 ft. to 100 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4" # 147 - +1 SCH 40  
10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) 2 1/2 Setting From (ft.) 147 To (ft.) 157 Slot Size # 10

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other \_\_\_\_\_  
 Under reamed  Open Hole

11) WELL TESTS:  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 62 ft. below land surface Date 4-9-77  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes  No   
Did any strata contain undesirable water? Yes  No   
Type of water? GOOD depth of strata 15'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME E.A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 RIVERSIDE TEXAS 77367  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. HOLLY CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

APR 14 1977

TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED

MAY 24 1977

Central Records  
Texas Water Development Board

Dup


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-9J Located on map Received: 78/yes

1) OWNER: Person having well drilled MR T.A. EFRAIMSON Address 4302 CYPRESS GROVE LANE (Name) (Street or RFD) (City) (State) Landowner SAME Address HOUSTON TEXAS (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 7 miles in N direction from HUNTSVILLE (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\* Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section



3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 149 ft. Depth of completed well 149 ft. Date drilled 12-1-77 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-26 HARD WHITE CLAY, 26-93 WHITE CLAY, 93-135 SOFT WHITE CLAY, 135-149 SAND

9) Casing: Type: Old New Steel Plastic Other Cemented from 138 ft. to 100 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 138 T 1 SCH 40

(Use reverse side if necessary)

10) SCREEN: Type STAINLESS STEEL Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 139 149 #10

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 54 ft. below land surface Date 12-1-77 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Good depth of strata 14

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS (Street or RFD) (City) (State) (Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JAN 30 1978  
RECEIVED  
Central Records  
Texas Dept. of Water Resources  
DEPT. OF  
WATER RESOURCES  
DEC 6 1977

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-12-9H  
Located on map 405  
Received: 75/5  
dlf

1) OWNER:  
Person having well drilled C. T. ALBRITTON Address RT. 3 HUNTSVILLE TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner " Address " " "  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 4 miles in NE direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
or  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW $\frac{1}{4}$  NE $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 280 ft. Depth of completed well 280 ft. Date drilled JULY 26, 75  
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	surface
2	45	blue clay
45	80	sand &
80	220	blue shale
220	280	sandy shale

9) CASING:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 200 ft. to 220 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 0 220 840  
10) SCREEN:  
Type PLASTIC  
Perforated \_\_\_\_\_ Slotted   
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 220 280 014

(Use reverse side if necessary)  
7) COMPLETION (Check):  
Straight well  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 80 ft. below land surface Date JULY 26, 75  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226  
(Type or Print)  
ADDRESS P.O. Box 4 HUNTSVILLE TEXAS  
(Street or RFD) (City) (State)  
(Signed) Thomas Anders THOMAS ANDERS  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

JAN 20 1976  
Texas Water Development Board

RECEIVED  
SEP 17 1975  
TEXAS WATER  
DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-12-9G  
Located on map Y-2-5  
Received: 73  
*alt*

1) OWNER:  
Person having well drilled Mr. Jack Butler (Name) Address Rt 3 Huntsville Texas (Street or RFD) (City) (State)  
Landowner SAME (Name) Address \_\_\_\_\_ (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 4 miles in NW direction from Huntsville (N.E., S.W., etc.) (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\* or Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well \_\_\_\_\_ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic \_\_\_\_\_ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary \_\_\_\_\_ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 631 ft. Depth of completed well 631 ft. Date drilled 7-20-73  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-10		SURFACE SAND + CLAY
10-44		BROWN SAND
44-110		Blue Clay
110-112		HARD ROCK
112-122		Blue Clay
122-147		Fine SAND
147-445		Blue Clay
445-465		Fine SAND
465-616		Blue Clay
616-631		SAND

9) CASING:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 500 ft. to 616 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 +1 - 616 steel

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 616-631 # 8

7) COMPLETION (Check):  
Straight wall \_\_\_\_\_ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 120 ft. below land surface Date 7-26-73  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 220 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? Good depth of strata 15 Ft

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME E. A. Holly (Type or Print) Water Well Drillers Registration No. 801  
ADDRESS Box 37 Riverside, Texas (Street or RFD) (City) (State)  
(Signed) E. A. Holly (Water Well Driller) E. A. Holly Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER  
DEVELOPMENT BOARD

AUG 31 1973

RECEIVED

RECEIVED  
NOV 30 1973  
Central Records  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-12-9F  
Located on map YDS  
Received: 7/1  
dl

1) OWNER:  
Person having well drilled MR. BERNARD POETKER Address Huntsville Texas  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 3 miles in EAST direction from Huntsville  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_

Block \_\_\_\_\_ Survey \_\_\_\_\_

Abstract No. \_\_\_\_\_

(NW $\frac{1}{4}$  NE $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well Deepening  
Reconditioning Plugging

4) PROPOSED USE (Check):  
Domestic Industrial Municipal  
Irrigation Test Well Other

5) TYPE OF WELL (Check):  
Rotary Driven Dug  
Cable Jetted Bored

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 166 ft. Depth of completed well 166 ft. Date drilled 5-4-73  
All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-6		Red Clay
6-16		White Sand
16-102		Brown Siltstone
102-150		Sandy Blue Clay
150-165		Coarse Sand
165-166		Blue Clay

9) CASING:  
Type: Old New Steel Plastic Other  
Cemented from 150 ft. to 100 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	+1	- 154	#12

SCN 40

10) SCREEN:  
Type Stainless Steel  
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2 1/2	154	166	#12

7) COMPLETION (Check):  
Straight wall Gravel packed Other  
Under reamed Open Hole

11) WELL TESTS:  
Was a pump test made? Yes No If yes, by whom?  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 110 ft. below land surface Date 5-7-73  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 150 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes No  
Did any strata contain undesirable water? Yes No  
Type of water? Good depth of strata 15

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. Holly Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 RIVERSIDE, TEXAS  
(Street or RFD) (City) (State)  
(Signed) Dale Holly E. A. Holly Co.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JUN 25 1973  
Control Records  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

MAY 14 1973


RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-12-9E  
Located on map YES  
Received: 2-23  
NOVA

1) OWNER:  
Person having well drilled MR HAROLD GLEDHILL Address RT 3 HUNTSVILLE TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_ (Street or RFD) (City) (State)  
(Name)

2) LOCATION OF WELL:  
County WALKER, 4 miles in N.E. direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
  
(Use reverse side if necessary)  
or Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 288 ft. Depth of completed well 288 ft. Date drilled 11-27-72  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	47	WHITE SHALE
47	63	BLUE SHALE
63	102	BROWN SAND
102	182	BLUE CLAY
182	254	SANDY BLUE CLAY
254	273	HD BLUE SHALE
273	288	WHITE SAND

9) CASING:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 276 ft. to 200 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 276 +1 SCN 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 276 278 #8

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 80 ft. below land surface Date 11-27-72  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.  
DID NOT SET PUMP

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? GOOD depth of strata 15 FT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME E.A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 RIVERSIDE TEXAS 77367  
(Street or RFD) (City) (State)  
(Signed) E.A. HOLLY E.A. HOLLY CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
MAR 23 1973

Central Records  
Texas Water Development Board

DEVELOPMENT BOARD  
TEXAS WATER

JAN 19 1973

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only Well No. 60-12-90 Located on map Yes Received: 72/115

1) OWNER: Person having well drilled JOHN B JONES Address HUNTSVILLE TEXAS Landowner SAME

2) LOCATION OF WELL: County WALKER, 4 miles in N.E. direction from HUNTSVILLE

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 225 ft. Depth of completed well 225 ft. Date drilled 2-4-72 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-32 SURFACE CLAY HARD WHITE CLAY, 32-102 BLUE CLAY, 102-142 BLUE CLAY SAND STRKS, 142-152 BLUE SANDY CLAY, 152-182 BLUE CLAY SAND STRKS, 182-212 BLUE CLAY, 212-223 SAND, 223-225 SHALE

9) Casing: Type: Old New Steel Plastic Other Cemented from 212 ft. to 175 ft.

Diameter (inches) Setting From (ft.) To (ft.) Gage 4 212 X-1 SCH. 40

10) SCREEN: Type STAINLESS STEEL BAR-WELD Perforated Slotted

Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 212 225 # 6

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom?

Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 90 ft. below land surface Date 2-4-72 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Good depth of strata 11

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS P.O. BOX 37 RIVERSIDE TEXAS 79367 (Signed) E.A. HOLLY F.A. HOLLY CO.

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
APR 19 1972

Central Records  
Texas Water Development Board

RECEIVED  
MAR 9 1972  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only  
Well No. 8012-90  
Located on map Y25  
Received: 5-27-71  
Form GW 8 \_\_\_\_\_  
Form GW 9 \_\_\_\_\_

1) OWNER:  
Person having well drilled Mr C.E. Frazier Address FM 980 Huntsville, Texas  
(Name) (Street or RFD) (City) (State)  
Landowner Same Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_  
NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  of Section \_\_\_\_\_ Block No. \_\_\_\_\_ Survey \_\_\_\_\_  
(Circle as many as are known)  
miles in 3 NE direction from Huntsville, Texas  
(NE, SW, etc.) (Town)

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.



3) TYPE OF WORK (Check):  
New Well  Deepening   
Reconditioning  Plugging

4) PROPOSED USE (Check):  
Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

5) TYPE OF WELL (Check):  
Rotary  Driven  Dug   
Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 127 ft. Depth of completed well 127 ft. Date drilled 8-14-71  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	surface clay brown
22	78	hard blue clay
78	82	sand
82	93	blue clay
93	98	sand
98	117	blue clay
117	127	SAND

From (ft.)	To (ft.)	Description and color of formation material

(Use reverse side if necessary)

7) COMPLETION (Check):  
Straight wall  Gravel packed  Other   
Under reamed  Open hole

8) WATER LEVEL:  
Static level 20 ft. below land surface Date 8-14-71  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

9) CASING:  
Type: old  New  Steel  Plastic  Other   
Cemented from 117 ft. to 50 ft.

10) SCREEN:  
Type Stainless Steel Bar-Weld  
Perforated  Slotted

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	x-1	117	sch 40

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
2 1/2	117	127	8

11) WELL TESTS:  
Was a pump test made?  Yes  No If yes by whom?  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_  
Was a chemical analysis made?  Yes  No  
Did any strata contain undesirable water?  Yes  No  
Type of water? good depth of strata 10

12) PUMP DATA:  
Manufacturer's Name Ruth-Berry  
Type Submersible H.P. 3/4  
Designed pumping rate 710 gpm  gph   
Type power unit Electric  
Depth to bowls, cylinder, jet, etc., 100 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801  
(Type or Print)  
Address Box 37 Riverside Texas  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. Holly  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TEXAS WATER  
DEVELOPMENT BOARD

AUG 19 1971

RECEIVED

OCT 12 1971

Central District  
Texas Water Development Board

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-12-9C  
Located on map yes  
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jeff Pipes (Name) Address P.O. Box 544 Hwy 980 (Street or RFD) Huntsville TX 77340 (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 2 miles in N direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
 Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. map on 60-12-7L

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 9 Aug 83  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
8 3/4 Surface 414  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other TWO STRINGS  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
0	3	TOP SAND					
3	18	Caliche					
18	108	BLUE SHALE	5	N	CLASS 200	0	353
108	129	SAND	5	N	SOR 17	353	393
129	324	BLUE SHALE	2 1/2	N	MFG SCREEN	393	413
324	388	SHALE & CLAY STREAKS	2 1/2	N	Sch 80 PVC	393	393
388	414	.10GA SAND					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
CEMENTING DATA  
Cemented from 0 ft. to 393 ft.  
Method used SLURRY UNDER PRESSURE  
Cemented by CLEARWATER WELL SERV  
(Company or Individual)

9) WATER LEVEL:  
Static level 130 ft. below land surface Date 11 Aug 83  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
3" X 5" K 373

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata? 26'  
Was a chemical analysis made?  Yes  No

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 45 gpm with 0 ft. drawdown after 4 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME EUGENE M. POLDRACK (Type or Print) Water Well Drillers Registration No. 2289  
ADDRESS 440 Graham Rd. (Street or RFD) Huntsville (City), TX (State) 77340 (Zip)  
(Signed) Eugene M. Poldrack (Water Well Driller) CLEARWATER WELL SERV. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**RECEIVED**  
NOV-9-1983  
DEPT. OF WATER RESOURCES

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

0 11 13 51 61  
10 11 13 51 61  
20 14 10  
20 14 10 13 51 61

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas  
WATER WELL REPORT

DUP

For TWDB use only  
Well No. 60 12 9C  
Located on map YES  
Received: 5-72  
*Mason*

1) OWNER:  
Person having well drilled MR EDWIN THOMASON (Name) Address Box 450 HUNTSVILLE, TEXAS (Street or RFD) (City) (State)  
Landowner SAME (Name) Address \_\_\_\_\_ (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 3 miles in NE direction from HUNTSVILLE (N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Deepening <input type="checkbox"/> Plugging	4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Test Well <input type="checkbox"/> Municipal <input type="checkbox"/> Other	5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable <input type="checkbox"/> Driven <input type="checkbox"/> Jetted <input type="checkbox"/> Dug <input type="checkbox"/> Bored
--	--	--

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 107 ft. Depth of completed well 107 ft. Date drilled 4-14-72  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	30	BROWN CLAY
30	92	BLUE CLAY
92	107	SAND
(Use reverse side if necessary)		

9) CASING:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 97 ft. to 50 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4      97      71      SGH 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2      97      107      #6  
2 1/2 LEAD ON TOP OF 2" COLLAR

7) COMPLETION (Check):  
 Straight wall       Gravel packed       Other  
 Under reamed       Open Hole

11) WELL TESTS:  
Was a pump test made?      Yes      No      If yes, by whom?  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 25 ft. below land surface Date 4-14-72  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made?      Yes      No  
Did any strata contain undesirable water?      Yes      No  
Type of water? GOOD depth of strata 15

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801  
ADDRESS Box 37 RIVERSIDE TEXAS (Street or RFD) (City) (State)  
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JUN 20 1972  
GENERAL MANAGER  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-90 Located on map YCS Received: 7/8/71 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Mrs Myra Smith Address FM 980 Huntsville, Texas Landowner Same

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey miles in 3 NE direction from Huntsville, Texas Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well [x] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [x] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [x] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 301 ft. Depth of completed well 301 ft. Date drilled 6-5-71 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Clay, Sand Strks and blue clay, hard shale, Blue clay, sticky blue clay, sand.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Includes note: (Use reverse side if necessary)

7) COMPLETION (Check): Straight wall [x] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ]

8) WATER LEVEL: Static level 65 ft. below land surface Date 6-5-71 Artesian pressure \_\_\_ lbs. per square inch Date \_\_\_

9) CASING: Type: old [ ] New [x] Steel [ ] Plastic [x] Other [ ] Cemented from 290 ft. to 200 ft.

10) SCREEN: Type Stainless Steel Bar-Weld Perforated [ ] Slotted [ ]

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 4, x-1, 290, Sch. 40

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2 1/2, 291, 301, 8

11) WELL TESTS: Was a pump test made? [ ] Yes [x] No If yes by whom? Yield: \_\_\_ gpm with \_\_\_ ft. drawdown after \_\_\_ hrs Bailer test \_\_\_ gpm with \_\_\_ ft. drawdown after \_\_\_ hrs Artesian flow \_\_\_ gpm Date \_\_\_ Temperature of water \_\_\_ Was a chemical analysis made? [ ] Yes [x] No Did any strata contain undesirable water? [ ] Yes [x] No Type of water? good depth of strata 15

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 3/4 Designed pumping rate 900 gpm [ ] gph [x] Type power unit Electric Depth to bowls, cylinder, jet, etc., 140 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 Address box 37 Riverside Texas (Signed) E.A. Holly E.A. Holly Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED  
AUG 27 1971

Central Records  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

JUL 29 1971

RECEIVED


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-12-9A Located on map 70-5 Received: 6-4-69 Form GW 8 Form GW 9

1) OWNER: Person having well drilled E.A. Holy Jr. Address Houston, Texas Landowner Same

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey miles in 5 direction from South Huntsville



3) TYPE OF WORK (Check): New Well [x] Deepening [ ] Reconditioning [ ] Plugging [ ] 4) PROPOSED USE (Check): Domestic [x] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ] 5) TYPE OF WELL (Check): Rotary [x] Driven [ ] Dug [ ] Cable [ ] Jetted [ ] Bored [ ]

6) WELL LOG: Diameter of hole 6 in. Depth drilled ft. Depth of completed well 357 ft. Date drilled 12-31-68 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Rock & Brown Clay, Rock, Sand, Brown Clay, Rock, Clay, Sand, Blue Clay.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Rock, Blue Clay, Very Hard Rock, Blue Clay, Clay with Sand Strks, Blue Clay, Sand (Well Completed Here).

7) COMPLETION (Check): Straight wall [x] Gravel packed [ ] Other [ ] Under reamed [ ] Open hole [ ]

8) WATER LEVEL: Static level 105 ft. below land surface Date 1-6-69 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [ ] New [x] Steel [ ] Plastic [ ] Other [ ] Cemented from 339 ft. to 200 ft.

10) SCREEN: Type Bar-Weld .08 gauge Perforated [ ] Slotted [ ]

Table with 4 columns: Diameter (inches), Setting From (ft.), Setting To (ft.), Gage. Row: 4, X-1, 339.

Table with 4 columns: Diameter (inches), Setting From (ft.), Setting To (ft.), Slot size. Row: 2 1/2, 339, 357, .08.

11) WELL TESTS: Was a pump test made? [ ] Yes [x] No If yes by whom? Yield: gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [ ] Yes [ ] No Did any strata contain undesirable water? [ ] Yes [ ] No Type of water? depth of strata

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 1 1/2 Designed pumping rate 1050 gpm gph [x] Type power unit Electric Depth to bowls, cylinder, jet, etc., 210 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Co Water Well Drillers Registration No. 801 Address Box 37 Riverside 77367 Texas (Signed) E.A. Holly Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

Faint, mostly illegible text at the top of the page, possibly including a header or address area.

Middle section of the page containing scattered, faint text and markings.

**FEB 17 1969**

General Services  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

JAN 8 1969

RECEIVED

Faint, mostly illegible text at the bottom of the page, possibly including a footer or additional markings.

Please use black-ink.  
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Calvin Elison #1 (Name) Address \_\_\_\_\_ (Street or RFD) \_\_\_\_\_ (City) \_\_\_\_\_ (State) \_\_\_\_\_ (Zip)  
2) LOCATION OF WELL: County WALKER 4 miles in N direction from Huntsville (Town)

Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map.

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Domestic  Industrial  Monitor  Public Supply  Irrigation  Test Well  Injection  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_

6) WELL LOG: Date Drilling: Started 5-8 1987 Completed \_\_\_\_\_ 19\_\_\_\_  
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)  
6 1/8 Surface 172  
7) BOREHOLE COMPLETION:  Open Hole  Straight Wall  Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from 136 ft. to 172 ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	20	Surface						
20	108	Sandy clay						
108	129	shale	4 N		PVC Casing	0	160	40
129	132		4 N		PVC Pruesig Screen	160	172	014
132	154	shale						
154	172	Sand						

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 10 ft. No. of Sacks Used 1  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_  
Method used Hand  
Cemented by \_\_\_\_\_

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 80 ft. below land surface Date 5-9-87  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

13) TYPE PUMP:  Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No  
14) WELL TESTS: Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

RECEIVED  
DEC 07 1987

TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.  
COMPANY NAME GLENN SNOOK DRILLING CO Water Well Driller's License No. #1490  
ADDRESS 716 W. Lillard (City) Michol (State) \_\_\_\_\_ (Zip)  
(Signed) Glenn Snook (Licensed Water Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)  
Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-12-9 Located on map \_\_\_\_\_

*Handwritten signature*

*Calvin Glass #1  
Water Works*

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

*100-115-014  
100-115-014*

*44 PVC casing*

*124 - 114  
130 - 124  
108 - 108  
80 - 108  
0 - 80*

*10  
Propane*

*2-2-85*

*100  
1*

*80*

*11/10  
11/10*

*Green Brook Drive  
11/10  
11/10*


*Walker Nelson*  
213-11-C-84

*Calvin Elmer #12,43*  
172, 132, 125  
5-8  
5-14  
5-17-87



**LEGEND**

1	Interstate	1	State Highway
2	U.S. Highway	2	County Road
3	State Road	3	Local Road
4	State Turnpike	4	State Turnpike
5	State Turnpike	5	State Turnpike
6	State Turnpike	6	State Turnpike
7	State Turnpike	7	State Turnpike
8	State Turnpike	8	State Turnpike
9	State Turnpike	9	State Turnpike
10	State Turnpike	10	State Turnpike
11	State Turnpike	11	State Turnpike
12	State Turnpike	12	State Turnpike
13	State Turnpike	13	State Turnpike
14	State Turnpike	14	State Turnpike
15	State Turnpike	15	State Turnpike
16	State Turnpike	16	State Turnpike
17	State Turnpike	17	State Turnpike
18	State Turnpike	18	State Turnpike
19	State Turnpike	19	State Turnpike
20	State Turnpike	20	State Turnpike
21	State Turnpike	21	State Turnpike
22	State Turnpike	22	State Turnpike
23	State Turnpike	23	State Turnpike
24	State Turnpike	24	State Turnpike
25	State Turnpike	25	State Turnpike
26	State Turnpike	26	State Turnpike
27	State Turnpike	27	State Turnpike
28	State Turnpike	28	State Turnpike
29	State Turnpike	29	State Turnpike
30	State Turnpike	30	State Turnpike
31	State Turnpike	31	State Turnpike
32	State Turnpike	32	State Turnpike
33	State Turnpike	33	State Turnpike
34	State Turnpike	34	State Turnpike
35	State Turnpike	35	State Turnpike
36	State Turnpike	36	State Turnpike
37	State Turnpike	37	State Turnpike
38	State Turnpike	38	State Turnpike
39	State Turnpike	39	State Turnpike
40	State Turnpike	40	State Turnpike
41	State Turnpike	41	State Turnpike
42	State Turnpike	42	State Turnpike
43	State Turnpike	43	State Turnpike
44	State Turnpike	44	State Turnpike
45	State Turnpike	45	State Turnpike
46	State Turnpike	46	State Turnpike
47	State Turnpike	47	State Turnpike
48	State Turnpike	48	State Turnpike
49	State Turnpike	49	State Turnpike
50	State Turnpike	50	State Turnpike
51	State Turnpike	51	State Turnpike
52	State Turnpike	52	State Turnpike
53	State Turnpike	53	State Turnpike
54	State Turnpike	54	State Turnpike
55	State Turnpike	55	State Turnpike
56	State Turnpike	56	State Turnpike
57	State Turnpike	57	State Turnpike
58	State Turnpike	58	State Turnpike
59	State Turnpike	59	State Turnpike
60	State Turnpike	60	State Turnpike
61	State Turnpike	61	State Turnpike
62	State Turnpike	62	State Turnpike
63	State Turnpike	63	State Turnpike
64	State Turnpike	64	State Turnpike
65	State Turnpike	65	State Turnpike
66	State Turnpike	66	State Turnpike
67	State Turnpike	67	State Turnpike
68	State Turnpike	68	State Turnpike
69	State Turnpike	69	State Turnpike
70	State Turnpike	70	State Turnpike
71	State Turnpike	71	State Turnpike
72	State Turnpike	72	State Turnpike
73	State Turnpike	73	State Turnpike
74	State Turnpike	74	State Turnpike
75	State Turnpike	75	State Turnpike
76	State Turnpike	76	State Turnpike
77	State Turnpike	77	State Turnpike
78	State Turnpike	78	State Turnpike
79	State Turnpike	79	State Turnpike
80	State Turnpike	80	State Turnpike
81	State Turnpike	81	State Turnpike
82	State Turnpike	82	State Turnpike
83	State Turnpike	83	State Turnpike
84	State Turnpike	84	State Turnpike
85	State Turnpike	85	State Turnpike
86	State Turnpike	86	State Turnpike
87	State Turnpike	87	State Turnpike
88	State Turnpike	88	State Turnpike
89	State Turnpike	89	State Turnpike
90	State Turnpike	90	State Turnpike
91	State Turnpike	91	State Turnpike
92	State Turnpike	92	State Turnpike
93	State Turnpike	93	State Turnpike
94	State Turnpike	94	State Turnpike
95	State Turnpike	95	State Turnpike
96	State Turnpike	96	State Turnpike
97	State Turnpike	97	State Turnpike
98	State Turnpike	98	State Turnpike
99	State Turnpike	99	State Turnpike
100	State Turnpike	100	State Turnpike



**GENERAL HIGHWAY MAP  
WALKER COUNTY  
TEXAS**

PREPARED BY THE  
STATE DEPARTMENT OF HIGHWAYS  
AND PUBLIC TRANSPORTATION  
TRANSPORTATION PLANNING DIVISION  
IN COOPERATION WITH THE  
U.S. DEPARTMENT OF TRANSPORTATION  
FEDERAL HIGHWAY ADMINISTRATION

1969

HIGHWAYS REVISED TO MARCH 1, 1969

Scale: 1" = 10 Miles

**R E C E I V E D**

DEC 07 1987

TEXAS WATER COMMISSION



*Handwritten signature*

*WALKER*  
*John Brown # 2*

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

*135*

*2-14-85*

*150 - 135 - 015*

*Handwritten notes and scribbles*

*Handwritten notes and scribbles*

*1 10 0*

*2-15-85*

*20*

*150*

*1*

*32*

*Handwritten signature: M. J. ...*

*Handwritten signature: ...*

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Water Commission  
P.O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Calvin Elison # 3 (Name) Address \_\_\_\_\_ (Street or RFD) \_\_\_\_\_ (City) \_\_\_\_\_ (State) \_\_\_\_\_ (Zip)  
2) LOCATION OF WELL County Walker # 4 miles in N direction from Huntsville (Town)  
(N.E., S.W., etc.)

Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. ON 60-12-9

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Domestic  Industrial  Monitor  Public Supply  Irrigation  Test Well  Injection  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_  Driven

6) WELL LOG: Date Drilling: Started 5-17 1987 Completed \_\_\_\_\_ 19\_\_\_\_  
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 125  
7) BOREHOLE COMPLETION:  Open Hole  Straight Wall  Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from 713 ft. to 125 ft.  
89

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
			From	To			
0	15	Sandier					
15	80	Sandy shale					
80	88	Clay (shale)	4	N	PVC casing	0	113.40
88	110	Sandy shale	4	N	Pressure Screen	113	125.012
110	125	Sandy					

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 10 ft. No. of Sacks Used 1  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of Sacks Used \_\_\_\_\_  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 42 ft. below land surface Date 5-20-87  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

13) TYPE PUMP:  Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft.

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 30 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME A Snook D&S Co (Type or Print) Water Well Driller's License No. 7490  
ADDRESS 716 W Colvard (Street or RFD) Madisonville (City) \_\_\_\_\_ (State) \_\_\_\_\_ (Zip)  
(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6012-9 Located on map \_\_\_\_\_

RECEIVED  
DEC 07 1987

TEXAS WATER COMMISSION



**ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side**

**State of Texas  
WELL REPORT**

**Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530**

1) OWNER J.D. Dickenson (Name) ADDRESS 304 Graham Rd. Huntsville TX 77340 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Lake Falls Rd. Huntsville TX 77340 GRID # 600-129  
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well     Deepening  
 Reconditioning     Plugging

4) PROPOSED USE (Check):     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
 If Public Supply well, were plans submitted to the TNRCC?     Yes     No

6) WELL LOG:  
 Date Drilling:  
 Started 7-8 1996  
 Completed 7-12 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>437</u>
<u>3 3/8</u>	<u>435</u>	<u>481</u>

7) DRILLING METHOD (Check):     Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

8) Borehole Completion (Check):     Open Hole     Straight Wall  
 Underreamed     Gravel Packed     Other \_\_\_\_\_  
 If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>437</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>Steel</u>	<u>436</u>	<u>436</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>S. Steel Screen</u>	<u>436</u>	<u>446</u>	<u>8</u>
<u>2</u>	<u>N</u>	<u>Steel</u>	<u>486</u>	<u>481</u>	<u>40</u>

9) CEMENTING DATA [Rule 338.44(1)]  
 Cemented from 437 ft. to 300 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 7  
 Method used pressure  
 Cemented by Richard Tucker  
 Distance to septic system field lines N/A ft.  
 Method of verification of above distance No Tank or Lines

13) TYPE PUMP:  
 Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS:  
 Type test:     Pump     Bailer     Jetted     Estimated  
 Yield: 70 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

15) WATER QUALITY:  
 Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes     No    If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? good    Depth of strata 8  
 Was a chemical analysis made?     Yes     No

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pittless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:  
 Static level 96 ft. below land surface    Date 7-11-96  
 Artesian flow \_\_\_\_\_ gpm    Date \_\_\_\_\_

12) PACKERS: Rubber    Type K    Depth 412'

FILE #	SEQ #
<u>BMP 0</u>	<u>228C CO</u>
<u>SEP 05 1997</u>	

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Texas TX 77882 (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Tucker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

