

2103181

GENERAL WARRANTY DEED

THE STATE OF TEXAS §
§
COUNTY OF WALKER §

KNOW ALL MEN BY THESE PRESENTS:

That we, **JAMES E. TUCKER and wife, DIXIE MAE TUCKER**, residents of Trinity, Trinity County, Texas (hereinafter called "Grantors"), in consideration of the sum of Ten & No/100 Dollars (\$10.00) and other good and valuable consideration in hand paid by **MAURICE JAMES MUELLER**, whose mailing address is 11805 Windwood Way, Willis, Montgomery County, Texas 77318 (hereinafter called "Grantee"), the receipt of which is hereby acknowledged, and for which no lien, express or implied, is retained or shall exist, have GRANTED, SOLD and CONVEYED, and by these presents do GRANT, SELL and CONVEY unto the Grantee, all that certain property situated in Walker County, Texas, and described as follows:

BEING 5.219 acres of land, more or less, situated in the CHRISTOPHER EDINBURGH SURVEY, A-19, Walker County, Texas, and being a part or portion of a called 15.99 acre tract (South Tract) as set out and described in that certain Contract of Sale and Purchase from the Veterans Land Program of the State of Texas to James Edward Tucker, dated may 30, 1996, of record in Volume 286, Page 696, of the Official Public Records of Walker County, Texas and being more particularly described by metes and bounds on Exhibit "A" attached hereto and made part hereof.

Together with all of Grantors' right, title and interest in and to all improvements situated thereon, all appurtenances belonging or appertaining thereto, ~~all easements or rights of way~~ affecting said real property and Grantors' rights to use the same, all rights of ingress and egress to and from said real property and Grantors' rights to use the same, all roads, streets, alleys and ways (open or proposed) affecting, crossing, adjoining, fronting or bounding said real property and all strips, gores or pieces of property abutting, bounding or which are adjacent or contiguous to said real property.

This conveyance is made subject to easements, rights-of-way, and prescriptive rights, whether of record or not; all presently recorded restrictions, reservations, covenants, conditions, oil and gas leases, mineral severances, and other instruments, other than ~~leases~~ and conveyances, that affect the property; rights of adjoining owners in any walls and fences situated on a common boundary; any discrepancies, conflicts, or shortages in area or boundary lines; any encroachments or overlapping of improvements; taxes for 2001, the payment of which Grantee assumes; and subsequent assessments for that and prior years due to change in land usage, ownership, or both, the payment of which Grantee assumes.

With respect to the physical condition of any and all improvements and personal property covered hereby and included in this conveyance, same are conveyed by Grantor and accepted by Grantees in its present condition.

TO HAVE AND TO HOLD the said premises, together with all and singular the rights, hereditaments and appurtenances there unto belonging unto the Grantee, his heirs and assigns, forever; and, Grantors do hereby bind themselves, their heirs, executors and administrators to WARRANT AND FOREVER DEFEND all and singular the said premises unto the said Grantee, his heirs and assigns, against every person whomsoever claiming or to claim the same or any part thereof.

EXECUTED this 30th day of March, 2001.

James E. Tucker
JAMES E. TUCKER

Dixie M. Tucker
DIXIE MAE TUCKER

RECEIPT #	AMOUNT
OCT 07 2002	
TDLR MAIL ROOM SH	
RECEIVED	

NOV 22 2004
RECEIVED
CEO - CENTRAL FILE ROOM

Attention Owner:
Confidentiality/Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Louis Baker	Address 1782 FM 980 West	City Huntsville	State Texas	Zip 77320
----------------------------	------------------------------------	---------------------------	-----------------------	---------------------

2) WELL LOCATION

County Walker 236	Physical Address 1782 FM 980 West	City Huntsville	State Texas	Zip 77320
-----------------------------	---	---------------------------	-----------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # **60-13-1**

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) **NT**

6) Drilling Date

Started **7/3/02**
Completed **7/4/02**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
10"	0	10
6 1/2	10	164
3 7/8	164	175

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

0-2	Top Soil	150-153	Rock
2-20	Tan clay	153-163	Blue clay
20-40	Tan clay	163-164	Sand stone
40-51	Sand	164-175	Sand
51-70	Brown clay		
70-73	Rock		
73-97	Tan clay		
97-101	Sand		
101-130	Blue clay		
130-150	Blue clay		

8) Borehole Completion Open Hole Straight Wall

Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC	0	164	*40
2	N	PVC	160	165	*40
2	N	PVC screen	165	175	*8

9) Cementing Data

Cementing from **164** ft. to **0** ft. # of sacks used **10**
Method Used **pressure**
Cementing By **Richard Mikee**
Distance to septic system field or other concentrated contamination **None**
Method of verification of above distance **N/A**

13) Plugged Well plugged within 48 hours

Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Type Pump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., **120** ft.

15) Water Test

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water **good slight salt** Depth of Strata **12**
Was a chemical analysis made Yes No

11) Water Level

Static level **60** ft. below _____ Date **NOV 27 2004**
Artesian Flow _____ Date **2004**

12) Packers

Rubber Type **K** Depth **74-02**
TCEQ - CENTRAL FILE ROOM

Company or individual's Name (type or print) Gray's Water Well Service	Lic. No. 2011 WPK
Address P.O. Box 1788	City Trinity State Texas Zip 75862
Signature Vernon Gray Date 7/5/02	Signature Richard Mikee Date 7/5/02
Licensed Driller/Pump Installer	Apprentice

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Jim Foster (Name) ADDRESS 205 Louis Olsen Huntsville TX 77340 (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: 205 Louis Olsen Huntsville Te 77340 Long. _____ Lat. _____
County WALKER (Street, RFD or other) (City) (State) (Zip) Grid # 60-13-1

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

6) WELL LOG:
 Date Drilling:
 Started 3-16 1999
 Completed 3-19 1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	176'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-4	107-111	Clay Rock
4-6	111-120	Limestone shale
6-21	120-122	Clay Rock
21-31	122-130	Sand shale
31-33	130-131	Rock
33-42	131-150	shale
42-47	150-158	Sand Rock shale
47-57	158-160	Shale Rock
57-66	160-176	Shale Sand
66-84		shale
84-94		Sandstone
94-107		shale

(Use reverse side of Well Owner's copy, if necessary)

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 16'
 Was a chemical analysis made? Yes No

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	160'	#40
2	N	PVC Blank	155'	156'	#40
2"	N	PVC SCREEN	156'	176'	#10#8"

9) CEMENTING DATA
 Cemented from 160' ft. to 60' ft. No. of sacks used 5
0' ft. to 10' ft. No. of sacks used 13
 Method used Pressure
 Cemented by Richard McKee
 Distance to septic system field lines or other concentrated contamination N/A ft.
 Method of verification of above distance No Tanks or Lines

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pileless Adapter Used
 Approved Alternative Procedure Used

11) WATER LEVEL:
 Static level 66 ft. below land surface Date 3-19-99
 Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 156'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
 ADDRESS P.O. Box 1788 (Street or RFD) (City) Trinity (State) Tx (Zip) 75862
 (Signed) Vernon Gray (Licensed Well Driller) JUN 05 2000 (Signed) Richard McKee (Registered Driller Trainee)

Please attach electrical log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Joe Waldrop ADDRESS Box 22 Grace Ln Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Near Estelle Unit off 980 on Ashworth GRID # 60-13-1
County Walker (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 10-1 19 98
Completed 10-2 19 98

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	146

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	t.s.
1	16	br.cl. w/sd.st.
16	30	bl.cl.
30	36	sd.st.
36	49	bl.cl.
49	81	sd.
81	96	bl.cl.
96	97	rock
97	113	bl.cl.
113	146	sd.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	126	
2	N	PVC Screen	126	136	#10

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 126 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 33
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 15 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type Depth
K-Packer RxR 120'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 31140
(Type or print) (State) (City) (Zip)

ADDRESS 2928 SH 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond McPike (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

FILE ID	SEQ #
EMP #	DESC CO
COMMENT	TEMP

OCT 16 1998

Please attach electric log, chemical analysis, and other pertinent information, if available.

File original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT


For use by TWC only
Well No. 60-13-1A
Located on map 92
By JW Date 6-6-63
Map no. 2-36

1) Well Owner: Mrs Mattie Henson Huntsville Texas
Name Street or RFD City State

2) Land Owner: Same
Name Street or RFD City State

3) Intended use: Industrial ; Municipal ; Irrigation ; Other Household

4) Location of well: County Walker Labor _____ League _____ Abstract No. _____
NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey
(Circle as many as are known)



DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 4 in. Date drilled 9-6-63

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	25	Surface Soil	115	157	Hard Rock
25	48	Brown Clay	157	174	Sand
48	71	Blue Clay	174	176	Shale
71	77	Blue Clay			
77	81	sand			
81	92	Blue Clay			
92	102	Sand			
102	115	Blue Clay			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION	CASING	SCREEN
Straight wall <input checked="" type="checkbox"/>	Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/>	Type <u>Bar-Lug</u>
Under reamed <input type="checkbox"/>	Cemented from <u>157</u> ft. to <u>180</u> ft.	Perforated <input checked="" type="checkbox"/> Slotted <input type="checkbox"/>
Gravel packed <input type="checkbox"/>	Diameter (inches) Setting from (ft) to (ft)	Diameter (inches) Setting from (ft) to (ft)
Open hole <input type="checkbox"/>	<u>4</u> <u>0</u> <u>157</u>	<u>2 1/2</u> <u>157</u> <u>167</u>
Other _____		

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

E. A. Holly Holly Mining Co Reg. No. 443
Signature Company Name

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level <u>60</u> ft. below <u>Surface</u>	Pump type <u>Submersible</u>									
<table border="1"> <thead> <tr> <th>feet</th> <th>hours</th> <th>gpm</th> </tr> </thead> <tbody> <tr> <td><u>147</u></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	feet	hours	gpm	<u>147</u>						Designed pumping rate <u>650</u> gpm <input type="checkbox"/> gph <input checked="" type="checkbox"/>
	feet	hours	gpm							
	<u>147</u>									
	Type power unit <u>Electric</u>									
	Horsepower <u>1/2</u> HP									
	Depth to bowls, cylinder, jet, etc., <u>147</u> ft. below pump base.									

Name of contractor testing well or installing permanent pump if other than your company: _____


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-13-1B
Located on map yes
Received: 7/2/72
alb

1) OWNER:
Person having well drilled MR JAKE ROBINSON Address RT 3 HUNTSVILLE TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____ (Street or RFD) (City) (State)
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER 5 miles in 15 direction from RIVERSIDE, TEXAS
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, or hiway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____



(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 166 ft. Depth of completed well 166 ft. Date drilled 7-1-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	RED CLAY
15	40	SAND
40	151	BLUE CLAY
151	166	SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 155 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 155 +1 SCH 40

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

10) SCREEN:
Type STAINLESS STEEL BAR-WELV
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 156 166 #6

8) WATER LEVEL:
Static level 51 ft. below land surface Date 7-1-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? GOOD depth of strata 15

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E. A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E. A. Holly E. A. HOLLY CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
NOV 15 1972

Central Records
Texas Water Development Board

RECEIVED

AUG 3 1972

TEXAS WATER
DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-13-10
Located on map Y65
Received: 26
SW

1) OWNER:
Person having well drilled RONALD F DEZELLE Address P.O. Box 1706 HUNTSVILLE TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 5 miles in 5 direction from RIVERSIDE
(N.E., S.W., etc.) (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 $\frac{1}{2}$ in. Depth drilled 147 ft. Depth of completed well 147 ft. Date drilled 8-23-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	SURFACE SAND
10	94	HARD BLUE CLAY
94	120	SOFT BLUE CLAY
120	147	SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 137 ft. to 74 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 137 74 SCH 40

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 $\frac{1}{2}$ 137 147 # 8

8) WATER LEVEL:
Static level 72 ft. below land surface Date 8-23-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? Good depth of strata 27

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E. A. Holly Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E. A. Holly E. A. HOLLY CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 30 1976
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
AUG 30 1976
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-1F
Located on map 102
Received: 79V87C

1) OWNER OBANNON ARCHIE Address RT 3 Box 177 HUNTSVILLE TEXAS 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County WALKER 4 miles in 5 direction from RIVERSIDE
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. #7, Map on 60-20-4G

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 2-2-79
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 203
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen	
						From	To	
0	36	BROWN CLAY						
36	69	HARD BLUE CLAY						
69	90	BLUE CLAY	4	N	PLASTIC	192	71	SM 40
90	92	LIGNITE						
92	180	BLUE CLAY						
180	203	SAND	2 1/2	N	STAINLESS STEEL	192	203	70

CEMENTING DATA
Cemented from 192 ft. to 125 ft.
Method used PRESSURE
Cemented by E.A. HOLLY CO
(Company or Individual)

#7

9) WATER LEVEL:
Static level 34 ft. below land surface Date 2-2-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
LEAD 187

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? SULFUR Depth of strata 13
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State) (Zip)
(Signed) E.A. Holly E.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

JUN 6 '79

CR TDWR

RECEIVED

APR 19 1979

**DEPT. OF
WATER RESOURCES**

#31 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER G.R. Greco Address 1301 I-45 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 12 miles in NNE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. Magon 60-05-1C

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-26-85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 367
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Sand, Caliche, Blue clay, Sand streaks, etc.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 351 ft. to 251 ft.
10 ft. to 0 ft.
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 44 ft. below land surface Date
Artesian flow gpm. Date

12) PACKERS: Type Depth
Lead L 345

3) TYPE PUMP: Turbine, Jet, Submersible, Cylinder
Other
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
Type Test: Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 16
Was a chemical analysis made? Yes No

RECEIVED AUG - 9 1985 DEPT. OF WATER RESOURCES JUN 10 1985 DEPT. OF WATER RESOURCES

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-1L Located on map YES-C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

47 C

1) OWNER Louis Voan (Name) Address RT. 6 Box 571 Huntsville Tx. 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 8 miles in NE direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. 0160-05-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: Started 4-20 1988 Completed 4-22 1988
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 300
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
		0-5 top soil					
		5-15 hard clay					
		15-60 clay	4	N	PVC Casing	0	286
		60-85 sand	2 1/2	N	PVC liner	280	290
		85-160 shale	2 1/2	N	PVC Screen	290	300
		160-190 sand					
		190-216 shale					
		216-230 sand					
		230-275 shale					
		275-300 sand					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 286 ft. to 166 ft. No. of Sacks Used 12
0 ft. to 15 ft. No. of Sacks Used 3
Method used Halliburton
Cemented by RWW

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 100 ft. below land surface Date 4-22-88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K Depth 280

13) TYPE PUMP: 2 HP
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well (Type or Print) Water Well Driller's License No. 2212

ADDRESS 11607 F.M. 149 (Street or RFD) Houston, (City) Texas (State) 77086 (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-1 Located on map _____

RECEIVED
AUG 22 1988

TEXAS WATER COMMISSION

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

✓ 49 C

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Victor Graham (Name) Address PO Box 5031 Huntsville Tx. 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 8 miles in NE direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 60-05-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 4-26 19 88 Completed 4-28 19 88
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 345
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other 2 String cemented If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include top soil, hard clay, clay, sand, PVC casing, PVC liner, PVC screen.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 316 ft. to 196 ft. No. of Sacks Used 12 0 ft. to 15 ft. No. of Sacks Used 3 Method used Halliburton Cemented by RWW

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

RECEIVED AUG 22 1988 TEXAS WATER COMMISSION

11) WATER LEVEL: Static level 120 ft. below land surface Date 4-28-88 Artesian flow gpm. Date

12) PACKERS: Type K Depth 306

13) TYPE PUMP: 2HP Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Robinson Water Well (Type or Print) Water Well Driller's License No. 2212

ADDRESS 11607 FM 149 Houston, Texas 77086 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-1 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#47 WOKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Explorer Pipe Line Address 15003 Moore RT. 25, Houston, TX 77049
2) LOCATION OF WELL: County Walker 6 miles in West direction from Riverside

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 60-20-4P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 6/13/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 190 ft. to 90 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 40 ft. below land surface Date 6-14-84 Artesian flow gpm. Date

RECEIVED JUL - 6 1984

10) PACKERS: Type Lead Depth L 186

DEPT. OF WATER RESOURCES

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 40 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water: good Depth of strata 71 Ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 60-13-1K Located on map 420 MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

CONFIDENTIAL

#17 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-013-1J Located on map Yes Received: RLW

1) OWNER Victor K. Graham Address Rt/ 6 Box 403 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 11 miles in NE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. Map in 60-13-8B

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-20-81
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 179
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include 0-2 top soil, 2-15 white clay, 15-22 caliche, 22-38 white clay, 38-52 blue clay, 52-56 sand streaks, 56-62 rock streaks, 62-68 blue clay, 68-71 rock, 71-82 blue clay, 82-94 sand streaks, 94-102 blue clay, 102-126 sand streaks, 126-138 blue clay, 138-155 sand streaks, 155-179 sand (coarse).

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA. Cemented from 167 ft. to 117 ft. Method used Pressure. Cemented by Holly Water Well Service.

9) WATER LEVEL: Static level 38 ft. below land surface Date 8-21-81. Artesian flow gpm. Date

RECEIVED AUG 17 1982 CR/LLW

10) PACKERS: Type Lead, Depth 163

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 120 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 24 ft. Was a chemical analysis made? No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP - 2 1981
DEPT. OF
WATER RESOURCES

#12 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-1H Located on map YES Received: C.F-2

1) OWNER Jack Hall (Name) Address Rt. 3 Box 145 Huntsville, Texas 77240 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in West direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-21-3B

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-29-80
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 145
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include 0-19 sand, 19-22 white clay, 22-36 sand, 36-74 blue clay, 74-80 sand streaks, 80-90 blue clay, 90-102 fine sand, 102-135 blue clay (hard), 135-145 sand (coarse).

CEMENTING DATA: Cemented from 100 ft. to 50 ft. Method used pressure. Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date 8-30-80. Artesian flow gpm. Date

10) PACKERS: Type Formation packer Depth 130

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other none by me. Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 10 ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) Ralph A. Cadwallader Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED

SEP 11 1980

DEPT. OF
WATER RESOURCES

RECEIVED

SEP 11 1980
SEP 11 1980
DEPT. OF

WATER RESOURCES
WATER RESOURCES

#43 WALKER

DWB

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-13-1H Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Bill Mulvehill Address 5310 Imogene Houston TX 77096
2) LOCATION OF WELL: County Walker 7 miles in N.E. direction from Huntsville, (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-12-1E

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 6/7/83
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 272
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include top soil, sand streaks, blue clay, rock, etc.

CEMENTING DATA
Cemented from 257 ft. to 157 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level . . . ft. below land surface Date . . .
Artesian flow . . . gpm. Date . . .

10) PACKERS: Type Depth
Rubber R 252

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., . . . ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: . . . gpm with . . . ft. drawdown after . . . hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 30 Ft.
Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader/Henry Lee Water Well Drillers Registration No. 2026/2221
ADDRESS P.O. Box 638 Riverside Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED
AUG-9 1983
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

CONFIDENTIAL
RECEIVED
MAY 19 1971

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-1G
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER W. E. Ashworth Address Rt. 6 Box 209-A Huntsville, Tex. 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 6 miles in West direction from Riverside, Tex.
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 5-12-80
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
0 Surface 309
6 1/2
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen	
						From	To	
		<u>0-4 Top soil</u>						
		<u>4-22 Limestone</u>						
		<u>22-42 Sandstone</u>	<u>4</u>	<u>N</u>	<u>Sch. 40 PVC</u>	<u>-1</u>	<u>297</u>	<u>40</u>
		<u>42-52 Hard blue clay</u>						
		<u>52-151 Blue clay</u>	<u>2 1/2</u>	<u>N</u>	<u>Stainless steel</u>	<u>298</u>	<u>308</u>	<u>#10</u>
		<u>151-160 Rock</u>						
		<u>160-163 Sand</u>						
		<u>163-218 Sand streaks</u>						
		<u>218-229 Blue clay</u>						
		<u>229-236 Lignite</u>						
		<u>236-241 Blue clay</u>						
		<u>241-243 Rock</u>						
		<u>243-267 Blue clay</u>						
		<u>267-289 Sticky blue clay</u>						
		<u>289-297 Rock</u>						
		<u>297-309 Sand</u>						

CEMENTING DATA
Cemented from 297 ft. to 240 ft.
Method used Pressure
Cemented by Holly Water Well Service
(Company or Individual)

9) WATER LEVEL:
Static level 87 ft. below land surface Date 5-13-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Lead seal 293

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 12
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
(Type or Print)

ADDRESS P.O. Box 638 Riverside Texas 77367
(Street or RFD) (City) (State) (Zip)

(Signed) Ralph A. Cadwallader HOLLY WATER WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.


**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."




The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
JUL 16 1980
DEPT. OF
WATER RESOURCES



LEGEND

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	CANAL
	WATERWAY
	LAKE
	RESERVOIR
	DAM
	WELL
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL BUILDING
	RESIDENTIAL BUILDING
	FOREST
	FIELD
	PASTURE
	WOODLAND
	SWAMP
	MARSH
	BEACH
	CLIFF
	HILL
	MOUNTAIN
	ELEVATION
	CONTOUR LINE
	SPOT ELEVATION
	BOUNDARY
	TOWNSHIP
	RANGE
	SECTION
	TOWNSHIP CENTER
	RANGE CENTER
	SECTION CENTER
	TOWNSHIP CORNER
	RANGE CORNER
	SECTION CORNER
	TOWNSHIP LINE
	RANGE LINE
	SECTION LINE
	TOWNSHIP BOUNDARY
	RANGE BOUNDARY
	SECTION BOUNDARY
	TOWNSHIP NAME
	RANGE NAME
	SECTION NAME
	TOWNSHIP NUMBER
	RANGE NUMBER
	SECTION NUMBER
	TOWNSHIP AREA
	RANGE AREA
	SECTION AREA
	TOWNSHIP POPULATION
	RANGE POPULATION
	SECTION POPULATION
	TOWNSHIP INCOME
	RANGE INCOME
	SECTION INCOME
	TOWNSHIP DENSITY
	RANGE DENSITY
	SECTION DENSITY
	TOWNSHIP UNEMPLOYMENT
	RANGE UNEMPLOYMENT
	SECTION UNEMPLOYMENT
	TOWNSHIP LITERACY
	RANGE LITERACY
	SECTION LITERACY
	TOWNSHIP HEALTH
	RANGE HEALTH
	SECTION HEALTH
	TOWNSHIP EDUCATION
	RANGE EDUCATION
	SECTION EDUCATION
	TOWNSHIP INDUSTRY
	RANGE INDUSTRY
	SECTION INDUSTRY
	TOWNSHIP AGRICULTURE
	RANGE AGRICULTURE
	SECTION AGRICULTURE
	TOWNSHIP COMMERCE
	RANGE COMMERCE
	SECTION COMMERCE
	TOWNSHIP SERVICES
	RANGE SERVICES
	SECTION SERVICES
	TOWNSHIP INFRASTRUCTURE
	RANGE INFRASTRUCTURE
	SECTION INFRASTRUCTURE
	TOWNSHIP ENVIRONMENT
	RANGE ENVIRONMENT
	SECTION ENVIRONMENT
	TOWNSHIP QUALITY OF LIFE
	RANGE QUALITY OF LIFE
	SECTION QUALITY OF LIFE



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



1970 CENSUS FIGURES
HIGHWAYS REVISED TO MARCH, 1978
POYCE PRODUCTION NORTH AMERICAN CORP.
Copyright © U.S. Dept. of Commerce, Bureau of Economic Analysis, 1978
Reprinted with permission of the U.S. Department of Transportation, Federal Highway Administration
Sheet 1 of 1, 1:50,000 Scale, 1978 Edition

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-1E
Located on map yes
Received: 77
dk

1) OWNER:
Person having well drilled MR DON CUMPSTON Address RT 3 Box 177-1 HUNTSVILLE, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 4 miles in E?W direction from RIVERSIDE
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 451 ft. Depth of completed well 451 ft. Date drilled 5-4-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	WHITE CLAY + SAND
22	102	BLUE CLAY
102	106	WHITE SAND
106	281	BLUE CLAY
281	424	SANDY BLUE CLAY
424	440	BLUE CLAY
440	444	HARD ROCK
444	451	SAND (COARSE)

(Use reverse side if necessary)

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 439 ft. to 375 ft.
Diameter (inches) 4 Setting From (ft.) 439 To (ft.) +1 Gage SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 441 To (ft.) 451 Slot Size # 10

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

8) WATER LEVEL:
Static level 58 ft. below land surface Date 4-4-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata 7

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 25 1977
Central Records
Texas Water Development Board


RECEIVED
MAY 9 1977
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-13-1C
Located on map 425
Received: 751
all

1) OWNER:
Person having well drilled MR BOB SPRINGER Address RT 3 Box 276-1 HONKVILLE, TEX
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____ (Street or RFD) (City) (State)
(Name)

2) LOCATION OF WELL:
County WALKER, 8 miles in N. S. E. direction from RIVERSIDE, TEXAS
(Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

(Use reverse side if necessary)
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 206 ft. Depth of completed well 206 ft. Date drilled 8-29-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 68		HARD YELLOW CLAY
68 - 71		ROCK
71 - 133		SAND
133 - 156		BLUE CLAY
156 - 179		BLUE SHALE
179 - 206		SAND

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 196 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 196 - 71 Sch 40
10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 196 206 #10

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 65 ft. below land surface Date 9-2-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata 27

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. HOLLY COMPANY
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEVELOPMENT BOARD
TEXAS WATER

RECEIVED
SEP 5 1975

JAN 20 1976

STATE OF TEXAS
DEPARTMENT OF WATER RESOURCES

8A

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Gollard Address Rt. 6 Box 564 Huntsville, Tx.

2) LOCATION OF WELL: County Walker 10 miles in NE direction from Huntsville

3) TYPE OF WORK (Check): 4) PROPOSED USE (Check): 5) DRILLING METHOD (Check):

6) WELL LOG: Date Drilling: Started 8/27/87 19 Completed 8/28/87 19

7) BOREHOLE COMPLETION: 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 300 ft. to 0 ft. No. of Sacks Use 20

10) SURFACE COMPLETION 11) WATER LEVEL: Static level 100 ft. below land surface Date 8/28/87

RECEIVED JAN 11 1988

12) PACKERS: Type K Depth 288

13) TYPE PUMP: LHP #251 Tank Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS: 15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water?

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Robinson Water Well Service, Inc. Well Driller's License No. 1464

ADDRESS 11607 FM 149 Houston, Tx. 77086

(Signed) M. E. Robinson (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6013-1 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.