

HUNTSVILLE
Pop 23,936

SAM HOUSTON
NATIONAL
FOREST

LIVINGSTON
RESERVOIR
NORMAL POOL ELEV. 110.0

30°40'

30°45'

30°50'

N

T

O

C

O

N

Y

Z

T

O

N

Y

Z

T

O

N

Y

Z

T

O

N

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER GROUNDWATER TECHNOLOGY INC ADDRESS 1213 W. LOOP N. SUITE 100 HOUSTON TX 77055
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER miles in _____ direction from RIVERSIDE
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines DIAMOND SHAMROCK INTERSECTION St Highway
19 + FM 980 RIVERSIDE TEXAS

SEE ATTACHED MAP

3) TYPE OF WORK (Check):

- New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

- Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

- Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG: MW 4

Date Drilling:
Started 5-10 1990
Completed 5-10 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>1 3/4</u>	<u>Surface</u>	<u>27</u>

7) BOREHOLE COMPLETION:

- Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from 2 ft. to 27 ft.

From (ft.) To (ft.) Description and color of formation material

<u>0</u>	<u>1</u>	<u>CONCRETE & SAND</u>
<u>1</u>	<u>16</u>	<u>SILTY CLAY TAN</u>
<u>16</u>	<u>27</u>	<u>LIMESTONE TAN</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>2</u>	<u>N</u>	<u>PVC HUGHES BEND</u>	<u>0</u>	<u>2.5</u>	<u>BLANK</u>
<u>✓</u>	<u>✓</u>	<u>✓ ✓ ✓</u>	<u>2.5</u>	<u>27</u>	<u>020</u>

RECEIVED
JUL 5 1990

CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 1 ft. No. of Sacks Used 3
_____ ft. to _____ ft. No. of Sacks Used _____

Method used MANUAL
Cemented by DRILLER

13) TYPE PUMP:

- Turbine Jet Submersible Cylinder
 Other NA

Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:

Type Test: Pump Baller Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? FRESH Depth of strata 22
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION

- Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL: NA

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type _____ Depth _____
NOTE

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Master Monitoring Services WELL DRILLER'S LICENSE NO. 3044M
(Type or print)

ADDRESS P.O. Box 19109 #152 Houston TX 77224-9109
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-13-3 Located on map _____

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER GROUND WATER TECHNOLOGY INC ADDRESS 1213 W. LOOP NORTH #100 HOUSTON TX 77055
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER miles in _____ direction from RIVERSIDE
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines DIAMOND SHAROCK SERVICE STATION INTERSECT
St. 19 X FM 980 RIVERSIDE TX

SEE ATTACHED MAP

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Driven
 Air Rotary Cable Tool Other Bored

6) WELL LOG: MW 7

Date Drilling:
Started 5-10 1990
Completed 5-10 1990

DIAMETER OF HOLE

Dia. (In.)	From (ft.)	To (ft.)
<u>1 1/4</u>	Surface	<u>27</u>

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from 2 ft. to 27 ft.

From (ft.) To (ft.) Description and color of formation material

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>1</u>	<u>CONCRETE + LIMESTONE</u>
<u>1</u>	<u>16</u>	<u>SILTY CLAY TAN</u>
<u>16</u>	<u>27</u>	<u>LIMESTONE TAN</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (In.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>2</u>	<u>N</u>	<u>P/C HUGHES - BERRY</u>	<u>0</u>	<u>2.5</u>	<u>BLANK</u>
<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>2.5</u>	<u>27</u>	<u>.020</u>

RECEIVED
JUL 5 1990

(Use reverse side if necessary)

13) TYPE PUMP:

Turbine Jet Submersible Cylinder
 Other NA
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:

Type Test: Pump Bailor Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? FRESH Depth of strata 22
Was a chemical analysis made? Yes No

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 1 ft. No. of Sacks Used ✓
_____ ft. to _____ ft. No. of Sacks Used _____
Method used MANUAL
Cemented by DRILLER

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL: NA

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type _____ Depth _____
NONE

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Master Monitoring Services WELL DRILLER'S LICENSE NO. 3044M
(Type or print)

ADDRESS P.O. Box 19109 #152 HOUSTON TX 77224-9109
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-13-3 Located on map _____

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER GROUNDWATER TECHNOLOGY INC ADDRESS 1213 W. LOOP N. #100 HOUSTON TX 77055
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER miles in _____ direction from RIVERSIDE
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines DIAMOND SHAMROCK SERVICE STATION

SEE ATTACHED MAP

Intersection St. 19 x Fm 980 RIVERSIDE TX

3) TYPE OF WORK (Check):

- New Well
- Deepening
- Reconditioning
- Plugging

4) PROPOSED USE (Check):

- Domestic
- Industrial
- Monitor
- Public Supply
- Irrigation
- Test Well
- Injection
- De-Watering

5) DRILLING METHOD (Check):

- Driven
- Mud Rotary
- Air Hammer
- Jetted
- Bored
- Air Rotary
- Cable Tool
- Other _____

6) WELL LOG: MW 8

Date Drilling: _____
Started 5-10-90
Completed 5-10-90

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>1 3/4</u>	Surface	<u>20</u>

7) BOREHOLE COMPLETION:

- Open Hole
- Straight Wall
- Underreamed
- Gravel Packed
- Other _____

If Gravel Packed give interval ... from 2 ft. to 20 ft.

From (ft.) To (ft.) Description and color of formation material

0	1	CONCRETE & SAND
1	5	SANDY CLAY DARK GRAY
5	8	CLAY (WET) TAN
8	16	SILTY CLAY TAN
16	20	LIMESTONE TAN

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>2</u>	<u>N</u>	<u>PVC HUGHES BEARD</u>	<u>0</u>	<u>2.5</u>	<u>Blank</u>
<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>2.5</u>	<u>20</u>	<u>020</u>

RECEIVED
JUL 5 1990

9) CEMENTING DATA (Rule 287.44(1))

Cemented from 0 ft. to 1 ft. No. of Sacks Used 3
_____ ft. to _____ ft. No. of Sacks Used _____

Method used MANUAL
Cemented by DRILLER

13) TYPE PUMP:

- Turbine
- Jet
- Submersible
- Cylinder
- Other NA

Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS: NA

Type Test: Pump Baller Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? FRESH Depth of strata TANK PAD WET @ 5'
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION

- Specified Surface Slab Installed (Rule 287.44(2)(A))
- Pitless Adapter Used (Rule 287.44(3)(B))
- Approved Alternative Procedure Used (Rule 287.71)

11) WATER LEVEL: NA

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type _____ Depth _____
None

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Master Monitoring Services WELL DRILLER'S LICENSE NO. 3044M
(Type or print)

ADDRESS PO Box 19109 #152 Houston TX 77224-9109
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-13-3 Located on map _____

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER GROUND WATER TECHNOLOGY PC ADDRESS 1213 W. LOOP N #100 HOUSTON TX 77050
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER miles in _____ direction from RIVERSIDE
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines DIAMOND SHAMROCK STATION, INTERSECTION
ST. 19 X FM 980 RIVERSIDE TX

SEE ATTACHED MAP

3) TYPE OF WORK (Check):

- New Well
- Deepening
- Reconditioning
- Plugging

4) PROPOSED USE (Check):

- Domestic
- Industrial
- Monitor
- Public Supply
- Irrigation
- Test Well
- Injection
- De-Watering

5) DRILLING METHOD (Check):

- Driven
- Mud Rotary
- Air Hammer
- Jetted
- Bored
- Air Rotary
- Cable Tool
- Other _____

6) WELL LOG: MW 9

Date Drilling:
Started 5-11 1990
Completed 5-11 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>1 3/4</u>	Surface	<u>27</u>

7) BOREHOLE COMPLETION:

- Open Hole
 - Straight Wall
 - Underreamed
 - Gravel Packed
 - Other _____
- If Gravel Packed give interval ... from 2 ft. to 27 ft.

From (ft.) To (ft.) Description and color of formation material

<u>0</u>	<u>2</u>	<u>TOPSOIL DARK GRAY</u>
<u>2</u>	<u>16</u>	<u>SILTY CLAY TAN</u>
<u>16</u>	<u>27</u>	<u>LIMESTONE TAN</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>2</u>	<u>N</u>	<u>PVC HUGHES BENCH</u>	<u>0</u>	<u>2.5</u>	<u>Blank</u>
<u>✓</u>	<u>✓</u>	<u>✓</u>	<u>2.5</u>	<u>27</u>	<u>020</u>

RECEIVED

JUL 5 1990

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 1 ft. No. of Sacks Used 3
ft. to _____ ft. No. of Sacks Used _____
Method used MANUAL
Cemented by DRILLER

13) TYPE PUMP:

- Turbine
- Jet
- Submersible
- Cylinder
- Other NA

Depth to pump bowls, cylinder, jet, etc., _____ ft.

TEXAS WATER COMMISSION

14) WELL TESTS:

Type Test: NA
 Pump Bailor Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? FRESH Depth of strata 22
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION

- Specified Surface Slab Installed [Rule 287.44(2)(A)]
- Pitless Adapter Used [Rule 287.44(3)(B)]
- Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL: NA

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type _____ Depth _____
NONE

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME MASTER MONITORIAL SERVICES
(Type or print)

WELL DRILLER'S LICENSE NO. 3044M

ADDRESS PO-Box 19109 #152 HOUSTON TX 77224-9109
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-13-3 Located on map _____

Attention: Owner
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA

Name **Flintex Marketng, Inc.** Address **1617 Meyer St.** City **Sealy** State **TX** Zip **77474**

2) WELL LOCATION MW-1

County **Walker** Physical Address **131 N. US I-45** City **Huntsville** State **TX** Zip **77320**

3) Type of Work Lat. **30 43 227** Long. **95 34 330** Grid # **60 20 2**

New Well Deepening Reconditioning
4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date Started 5/3/2004 Completed 5/3/2004
7) Drilling Method (check) Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted Other

From (ft)	To (ft)	Description and color of formation material
0	2.5	clay, blk
2.5	6.75	silty clay gray
6.75	9.5	clay gray
9.5	9.75	sand gray
9.75	11.25	clay gray
11.25	13.25	sand clay gray
13.25	15.5	sand gray
15.5	16	sandy clay gray
16	16.75	sand gray
16.75	17	clay gray
17	17.5	sand gray
17.5	18.25	clay and sand clay gray

8) Borehole Completion Open Hole Straight Wall Under-reamed Gravel Packed Other
If Gravel Packed give the interval from 3 ft. to 25 ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	To	Gage Casing Screen
2	N	pvc - LSWP	0	5	riser
2	N	pvc - LSWP	5	25	.010

9) Cementing Data
Cementing from 0 ft. to 2 ft. # of sacks used 1
_____ ft. to _____ ft. # of sacks used _____
Method Used **pump & tremmie**
Cementing By **driller**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) Water Test **Typetest** Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water **fresh** Depth of Strata **13**
Was a chemical analysis made? Yes No

11) Water Level Static level _____ ft. below _____ Date _____
Artesian Flow _____ gpm Date _____
12) Packers Type _____ Depth _____
Bentonite Seal
2-3 _____
25-30 _____
RECEIVED
TDLR MAIL ROOM SH
JUN 01 2004

Company or Individual's Name (type or print) **Master Monitoring Services, Inc.** RECEIPT # _____ Lic. No. **5066M** AMOUNT _____
Address **P.O. Box 800456** City **Houston** State **Tx** Zip **77280-0456**
Signature **Beng Dutton** Date **5/11/2004** Signature _____ Date _____
Licensed Driller/Pump Installer Apprentice

THE NATIONAL ARCHIVES
COLLECTIONS AND SERVICES DIVISION
1988-1989 ANNUAL REPORT

The National Archives and Records Administration (NARA) is pleased to announce the release of the 1988-1989 Annual Report. This report provides a comprehensive overview of the agency's activities and accomplishments during the past year. It highlights the progress made in various areas, including the preservation and access of historical records, the development of new services, and the ongoing efforts to improve the efficiency and effectiveness of the organization.

The report is organized into several sections, each focusing on a different aspect of the agency's work. The first section, "Preservation and Access," discusses the ongoing efforts to ensure the long-term survival of our nation's historical records. This includes the implementation of new preservation techniques, the expansion of our storage facilities, and the development of innovative access systems. The second section, "Services and Programs," describes the various services and programs that NARA provides to the public and to other government agencies. These include the National Archives Catalog, the National Archives and Records Administration's (NARA) website, and the National Archives and Records Administration's (NARA) public programs. The third section, "Management and Administration," provides an overview of the agency's internal operations, including its budget, personnel, and information systems. The final section, "Future Plans," outlines the agency's strategic vision and the key initiatives that will be undertaken in the coming years.

The 1988-1989 Annual Report is available in both print and electronic formats. For more information, please contact the National Archives and Records Administration, 8601 Adelphi Road, College Park, MD 20740. Telephone: (301) 837-1122. Fax: (301) 837-1123. Internet: <http://www.archives.gov>

THE NATIONAL ARCHIVES
COLLECTIONS AND SERVICES DIVISION
1988-1989 ANNUAL REPORT

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us
WELL REPORT

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Flintex Marketng, Inc.	Address 1617 Meyer St.	City Sealy	State TX	Zip 77474
---------------------------------------	----------------------------------	----------------------	--------------------	---------------------

2) WELL LOCATION MW-4

County Walker	Physical Address 131 N. US I-45	City Huntsville	State TX	Zip 77320
-------------------------	---	---------------------------	--------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell

If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date

Started	<u>5/4/2004</u>
Completed	<u>5/4/2004</u>

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	3	silty clay
3	6	siilty clay blk
6	10	silty clay gray
10	12.5	sand gray
12.5	14	clay gray
14	19.75	sand gray
19.75	25	sandy clay gray

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____

If Gravel Packed give the interval from 3 ft. to 25 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
2	N	pvc - LSWP	0	5	riser
2	N	pvc - LSWP	5	25	.010

9) Cementing Data

Cementing from 0 ft. to 2 ft. # of sacks used 1
_____ ft. to _____ ft. # of sacks used _____

Method Used pump & tremmie
Cementing By driller

Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water fresh Depth of Strata 18.5
Was a chemical analysis made? Yes No

11) Water Level

Static level _____ ft. below _____ Date _____
Artesian Flow _____ Date _____

12) Packers **Bentonite Seal**

2-3 _____
_____ _____
_____ _____
_____ _____

RECEIVED
TDLR MAIL ROOM
JUN 01 2004

Company or Individual's Name (type or print) **Master Monitoring Services, Inc.**

Address **P.O. Box 800456** City **Houston** State **Tx** Zip **77280-0456**

Signature Benny Quiller Date 5/11/2004 Signature _____ Date _____

Licensed Driller/Pump Installer Apprentice



Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name Flintex Marketng, Inc.	Address 1617 Meyer St.	City Sealy	State TX	Zip 77474
---------------------------------------	----------------------------------	----------------------	--------------------	---------------------

2) WELL LOCATION MW-3

County Walker	Physical Address 131 N. US I-45	City Huntsville	State TX	Zip 77320
-------------------------	---	---------------------------	--------------------	---------------------

3) Type of Work

Lat. 30	43	227	Long. 95	34	330	Grid # 60 20 2
----------------	-----------	------------	-----------------	-----------	------------	-----------------------

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) N↑

6) Drilling Date

Started 5/3/2004
Completed 5/3/2004

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
8	0	25

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	2	clay blk
2	5	silty clay gray
5	12	clay w/sand lenses gray
12	14.75	sand gray
14.75	15.5	clay gray
15.5	16.25	interbedded sand& sandy clay gray
16.25	17.75	sand w/gravel gray
17.5	22.5	sand gray
22.5	25	sandy clay gray

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from **3 ft.** to **25 ft.**

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
2	N	pvc - LSWP	0	5	riser
2	N	pvc - LSWP	5	25	.010

(Use reverse side of Well Owner's copy, If necessary)

13) Plugged

Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

9) Cementing Data

Cementing from 0 ft. to 2 ft. # of sacks used 1
_____ ft. to _____ ft. # of sacks used _____
Method Used pump & tremmie
Cementing By driller
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) Water Level

Static level _____ ft. below _____
Artesian Flow _____
RECEIVED
TDLR MAIL ROOM SH
Type _____ Depth _____
12) Packers
Bentonite Seal
2-3
JUN 01 2004

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water fresh Depth of Strata 13
Was a chemical analysis made? Yes No

Company or Individual's Name (type or print) Master Monitoring Services, Inc.		Lic. No. 03006M
Address P.O. Box 800456	City Houston	State Tx Zip 77280-0456
Signature <i>Bern Quillen</i> Licensed Driller/Pump Installer	Date 5/11/2004	Signature _____ Apprentice _____ Date _____

JUN 01 2004
AMOUNT

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Flintex Marketng, Inc.	Address 1617 Meyer St.	City Sealy	State TX	Zip 77474
---------------------------------------	----------------------------------	----------------------	--------------------	---------------------

2) WELL LOCATION MW-2

County Walker	Physical Address 131 N. US I-45	City Huntsville	State TX	Zip 77320
-------------------------	---	---------------------------	--------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell

If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date	Diameter of Hole			7) Drilling Method (check) <input type="checkbox"/> Driven
	Dia. (in)	From (ft)	To (ft)	
Started	<u>5/3/2004</u>			
Completed	<u>5/3/2004</u>			

From (ft)	To (ft)	Description and color of formation material	8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____					
0	1.5	clay blk	If Gravel Packed give the interval from 3 ft. to 25 ft.					
1.5	7.5	silty clay gray	Casing, Blank Pipe, and Well Screen Data					
7.5	13.5	clay gray	Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial			
13.5	17.5	silty clay w/sand lenses gray			Setting (ft) From To Gage Casing Screen			
17.5	20	sand gray	2	N	pvc - LSWP	0	5	riser
20	21.75	sandy clay gray	2	N	pvc - LSWP	5	25	.010
21.75	23	sand gray						
23	25	sandy clay gray						

9) Cementing Data
Cementing from 0 ft. to 2 ft. # of sacks used 1
_____ ft. to _____ ft. # of sacks used _____
Method Used pump & tremmie
Cementing By driller
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water fresh Depth of Strata 17.5
Was a chemical analysis made? Yes No

11) Water Level
Static level _____ ft. below _____ Date _____
Artesian flow _____ gpm Date _____

12) Packers
Bentonite Seal
2-3
JUN 01 2004

Company or Individual's Name (type or print) **Master Monitoring Services, Inc** RECEIPT # _____ Lic. No. 5006M
Address **P.O. Box 800456** City **Houston** State **Tx** Zip **77280-0456**

Signature Penny Dutton Date 5/11/2004 Signature _____ Date _____
Licensed Driller/Pump Installer Apprentice



#14. NAKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. **60-13-3E** Located on map **YES** Received: **RWB**

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER **Paul McNair** Address **7003 Sherwood** **Houston, Texas 77021**
2) LOCATION OF WELL: County **Walker** **2** miles in **E** direction from **Riverside**

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled **5-18-81**
DIAMETER OF HOLE: Dia. (in.) **6 1/2** From (ft.) **Surface** To (ft.) **459**
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0-2		top soil						
2-5		white clay						
5-22		caliche	4	N	Plastic	-1 1/2	436	40
22-32		white clay						
32-57		blue clay	2 1/2	N	Stainless steel	458	438	#8
57-62		sand streaks						
62-97		blue clay						
97-106		sand streaks						
106-112		sand						
112-118		sand streaks						
118-177		blue clay						
177-183		sand						
183-215		blue clay						
215-239		sand						
239-307		blue clay						
307-315		sand						
315-325		sand streaks						
325-333		sand						
333-340		sand streaks						
340-355		sand						
355-416		blue clay						
416-459		sand						

CEMENTING DATA
Cemented from **436** ft. to **386** ft.
Method used **Pressure**
Cemented by **Ralph A. Cadwallader**
(Company or Individual)

9) WATER LEVEL:
Static level **30** ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type **L** Depth **433**

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., **180** ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? **Good** Depth of strata **43 ft.**
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: **60** gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME **RALPH ALDES CADWALLADER** Water Well Drillers Registration No. **2026**
(Type or/Print)
ADDRESS **P.O. Box 638** **Riverside, Texas 77367**
(Street or RFD) (City) (State) (Zip)
(Signed) **Ralph A. Cadwallader** **Holly Water Well Service**
(Water Well Driller) (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
JUL 14 1982
CR/TDWH

RECEIVED
JUN 9 1981
DEPT. OF
WATER RESOURCES

WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-3D Located on map YES Received: C.F.S.

1) OWNER E. J. Walker Address Rt. 3 Box 408 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 3 miles in SE direction from Riverside

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

See attached map. 60-21-5R

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 1-16-81
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 124
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval... from 124 ft. to 60 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include 0-2 top soil, 2-8 brown clay, 8-10 sand, 10-12 brown clay, 12-40 sand, 40-94 blue clay, 94-100 sand, 100-124 blue clay.

CEMENTING DATA
Cemented from 60 ft. to surface ft.
Method used from top
Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL: Static level 48 ft. below land surface Date 1-20-81
Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 95 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? sulfus Depth of strata 6 ft.
Was a chemical analysis made? No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 1 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

JUL 14 1982
CR/TDWR

RECEIVED
MAR 17 1981
DEPT. OF
WATER RESOURCES


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-13-30 Located on map Yes Received: 11/1/71 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Mr J.L Williams Address Gen Del. Riverside, Texas Landowner Same

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey miles in 1/2 E direction from Riverside, Texas



3) TYPE OF WORK (Check): New Well [x] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] 5) TYPE OF WELL (Check): Rotary [x] Driven [] Dug [] Cable [] Jetted [] Bored []

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 466 ft. Depth of completed well 466 ft. Date drilled 4-12-71 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include clay and sand, Blue clay, rock, hard blue clay, Blue Clay, Sand, Blue Clay, Sand.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Rock, Blue clay, sand, Sticky blue clay, Sand.

7) COMPLETION (Check): Straight wall [x] Gravel packed [] Other [] Under reamed [] Open hole []

8) WATER LEVEL: Static level 50 ft. below land surface Date 4-12-71 Artesian pressure ___ lbs. per square inch Date ___

9) CASING: Type: old [] New [x] Steel [x] Plastic [] Other [] Cemented from 451 ft. to 300 ft.

10) SCREEN: Type Stainless Steel Bar-Weld Perforated [] Slotted []

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 4, 451, x-1, 8 lbs.

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2 1/2, 451, 466, 8.

11) WELL TESTS: Was a pump test made? [] Yes [x] No If yes by whom? Yield: ___ gpm with ___ ft. drawdown after ___ hrs Bailer test ___ gpm with ___ ft. drawdown after ___ hrs Artesian flow ___ gpm Date ___ Temperature of water ___ Was a chemical analysis made? [] Yes [x] No Did any strata contain undesirable water? [] Yes [] No Type of water? good depth of strata 15

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 1 1/2 Designed pumping rate 1040 gpm [] gph [x] Type power unit Electric Depth to bowls, cylinder, jet, etc., 120 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 Address Box 37 Riverside Texas (Signed) E.A. Holly E.A. Holly Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED
AUG 27 1971

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

JUL 29 1971

RECEIVED

Dup


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-13-3C Located on map yes Received: 77 yes dlr

1) OWNER: Person having well drilled CARL SULLIVAN Address GEN DEL RIVERSIDE TEXAS Landowner SAME

2) LOCATION OF WELL: County WALKER miles in 1 direction from RIVERSIDE



Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Irrigation Test Well Municipal Other

5) TYPE OF WELL (Check): Rotary Driven Cable Jetted Dug Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 469 ft. Depth of completed well 469 ft. Date drilled 3-15-77

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include SAND, BLUE CLAY, SANDY BLUE CLAY, SAND (SALTY), BLUE CLAY, LIGNITE, SOFT BLUE CLAY, SAND, SOFT BLUE CLAY, SAND.

9) CASING: Type: Old New Steel Plastic Other Cemented from 449 ft. to 400 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 449 71 50H 40

10) SCREEN: Type STAINLESS STEEL Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 449 469 # 8

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____

8) WATER LEVEL: Static level 22 ft. below land surface Date 3-15-77 Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No. Type of water? Good depth of strata 33

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS (Signed) E.A. Holly (Water Well Driller) E.A. Holly Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY 24 1977

Central Records
Texas Water Development Board

RECEIVED
APR 15 1977
TEXAS WATER
DEVELOPMENT BOARD

#3 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER RIVERSIDE WATER CORP. Address PO Box 194 Riverside, Texas 77367
2) LOCATION OF WELL: County Walker miles in in direction from Riverside

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines
See attached map. 0760-19-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 6-1 19 88 Completed 6-3 19 88
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Rows include soil, sand, clay, and rock formations.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 420 ft. to 290 ft. No. of Sacks Used 6
280 ft. to 250 ft. No. of Sacks Used 4
Method used Pump down thru drill pipe
Cemented by Holly Water Wells

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

12) PACKERS: Type Depth

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes
If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? sulfur Depth of strata 48 ft. Was a chemical analysis made? No

RECEIVED

TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6013-3 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

60-13-3

File original copy with Texas Water Commission P. O. Box 2311, Capitol Station Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWC only Well No. Located on map No. By Date Map no.

1) Well Owner: Mr Earl Dunigan Houston Texas
2) Land Owner:
3) Intended use: Industrial; Municipal; Irrigation; Other
4) Location of well: County Walker Labor League Abstract No.

1 miles in East direction from Riverside Texas

Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 63/4 in. Date drilled 10-3-66

All measurements made from 0 ft. above ground level.

Table with 6 columns: From (ft), To (ft), Description and color of formation material, From (ft), To (ft), Description and color of formation material. Rows include Rock, Sand, Hard Blue Clay, Blue Shale, Hard Rock, and Shale.

COMPLETION DATA

COMPLETION: Well Plugged
CASING: Type Old New, Cemented from to, Diameter (inches), Setting from (ft) to (ft)
SCREEN: Type, Perforated Slotted, Diameter (inches), Setting from (ft) to (ft)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

E.A. Holly Signature

E.A. Holly Company Name

Reg. No. 801

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level ft. below, Pumping level feet hours gpm, Pump type, Designed pumping rate gpm gph, Type power unit, Horsepower, Depth to bowls, cylinder, jet, etc., ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

8


60-13-328

1) Well Owner: Mr Earl Dunigan Houston Texas
Name Street or RFD City State

2) Land Owner: Lake Livingston Heights Riverside Texas
Name Street or RFD City State

3) Intended use: Industrial ; Municipal ; Irrigation ; Other _____

4) Location of well: County Walker Labor _____ League _____ Abstract No. _____
NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey
(Circle as many as are known)



DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 4 in. Date drilled 10-19-66

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	26	Surface soil & White Clay	284	364	Sticky Blue Clay
26	42	Blue Clay	364	389	Sand (Well Producing Here)
42	47	Sand	389	391	Hard Shale
47	232	Blue Clay			
232	237	Sand			
237	257	Blue Clay			
257	259	Hard Rock			
259	284	Tight Fine Sand			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION	CASING	SCREEN																												
Straight wall <input checked="" type="checkbox"/> Under reamed <input type="checkbox"/> Gravel packed <input type="checkbox"/> Open hole <input type="checkbox"/> Other _____	Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/> Cemented from <u>366</u> ft. to <u>266</u> ft. <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Diameter (inches)</th> <th colspan="2">Setting</th> </tr> <tr> <th>from (ft)</th> <th>to (ft)</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>X-1</td> <td>366</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Diameter (inches)	Setting		from (ft)	to (ft)	4	X-1	366							Type <u>Stainless Steel Bar-Lug</u> Perforated <input type="checkbox"/> Slotted <input type="checkbox"/> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Diameter (inches)</th> <th colspan="2">Setting</th> </tr> <tr> <th>from (ft)</th> <th>to (ft)</th> </tr> </thead> <tbody> <tr> <td>2 1/2</td> <td>369</td> <td>389</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Diameter (inches)	Setting		from (ft)	to (ft)	2 1/2	369	389						
Diameter (inches)	Setting																													
	from (ft)	to (ft)																												
4	X-1	366																												
Diameter (inches)	Setting																													
	from (ft)	to (ft)																												
2 1/2	369	389																												

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

E.A. Holly E.A. Holly Co. Reg. No. 801
Signature Company Name

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA														
Static water level <u>20 ft.</u> ft. below _____	Pump type <u>Submersible</u>													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">Pumping level</th> </tr> <tr> <th>feet</th> <th>hours</th> <th>gpm</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Pumping level			feet	hours	gpm							Designed pumping rate <u>1500</u> gpm <input type="checkbox"/> gph <input checked="" type="checkbox"/>	
	Pumping level													
feet	hours	gpm												
	Type power unit <u>Electric</u>													
	Horsepower <u>2-HP</u>													
	Depth to bowls, cylinder, jet, etc., <u>210</u> ft. below pump base.													

Name of contractor testing well or installing permanent pump if other than your company: _____

8

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

1958

Texas Water Development Board
Central Records

OCT 3 1958

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-3A
Located on map yes
Received: 69
dlr

1) OWNER:
Person having well drilled Pat's Feed Store Address Hwy 105 East Conroe, Texas
(Name) (Street or RFD) (City) (State)
Landowner Mr. Mason Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 10 miles in NE direction from Huntsville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): <u>New Well</u> Deepening Reconditioning Plugging	4) PROPOSED USE (Check): <u>Domestic</u> Industrial Municipal Irrigation Test Well Other	5) TYPE OF WELL (Check): <u>Rotary</u> Driven Dug Cable Jetted Bored
--	--	--

6) WELL LOG:
Diameter of hole 4 3/4 in. Depth drilled 204 ft. Depth of completed well 200 ft. Date drilled 8/24/69
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-6		Black Dirt
6-51		Bl Clay
51-53		Sand
53-182		Bl Clay
182-200		Sand
200-204		Clay Rock

9) CASING:
Type: Old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2	0	195	

10) SCREEN:
Type Mono Metal
Perforated _____ Slotted _____
Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 195 200 12

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 160 ft. below land surface Date 8/24/69
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John W. Leonard Water Well Drillers Registration No. 1210
(Type or Print)
ADDRESS 1326 So. Second Conroe, Texas 77301
(Street or RFD) (City) (State)

(Signed) _____ J & J Water Well Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.


Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

HONTSVILLE

HWY 19

RECEIVED
MAR 5 1970

Control Records
Texas Water Development Board



TEXAS WATER

RECEIVED

(1)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jim & Sharon Woods Address RFD 3 Box 453E Huntsville TX

2) LOCATION OF WELL: County WALKER miles in direction from RIVERSIDE

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 12-20-85 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 568 7) BOREHOLE COMPLETION: Open Hole Straight Well Underreamed Gravel Packed Other Finch & Strain If Gravel Packed give interval . . . from ft. to ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: 4x4 5/8" Dia. Cemented from 300 ft. to 420 ft. Method used pressure Cemented by Self

9) WATER LEVEL: Static level 87 ft. below land surface Date 12-23 Artesian flow gpm. Date

10) PACKERS: Type Depth K packer 700

RECEIVED JUL 19 1988 TEXAS WATER COMMISSION

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other air system Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Husband Water Well Dring Water Well Driller's License No. ADDRESS P.O. Box 5383 Kingwood TX 77325 (Signed) Billy Husband (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-3 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-3
Located on map
Received: 18

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side.

1) OWNER Mr. Trevey (Name) Address Rt. 6 Riverside Harbor (Street or RFD) Huntsville (City) Tx (State) (Zip)
2) LOCATION OF WELL: County Walker 3 miles in N direction from Riverside (Town)
(N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 11/7/86
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface
6-3/4 _____ 140

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2 string cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Topsoil & Clay
20	120	Sand & Gravel
120	140	Clay

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	N	PVC Casing	0	96	Sch.
2 1/2"	N	Blank Liner	90	100	40
2 1/2"	N	PVC Slotted Screen	100	120	.012

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 96 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 10 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

RECEIVED
SEP 16 1987

10) PACKERS: Type K Depth 90

TEXAS WATER COMMISSION

11) TYPE PUMP: 1HP #251 Tank
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 60 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464
ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)
(Signed) M. E. Robinson (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-3
Located on map _____
Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Peggy Koch (Name) Address Unknown (Street or RFD) Riverside, Tx. (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 3 miles in N direction from Riverside (Town)
(N.E., S.W., etc.) (State) (Zip)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. on 60-13-3

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 11/11/86
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface
6-3/4 _____ 190
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2 string cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	40	Topsoil & Clay						
40	70	Clay						
70	75	Sand	4"	N	PVC Casing	0	170	Sch
75	165	Shale	2 1/2"	N	Blank Liner	165	170	40
165	190	Sand	2 1/2"	N	PVC Slotted Screen	170	190	.012

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 170 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well
(Company or Individual)
9) WATER LEVEL:
Static level 40 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

RECEIVED
SEP 16 1987

10) PACKERS:
Type Depth
K 165

11) TYPE PUMP: LHP #251 Tank
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464
ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)
(Signed) M. E. Robinson (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 60-13-3
Located on map _____
Received: _____

1) OWNER Charles Day (Name) Address Rt. 6 Riverside Harbor Huntsville, Tx. (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 3 miles in N direction from Riverside (Town) (N.E., S.W., etc.)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 01160-13-3

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 11/13/86
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface _____
6-3/4 _____ 102
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2 string cemented
If Gravel Packed give interval from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	20	Topsoil & Clay						
20	80	Shale & Rock						
80	95	Sand						
95	102	Sand & Coal	4"	N	PVC Casing	0	85	Sch.
			2 1/2"	N	Blank Liner	80	85	40
			2 1/2"	N	PVC Slotted Screen	85	95	.012

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 85 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 10 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

RECEIVED
SEP 16 1987

10) PACKERS: Type K Depth 80

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? Yes No

11) TYPE PUMP: LHP #251 Tank
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 60 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464
(Type or Print)
ADDRESS 11607 FM 149 Houston, Tx. 77086
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] Robinson Water Well Service, Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-3
Located on map _____
Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Thomas May (Name) Address Unknown Riverside Harbor (Street or RFD) Huntsville, Tx. (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 3 miles in N direction from Riverside (Town)
(N.E., S.W., etc.)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. on 60-13-3

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 11/15/86
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface
6-3/4 100
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	5	Topsoil and Clay						
5	18	Clay						
18	37	Sand						
37	85	Clay	4"	N	PVC Casing	0	90	Sch.
85	100	Sand	2 1/2"	N	Blank Liner	85	90	40
			2 1/2"	N	PVC Slotted Screen	90	100	.012

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 90 ft. to 0 ft.
Method used Halliburton
Cemented by Robinson Water Well
(Company or Individual)

9) WATER LEVEL:
Static level 50 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 85

RECEIVED
SEP 16 1987

TEXAS WATER COMMISSION

11) TYPE PUMP: 1HP #251 Tank
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 80 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464
ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)
(Signed) M. E. Robinson (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-3 Located on map Received:

1) OWNER Mr. Honeycutt (Name) Address: Unknown Riverside Harbor Huntsville, Tx. (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in N direction from Riverside (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

3) TYPE OF WORK (Check): X New Well Reconditioning Deepening Plugging
4) PROPOSED USE (Check): X Domestic Irrigation Test Well Other
5) DRILLING METHOD (Check): X Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 11/19/86 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 6-3/4 142
7) BOREHOLE COMPLETION: X Other 2 string cemented

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Topsoil, Clay, Sand, Clay, Sand, Coal, Clay.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 95 ft. to 0 ft. Method used Halliburton Cemented by Robinson Water Well (Company or Individual)

RECEIVED SEP 16 1987

9) WATER LEVEL: Static level 20 ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type K Depth 90

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? potable Depth of strata Was a chemical analysis made?

11) TYPE PUMP: LHP #251 Tank X Submersible Depth to pump bowls, cylinder, jet, etc., 80 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464 ADDRESS 11607 FM 149 Houston, Tx. 77086 (Street or RFD) (City) (State) (Zip) Signed M.E. Robinson (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WALKER #4

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER JAMES DAVIS Address 4419 TACKFALGAVE TEX. 77045
2) LOCATION OF WELL: County WALKER SE miles in 1/4 direction from RIVERSIDE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. ON 60-11-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: 07/13/87 Started 07/13/87 Completed 07/13/87
7) BOREHOLE COMPLETION: Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Rows include TOP SOIL, CALICHE, SAND, BLUE CLAY, FINE SAND, HARD BLUE CLAY, MEALLY CLAY, SAND STREAKS, SAND WITH CLAY STREAKS.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 324 ft. to 304 ft. No. of Sacks Used 6
Method used PRESSURE Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 80 ft. below land surface Date 7-16-87 Artesian flow gpm. Date

12) PACKERS: Type Depth LEAD 300

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 25 gpm with ft. drawdown after hrs.

RECEIVED AUG 19 1987 TEXAS WATER COMMISSION

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water: GOOD Depth of strata: 12 FT Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026/2221 ADDRESS RT. 11 BOX 607 HUNTSVILLE TEXAS 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6013-3 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Original copy by
 certified mail to the
 Texas Department of Water Resources
 P. O. Box 13087
 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
 Well No. 60-13-3F
 Located on map YES
 Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Shields Resources Address Houston Texas 77002
 (Name) (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: Walker Co. miles in Near 19. Trinity River, Trinity, Texas
 County (N., E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
 Date drilled 2-10-82

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
<u>3"</u>	Surface	<u>160</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To	Gage Casing Screen	
		<u>0-27 clay</u>						
		<u>27-36 Sand</u>						
		<u>36-108 clay</u>	<u>3" D</u>		<u>3" P.V.C.</u>			
		<u>108-160 Sand</u>	<u>6"</u>		<u>50-ft Screen</u>			

CEMENTING DATA
 Cemented from _____ ft. to _____ ft.
 Method used _____
 Cemented by _____
 (Company or Individual)

9) WATER LEVEL:
 Static level 34 ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

Type	Depth

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
 DEC - 1 1982
 DEPT. OF
 WATER RESOURCES

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Fresh Depth of strata 52 ft.
 Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Samuel C. Gore Water Well Drillers Registration No. 911
 (Type or Print)
 ADDRESS Star Route 1-Box 1945 Silsbee, Texas 77656
 (Street or RFD) (City) (State) (Zip)
 (Signed) Samuel C. Gore SAM. GORE WATER WELL SERVICE
 (Water Well Driller) (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



Texas Dept. of Water Resources

RECEIVED
DEC - 1 1982

#1 Walker

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Riverside Water Corp. Address PO Box 194 Riverside, Tex 77367

2) LOCATION OF WELL: County Walker 1/2 miles in W direction from Riverside

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 8-15 19 89 Completed 8-15 19 89 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 510 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include soil, clay, sand, and lignite streaks.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 460 ft. to 510 ft. No. of Sacks Used 4 360 ft. to 400 ft. No. of Sacks Used 4 Method used thru drill pipe Cemented by Raymond McPike

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

12) PACKERS: Type Depth

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-3 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

12 Walker

60-13-3

1) OWNER Riverside Water Corp Address PO Box 194 Riverside, Tx 77367
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Walker 1 miles in NW direction from Riverside
 (N.E., S.W., etc.) (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. 0160-21-5

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling:
 Started 7-25 1989
 Completed 7-25 1989

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	604

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.
PLUGGED

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
				From	To			
0-2		top soil						
2-6		white clay						
6-17		sand						
17-33		white clay						
33-39		sand						
39-70		blue clay						
70-88		sand						
88-217		blue clay						
217-224		sand streaks						
224-230		sand						
230-276		blue clay						
276-279		rock						
279-288		blue clay						
288-292		sand						
292-321		blue clay						
321-327		rock						
327-332		sand streaks						
332-364		blue clay						
364-376		sand						
376-474		blue clay						
474-481		sand						
481-604		blue clay						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 360 ft. to 380 ft. No. of Sacks Used 4
0 ft. to 20 ft. No. of Sacks Used 4
 Method used thru drill pipe
 Cemented by Raymond McPike

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026
 (Type or Print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) [Signature]
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.


For TWC use only
 Well No. 60-13-3
 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



#14 Walker

236

ATTENTION! OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Riverside Water Corp. ADDRESS PO Box 194 Riverside, Tx 77367
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 1/2 miles in W direction from Riverside
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0760-11-5

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering
5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: _____
Started 8-12 19 90
Completed 8-13- 19 90
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6.5 Surface 501

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		top soil
2-20		caliche
20-49		blue clay
49-67		hard sand
67-176		blue clay
176-178		rock
178-196		blue clay
196-204		meally clay
204-225		blue clay
225-231		fine sand

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 375 ft. to 300 ft. No. of Sacks Used 10
20 ft. to 2 ft. No. of Sacks Used 2
Method used Thru drill pipe
Cemented by Raymond McPike

RECEIVED
AUG 29 1990
TEXAS WATER COMMISSION

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS:	Type	Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)
ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 6073-3 Located on map _____

231-321 blue clay
321-355 sand
355-430 blue clay
430-446 sand streaks
446-501 blue clay

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Riverside Water Corp ADDRESS PO Box 194 Riverside, TX 77367
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 1/2 miles in W direction from Riverside
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0160-11-5

3) TYPE OF WORK (Check):

- New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

- Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

- Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:
Started 8-16 1990
Completed 8-17 1990

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	601

7) BOREHOLE COMPLETION:

- Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2	top soil	
2-33	caliche	
33-75	blue clay	
75-76	rock	
76-141	blue clay	
141-156	sand	
156-206	blue clay	
206-261	meally clay w/sand str.	
261-274	blue clay	
274-286	sand w/lignite streaks	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
		NONE SET			

OVER (Use reverse side if necessary)

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Other _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 40 ft. to 0 ft. No. of Sacks Used 4
_____ ft. to _____ ft. No. of Sacks Used _____
Method used thru drill pipe
Cemented by Raymond McPike

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 60-13-3 Located on map _____

286-316 mealy clay
316-321 rock streaks
321-346 mealy clay w/sand
346-361 sand
361-381 sand w/ clay streaks
381-386 sand
386-455 blue clay
455-481 mealy clay w/ sand streaks
481-493 blue clay
493-506 mealy clay
506-601 blue clay

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Mr. Warren Mc Gabugin ADDRESS P.O. Box 373 Riverside TX 77367
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Walker 1001 Lake Rd. Riverside Tx 77367 STATE WELL # 60-13-3
County (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 7-11-1995
Completed 7-15-1995

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>190</u>
<u>3 7/8</u>	<u>190</u>	<u>302</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-1	211-214	Top Soil clay Blue
1-22	214-215	Rock lignite
22-24	215-227	Soft white clay Blue
24-38	227-232	Blue shale Sand
38-40	232-234	Blue clay Blue
40-70	234-238	white clay Sand
70-86	238-239	Blue clay Rock
86-90	239-252	Fine Sand Blue clay
90-98	252-283	Blue clay Blue clay
98-100	283-302	Sand Sand
100-124		Blue clay
124-143		Blue shale
143-157		Sand
157-185		Sandy shale/sand streaks
185-211		Sand

(Use reverse side if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	190	#40
2	N	PVC	190	283	#40
2	N	PVC Screen	283	302	#6

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 190 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 190 ft. to 90 ft. No. of sacks used 5
_____ ft. to _____ ft. No. of sacks used _____
Method used pressure
Cemented by Richard McKee
Distance to septic system field lines N/A ft.
Method of verification of above distance City Sewer

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 19'
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 57 ft. below land surface Date 7-11-95
Artesian flow _____ ppm. Date _____

12) PACKERS: Rubber Type K Depth 185
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print)

ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

~~Location on Deck~~

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us
WELL REPORT

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA

Name **Diamond Shamrock** Address **4840 Dacoma** City **Houston,** State **TX** Zip **77092**

2) WELL LOCATION MW12R

County **Walker** Physical Address **Hwy 19 @ FM 980** City **Riverside** State **Tx** Zip

3) Type of Work Lat. **30 51 03** Long. **95 24 16** Grid # **60 13 3**

New Well Deepening Reconditioning
4) Proposed Use (check) Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date Started 4/16/4 Completed 4/16/4
7) Drilling Method (check) Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft)	To (ft)	Description and color of formation material
0	20	dk gray sandy clay
20	27	no recovery
27	31	tan to lt brn sandy clay

Diameter of Hole		Setting (ft)		Gage Casing Screen
Dia. (in)	From (ft)	From	To	
2	0	0	6	riser
2	0	6	31	010

8) Borehole Completion Open Hole Straight Wall Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from 4 ft. to 31 ft.
Casing, Blank Pipe, and Well Screen Data

9) Cementing Data
Cementing from 0 ft. to 2 ft. # of sacks used 1
_____ ft. to _____ ft. # of sacks used _____
Method Used **pump & tremmie**
Cementing By **driller**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

14) Typepump Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water **fresh** Depth of Strata **10**
Was a chemical analysis made? Yes No

Company or Individual's Name (type or print) **Master Monitoring Services, Inc.** RECEIPT # _____ Lic. No. **7892**
Address **P.O. Box 800456** City **Houston** State **Tx** Zip **77280-0456**
Signature *Jerry [unclear]* Date **4/29/04** Signature _____ Date _____
Licensed Driller/Pump Installer _____ Apprentice _____

RECEIVED
TDLR MAIL ROOM BH
JUN 01 2004

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Buddy Adams ADDRESS Same
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: 2198 FM 980 Riverside TX
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-13-3
Long. _____ Lat. _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling: _____
Started 4-5 1900
Completed 4-7 1900

DIAMETER OF HOLE			
Dia. (in.)	From (ft.)	To (ft.)	
10"	Surface	10'	
6 3/4"	10'	170'	
3 7/8"	170'	188'	

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-4	Clay	126-134 shale
4-30	Sand	134-153 shale
30-34	Sandstone	153-168 Sand shale
34-47	shale	168-188 Sand
47-50	Rock	
50-84	shale	
84-90	shale	
90-101	lignite	
101-108	shale	
108-110	Rock	
110-123	shale	
123-126	Sand	

(Use reverse side of Well Owner's copy, if necessary)

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 80 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 29'
Was a chemical analysis made? Yes No

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	170'	#40
2	N	PVC	163'	168'	#40
2	N	PVC screen	168'	188'	#8

9) CEMENTING DATA
Cemented from 170 ft. to 70 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 6
Method used pressure
Cemented by Richard M. Ken
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance None

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) WATER LEVEL:
Static level 27 ft. below land surface Date 4-7-00
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 163


I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Wells WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print) (SEQ #)




ADDRESS P.O. Box 1788 Indigo Tx 75862
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard M. Ken (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



Scale: 1 inch = 1 mile
Vertical Datum: Mean Sea Level
Horizontal Datum: NAD 83



Legend:
- - - - - Dashed line
- - - - - Dotted line
- - - - - Dash-dot line
- - - - - Solid line