

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8000
Toll free (800) 803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name **David Desforges** Address **375 Wood Farm Rd** City **Huntsville** State **TX** Zip **77320**

2) WELL LOCATION

County **Walker 236** Physical Address **375 Wood Farm Rd** City **Huntsville** State **TX** Zip **77320**

3) Type of Work

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

Grid # **60-13-4**

6) Drilling Date

Started **5/15/02**
Completed **5/15/02**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	0	301

7) Drilling Method (check) Driven

Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	1	Bit.t.s
1	11	Br.cl
11	29	Clieche
29	47	Bl.cl
47	61	Shale
61	81	Shale & bl.cl
81	121	Bl.cl
121	127	Sd.st.
127	181	Bl.cl
181	201	Bl.cl w/ r.st.
201	241	Bl.cl
241	254	Sd.&sd.st.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____

If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
NO WATER BEARING SAND					

9) Cementing Data

Cementing from _____ ft. to _____ ft. # of sacks used _____
_____ ft. to _____ ft. # of sacks used _____

Method Used _____
Cementing By _____

Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged

Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used
		20	0	5
		20	301	18

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Steeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level _____ ft. below _____ Date _____
Artesian Flow _____ gpm. Date _____

12) Packers

NOV 22 2004 _____ Depth _____

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?

Type of water _____ Depth of Strata _____

Was a chemical analysis made? Yes No

Company or Individual's Name (type or print) **Holly Water Wells, LTD**


Address **2928 State Hwy 19** City **Huntsville** State **TX** Zip **77320**

Signature **Raymond McPh...** Date **1/1** Signature _____ Date _____
Licensed Driller/Pump Installer Apprentice

RECEIVED
TDLR MAIL ROOM CB

JUN 5 2002

RECEIVED
TCEQ - CENTRAL FILE ROOM
Lic. No. 3114W



Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name <i>Gregory Sinner</i>	Address <i>251 Frank Cloud</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77340</i>
-------------------------------	-----------------------------------	---------------------------	-----------------------	---------------------

2) WELL LOCATION

County <i>Walker 236</i>	Physical Address <i>251 Frank Cloud</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77340</i>
-----------------------------	--	---------------------------	-----------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # *60-13-4*

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) *NT*

6) Drilling Date

Started *8/13/01*
Completed *9/14/01*

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
<i>10"</i>	<i>0</i>	<i>10'</i>
<i>6 3/4</i>	<i>10'</i>	<i>404'</i>
<i>3 7/8</i>	<i>404'</i>	<i>432'</i>

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

<i>0-3</i>	<i>208-213</i>	<i>Top Soil Rock</i>
<i>3-34</i>	<i>213-360</i>	<i>Blue shale Blueclay</i>
<i>34-76</i>	<i>360-364</i>	<i>Blue shale Rock</i>
<i>76-79</i>	<i>364-383</i>	<i>Rock Blueclay</i>
<i>79-113</i>	<i>383-388</i>	<i>Blue shale Pyrite</i>
<i>113-117</i>	<i>388-397</i>	<i>Rock Blue shale</i>
<i>117-154</i>	<i>397-402</i>	<i>Sand Rock</i>
<i>154-157</i>	<i>402-432</i>	<i>Lignite Sand</i>
<i>157-190</i>		<i>Sand</i>
<i>190-208</i>		<i>Blueshale</i>

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New. Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>404</i>	<i>406</i>
<i>2</i>	<i>N</i>	<i>PVC</i>	<i>395</i>	<i>412</i>	<i>40</i>
<i>2</i>	<i>N</i>	<i>PVC</i>	<i>402</i>	<i>432</i>	<i>8</i>

9) Cementing Data

Cementing from *404'* ft. to *304'* ft. # of sacks used *5*
0 ft. to *10'* ft. # of sacks used *5*
Method Used *PRESSURE*
Cementing By *R. M. Kae*
Distance to septic system field or other concentrated contamination *4 1/2* ft.
Method of verification of above distance *No lines or tank*

13) Plugged Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., *160* ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: *60* gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water *good* Depth of Strata *30*
Was a chemical analysis made Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pileless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level *452* ft below Date *9/14/01*
Artesian Flow _____ gpm. Date _____

12) Packers

rubber Type *K* Depth *395*

Company or individual's Name (type or print)

GRAY'S WATERWELL Lic. No. *2011 WPK*
Address *PO Box 1788* City *TRINITY* State *TX.* Zip *75862*

Signature *Vernon Gray* Date *9/16/01* Signature *Richard M. Kae* Date *9/16/01*
Licensed Driller/Pump Installer Driller/Pump Installer Apprentice Driller/Pump Installer

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name <u>Jan Gustafson</u>	Address <u>216 Armadillo Ranch</u>	City <u>Huntsville</u>	State <u>Tx</u>	Zip <u>77340</u>
------------------------------	---------------------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION

County <u>Walker</u>	Physical Address <u>216 Armadillo Ranch</u>	City <u>Huntsville</u>	State <u>Tx</u>	Zip <u>77340</u>
-------------------------	--	---------------------------	--------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

Lat. _____	Long. _____	Grid # <u>60-13-4</u>	5) <u>N↑</u>
------------	-------------	-----------------------	--------------

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date

Started 2 / 9 / 01
Completed 2 / 13 / 01

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<u>10"</u>	<u>0</u>	<u>10'</u>
<u>6 3/4</u>	<u>10'</u>	<u>140'</u>
<u>3 7/8</u>	<u>140'</u>	<u>159'</u>

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

<u>0-2</u>	<u>127-129</u>	<u>Top Soil Rock</u>
<u>2-15</u>	<u>129-137</u>	<u>white clay Blue shale</u>
<u>15-19</u>	<u>137-159</u>	<u>white sand Sand</u>
<u>19-35</u>		<u>white clay</u>
<u>35-70</u>		<u>Tan clay</u>
<u>70-72</u>		<u>Rock</u>
<u>72-95</u>		<u>Blue shale</u>
<u>95-96</u>		<u>Rock</u>
<u>96-109</u>		<u>Blue clay</u>
<u>109-127</u>		<u>Blue clay</u>

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____

If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>140'</u>	<u>*40</u>
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>134'</u>	<u>139'</u>	<u>*40</u>
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>139'</u>	<u>159'</u>	<u>*8</u>

9) Cementing Data

Cementing from 140 ft. to 40 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 5

Method Used pressure
Cementing By Richard Thayer
Distance to septic system field or other concentrated contamination N/A ft.
Method of verification of above distance No lines or Tanks

13) Plugged

Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet etc., 120 ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate and strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water good Depth of Strata 23
Was a chemical analysis made Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level 57 ft. below Date 2 / 13 / 01
Artesian Flow _____ gpm. Date _____ / _____ / _____

12) Packers Rubber Type K SEQ # _____ Depth 134'

FILE ID	DESC CC
<u>JUN 04 2001</u>	

Company or individual's Name (type or print) <u>Gray's WATER Well</u>	City <u>TRINITY</u>	State <u>TX</u>	Zip <u>75862</u>
Address <u>PO BOX 1788</u>	Signature <u>Vernon Gray</u>	Date <u>2 / 13 / 01</u>	Signature <u>Richard Thayer</u>
	Licensed Driller/Pump Installer	Apprentice	Date <u>2 / 13 / 01</u>

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Elizabeth Chuoke ADDRESS PO BOX 94 Huntsville TX 77342
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 5 M. N of Hunts. On Hwy 19 Huntsville TX 77340 Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) GRID # _____

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-13-4
6) WELL LOG: Date Drilling: Started 10-27 19 98 10-28 19 98
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.50	Surface	90

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	4	Gumbo
4	42	Calichie
42	50	Wh.ci.
50	62	Sa.
62	63	Cl.
63	90	Sand

CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casino	-1.5	79	
2	N	PVC Screen	80	90	#10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 79 ft. No. of sacks used 7
ft. to _____ ft. No. of sacks used _____
Method used By pressure
Cemented by H.Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS: Type Test: Pump Bailor Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 27
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 338.44(2)(A)] Specified Steel Sleeve Installed [Rule 338.44(3)(A)] Pitless Adapter Used [Rule 338.44(3)(b)] Approved Alternative Procedure Used [Rule 338.71]
11) WATER LEVEL: Static Level 30 ft. below land surface Date _____
Artesian flow _____ gpm Date _____
12) PACKERS: Type _____ Depth _____
2- 2" Rubber Packers RxR 73' & 74'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 2221W

ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX 77340 (State) (Zip)

(Signed) Henry Lee (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

1) OWNER Clint McLaren (Name) ADDRESS Rt. 13 Box 2170 (Street or RFD) Huntsville Tx (City) 77340 (State) (Zip)

2) ADDRESS OF WELL:
County Walker Rt. 13 Box 2170 (Street, RFD or other) Huntsville Tx (City) 77340 (State) (Zip) GRID # 60-13-4
Percy Howard Rd.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:

Date Drilling:
Started 9-5- 1997
Completed 9-9 1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>10⁴</u>	Surface	<u>10'</u>
<u>6³/₄</u>	<u>10'</u>	<u>160'</u>
<u>3⁷/₈</u>	<u>160</u>	<u>183'</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-6</u>		<u>Sand</u>
<u>6-74</u>		<u>Clay</u>
<u>74-78</u>		<u>Rock</u>
<u>78-94</u>		<u>clay</u>
<u>94-97</u>		<u>Rock</u>
<u>97-107</u>		<u>shale</u>
<u>107-110</u>		<u>Rock</u>
<u>110-134</u>		<u>shale</u>
<u>134-136</u>		<u>Sand Rock</u>
<u>136-158</u>		<u>shale</u>
<u>158-162</u>		<u>Rock</u>
<u>162-183</u>		<u>Sand</u>

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>160'</u>	<u>+40</u>
<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>153'</u>	<u>163'</u>	<u>+40</u>
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>163'</u>	<u>183'</u>	<u>+20' 3/4</u>

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 123 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 160 ft. to 60 ft. No. of sacks used 5
60 ft. to 10 ft. No. of sacks used 9
Method used Pressure
Cemented by Richard McKee
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Tank or Lines

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 70 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 21'
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 57 ft. below land surface Date 9-9-97
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type R Depth 153'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME <u>Grays Water Well</u> (Type or print)	WELL DRILLER'S LICENSE NO. <u>2015EP3R 1998</u>
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)	COMMENT <u>TP</u> TEMP <u>75862</u> (City) (State) (Zip)
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)	(Signed) <u>Richard McKee</u> (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

1958
11 24 1958
1958

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

1) OWNER Jesse B. Ruby (Name) ADDRESS 865 Hwy 19 N (Street or RFD) Huntsville Tx (City) 77340 (State) (Zip)

2) ADDRESS OF WELL: County Walker 865 Hwy 19 N (Street, RFD or other) Huntsville Tx (City) 77340 (State) (Zip) GRID # 60-13-4
Wood Farm Rd.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

6) WELL LOG:
Date Drilling:
Started 9-3 1997
Completed 9-4 1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	150'
3 3/8	150'	167'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top Soil
2-18		clay
18-24		Sand
24-30		clay
30-33		Rock
33-61		clay
61-63		Sand
63-102		clay
102-104		Sand
104-137		clay
137-140		Sand
140-145		Rock
145-154		Rock
154-167		Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	150'	*40
2	N	PVC Blank	145'	147'	*40
2	N	PVC Screen	147'	167'	*16

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 150 ft. to 50 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 11
Method used pressure
Cemented by Richard Miller
Distance to septic system field lines or other concentrated contamination 181 ft.
Method of verification of above distance Tape

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 135 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 66 ft. below land surface Date 9-4-97
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 17'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 145'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK SEQ # _____
ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) SEP 30 1998 (State) 5862 (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Miller (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

#19 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Joe McEwin Address Rt. 3 Box 300 Navasota, TX 77868

2) LOCATION OF WELL: County Walker 8 miles in NE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Legal description: Section No. Block No. Township

See attached map. map on 60-05-1c

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 4-17-85. DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 311. 7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other.

Table with 8 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen. Rows include Top soil, Sand streaks, Sand, Blue clay, Brown clay, Rock, Sand streaks, Rock streaks, Sand streaks, Blue clay, Sand, Blue clay, Sand.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 285 ft. to 285 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used.

11) WATER LEVEL: Static level, Artesian flow.

RECEIVED AUG - 9 1985 JUN 10 1985

12) PACKERS: Type L, Depth 280

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? GOOD. Depth of strata 11 Ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated. Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX: 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-45 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#95 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Tomas Hendrix Jr. Address 3012 A Manor Lane, Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 5 miles in NE direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 12/4/85
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 188 ft. to 88 ft., 10 ft. to 0 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level 40 ft. below land surface Date 12-5-85 Artesian flow gpm. Date

12) PACKERS: Type Lead Depth 85

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 80 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 13 Was a chemical analysis made? No

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 20 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-4 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dorson Brown (Name) Address RT 11 Box 500 Huntsville (Street or RFD) 77340 (City) (State) (Zip)

2) LOCATION OF WELL: County Walker miles in _____ direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. 60-13-4

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 9-24-85

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>170</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
<u>0</u>	<u>20</u>	<u>Clay</u>					
<u>20</u>	<u>25</u>	<u>sand gravel</u>					
<u>25</u>	<u>64</u>	<u>Red clay</u>	<u>4"</u>	<u>N</u>	<u>slot head 2 1/2"</u>	<u>160-170</u>	<u>70</u>
<u>64</u>	<u>66</u>	<u>Rock</u>					
<u>66</u>	<u>120</u>	<u>clay</u>					
<u>120</u>	<u>142</u>	<u>sand and clay</u>					
<u>142</u>	<u>153</u>	<u>clay</u>					
<u>153</u>	<u>170</u>	<u>sand</u>					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 153 ft. to 100 ft.
10 ft. to 0 ft.
Method used plunged
Cemented by C.R. Hall

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 42 ft. below land surface Date 9-25-85
Artesian flow 21 gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 21 gpm with 42 ft. drawdown after 2 hrs.

RECEIVED
DEC 20 1985

TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Hall water well (Type or Print) Water Well Driller's License No. 1995
ADDRESS 12702 Flaxseed way (Street or RFD) Stafford, Texas (City) 77477 (State) (Zip)
(Signed) C.R. Hall (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-4 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jim Cobb (Name) Address RT 11 Box 502 Huntsville (Street or RFD) 77340 (City) (State) (Zip)
2) LOCATION OF WELL County Walker miles in _____ direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 9-26-85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 170
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To	Gage Casing Screen
0-20		Clay					
20-25		Sand Gravel					
25-64		Red Clay	4"		Slotted 2 1/2"	160-170	10
64-66		Rock					
66-120		Clay					
120-142		Sand and Clay					
142-153		Clay					
153-170		Sand					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 153 ft. to 100 ft.
10 ft. to 0 ft.
Method used Pumped
Cemented by CR Hall

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]


11) WATER LEVEL:
Static level 42 ft. below land surface Date 9-27-85
Artesian flow 21 gpm. Date 11

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 21 gpm with 42 ft. drawdown after 2 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No



I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HALL'S WATER WELL (Type or Print) Water Well Driller's License No. 1995
ADDRESS 12702 Flaxycreek way (Street or RFD) Stafford Texas (City) 77477 (State) (Zip)
(Signed) CR Hall (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-4 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



#5 WALKER

1 mi N/SL
1/2 mi W/EL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Castleberry (Name) Address P.O. Box 1439 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in ✓ direction from Huntsville (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 60-13-9

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 3/3 19 86 Completed 3/4 19 86
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 370

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-17		Caliche
17-62		White clay
62-73		White clay & sand streaks
73-101		Sand
101-122		White clay
122-133		Sand
133-152		White clay
152-169		Sand clay streaks
169-180		White clay
180-182		Sand
182-200		Sand & Rock streaks
200-202		White clay
202-211		White clay & Rock streaks
211-229		Sand
229-242		Meally clay
242-247		Sand
247-257		Meally clay
257-275		White clay
275-282		Sand
282-297		White clay
297-302		Sand
302-342		White clay
342-355		Sand
355-362		Sand & Rock streaks
362-370		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	342	40
2 1/2	N	Stainless steel	344	364	#6

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 342 ft. to 242 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 9
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 105 ft. below land surface Date 3-5-86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Lead 337

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 220 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 13
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-4 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#5 WALKER

1 mi N/S/L
1 mi W/E/L

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Castleberry Address P.O. Box 1439 Huntsville, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 5 miles in N direction from Huntsville
(Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 60-13-9

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other Ch. Loop
5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 2-24 1986
Completed 2-27 19____
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
5 Surface 202
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial Setting (ft.) From To Gage Casing Screen
0-2		Top soil	
2-17		Caliche	
17-22		White clay	
22-62		Hard white clay	
62-72		Sand & rock streaks	
72-100		Sand	
100-126		White clay	
126-156		Sand	
156-177		White clay	
177-182		Sand	
182-202		Sand & rock streaks	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 2 ft. to 14 ft. No. of Sacks Used 2
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Pressure
Cemented by Holly Water Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)


(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TWC use only Well No. 60-13-4 Located on map _____

11 NOLES

GEO THERMAL CLOSED
LOOPS

BACKFILLED
202-14



**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#14 Walker

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Holly Water Well Service Address Hwy 19 Huntsville Tx 77340
2) LOCATION OF WELL: County Walker 5 miles in NW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
See attached map. mapon 60-03-84

3) TYPE OF WORK (Check): New Well
4) PROPOSED USE (Check): Domestic
5) DRILLING METHOD (Check): Mud Rotary

6) WELL LOG: Date drilled 8/10/83
DIAMETER OF HOLE: Dia. (in.) 7, From (ft.) Surface, To (ft.) 174
7) BOREHOLE COMPLETION: Straight Wall

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Caliche, Meally clay, Rock, etc.

CEMENTING DATA: Cemented from 153 ft. to 53 ft. Method used Pressure. Cemented by Henry Lee.

9) WATER LEVEL: Static level, Artesian flow.

10) PACKERS: Rubber, R, 149

11) TYPE PUMP: Submersible

12) WELL TESTS: Jetted, Estimated

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? Good. Depth of strata 32 Ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS P.O. Box 638 Riverside TX 77367
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 60-13-45 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James H. Osterhaus Address 819 Woodcrest, Houston, TX 77018
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in NW direction from Huntsville
(N.E., S.W., etc.) (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 11/2/84
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 170
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2		Top soil						
2-20		Calichie						
20-22		Hard Rock	4	N	Plastic	-1 1/2	153	40
22-42		Brown calichie rock						
42-47		Sand streaks	2 1/2	N	PVC UNDERCUTT	154	164	#10
47-57		Meally clay						
57-72		Sand						
72-80		Brown clay						
80-85		Blue clay						
85-86		Rock						
86-92		Sand						
92-93		Rock						
93-102		Blue clay						
102-107		Sand streaks						
107-122		Brown clay						
122-130		blue clay						
130-142		Sand						
142-148		Sand streaks						
148-170		Sand						

CEMENTING DATA
Cemented from 153 ft. to 53 ft.
Method used Pressure
Cemented by Henry Lee
(Company or Individual)

9) WATER LEVEL:
Static level 74 ft. below land surface Date 11-5-84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Lead L 149

RECEIVED
DEC 18 1984

DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 22 Ft.
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
(Type or Print)
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Ralph A. Gowanlock (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only
Well No. 60-13-4R
Located on map Yes DLF

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

CONFIDENTIAL
CONFIDENTIAL
CONFIDENTIAL
CONFIDENTIAL
CONFIDENTIAL

#41 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Henry Roehen (Name) Address Rt. 11 Box 572 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in NE direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. 60-20-4P

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging []
4) PROPOSED USE (Check): Domestic [X] Industrial [] Public Supply [] Irrigation [] Test Well [] Other []
5) DRILLING METHOD (Check): Mud Rotary [X] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other []

6) WELL LOG: Date drilled 5/29/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 155
7) BOREHOLE COMPLETION: Straight Wall [X] Underreamed [] Gravel Packed [] Other []
If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Caliche, Sand, White clay, Blue and Brown clay, Brown clay, Sand, Brown clay, Sand streaks, Sand.

CEMENTING DATA
Cemented from 144 ft. to 44 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 20 ft. below land surface Date 5-30-84
Artesian flow gpm. Date

10) PACKERS: Type Rubber R Depth 129

RECEIVED JUL-6-1984

11) TYPE PUMP: Submersible [X] Turbine [] Jet [] Cylinder []
Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS: Yield: 25 gpm with 13 Ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No [X]
Type of water? good Depth of strata 13 Ft.
Was a chemical analysis made? No [X]

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) Keith A. Cornwall (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only Well No. 60-20-13-40 Located on map 40 MM

60-13-4P

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Eugene Redd Jr. Address Rt. 6 Box 668 Hantsville Texas NA
2) LOCATION OF WELL: County Walker 8 miles in N.E. direction from Hantsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled JAN-10-14-83
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Includes entries for Top Soil, Clay, Rock, Hard Shale, Sand, etc.

CEMENTING DATA: Cemented from NONE ft. to ft. Method used Cemented by

RECEIVED MAR 21 1983 DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 65 ft. below land surface Date 1-14-83 Artesian flow gpm. Date

10) PACKERS: Type Depth NONE

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 10 gpm with 30 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275 ADDRESS Rt # Box 1094 Hantsville Texas 77340 (Signed) Arthur L. Slott (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-4P Located on map YES

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#5 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-410 Located on map YES Received: C.F.S.

1) OWNER Jack T. Stephens Address 903 E. 27th. HOUSTON, Texas 77009
2) LOCATION OF WELL: County Walker 3 miles in WSW direction from Riverside

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-13-410

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Date drilled 1-5-82
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA Cemented from 239 ft. to 189 ft. Method used Pressure Cemented by Holly Water Well Service

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber R 235

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Type of water? good Depth of strata 12 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
FEB 4 1982
DEPT. OF
WATER RESOURCES

#16 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-4M Located on map YES Received: RLW

1) OWNER Trinity Baptist Church Address 4444 Vista Pasadena 77504
2) LOCATION OF WELL: County Walker 8 miles in NE direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-13-8B Dup

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 8-18-81 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 213
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-2 top soil, 2-25 caliche, 25-60 blue clay, 60-62 sand, 62-84 blue clay, 84-89 sand, 89-118 blue clay, 118-122 sandy blue clay, 122-141 blue clay, 141-142 rock, 142-163 blue clay, 163-173 sand and rock streaks, 173-183 blue clay, 183-193 rock, 193-211 sand, 211-213 clay.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 192 ft. to 142 ft. Method used Pressure Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level ... ft. below land surface Date ... Artesian flow ... gpm. Date ...

10) PACKERS: Type Depth Lead L 187

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ... ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 12 gpm with ... ft. drawdown after ... hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 18' Was a chemical analysis made? Yes No

RECEIVED AUG 17 1982 CR/TUWV.K

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP - 2 1981
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-4K
Located on map YES
Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MRS JEAN MARSH (Name) Address 6722 LINDY ANN HOUSTON TEXAS 77408 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 11 miles in 5 (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-22-7E

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 7-20-79
DIAMETER OF HOLE: Dia. (in.) 6 1/2 From (ft.) Surface To (ft.) 414
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	24	BROWN CLAY						
24	112	SANDY BLUE CLAY						
112	157	HARD ROCK						
157	161	SAND	4	N	PLASTIC	402	411	50H. 40
161	270	SANDY BLUE CLAY						
270	386	BLUE CLAY	2 1/2	N	STAINLESS STEEL	404	414	#10
386	396	SAND STKS						
396	414	SAND						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 402 ft. to 350 ft.
Method used PRESSURE
Cemented by F.A. HOLLY CO. (Company or Individual)

9) WATER LEVEL: Static level _____ ft. below land surface Date 7-20-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type LEAD Depth 397 FT

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 19
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME F.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Water Well Driller) F.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DEPT. OF
WATER RESOURCES
OCT 24 1979
RECEIVED

RECEIVED
MAR 19 '80
CR/IDWR

REC-111
AUG - 6 1979

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-4J
Located on map YES
Received: TH

1) OWNER Gary Gibbs (Name) Address Huntsville (Street or RFD) Tef (City) (State) (Zip)
2) LOCATION OF WELL County Walker 8 miles in N direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Mapon 60-18-8F

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled April 25/79
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 Surface #4 154
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	60	Shly						
60	105	Snd						
105	130	Snd	4	N	PVC	0	144	40
130	141	Shly	2 1/2	N	Stainless Steel	144	159	
141	165	Snd						
165		Cement Plug						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 144 ft. to upwards ft.
Method used Equalization
Cemented by Self (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Snook Snook Drilling Co Water Well Drillers Registration No. 1490
ADDRESS Box 761 (Street or RFD) IOWA (City) TEY (State) 77861 (Zip)
(Signed) Glen Snook (Water Well Driller) Snook Drilling Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.
*Additional instructions on reverse side.
TDWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 12 1980
CR/ED...R

SEP 19 1979

Texas Dept. of Water Resources

#15 WALKER

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-73 Located on map YES Received: C.K.S.

1) OWNER James R. Reed Address P.O. Box 1763 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 4 1/2 miles in SW direction from Riverside

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-12-82

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 11-19-80
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include soil, colechie, brown mealy clay, brown clay, sand (sulfur), blue clay, sand streaks, sand.

CEMENTING DATA: Cemented from 154 ft. to 54 ft. Method used Pressure. Cemented by Holly Water Well Service

RECEIVED: APR 15 1982
CR/TD...

9) WATER LEVEL: Static level 88 ft. below land surface Date 11-20-80
10) PACKERS: Rubber R&R 149

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 20 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 11 Ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

was Dept. of Water Resources

DEC - 8 1980

WATER

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only Well No. 60-13-44 Located on map yes Received: 75

1) OWNER: Person having well drilled Mr. Tom Brooks Address P.O. Box 52669 Houston, Tex 770052 Landowner same

2) LOCATION OF WELL: County Walker 8 miles in N direction from Huntsville

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 489 ft. Depth of completed well 489 ft. Date drilled 6-13-75 All measurements made from +1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-28 white clay, 28-64 sand, 64-86 blue clay, 86-96 fine sand, 96-182 white clay, 182-265 brown and white clay, 265-377 sandy blue clay, 377-459 hard sand rock, 459-489 sand (med.).

9) Casing: Type: Old New Steel Plastic Other Cemented from 300 ft. to 478 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 +1 478 sch 40 10) SCREEN: Type stainless steel Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 479 489 #6

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 75 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? good depth of strata 30

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801

ADDRESS P.O. Box 37 Riverside, Texas 77367

(Signed) E.A. Holly Co. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 30 1975
General Records
Texas Water Development Board

RECEIVED
JUN 17 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 60-13-46
Located on map 75-499
Received: 75-499
db

WATER WELL REPORT

1) OWNER:
Person having well drilled Glen Keys Address Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 7 1/2 miles in N direction from Huntsville
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc. or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

Handwritten sketch of Walker County showing landmarks and creeks. Includes 'Huntsville' and 'Hilmon Creek'. A north arrow points up.

(Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 117 ft. Depth of completed well 117 ft. Date drilled 5-22-75
All measurements made from #1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	white clay
22	81	hard white clay
81	91	brown sand
91	95	hard clay
95	117	sand

9) CASING:
Type: Old New Steel Plastic Other
Cemented from _____ ft. to 106 ft.
Diameter (inches) 4" Setting From (ft.) +1 To (ft.) 106 Gage sch. 40

10) SCREEN: stainless steel
Type _____
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 117 To (ft.) 106 Slot Size #10

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 23 ft. below land surface Date 5-22-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 97 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? good depth of strata 17

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS P.O. Box 37 Riverside, Texas 77367
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAY 30 1975

RECEIVED
JUL 30 1975
General Counsel
Texas Water Development Board

original copy by
mailed to the
Water Development Board
3087
78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-4F
Located on map yes
Received: 74
dl

1) OWNER:
Person having well drilled Johnny Roe Address Rt. 3 Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
county Walker, _____ miles in N direction from Huntsville
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 82 ft. Depth of completed well 82 ft. Date drilled 8-22-74
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	1	top soil
1	7	white clay
7	17	hard sand rock
17	47	white clay
47	76	brown sand
76	82	blue clay

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 0 ft. to 66 ft.
Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 66 Gage _____

10) SCREEN:
Type stainless steel
Perforated _____ Slotted _____
Diameter (inches) 2 1/2 Setting From (ft.) 66 To (ft.) 76 Slot Size #8

7) COMPLETION (Check):
 Straight well Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 18 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 60 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? good depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 Riverside, Texas 77340
(Street or RFD) (City) (State)
(Signed) Dale Holly E.A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

SEP 4 1974

RECEIVED

RECEIVED

APR 3 1976

Central Records

Texas Water Development Board

Dup


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-13-4F Located on map 425 Received: 9/8

1) OWNER: Person having well drilled JOE LEE Address RT 3 Box 175 HUNTSVILLE, TEXAS Landowner SAME Address

2) LOCATION OF WELL: County WALKER, 5 miles in S direction from RIVERSIDE



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well, Reconditioning, Deepening, Plugging, 4) PROPOSED USE (Check): Domestic, Irrigation, Industrial, Test Well, Municipal, Other, 5) TYPE OF WELL (Check): Rotary, Cable, Driven, Jettied, Dug, Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 257 ft. Depth of completed well 257 ft. Date drilled 10-18-77

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-82 BROWN CLAY, 82-100 BLUE CLAY, 100-102 SAND, 102-182 BLUE CLAY, 182-185 SAND, 185-247 BLUE CLAY, 247-257 SAND.

9) Casing: Type: Old, New, Steel, Plastic, Other. Cemented from 247 ft. to 200 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage. 4 247 71 SCH 40. 10) SCREEN: Type STAINLESS STEEL. Perforated, Slotted. Diameter (inches) Setting From (ft.) To (ft.) Slot Size. 2 1/2 247 257 #10.

7) COMPLETION (Check): Straight wall, Under reamed, Gravel packed, Open Hole, Other.

8) WATER LEVEL: Static level 70 ft. below land surface Date 10-24-77. Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No. Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm. Temperature of water.

12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? GOOD depth of strata 10 FT.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 77 RIVERSIDE TEXAS 77367 (Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 31 1977
DEPT. OF
WATER RESOURCES

RECEIVED
JAN 30 1978

Central Records
Texas Dept. of Water Resources


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-13-4E Located on map Received: 74 yes db

1) OWNER: Person having well drilled Robert Hollis Address Rt 3 B175-1 Huntsville Tex Landowner Address

2) LOCATION OF WELL: County Walker, 7 miles in N direction from Huntsville



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 196 ft. Depth of completed well 196 ft. Date drilled 2-8-74 All measurements made from ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-95 Clay, 95-100 Rock, 100-124 Clay, 124-135 Silty sand, 135-145 Clay, 145-152 Sand, 152-165 Clay, 165-184 Sand & Clay, 184-196 Water sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 10) SCREEN: Type S. Steel Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 186 196 8

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 20 gpm with 111 ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 74 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 168 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? H1 Ph depth of strata 12

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L. M. Patterson Water Well Drillers Registration No. 182 ADDRESS 109 N Magnolia Conroe Tex (Signed) L. M. Patterson Pattersons Water Wells

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
DEC 16 1974
General Records
Texas Water Development Board

[Faint, illegible handwritten notes and stamps]

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-13-40
Located on map Yes
Received: 73
dlr

1) OWNER:
Person having well drilled MA. R.E. MORRIS Address Rt 3 Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER 8 miles in NE direction from Huntsville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



OR Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 81 ft. Depth of completed well 81 ft. Date drilled 10/1/73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-2		SURFACE SOIL
2-30		Hd White SHALE
30-60		SANDY CLAY
60-81		SAND

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 1-69 ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	+1	69	SCH 40

10) SCREEN:
Type Stainless Steel
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 70 To (ft.) 80 Slot Size # 8

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 30 ft. below land surface Date 10/10/73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 60 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata 20

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. Holly Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE, TEXAS
(Street or RFD) (City) (State)
(Signed) Dale Holly E. A. Holly
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

NOV 26 1973

RECEIVED

RECEIVED
MAR 15 1974
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-4C
Located on map yes
Received: 73 yes
dlr

1) OWNER:
Person having well drilled Mrs Cole Address Huntsville Texas
(Name) (Street or RFD) (City) (State)
Landowner Same as above Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 6 miles in N.E. direction from Huntsville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
4
See Enclosed map
(Use reverse side if necessary)
North ↑

or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4½ in. Depth drilled 202 ft. Depth of completed well 201 ft. Date drilled 12/2/72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Other <input type="checkbox"/>
0	6	Sur. Sd.	Cemented from <u>0</u> ft. to <u>12</u> ft.
6	56	Gray Clay	Diameter (inches) <u>2"</u> Setting From (ft.) <u>0</u> To (ft.) <u>196</u> Gage <u>Sch 40</u>
56	80	Gray Sand W/St. Sd. Stone	
80	134	Sandy Gray Clay	
134	137	sand Stone	
137	177	Gray Clay	10) SCREEN: Type <u>Stainless Steel</u>
177	185	Gray Sand (fine)	Perforated <input checked="" type="checkbox"/> Wrapped <input type="checkbox"/> Slotted <input type="checkbox"/>
185	191	Gr. Cly.	Diameter (inches) <u>2"</u> Setting From (ft.) <u>196</u> To (ft.) <u>201</u> Slot Size <u>.010</u>
191	201	Gray Sand	
201	202	Gray Clay	

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

8) WATER LEVEL:
Static level 130 ft. below land surface Date 12/2/72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata 10'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.B. Waldroff, Jr. Water Well Drillers Registration No. 1456
(Type or Print)

ADDRESS RT. 4 Box 549 Conroe texas
(Street or RFD) (City) (State)

(Signed) [Signature] B. & J. Water Well Serv.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 20 1973
Control Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

DEC 15 1972

RECEIVED


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-4B
Located on map YPS
Received: 73
dlr

1) OWNER:
Person having well drilled MR DOUG LOWERY (Name) Address HY. 19 N. 8 MI. HUNTSVILLE, TEXAS (Street or RFD) (City) (State)
Landowner SAME (Name) Address 1614 13TH ST HUNTSVILLE TEXAS (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 8 miles in N.E. direction from HUNTSVILLE TEX. (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{2}$ NE $\frac{1}{2}$ SW $\frac{1}{2}$ SE $\frac{1}{2}$) of Section _____
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 $\frac{1}{2}$ in. Depth drilled 102 ft. Depth of completed well 102 ft. Date drilled 10-25-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
0	27	WHITE SHALE	Cemented from <u>92</u> ft. to <u>50</u> ft.
27	87	BLUE CLAY	Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
87	102	SAND	<u>4</u> <u>92</u> <u>+1</u> <u>SCH 40</u>

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

8) WATER LEVEL:
Static level 40 ft. below land surface Date 10-25-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 15 FT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 RIVERSIDE TEXAS (Street or RFD) (City) (State)
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 25 1973
Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

NOV - 9 1972

RECEIVED


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-13-4A
Located on map Y-8
Received: 69 Y-8
Form GW 8
Form GW 9

1) OWNER: Person having well drilled Bobby Josey Address Rt 4 Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)
miles in 7 N direction from Huntsville
(NE, SW, etc.) (Town)



3) TYPE OF WORK (Check):
New Well Deepening:
Reconditioning Plugging
4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other
5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 in. Depth drilled 119 ft. Depth of completed well 119 ft. Date drilled 4-1-69
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	Clay and Sand
26	34	Sand
34	70	Sand Rock
70	87	White Clay
87	101	Blue Clay
101	119	Sand with some Shale

From (ft.)	To (ft.)	Description and color of formation material

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open hole

8) WATER LEVEL: 48 ft. below land surface Date 4-1-69
Static level _____
Artesian pressure _____ lbs. per square inch Date _____

9) CASING: Type: old New Steel Plastic Other
Cemented from 105 ft. to 20 ft.

10) SCREEN: Bar-Weld Stainless Steel
Type _____
Perforated Slotted

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	X-1	105	8 $\frac{1}{2}$

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
2 $\frac{1}{2}$	105	119	10

11) WELL TESTS:
Was a pump test made? Yes No If yes by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? good depth of strata _____

12) PUMP DATA:
Manufacturer's Name Ruth-Berry
Type Submersible H.P. _____
Designed pumping rate 900 gpm gph
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 95 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E.A. Holly Co. Water Well Drillers Registration No. 801
(Type or Print)
Address Box 37 Riverside Texas
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

8

DEPARTMENT OF
MAY 2 1969

Central records
Texas Water Development Board

101	101	101	101	101	101
101	101	101	101	101	101
101	101	101	101	101	101
101	101	101	101	101	101
101	101	101	101	101	101
101	101	101	101	101	101
101	101	101	101	101	101
101	101	101	101	101	101
101	101	101	101	101	101
101	101	101	101	101	101

RECEIVED
MAY 19 1969
TEXAS WATER
DEVELOPMENT BOARD

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-13-4A
Located on map yes
Received: 7-5-75
dlb

1) OWNER: Person having well drilled Gary ~~Copius~~ Copus Address Rt. 3 Huntsville, Texas
(Name) (Street or RFD) (City) (State)

Landowner same Address _____ (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 7 1/2 miles in NE direction from Huntsville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North
↑

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning	4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation	5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable	<input type="checkbox"/> Deepening <input type="checkbox"/> Plugging <input type="checkbox"/> Industrial <input type="checkbox"/> Test Well <input type="checkbox"/> Municipal <input type="checkbox"/> Other <input type="checkbox"/> Driven <input type="checkbox"/> Jetted <input type="checkbox"/> Dug <input type="checkbox"/> Bored
---	---	--	--

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 234 ft. Depth of completed well 234 ft. Date drilled 11-8-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: <input checked="" type="checkbox"/> Old <input checked="" type="checkbox"/> New <input type="checkbox"/> Steel <input type="checkbox"/> Plastic <input type="checkbox"/> Other
0	19	clay	Cemented from <u>150</u> ft. to <u>218</u> ft.
19	54	sand	Diameter (inches) <u>4</u> Setting From (ft.) <u>+1</u> To (ft.) <u>218</u> Gage <u>sch 40</u>
54	60	hard clay	
60	65	sand	
65	96	blue clay	
96	102	sand	
102	120	blue clay	10) SCREEN: <u>stainless steel</u>
120	132	sand	Perforated <input type="checkbox"/> Slotted <input checked="" type="checkbox"/>
132	218	blue clay	Diameter (inches) <u>2 1/2</u> Setting From (ft.) <u>218</u> To (ft.) <u>234</u> Slot Size <u>#6</u>
218	234	sand	

7) COMPLETION (Check): Straight well Gravel packed Other
 Under reamed Open Hole

8) WATER LEVEL: Static level 48 ft. below land surface Date 11-8-
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 220 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? good depth of strata 16

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801
(Type or Print)

ADDRESS P.O. Box 37 Riverside, Texas 77367
(Street or RFD) (City) (State)

(Signed) Dale Holly E.A. Holly Co
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
COMMISSIONER'S
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
NOV 25 1974