

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																									
1) OWNER <u>Jesse Sherling</u> (Name) ADDRESS <u>P.O. Box 1125 New Wauvey 77350</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: <u>Water 236 Gandy Lane Rd</u> (Street or RFD) (City) (State) (Zip) GRID # <u>60-13-B</u>																																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																									
6) WELL LOG: Date Drilling: Started <u>3-26 2002</u> Completed <u>3-28 2002</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:35%;">From (ft.)</th> <th style="width:35%;">To (ft.)</th> </tr> <tr> <td>10</td> <td>Surface</td> <td>10</td> </tr> <tr> <td>6 3/4</td> <td>10</td> <td>142</td> </tr> <tr> <td>3 7/8</td> <td>142</td> <td>160</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	10	Surface	10	6 3/4	10	142	3 7/8	142	160	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																													
Dia. (in.)	From (ft.)	To (ft.)																																											
10	Surface	10																																											
6 3/4	10	142																																											
3 7/8	142	160																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0-1</td><td></td><td>Top Soil</td></tr> <tr><td>1-4</td><td></td><td>Brown Sand</td></tr> <tr><td>4-14</td><td></td><td>Limestone</td></tr> <tr><td>14-30</td><td></td><td>white clay</td></tr> <tr><td>30-33</td><td></td><td>Rock</td></tr> <tr><td>33-50</td><td></td><td>white clay</td></tr> <tr><td>50-56</td><td></td><td>white Sand</td></tr> <tr><td>56-88</td><td></td><td>Blue shale</td></tr> <tr><td>88-90</td><td></td><td>Rock</td></tr> <tr><td>90-130</td><td></td><td>Blue shale</td></tr> <tr><td>130-142</td><td></td><td>Blue shale</td></tr> <tr><td>142-144</td><td></td><td>Rock</td></tr> <tr><td>144-160</td><td></td><td>Sand</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0-1		Top Soil	1-4		Brown Sand	4-14		Limestone	14-30		white clay	30-33		Rock	33-50		white clay	50-56		white Sand	56-88		Blue shale	88-90		Rock	90-130		Blue shale	130-142		Blue shale	142-144		Rock	144-160		Sand	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																											
0-1		Top Soil																																											
1-4		Brown Sand																																											
4-14		Limestone																																											
14-30		white clay																																											
30-33		Rock																																											
33-50		white clay																																											
50-56		white Sand																																											
56-88		Blue shale																																											
88-90		Rock																																											
90-130		Blue shale																																											
130-142		Blue shale																																											
142-144		Rock																																											
144-160		Sand																																											
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																											
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>PVC</td> <td>0</td> <td>142</td> <td>#40</td> </tr> <tr> <td>2</td> <td>N</td> <td>PVC</td> <td>136</td> <td>140</td> <td>#40</td> </tr> <tr> <td>2</td> <td>N</td> <td>PVC Screen</td> <td>140</td> <td>160</td> <td>#8</td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC	0	142	#40	2	N	PVC	136	140	#40	2	N	PVC Screen	140	160	#8														
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																								
			From	To																																									
4	N	PVC	0	142	#40																																								
2	N	PVC	136	140	#40																																								
2	N	PVC Screen	140	160	#8																																								
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0 142</u> ft. to <u>0</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>8</u> Method used <u>Pressure</u> Cemented by <u>R. McKee</u> Distance to septic system field lines <u>N/A</u> ft. Method of verification of above distance <u>None</u>																																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		10) SURFACE COMPLETION: <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] SH <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71] RECEIVED TOLR MAIL ROOM MAY 31 2002																																											
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>30</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>54</u> ft. below land surface Date <u>3-28-02</u> Artesian flow _____ gpm Date _____																																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>16'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <u>Rubber</u> Type <u>K</u> Depth <u>136'</u> NOV 22 2004																																											
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																													
COMPANY NAME <u>Gray's Water Well Service</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>																																											
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)		<u>Trinity</u> TX <u>75862</u> (City) (State) (Zip)																																											
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard McKee</u> (Registered Driller Trainee)																																											

Please attach electric log, chemical analysis, and other pertinent information, if available.

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us
WELL REPORT

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA

Name Dr. Karimjee	Address 14511 Liscomb Dr.	City Houston	State TX	Zip 77084
-----------------------------	-------------------------------------	------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker	Physical Address Roy Webb	City Dodge	State TX	Zip 77334
-------------------------	-------------------------------------	----------------------	--------------------	---------------------

3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning	4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No	5) ↑
	Lat. Long. Grid # 60-13-8	

6) Drilling Date Started 12/14/00 Completed 2/5/01	Diameter of Hole			7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____
	Dia. (in) From (ft) To (ft) 6.75 -1.5 390			

8) Borehole Completion <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from _____ ft. to _____ ft.

From (ft)	To (ft)	Description and color of formation material	Casing, Blank Pipe, and Well Screen Data	
			Dia. (in.)	Setting (ft) From To
0	2	Top bit soil		
2	3	Sa.		
3	12	Wh.cl.		
12	22	Sa.st		
22	37	Sa. & r.st.		
37	42	Br.cl.	4	N PVC Casing -1.5 365
42	62	Wh&br.cl.	2.5	N SST Screen 370 390 #10
62	89	Wh.cl.		
89	92	Bl.		
92	96	Sa.		
96	102	Bl.		
102	122	Bl.&br.cl.		

(Use reverse side of Well Owner's copy, If necessary)

9) Cementing Data Cementing from -1.5 ft. to 10 ft. # of sacks used 2 215 ft. to 365 ft. # of sacks used 7 Method Used Pressure Cementing By H.Lee Distance to septic system field or other concentrated contamination _____ ft. Method of verification of above distance _____
--

13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/Bentonite placed in well: _____ <table border="1"> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	From (ft)	To (ft)	From (ft)	To (ft)	Sacks used						10) Surface Completion <input type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Surface Sleeve Installed <input checked="" type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used 11) Water Level Static level 100 ft. below _____ Date / / Artesian Flow _____ gpm. Date / /
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used							

14) Typepump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., 200 ft.	12) Packers Type Depth 2 - 2.5" Rubber Packers RxR 347' & 348
--	--

15) Water Test Typetest <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: 20 gpm with _____ ft. drawdown after _____ hrs.	16) Water Quality Did you knowingly penetrate any strata which contain undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER? Type of water Good Depth of Strata 28 Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---	---

Company or Individual's Name (type or print) Holly Water Wells, Inc.		Lic. No. 2221W	
Address 2928 SH 19		City Huntsville	
State TX		Zip 77320	
Signature <i>[Signature]</i> Licensed Driller/Pump Installer	Date / /	Signature _____ Apprentice	Date / /


**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
122	142	Bl.
142	162	Bl. & r.st.
162	184	Bl.
184	192	Sa.
192	194	Bl.
194	202	Sa.
202	206	cl.
206	216	Sa.st.
216	232	Bl.
232	242	Sa.st.
242	297	Bl.
297	322	Bl. & r.st.
322	342	Bl.
342	362	Sa.st.
362	390	Sand



ATTENTION OWNER: Confidentiality
 Privilege Notice on reverse side
 of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
 Regulation
 P.O. Box 12157
 Austin, TX 78711
 512-463-7880

1) OWNER Bob New Bauer ADDRESS P.O. Box 346 Dodge, Texas 77334
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: 291 Townley Ranch Rd. Dodge Tx Long. Lat.
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-13-8

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:

	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
Date Drilling: Started <u>7-18-1900</u> Completed <u>7-20-1900</u>	10"	Surface	10'
	6 3/4"	10'	182'
	3 7/8"	182'	196'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-3	124-131	clay shale
3-19	131-136	shale Sandstone
19-21	136-144	Rock shale
21-42	144-147	shale Rock
42-46	147-157	sand shale
46-65	157-160	shale Sand
65-68	160-179	Rock shale
68-79	179-181	shale Sandy
79-80	181-196	Rock Sand
80-86		Sand
86-109		shale
109-124		Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	CASE	0	182'	40
2	N	SCREEN	176'	196'	6

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
 Cemented from 182 ft. to 82 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 7

Method used pressure
 Cemented by Richard McKee

Distance to septic system field lines or other concentrated contamination N/A ft.
 Method of verification of above distance None

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 160 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 70 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
 Static level 87 ft. below land surface Date 7-20-00
 Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 15
 Was a chemical analysis made? Yes No


12) PACKERS: Rubber Type K Depth 176'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Service WELL DRILLER'S LICENSE NO. 1462011-WPK
(Type or print)

ADDRESS P.O. Box 1788 Trinity Texas 75862
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Signed) Richard McKee
(Licensed Well Driller) (Registered Driller Trainee)



Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Bruce Williams (Name) ADDRESS Same (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: 77320 Long. Lat.
County Walker 34 Whispering Pine Huntsville TX (Street, RFD or other) (City) (State) (Zip) Grid # 60-13-B

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

(4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:

Date Drilling: _____
Started 12-06 1999
Completed 12-10 1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	305'
3 7/8"	305'	334'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-2	Top Soil	130-158 shale
2-7	clay	158-180 shale
7-12	clay	180-197 shale
12-30	Sand	197-198 Rock
30-36	clay	198-228 shale
36-48	Sand	228-247 shale
48-72	clay	247-282 shale
72-78	Sand	282-300 shale
78-94	clay	300-310 shale
94-98	Lignite	310-311 Rock
98-129	clay	311-334 Sand
129-130	Rock	

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Well
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	305'	#40
2	N	PVC	300'	314'	#40
2	N	PVC Screen	314'	334'	#8

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
Cemented from 305' ft. to 305' ft. No. of sacks used 5
0 ft. to 10' ft. No. of sacks used 6
Method used pressure
Cemented by Richard Mikee
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Tanks or Lines

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailor Jetted Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 147' ft. below land surface Date 12-10-99
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 34'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 300'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS P.O. Box 1788 (Street or RFD) Trinity TX 75862 (City) (State) (Zip)
(Signed) Vernon Gray (Licensed Well Driller) JUN 05 2000 (Signed) Richard Mikee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER John Sanders (Name) ADDRESS 227 Highlands Dr Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: County Walker 227 Highlands Dr Huntsville Tx 77340 Long. _____ Lat. _____
(Street/RFD or other) (City) (State) (Zip) Grid # 60-13-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
(4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling: _____
Started 12-9 1998
Completed 12-15 1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	243'

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-6	117-121	Top Soil Sand
6-12	121-142	clay
12-18	142-163	Sand clay
18-26	163-165	clay Rock
26-29	165-183	Rock clay
29-34	183-190	Sand clay
34-36	190-191	Rock
36-61	191-219	clay shale
61-84	219-236	clay Sand
84-96	236-243	clay Sand
96-98		Sand
98-117		clay

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4 1/2	N	PVC	0	220'	#40
2	N	PVC Blank	203'	223'	#40
2	N	PVC Screen	223'	243'	#8

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
Cemented from 220' ft. to 240' ft. No. of sacks used 10
0 ft. to 10 ft. No. of sacks used 22
Method used Pressure
Cemented by Richard Mikee
Distance to septic system field lines or other concentrated contamination 84 ft.
Method of verification of above distance Tape

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 48 ft. below land surface Date 12-15-98
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 16'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 203'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for correction and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print) (Type or print)
ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray JUN 0 5 2000 Richard Mikee
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality <i>Privilege Notice on Reverse Side</i>		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																																	
1) OWNER <u>David Neugent</u> (Name) ADDRESS <u>83 Hilltop Lane Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip)																																																					
2) ADDRESS OF WELL: County <u>Walker</u> <u>3 M. NE of Huntsville off Hwy 19 on Hilltop Rd.</u> (Street, RFD or other) (City) (State) (Zip)																																																					
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>60-13-8</u> + ↑																																																	
6) WELL LOG: Date Drilling: Started <u>9-21</u> 19 <u>98</u> Completed <u>9-22</u> 19 <u>98</u>		DIAMETER OF HOLE		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																																	
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:20%;">Dia. (in.)</th> <th style="width:20%;">From (ft.)</th> <th style="width:20%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">6.5</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">275</td> </tr> </table>	Dia. (in.)			From (ft.)	To (ft.)	6.5	Surface	275																																											
Dia. (in.)	From (ft.)	To (ft.)																																																			
6.5	Surface	275																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>1</td><td>t.s.</td></tr> <tr><td>1</td><td>6</td><td>br.cl.</td></tr> <tr><td>6</td><td>18</td><td>sd.</td></tr> <tr><td>18</td><td>21</td><td>br.cl.</td></tr> <tr><td>21</td><td>49</td><td>sd.</td></tr> <tr><td>49</td><td>59</td><td>w.cl.</td></tr> <tr><td>59</td><td>81</td><td>bl.cl.</td></tr> <tr><td>81</td><td>101</td><td>bl. & w.cl.</td></tr> <tr><td>101</td><td>178</td><td>w.cl.</td></tr> <tr><td>178</td><td>181</td><td>sd.st.</td></tr> <tr><td>181</td><td>193</td><td>w.cl.</td></tr> <tr><td>193</td><td>201</td><td>sd.st.</td></tr> <tr><td>201</td><td>214</td><td>w.cl.</td></tr> <tr><td>214</td><td>218</td><td>sd.</td></tr> <tr><td>218</td><td>221</td><td>cl.</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">(Use reverse side if necessary)</p>		From (ft.)	To (ft.)	Description and color of formation material	0	1	t.s.	1	6	br.cl.	6	18	sd.	18	21	br.cl.	21	49	sd.	49	59	w.cl.	59	81	bl.cl.	81	101	bl. & w.cl.	101	178	w.cl.	178	181	sd.st.	181	193	w.cl.	193	201	sd.st.	201	214	w.cl.	214	218	sd.	218	221	cl.	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
		From (ft.)	To (ft.)	Description and color of formation material																																																	
		0	1	t.s.																																																	
		1	6	br.cl.																																																	
		6	18	sd.																																																	
		18	21	br.cl.																																																	
		21	49	sd.																																																	
		49	59	w.cl.																																																	
		59	81	bl.cl.																																																	
		81	101	bl. & w.cl.																																																	
		101	178	w.cl.																																																	
		178	181	sd.st.																																																	
		181	193	w.cl.																																																	
		193	201	sd.st.																																																	
201	214	w.cl.																																																			
214	218	sd.																																																			
218	221	cl.																																																			
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																			
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th style="width:10%;">From</th> <th style="width:10%;">To</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">N</td> <td>PVC Casing</td> <td style="text-align: center;">-1.5</td> <td style="text-align: center;">250</td> <td></td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td>Undercut screen</td> <td style="text-align: center;">265</td> <td style="text-align: center;">275</td> <td style="text-align: center;">#10</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td>Undercut screen</td> <td style="text-align: center;">250</td> <td style="text-align: center;">260</td> <td style="text-align: center;">#8</td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	250		2	N	Undercut screen	265	275	#10	2	N	Undercut screen	250	260	#8																						
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																
			From	To																																																	
4	N	PVC Casing	-1.5	250																																																	
2	N	Undercut screen	265	275	#10																																																
2	N	Undercut screen	250	260	#8																																																
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> <u>100</u> ft. to <u>250</u> ft. No. of sacks used <u>7</u> Method used <u>by pressure</u> Cemented by <u>R. McPike</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance _____																																																			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>160</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>20</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>8.0</u> ft. below land surface Date _____ Artesian flow _____ gpm. Date _____																																																			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>16</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">Type</th> <th style="width:40%;">Depth</th> </tr> </thead> <tbody> <tr> <td><u>K Packer</u></td> <td style="text-align: center;"><u>RxR</u> <u>245</u></td> </tr> </tbody> </table>				Type	Depth	<u>K Packer</u>	<u>RxR</u> <u>245</u>																																												
Type	Depth																																																				
<u>K Packer</u>	<u>RxR</u> <u>245</u>																																																				
		FILE ID _____ SEQ # _____																																																			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.		COMPANY NAME <u>Holly Water Wells</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>3114</u>		OCT 16 1998																																																	
		ADDRESS <u>2928 SH 19</u> (Street or RFD) <u>Huntsville Tx 77340</u> (City) (State) (Zip)		COMMENT _____ TEMP _____																																																	
(Signed) <u>Raymond McPike</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																			

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality <i>Privilege Notice on Reverse Side</i>		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																												
1) OWNER <u>Ann Labennel</u> (Name) ADDRESS <u>RT12 Box 778C Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>RT12 Box 778C Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip) STATE WELL # <u>60138</u>																														
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																												
6) WELL LOG: Date Drilling: Started <u>4-1-1997</u> Completed <u>4-2-1997</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>95</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>95</u></td> <td><u>103</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>95</u>	<u>3 7/8</u>	<u>95</u>	<u>103</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																			
Dia. (in.)	From (ft.)	To (ft.)																														
<u>6 3/4</u>	Surface	<u>95</u>																														
<u>3 7/8</u>	<u>95</u>	<u>103</u>																														
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td></td><td></td><td><u>0-20 clay</u></td></tr> <tr><td></td><td></td><td><u>21-40 clay</u></td></tr> <tr><td></td><td></td><td><u>40-61 clay</u></td></tr> <tr><td></td><td></td><td><u>61-68 Sand</u></td></tr> <tr><td></td><td></td><td><u>68-80 clay</u></td></tr> <tr><td></td><td></td><td><u>80-86 Sand</u></td></tr> <tr><td></td><td></td><td><u>86-87 Rock</u></td></tr> <tr><td></td><td></td><td><u>87-103 Sand</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material			<u>0-20 clay</u>			<u>21-40 clay</u>			<u>40-61 clay</u>			<u>61-68 Sand</u>			<u>68-80 clay</u>			<u>80-86 Sand</u>			<u>86-87 Rock</u>			<u>87-103 Sand</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																														
		<u>0-20 clay</u>																														
		<u>21-40 clay</u>																														
		<u>40-61 clay</u>																														
		<u>61-68 Sand</u>																														
		<u>68-80 clay</u>																														
		<u>80-86 Sand</u>																														
		<u>86-87 Rock</u>																														
		<u>87-103 Sand</u>																														
(Use reverse side if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>95</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>95</u></td> <td><u>103</u></td> <td><u>10</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>95</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>95</u>	<u>103</u>	<u>10</u>							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																											
			From	To																												
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>95</u>	<u>40</u>																											
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>95</u>	<u>103</u>	<u>10</u>																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>80</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>95</u> ft. to <u>0</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>5</u> Method used <u>PRESSURE</u> Cemented by <u>Richard Mikee</u> Distance to septic system field lines <u>N/A</u> ft. Method of verification of above distance <u>NO LINES OR TANKS</u>																														
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>35</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <u>5 1998</u> <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(8)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																														
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>16</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>30</u> ft. below land surface Date <u>4-2-97</u> Artesian flow _____																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.		12) PACKERS: <u>Rubber</u> Type <u>K</u> Depth <u>88'</u> Date <u>SEP 05 1997</u>																														
COMPANY NAME <u>Grays Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>		ADDRESS <u>P.O. Box 1788 Trinity Tx 75862</u> (Street or RFD) (City) (State) (Zip)																														
(Signed) _____ (Licensed Well Driller)		(Signed) <u>Richard Mikee</u> (Registered Driller Trainee)																														

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Cody Barron ADDRESS PO Box 2063 SHSU Huntsville, Tx 77341
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Chandler Rd Huntsville STATE WELL # _____
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-13-8

6) WELL LOG:
Date Drilling:
Started 5-1 1996
Completed 5-2 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	152

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	top bit soil
1	10	br. cl.
10	20	wh. cl.
20	40	br. cl.
40	80	br. & bl. cl.
80	100	wh. cl.
100	126	bl. cl.
126	152	sa.

8) Borehole Completion (Check): Open Hole Straight Well
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC casing	-1.5	137'	10
2.5	N	PVC screen	142	152	

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 12 ft. No. of sacks used 2
142 ft. to 152 ft. No. of sacks used 7
Method used by pressure
Cemented by Henry Lee
Distance to septic system field lines _____ ft.
Method of verification of above distance no septic

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 26
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 46 ft. below land surface Date 5-2-96
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type Depth
2.5" RxL rubber Packer 131'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)
ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Henry Lee (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Chester Irby ADDRESS #56 Harmon Creek Ran. Huntsville, Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 4.5 miles in NE direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0N60-11-5

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:
Started 6-21 1990
Completed 6-22 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	202

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give Interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
					From	To	
0-2	top soil						
2-40	caliche						
40-94	white clay	4	N	PVC	-1.5	167	40
94-109	sand streaks						
109-112	sand	2	N	PVC UC	167	177	#10
112-167	blue clay						
167-171	sand						
171-177	blue clay						
177-179	sand						
179-202	blue clay						

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 167 ft. to 67 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Raymond McPike

13) TYPE PUMP:

Turbine Jet Submersible Cylindrical
 Other _____

Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:

Type Test: Pump Bailor Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 6 ft
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
Rubber	162

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-13-8 Located on map _____

1:50,000
Scale
1:50,000
Scale



1:50,000
Scale
1:50,000
Scale



#5 WALKER

2360

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Doug Sanders ADDRESS _____
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker _____ 5 miles in NE direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

on 60-13-6

3) TYPE OF WORK (Check):

- New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

- Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

- Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:
Started 4-23 1990
Completed 4-24 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	301

7) BOREHOLE COMPLETION:

- Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0-3 top soil
3-180 brown clay w/sand streaks
180-263 meally clay
263-276 blue clay
276-282 sand
282-283 blue clay
283-284 rock
284-301 sand

RECEIVED
MAY 22 1990

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	279	40
2	N	stainless steel	301	291	#8

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 279 ft. to 179 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Henry Lee

13) TYPE PUMP:

- Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS:

Type Test: Pump Bailor Jetted Estimated
Yield: 35 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 17 ft
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION

- Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type Depth
Rubber 274

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026, 2221
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) T. A. [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-13-8 Located on map _____

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Charles Grigsby Address April Point Trailer Park #44 Huntsville, Tex 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 5 miles in NE direction from Huntsville
(N.E., S.W., etc.) (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. on 60-21-1

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 8-16 19 88
Completed 8-17 19 88

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	332

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-4	top soil	
4-16	caliche	
16-31	sand	
31-64	sand streaks	
64-144	meally clay	
144-184	blue clay	
184-209	meally clay	
209-224	sand streaks	
224-284	meally clay with sand streaks	
284-314	blue and white clay	
314-332	sand	

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	-1.5	317	40
				317	
2	N	PVC UC	330	320	#8

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 317 ft. to 217 ft. No. of Sacks Used 7
2 ft. to 17 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 160 ft. below land surface Date 8-17-88
Artesian flow _____ gpm. Date _____

12) PACKERS:	Type	Depth
Rubber	R	315

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 18 ft.
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026
(Type or Print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-8 Located on map _____

RECEIVED
OCT 18 1988

TEXAS WATER COMMISSION

(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#7 WALKER

13mi S/NL
15mi E/WL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Herman Henderson Address P.O. Box 956 Huntsville, TX 77340
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 6 miles in NE direction from HUNTSVILLE
 (N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. 60-13-9

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 4-24 19 86 Completed 4-25 19 86

From (ft.)	To (ft.)	DIAMETER OF HOLE		
		Dia. (in.)	From (ft.)	To (ft.)
		6 1/2	Surface	127

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) Gage Casing-Screen
			From To
0-2		Top soil	
2-7		Blue clay	
7-14		Caliche	4 N Plastic -1 1/2 114 40
14-20		Brown clay	
20-40		White clay	2 1/2 N PVC Undercut 116 126 #14
40-46		Hard white clay	
46-53		caliche	
53-60		sand stone and sand streaks	
60-70		Sand	
70-80		White clay	
80-92		Sand	
92-95		White clay	
95-127		Sand	

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 114 ft. to 10 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 2
 Method used Pressure
 Cemented by Holly Water Wells

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 80 ft. below land surface Date 4-25-86
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Lead 110

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 32
 Was a chemical analysis made? Yes No

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)

ADDRESS RM Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-8 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

44 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Bobby See Address 1734 Saxton Houston, TX 77018
2) LOCATION OF WELL: County Walker 7 miles in NE direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-13-6J

3) TYPE OF WORK (Check): New Well, Reconditioning, Deepening, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7-03-85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 152 ft. to 52 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

12) PACKERS: Type Depth Lead 147

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

RECEIVED AUG 26 1985 DEPT. OF WATER RESOURCES

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Type of water? Depth of strata 10 Ft.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-85 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#43 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Sue Escalante / Joe Flores Address Harmon Creek Ranchetts #94 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 6 miles in NE direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-13-6J

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 7-02-85 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 189
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, Brown clay, Rock, Meally clay, Sand, etc.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 176 ft. to 76 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level ... ft. below land surface Date Artesian flow ... gpm. Date

12) PACKERS: Table with 2 columns: Type, Depth. Row: Lead 173

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ... ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: ... gpm with ... ft. drawdown after ... hrs.

RECEIVED AUG 26 1985 DEPT. OF WATER RESOURCES

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Type of water? Good Depth of strata 12 Ft.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-8R Located on map Yes c.f.s.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WATER WELL DRILLERS BOARD
DEPARTMENT OF WATER RESOURCES
STATE OF TEXAS
1100 WEST 17TH STREET
DALLAS, TEXAS 75201
(214) 767-2000

#55 NUMBER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jerroll Hensley (Name) Address 118 Young Street Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 7/2 miles in NE direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Date drilled 12/11/84

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Top soil, Brown clay, Caliche, Meally clay, Rock, Meally clay, White clay, Meally clay, Rock streaks, Meally clay, Sand, Rock streaks, Sand streaks, Sand, Sand streaks.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Includes CEMENTING DATA: Cemented from 149 ft. to 49 ft. Method used Pressure Cemented by Henry Lee.

RECEIVED JAN 11 1985

DEPT. OF WATER RESOURCES (Use reverse side if necessary)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 145

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? GOOD Depth of strata 10 Ft. Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, Tx 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR, use only Well No. 60-13-8Q Located on map Yes DLF

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Don Whatley Address P.O. Box 6663 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 7 miles in NE direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 60-20-4P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4/16/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 246 ft. to 146 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 242

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

RECEIVED JUL - 6 1984 DEPT. OF WATER RESOURCES

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Type of water? good Depth of strata 18

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville Tx 77340 (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-8P Located on map 442 MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

101
0821
2776

#42 *AKC*

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-13-8N Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Robert McKain Address 16 Harmon Creek Ranchetts Huntsville, Tx 77340
2) LOCATION OF WELL: County Walker 5 miles in N.E. direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map 60-12-1E

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 6/2/83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 174
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns for From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

CEMENTING DATA Cemented from 162 ft. to 62 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 158

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" 21 Ft. Type of water? Good Depth of strata 21 Ft. Was a chemical analysis made? No

RECEIVED AUG - 9 1983 DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader/Henry Lee Water Well Drillers Registration No. 2026/2221 ADDRESS P.O. Box 638 Riverside Tx 77367 (Signed) Holly Water Well Service (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
20.10.1971
2:12 PM

37 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Leo Patten Address 13 Herman Creek Ranchettes, Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 4 1/2 miles in NE direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. map on 60-03-86

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 11/14/83
DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 227
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA
Cemented from 215 ft. to 115 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 211

RECEIVED JAN 14 1984

DEPT. OF WATER RESOURCES (Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 15 Ft. Was a chemical analysis made? Yes No

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS P.O. Box 638 Riverside Texas 77367
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-8N Located on map YES C-F-S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#16 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-13-8M Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER W.B. Shrake (Name) Address 27121 Pyeatt Lane (Street or RFD) Conroe TX. 77302 (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 2 miles in West direction from Dodge (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map 60-29-1Q

3) TYPE OF WORK (Check): [X] New Well [] Deepening [] Reconditioning [] Plugging 4) PROPOSED USE (Check): [X] Domestic [] Industrial [] Public Supply [] Irrigation [] Test Well [] Other 5) DRILLING METHOD (Check): [X] Mud Rotary [] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other

6) WELL LOG: Date drilled 12/8/82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 227 7) BOREHOLE COMPLETION: [] Open Hole [X] Straight Wall [] Underreamed [] Gravel Packed [] Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top Soil, Brown Clay, Sand, Sand streaks, Sand, Sand Streaks, Sand, Sand Streaks, Sand, Blue and brown clay, Meally Clay, Blue and brown clay, Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 215 ft. to 115 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 103 ft. below land surface Date 12/9/82 Artesian flow gpm. Date

10) PACKERS: Table with 3 columns: Type, Depth, Lead. Row: Lead L 211

11) TYPE PUMP: [] Turbine [] Jet [X] Submersible [] Cylinder [] Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS: [] Type Test: [] Pump [] Bailer [X] Jetted [X] Estimated Yield: 20 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Good Depth of strata 15 Ft. Type of water? Was a chemical analysis made? [] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader, Henry Lee (Type or Print) Water Well Drillers Registration No. 2026 2221 ADDRESS P.O. Box 638 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip) (Signed) [Signature] (Water Well Driller) Holly Water well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
MAY 18 1975
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-86
Located on map yes
Received: 7/19/86

1) OWNER GENE BAKER (Name) Address RT 4 BOX 76-5 HUNTSVILLE-77367 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 7 miles in S direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. #9, Map on 60-20-49

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 3-23-79

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>293</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>5</u>	<u>BLACK CLAY</u>
<u>5</u>	<u>130</u>	<u>BROWN CLAY</u>
<u>130</u>	<u>148</u>	<u>BLUE CLAY</u>
<u>148</u>	<u>158</u>	<u>SAND</u>
<u>158</u>	<u>226</u>	<u>BROWN CLAY</u>
<u>226</u>	<u>278</u>	<u>BROWN CLAY SAND STTS</u>
<u>278</u>	<u>293</u>	<u>SAND</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PLASTIC</u>	<u>281</u>	<u>71</u>	<u>SC# 40</u>
<u>2 1/2</u>	<u>N</u>	<u>STAINLESS STEEL</u>	<u>278</u>	<u>293</u>	<u>#0</u>

CEMENTING DATA
Cemented from 278 ft. to 200 ft.
Method used PRESSURE
Cemented by E. A. HOLLY (Company or Individual)

9) WATER LEVEL:
Static level 63 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

#9

10) PACKERS: Type Depth
LEAD 273

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

(Use reverse side if necessary)
13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 15
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E. A. Holly (Type of Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State) (Zip)
(Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

JUL 6 '79

CR/DWR

RECEIVED

APR 19 1979

DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-13-8K
Located on map Yes
Received: 79 8/8

1) OWNER RON DE'CARLO (Name) Address P.O. Box 443 HUNTSVILLE TEXAS (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 7 miles in S.E. direction from RIVERSIDE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. #8, Map on 60-19-65

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 9-13-78
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 142
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0</u>	<u>-24</u>	<u>BROWN CLAY</u>						
<u>24</u>	<u>-69</u>	<u>WHITE CLAY</u>						
<u>69</u>	<u>-132</u>	<u>BLUE CLAY</u>	<u>4 N</u>		<u>PLASTIC</u>	<u>+1</u>	<u>132</u>	<u>SCN 40</u>
<u>132</u>	<u>-142</u>	<u>SAND</u>	<u>2 1/2 N</u>		<u>STAINLESS STEEL</u>	<u>132</u>	<u>142</u>	<u>#10</u>

#8

CEMENTING DATA
Cemented from PRESSURE ft. to 132 To 100 ft.
Method used _____
Cemented by E.A. HOLLY CO (Company or Individual)

9) WATER LEVEL:
Static level 115 ft. below land surface Date 10-3-78
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
LEAD 128

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 128 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 10
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump: Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State) (Zip)
(Signed) E.A. HOLLY (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

R E C E I V E D

DEC 14 1978

**DEPT. OF
WATER RESOURCES**

RECEIVED

APR 17 '79

CR/TDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-13-81
Located on map yes
Received: 78-1-25
dlr

1) OWNER:
Person having well drilled MR WILHELM KELLER Address HARMON CR RANCHETTE HONTSVILLE, TX
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER 7 miles in S direction from RIVERSIDE
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging
4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other
5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 $\frac{1}{2}$ in. Depth drilled 316 ft. Depth of completed well 316 ft. Date drilled 2-3-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	93	WHITE CLAY
93	182	BLUE CLAY
182	184	SAND
184	306	BLUE CLAY
306	316	SAND

9) CASING:
Type: Old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	220	+ 2	SCM 40
2	220	306	SCM 40

10) SCREEN:
Type PLASTIC
Perforated Slotted

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
2 $\frac{1}{2}$	306	316	#12

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 135 ft. below land surface Date 2-3-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 195 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77369
(Street or RFD) (City) (State)
(Signed) E. A. Holly E. A. HOLLY CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 14 1978
DEPT. OF
WATER RESOURCES

RECEIVED
JUL 17 1978

Central Records
Texas Dept. of Water Resources

DWP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-13-85 Located on map YES Received: C.P.B.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Robert Francis (Name) Address 1917 Cullen Ave. Austin, Texas 78757 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker miles in direction from (Town) (N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 9-10-81

Table with columns: Dia. (in.), From (ft.), To (ft.). Row 1: 6 1/4, Surface, 200

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from 175 ft. to 200 ft.

Table with columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-12 clay, 12-15 sh w/strk od., 15-22 sh w/strk sh, 22-48 sh, 48-106 shd sh, 106-90 sdy sh, 90-130 sh w/strk sh, 130-168 sdy sh, 168-187 sh, 187-189 od, 189-190 sh, 190-196 tight od, 196-200 shp

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 4 N P.U.C. casing 0-188, 2 N galv plated 175-200

CEMENTING DATA: Cemented from ft. to ft. Method used Cemented by (Company or Individual)

9) WATER LEVEL: Static level 87 ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 600 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME LARRY BOEHNEMANN Water Well Drillers Registration No. 1904 ADDRESS P.O. Box 672 Brenham, Texas 77833 (Signed) Larry Boehnemann (Water Well Driller) POMYKAL DRILLING CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED

FEB 26 1982

Texas Dept. of Water Resources

#2 WALKER

DEEP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-13-85 Located on map YES Received: O.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Robert L. Eddins Address Rt. 8 Box 172-C Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 6 miles in NE direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. map on 60-18-6D

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 12-16-81
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 355
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA: Cemented from 343 ft. to 293 ft. Method used Pressure Cemented by Holly Water Well Service

9) WATER LEVEL: Static level 102 ft. below land surface Date 12-17-81 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 339

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 300 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 8 gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
Type of water? good Depth of strata 17 ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
FEB - 4 1982
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-8H
Located on map 405
Received: 781
dlr

1) OWNER:
Person having well drilled MR RON SMITH (Name) Address RT 5 Box 65-B HAMILTONVILLE, TEXAS (Street or RFD) (City) (State)
Landowner SAME (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 8 miles in S direction from RIVERSIDE (Town)
(N.E., S.W., etc.)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc. *RIVERSIDE*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____
HY 19
HARMON CK RANCHETTE
HOBBIAM CK
(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 $\frac{1}{2}$ in. Depth drilled 157 ft. Depth of completed well 157 ft. Date drilled 3-14-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	24	SAND
24	44	BROWN CLAY
44	86	BLUE CLAY
86	91	SAND
91	137	BLUE CLAY
137	157	SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 147 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 147 +1 SEM. 40
10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 $\frac{1}{2}$ 147 157 #8

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 110 ft. below land surface Date 3-15-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? Good depth of strata 20

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME F. A. HOLBY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS BOX 37 RIVERSIDE TEXAS (Street or RFD) (City) (State)
(Signed) F. A. HOLBY (Water Well Driller) F. A. HOLBY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

MAR 20 1978

DEPT. OF
WATER RESOURCES

RECEIVED
JUL 17 1978

Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-8E
Located on map 405
Received: 7/7/77
dlr

1) OWNER:
Person having well drilled MR BEN PIPES (Name) Address P.O. Box 1775 HUNTSVILLE, TEXAS (Street or RFD) (City) (State)
Landowner SAME (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 7 miles in S direction from RIVERSIDE (Town)
(N.E., S.W., etc.)



Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 168 ft. Depth of completed well 168 ft. Date drilled 8-24-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	SURFACE SOIL & CLAY
22	148	BROWN CLAY
148	168	SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 158 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 158 +1 SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 158 168 #8

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 60 ft. below land surface Date 8-24-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? GOOD depth of strata 20

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State)
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

SEP 6 1977

TEXAS WATER RIGHTS COMMISSION
AUSTIN, TEXAS

RECEIVED
FEB 9 1978

Central Records
Texas Dept. of Water Resources

RECEIVED
FEB 9 1978

Central Records
Texas Dept. of Water Resources

#18 WKDC

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER B.R. Smith Address 36-B Harmon Creek Ranchetts, Huntsville, TX 77340

2) LOCATION OF WELL: County Walker 6 miles in N direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. map on 60-20-2P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 8/27/84. DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 173. 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, White shale, Coarse brown sand, Brown clay, Brown shale, White clay, Blue clay, Coarse sand.

CEMENTING DATA: Cemented from 158 ft. to 58 ft. Method used Pressure. Cemented by Henry Lee (Company or Individual).

9) WATER LEVEL: Static level, Artesian flow, Date.

10) PACKERS: Lead, L, 152.

RECEIVED OCT 15 1984

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 11 Ft. Was a chemical analysis made? No.

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 40 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-86 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#8

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-85 Located on map YES Received: C.F.S.

1) OWNER David Stallings Address Rt. 8 Box 6 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 7 miles in NE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. map on 60-20-6K

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 3-25-82
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 222
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA
Cemented from 205 ft. to 155 ft. Method used Pressure Cemented by Holly Water Wells

9) WATER LEVEL: Static level 43 ft. below land surface Date 3-26-82

RECEIVED APR 19 1982

10) PACKERS: Type Lead, Depth 201

11) TYPE PUMP: Submersible
12) WELL TESTS: Yield 60 gpm with 25 ft. drawdown after 1 hr.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
Type of water? good Depth of strata 25 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) Ralph A. Cadwallader Holly Water Well Service

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-13-8F
Located on map 75-405
Received: dlb

1) OWNER:
Person having well drilled B.T. MEREDITH Address RT 3 HUNTSVILLE TEX
(Name) (Street or RFD) (City) (State)
Landowner " Address " " "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 6 miles in NE direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
SEE REVERSE ^{North} ↑
(Use reverse side if necessary)
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 90 ft. Depth of completed well 90 ft. Date drilled 4-5-75
All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic <input checked="" type="checkbox"/> Other _____ Cemented from _____ ft. to _____ ft.
0-2		surface	
2-28		dark clay	
28-70		blue shale	
70-90		sand	
(Use reverse side if necessary)			10) SCREEN: Type <u>PLASTIC</u> Perforated _____ Slotted <input checked="" type="checkbox"/> Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____ <u>4</u> <u>70-90</u> <u>1/4</u>

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____
8) WATER LEVEL:
Static level 60 ft. below land surface Date 4-5-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.
11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____
12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226
(Type or Print)
ADDRESS P.O. Box 4 HUNTSVILLE TEX 77340
(Street or RFD) (City) (State)
(Signed) Thomas Anders Glenn Carter
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
SEP 17 1975
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
JAN 23 1976
TEXAS WATER DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-8E
Located on map yes
Received: 75-1
dlr

1) OWNER:
Person having well drilled GARY TATCH (Name) Address RT 3 HUNTSVILLE TEX (Street or RFD) (City) (State)
Landowner " (Name) Address " (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 6 miles in NE direction from HUNTSVILLE (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
OVER North ↑
(Use reverse side if necessary)

or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 160 ft. Depth of completed well 160 ft. Date drilled JULY 19, 75
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	surface
3	14	clay
14	60	reddish clay
60	130	blue slates
130	160	sand

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 130 540

10) SCREEN:
Type PLASTIC
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4 130 160 Ø14

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 85 ft. below land surface Date JULY 19, 75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS (Type or Print) Water Well Drillers Registration No. 1226
ADDRESS P.O. Box 4 HUNTSVILLE TEX (Street or RFD) (City) (State)
(Signed) Thomas Anders (Water Well Driller) THOMAS ANDERS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



JAN 20 1976
Texas Water Development Board

RECEIVED
SEP 17 1975
TRINITYVILLE
TEXAS WATER DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-13-8D
Located on map 25198
Received: 25/98
dlb

1) OWNER:
Person having well drilled D.P. McGilberry Address Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Waker, 8 miles in north direction from Huntsville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, or hiway number, etc.*



(Use reverse side if necessary).

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 170 ft. Depth of completed well 170 ft. Date drilled 10-9-74
All measurements made from +1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	28	white clay
28	57	brown clay
57	68	blue clay white
68	84	blue clay
84	133	white clay
133	158	blue gray clay
158	170	sand

9) Casing:
Type: Old New Steel Plastic Other
Cemented from 100 ft. to 160 ft.

Diameter (inches) 4 Setting From (ft.) +1 To (ft.) 160 Gage CS40

10) SCREEN stainless steel
Type _____
Perforated Slotted

Diameter (inches) 2 1/2 Setting From (ft.) _____ To (ft.) _____ Slot Size _____

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

8) WATER LEVEL:
Static level 42 ft. below land surface Date 10-9-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? godd depth of strata 12

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801
(Type or Print)

ADDRESS P.O. Box 37 Riverside Texas
(Street or RFD) (City) (State)

(Signed) E.A. Holly E.A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
APR 3 1976
Central Records
Texas Water Development Board

RECEIVED
OCT 15 1974

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-8C
Located on map Y25
Received: 74
db

1) OWNER:
Person having well drilled MR R. L. STEINBERGER Address _____
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, _____ 8 miles in NE direction from HUNTSVILLE, TEXAS
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 $\frac{1}{2}$ in. Depth drilled 287 ft. Depth of completed well 287 ft. Date drilled 2-18-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	BLACK CLAY
4	58	WHITE CLAY
58	80	SAND
80	84	ROCK
84	243	BLUE CLAY
243	285	SANDY BLUE CLAY
285	295	SAND

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 277 ft. to 200 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 277 71 SC# 40

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 $\frac{1}{2}$ 277 287 #10

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 100 ft. below land surface Date 3-1-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? GOOD depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801
(Type of Print)
ADDRESS BOX 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. Holly CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 26 1974
General records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

MAR 21 1974

RECEIVED

#2

Dupe

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-8C Located on map 422 Received: 7-9-79

1) OWNER DR. P. CHACKO Address 917E CURTIS SUITE 5 PASADENA, TEX 77002
2) LOCATION OF WELL: County WALKER 7 miles in 5 direction from RIVERSIDE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 2 Map on 60-20-5C

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 6-22-79
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 332
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include BROWN CLAY, SAND, BLUE CLAY, SAND, BLUE CLAY, SAND, BLUE CLAY, SAND.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA: Cemented from 317 ft. to 250 ft. Method used PRESSURE Cemented by E.A. HOLLY

9) WATER LEVEL: Static level 80 ft. below land surface Date 6-22-79 Artesian flow gpm. Date

10) PACKERS: Type LEAD Depth 312

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 220 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? Lead. Depth of strata 14. Was a chemical analysis made? No.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Signed) E.A. HOLLY E.A. HOLLY CO

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
JUN 29 1979
DEPT. OF
WATER RESOURCES

RECEIVED
AUG 13 '79
CR/IDWR

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-13-88 Located on map Yes Received: 7/27/77

1) OWNER: Person having well drilled MR DURELL BLAKE Address Box 5017 HUNTSVILLE, TEXAS Landowner SAME

2) LOCATION OF WELL: County WALKER, 6 miles in S direction from RIVERSIDE. Includes a sketch map showing landmarks like FM 980 and HARMON RANCHETTE.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other. 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 6 in. Depth drilled 134 ft. Depth of completed well 134 ft. Date drilled 9-20-77. All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-82 WHITE CLAY, 82-113 SANDY WHITE CLAY, 113-134 SAND.

9) CASING: Type: Old, New, Steel, Plastic, Other. Cemented from 124 ft. to 75 ft. Diameter (inches) 4, Setting From (ft.) 124, To (ft.) 71, Gage SCH 40. 10) SCREEN: Type STAINLESS STEEL, Perforated, Slotted. Diameter (inches) 2.5, Setting From (ft.) 124, To (ft.) 134, Slot Size #8.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole. 8) WATER LEVEL: Static level 45 ft. below land surface Date 9-20-77. Depth to pump bowls, cylinder, jet, etc., 110 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No. Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm. Temperature of water. 12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? Good depth of strata 16'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS (Signed) E.A. Holly F.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available. *Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 9 1978

Central Records
Texas Dept. of Water Resources

RECEIVED
SEP 26 1977
DEPT. OF
WATER RESOURCES

#15 WALKER

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-13-8B Located on map YES Received: 5/15

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jerrel Price Address 37 Burrese Street Houston, Texas 77022
2) LOCATION OF WELL: County Walker 7 miles in NE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-10-81
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 513
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen. Rows include 0-42 sand, 42-89 brown clay, 89-93 sand, 93-102 sand streaks, 102-105 sand, 105-138 blue clay, 138-141 sand, 141-142 blue clay, 142-149 sand, 149-156 sand streaks, 156-160 sand, 160-176 blue clay, 175-181 sand, 181-182 blue clay, 182-202 sand, 202-259 blue clay, 259-268 sand, 268-357 blue clay, 357-359 sand, 359-470 meally clay, 470-503 sand, 503-513 sandy clay.

CEMENTING DATA: Cemented from 484 ft. to 434 ft. Method used Pressure. Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level 180 ft. below land surface Date 8-13-81. Artesian flow gpm. Date

10) PACKERS: Type Lead, Depth L, 479

11) TYPE PUMP: Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 260 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good. Depth of strata 33 ft. Was a chemical analysis made? No.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP - 2 1981
DEPT. OF
WATER RESOURCES

RECEIVED

SEP 2 1981

DEPT. OF
WATER RESOURCES

ATTACHMENT

60-13-8B

RECEIVED

SEP - 2 1981

DEPT. OF
WATER RESOURCES

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

For TWDB use only Well No. 60-13-8B Located on map 145 Received: 77 1 dr

WATER WELL REPORT

1) OWNER: Person having well drilled Shermin Jenkins Address RFD Huntsville TEX Landowner SAME Address SAME (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 8 miles in NE direction from Huntsville (N.E., S.W., etc.) (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Irrigation Test Well Municipal Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled ft. Depth of completed well ft. Date drilled 2-10-77 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-2 top soil, 2-20 clay, 20-60 SAND (BROWN), 60-70 broken rock & clay, 70-108 SAND (BLUE), 108-170 shale, 170-190 sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 170 120

10) SCREEN: Type plastic 012 sch 40 Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4" 170 190 12

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 12 gpm with 8 ft. drawdown after 1 hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 96 ft. below land surface Date 2-9-77 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 160' ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? soft depth of strata 20'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME W.A. Waller Water Well Drillers Registration No. 1332 ADDRESS Box 514 New Waverly TEX 77358 (Signed) W.A. Waller AAA Water Wells (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEVELOPMENT BOARD
TEXAS WATER

RECEIVED
MAR - 9 1977

RECEIVED
MAY 31 1977

Control Records
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-13-8A Located on map 518 Received: 7/1 Form GW 8 Form GW 9

1) OWNER: Paul Dixon Gen Del Dodge Texas Same Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: Walker County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey

miles in 9 S direction from Riverside, Texas (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] 5) TYPE OF WELL (Check): Rotary [] Driven [] Dug [] Cable [] Jetted [] Bored []

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 167 ft. Depth of completed well 167 ft. Date drilled 5-31-71 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-93 Sandy soil, 93-156 Brown Clay, 156-167 Sand

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Includes note: (Use reverse side if necessary)

7) COMPLETION (Check): Straight wall [X] Gravel packed [] Other [] Under reamed [] Open hole []

8) WATER LEVEL: Static level 75 ft. below land surface Date 6-2-71 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [] New [X] Steel [] Plastic [] Other [] Cemented from 156 ft. to 75 ft.

10) SCREEN: Stainless Steel Bar-Weld Type Perforated [] Slotted []

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 4, X-1, 156, Sch 40

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2 1/2, 156, 166, 8

11) WELL TESTS: Was a pump test made? [] Yes [X] No If yes by whom? Yield: gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [] Yes [X] No Did any strata contain undesirable water? [] Yes [X] No Type of water? good depth of strata 11

12) PUMP DATA: Manufacturer's Name Ruth-Berry Type Submersible H.P. 1 Designed pumping rate 960 gpm gph [X] Type power unit Electric Depth to bowls, cylinder, jet, etc., 140 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 Address Box 37 Riverside Texas (Signed) E.A. Holly (Water Well Driller) E.A. Holly Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TEXAS WATER
DEVELOPMENT BOARD

JUN 2 1971

RECEIVED

RECEIVED

JUN 22 1971

Central Records
Texas Water Development Board

#40 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Clarence Glass Address 2501 Lake Road Huntsville, TX 77340
2) LOCATION OF WELL: Walker County 6 miles in NE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. 100-20-40

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5/24/84
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 166
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 152 ft. to 52 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level, Artesian flow, Date

10) PACKERS: Lead, L, 149

RECEIVED JUL-6-1984 DEPT. OF WATER RESOURCES

11) TYPE PUMP: Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? GOOD Depth of strata 13 Ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated, Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, Texas 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only Well No. 60-13-BA Located on map 400MM

Dup

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

CONFIDENTIAL
WATER WELL DRILLERS BOARD
AUSTIN, TEXAS

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-13-8A Located on map 405 Received: 2-3-73 dlb

1) OWNER: Person having well drilled MR JACK HILTON Address 7606 BELLFORT HOUSTON, TEXAS Landowner SAME

2) LOCATION OF WELL: County WALKER, 8 miles in N.E. direction from HUNTSVILLE. Includes a hand-drawn sketch of the well location relative to landmarks like Riverside and Harmon Cr. Ranchette.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other. 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 206 1/2. Depth drilled 266 ft. Depth of completed well 266 ft. Date drilled 5-25-73. All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-38 WHITE CLAY, 38-41 BROWN SAND, 41-77 WHITE CLAY, 77-162 BROWN CLAY, 162-251 BROWN SANDY CLAY, 251-266 SAND.

9) CASING: Type: Old, New, Steel, Plastic, Other. Cemented from 254 ft. to 200 ft. Diameter (inches) 4, Setting From (ft.) 1, To (ft.) 254, Gage SCH 40. 10) SCREEN: Type STAINLESS STEEL, Perforated, Slotted. Diameter (inches) 2 1/2, Setting From (ft.) 256, To (ft.) 266, Slot Size #.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole. 8) WATER LEVEL: Static level 65 ft. below land surface Date 5-25-73. Artesian pressure lbs. per square inch. Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No. Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm. Temperature of water. 12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? GOOD depth of strata 15.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS (Signed) E.A. HOLLY (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 13 1973
Central Records
Texas Water Development Board

RECEIVED
JUN 18 1973
TEXAS WATER
DEVELOPMENT BOARD

#2 WALKER

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER DAN HOPPER Address 59 ROBINWOOD LN RICHWOOD, TX. 77531
2) LOCATION OF WELL: County WALKER 1 1/2 miles in W direction from DODGE, TX.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 60-27-3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling Started 11/27/87 Completed 11/18/87
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include TOP SOIL, BROWN CLAY, WHITE CLAY, BLUE CLAY, SAND STREAKS, etc.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns for Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 313 ft. to 212 ft. No. of Sacks Used 6 Method used PRESSURE Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 100 ft. below land surface Date 11-18-87 Artesian flow gpm. Date

RECEIVED FEB 2 1988

12) PACKERS: Type LEAD Depth 308

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? GOOD Depth of strata 11 ft Was a chemical analysis made? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 35 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026/2221 ADDRESS 607 HWY. 19 HUNTSVILLE, TX. 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-8 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#3 WALKER

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER RIVERSIDE WATERWORKS Address 701 Box 194 RIVERSIDE TX 77367
2) LOCATION OF WELL: County WALKER 5 miles in NE direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

TEST HOLE #2 See attached map on 60-21-5

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other

6) WELL LOG: Date Drilling: Started 1-29-1988 Completed 2-1-1988
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Includes handwritten entries for soil, caliche, sand streaks, rock, clay, and sand layers.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from ___ ft. to ___ ft. No. of Sacks Used ___

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level ___ ft. below land surface Date ___ Artesian flow ___ gpm. Date ___

12) PACKERS: Type Depth

13) TYPE PUMP: Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ___ ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made?

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: ___ gpm with ___ ft. drawdown after ___ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Works Water Well Driller's License No. 2221
ADDRESS 607 Hwy. 19 Huntsville TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-8 Located on map 1

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

367-404	BLUE CLAY
404-408	SAND
408-424	BLUE CLAY
424-431	SAND
431-440	BLUE CLAY
440-461	SAND
461-511	BLUE CLAY
511-512	PORE
512-576	BLUE CLAY
576-593	BLUE SAND
593-621	FINE SAND

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Wayne Howard ADDRESS 119A Valley Dr Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 119A valley Dr Huntsville tx 77340 STATE WELL # _____
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-13-8

6) WELL LOG:
Date Drilling:
Started 7-3 19 98
Completed 7-6 19 98

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	150

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	bit t.s.
1	5	br.cl.
5	16	sd.
16	21	w.cl.
21	30	w. sdy.cl.
30	41	br.cl.
41	61	sd.
61	81	sd. & gr.
81	96	sd. wh. cl.
96	121	bl.cl.
121	132	sd.
132	141	bl.cl.
141	150	sdycl.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	120	
2.5	N	Undercut screen	120	130	#12

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 120 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used pressure
Cemented by R. McPike
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 70 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 11
Was a chemical analysis made? Yes No


12) PACKERS:	Type	Depth
K Packer	RXR	SEC#10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)

ADDRESS 2928 SH 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond McPike (Licensed Well Driller)



(Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

**State of Texas
WELL REPORT**

**Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530**

1) OWNER Ben Burkett ADDRESS PO BOX 701005 Houston TX 77270
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Blythe Rand Rd. Dodge TX Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) GRID # 60-13-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic Industrial Irrigation Injection Public Supply De-watering Testwell

If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 3/31 19 99 4/1 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6.75</u>	Surface	<u>421</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	7	Wh.cl.
7	38	Sa.
38	42	Wh. & br.cl.
42	110	Br.cl.
110	137	Sa.
137	156	Bl.cl.
156	162	Sa.st.
162	182	Bl.cl.
182	202	Mily. Cl. & sandy cl.
202	214	Mily. Cl.
214	222	Sa.st.
222	242	Mily.cl.
242	262	cl.
262	322	Mily.cl.

8) Borehole Completion (Check): Open Hole Straight Wall Underreamed Gravel Packed Other _____

If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>-1.5</u>	<u>399</u>	
<u>2.5</u>	<u>N</u>	<u>SST. Screen</u>	<u>411</u>	<u>421</u>	<u>#8</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
249 ft. to 399 ft. No. of sacks used 7
Method used By pressure
Cemented by H. Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____

Depth to pump bowls, cylinder, jet, etc., 220 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: 18 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 22
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 338.44(2)(A)] Specified Steel Sleeve Installed [Rule 338.44(3)(A)] Pitless Adapter Used [Rule 338.44(3)(b)] Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL: Static Level 146 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

12) PACKERS: Type _____ Depth _____
2- 2.5" Rubber Packers R x R 390' & 391'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print)

ADDRESS 2928 SH 19 (Street or RFD) Huntsville TX 77340 CB
(City) (State) (Zip)

(Signed) [Signature] (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

WELL DRILLER'S LICENSE # 2221W MAY 10 1999

FILE ID _____ SEQ # _____
DESC CO _____

Please attach electric log, chemical analysis, and other pertinent information, if available.

1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that this is crucial for ensuring transparency and accountability in the organization's operations.

2. The second part of the document outlines the various methods and tools used to collect and analyze data. It highlights the need for a systematic approach to data collection and the importance of using reliable and valid measurement instruments.

3. The third part of the document focuses on the ethical considerations surrounding data collection and analysis. It discusses the importance of obtaining informed consent from participants and ensuring that their data is protected and used only for the intended purposes.

4. The fourth part of the document addresses the challenges of data collection and analysis in a complex and dynamic environment. It discusses the need for flexibility and adaptability in the research design and the importance of ongoing communication and collaboration with stakeholders.

5. The fifth part of the document provides a summary of the key findings and conclusions of the study. It emphasizes the importance of using the data to inform decision-making and to improve the organization's performance and effectiveness.

