

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us
WELL REPORT

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

1) OWNER **A. WELL IDENTIFICATION AND LOCATION DATA**

Name Wilton Scott	Address 4814 POSTOAK TIMBER DR	City HOUSTON	State TEXAS	Zip 77056
-----------------------------	--	------------------------	-----------------------	---------------------

2) WELL LOCATION

County WALKER	Physical Address 1 Mi. N. of DODGE ON 405	City	State TEXAS	Zip 77334
-------------------------	---	------	-----------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

Lat.	Long.	Grid # 60-13-9	5) N↑
4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No			

6) Drilling Date

Started **10/4/00**

Completed **10/9/00**

Diameter of Hole			7) Drilling Method (check)
Dia. (in)	From (ft)	To (ft)	
6.75	-1.5	504	<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____

From (ft)	To (ft)	Description and color of formation material
0	2	Top bit soil
2	4	Sa.
4	22	Sa.cl.
22	30	Sa.
30	54	Br.cl.
54	68	Bl.
68	69	Rock
69	82	Bl.
82	95	Sa.
95	102	Br.cl.
102	105	Sa.st.
105	110	Br.cl.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
 If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	464	
2.5	N	SST Screen	466	496	#10

9) Cementing Data
 Cementing from **-1.5** ft. to **10** ft. # of sacks used **2**
314 ft. to **464** ft. # of sacks used **7**
 Method Used **Pressure**
 Cementing By **H.Lee**
 Distance to septic system field or other concentrated contamination _____ ft.
 Method of verification of above distance _____

13) Plugged Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Typepump
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., **280** ft.

11) Water Level
 Static level **182** ft. below Date **/ /**
 Artesian Flow _____ gpm. Date **/ /**

15) Water Test
 Typetest Pump Bailer Jetted Estimated
 Yield: **15** gpm with _____ ft. drawdown after _____ hrs.

12) Packers Type Depth
2 - 2.5" Rubber Packers **RxR** **445' & 446'**

16) Water Quality
 Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
 Type of water **Good** Depth of Strata **27**
 Was a chemical analysis made? Yes No

Company or Individual's Name (type or print) Holly Water Wells, Inc.		EMP #	State TEX	Zip 77320
Address 2928 SH 19		City Huntsville	State TEX	Zip 77320
Signature H.Lee	Date / /	Signature NOV 27 2000	Date / /	Date
Licensed Driller/Pump Installer		Apprentice		Date

1942

1943

1944

1945

1946

1947

1948

1949

1950

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

1971

1972

1973

1974

1975

1976

1977

1978

1979

1980

1981

1982

1983

1984

1985

1986

1987

1988

1989

1990

1991

1992

1993

1994

1995

1996

1997

1998

1999

2000

2001

2002

2003

2004

2005

2006

2007

2008

2009

2010

2011

2012

2013

2014

2015

2016

2017

2018

2019

2020

2021

2022

2023

2024

2025

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
110	125	Br.cl.
125	138	Sa.st.
138	193	Wh.cl.
193	204	Sa.st.
204	208	Sa.
208	210	Sa.st.
210	222	Sa.
222	224	Sa & r.st.
224	242	Mlly cl.
242	302	Wh.cl.
302	316	Mlly cl.
316	335	Sa.st.
335	336	Rock
336	339	Cl.
339	347	Sa.
347	362	Sa.st.
362	382	Mlly cl.
382	402	Sa.
402	422	Mlly cl.
422	440	Cl.
440	442	Sa.
442	462	Mlly bl.
462	486	Sa.
486	487	Cl.
487	504	Sand

FILE ID	SEQ #
EMP #	DRRC CO
NOV 27 2000	
COMMENT	

UNITED STATES DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D. C. 20535

TO : DIRECTOR, FBI (100-442600) FROM : SAC, NEW YORK (100-100000) (P)

RE: [Illegible text]

DATE: [Illegible text]

[Illegible typed text]

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name Jeff Niersel	Address 20 Randall Street	City Huntsville	State TX	Zip 77320
-----------------------------	-------------------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION

County WALKER	Physical Address 1.5 mi. N. of Roy Webb Rd. on Townsend Ranch	City	State TEXAS	Zip 77320
-------------------------	---	------	-----------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

Lat.	Long.	Grid # 60-13-9
------	-------	-----------------------

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) N↑

6) Drilling Date

Started **5/24/01**
Completed **5/25/01**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	254

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	21	Br. & w.sdy.cl.
21	31	W.cl.
31	36	Br.cl.
36	46	Cleiche
46	81	W.cl.
81	101	Bl.&br.cl.
101	106	Br.cl.
106	128	Bl.cl.
128	133	Sd.
133	141	Br.cl.
141	186	W.cl.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other

If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	237	
2.5	N	Undercut screen	242	252	#8

(Use reverse side of Well Owner's copy, If necessary)

9) Cementing Data

Cementing from **-1.5** ft. to **20** ft. # of sacks used **2**
87 ft. to **237** ft. # of sacks used **7**

Method Used **Pressure**

Cementing By **R.McPike**

Distance to septic system field or other concentrated contamination _____ ft.

Method of verification of above distance _____

13) Plugged Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level **110** ft. below Date **/ /**
Artesian Flow _____ gpm. Date **/ /**

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., **180** ft.

12) Packers

Type	Depth
2 - 2.5" K Packers	RxR
	232

15) Water Test

Type test Pump Bailer Jetted Estimated
Yield: **10** gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water **Good** Depth of Strata **12**
Was a chemical analysis made? Yes No

FILE ID	SEQ. #
EMP #	Lic. No. 3114W
JUN 2 5 2001	DESC CO
State TX	Zip 77320
Signature Raymond McPike	Signature _____
Date _____	Date _____
COMMENT	AG
Apprentice	

Company or Individual's Name (type or print) **Holly Water Wells, Inc.**

Address **2928 SH 19** City **Huntsville**

Signature **Raymond McPike** Date _____
Licensed Driller/Pump Installer

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Gene Smith ADDRESS PO Box 691 Conroe Tx 77305
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker FM 405 Dodge TX Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) GRID # 60-13-9

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Industrial Irrigation Injection Environmental Soil Boding Domestic Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 1-17 20 00 1-28 20 00
DIAMETER OF HOLE: Dia. (in.) 10 From (ft.) Surface To (ft.) 365
7) DRILLING METHOD (Check): Air Rotary Mud Rotary Air Hammer Cable Tool Bored Jetted Other

From (ft.)	To (ft.)	Description and color of formation material	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall			
0	1	Bit t.s.	<input checked="" type="checkbox"/> Underreamed	<input checked="" type="checkbox"/> Gravel Packed	<input type="checkbox"/> Other _____	
1	11	Sd.	If Gravel Packed give interval ... from <u>290</u> ft. to <u>365</u> ft.			
11	21	Hard sd.	CASING, BLANK PIPE, AND WELL SCREEN DATA:			
21	69	W.cl.	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To
69	81	Sd.	6	N	Galv. Casing	-2 324
81	101	Sd. & cl.st.	3	N	SST Pipe base	326 350
101	118	Bl.cl.				
118	141	Sd.				
141	161	Sd. w/ cl.st.				
161	177	Sd.				
177	181	Sd.st.				
181	196	Sdy. Cl.				
196	207	Sd.				
207	216	Cl.				
216	221	Sd.st.				

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -2 ft. to 324 ft. No. of sacks used 105
Method used Pressure No. of sacks used _____
Cemented by Holly Water Wells
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.
14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: 100 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 23
Was a chemical analysis made? Yes No
11) WATER LEVEL: Static Level 176 ft. below land surface Date _____
Artesian flow _____ gpm Date _____
12) PACKERS: Type _____ Depth 283'
Liner _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 3114W

ADDRESS 2928 SH 19 (Street or RFD) Huntsville TX 77320
(City) (State) (Zip)

(Signed) Raymond M.P.D. (Licensed Well Driller) (Signed) _____ (Registered Driller - Trainee)
EMF # _____ DESC CO _____

Please attach electric log, chemical analysis, and other pertinent information, if available.

COMMENT

DATE: 10/10/78

TO: SAC, NEW YORK

FROM: SAC, PHOENIX

SUBJECT: [Illegible]

[The body of the letter contains several paragraphs of text that are extremely faint and mostly illegible due to the quality of the scan. Some words like "re", "advised", and "information" are barely discernible.]

Very truly yours,
[Illegible Signature]

[Illegible Title]

Please use black ink.
Send original copy by certified mail to the Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James Kayser Address Rt. 1 Box 683 Huntsville, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 2 miles in NW direction from HUNTSVILLE DODGE
(N.E., S.W., etc.) (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 4-16-1986 Completed 4-17-1986
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 260
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2		Top soil						
2-39		White clay						
39-45		Sand streaks	4	N	Plastic	-1 1/2	235	40
45-71		White clay						
71-78		Caliche and sand streaks	2 1/2	N	Plastic	235	245	#10
78-82		White clay						
82-89		Caliche and Sand streaks						
89-108		Brown clay						
108-113		Caliche streaks						
113-122		Brown clay						
122-128		Sand						
128-167		White clay						
167-177		Rock sand streaks						
177-182		White clay						
182-188		Sand						
188-201		White clay						
201-202		Sand						
202-209		Meally clay						
209-218		Sandy clay						
218-222		Sand						
222-227		Sandy clay						
227-231		Sand streaks						
231-240		Meally clay						
240-247		Sand						
247-260		Sand						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 235 ft. to 135 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 3
Method used Pressure
Cemented by Holly Water Well

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 84 ft. below land surface Date 4-18-86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Lead 230

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 13
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 35 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
(Type or Print)
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-9 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

TEXAS WATER
COMMISSION
MAY 22 1968

REC'D
..... 28 1985
TEXAS WATER
COMMISSION

#2 WALKER

3min/SL
12mi E/WL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Robert Hawthorne Address 1208 Craig Galena Park, TX 77547
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County WALKER 1 miles in WEST direction from DODGE
 (N.E., S.W., etc.) (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling: Started 4-28 19 86 Completed 4-29 19 86

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
6 1/2	Surface	260

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:				
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
0-1		Top soil					
1-16		Sand					
16-70		Brown clay	4	N	Plastic	-1 1/2	238
70-100		White clay					
100-105		Blue clay	2 1/2		NPVC U PVC Undercut	239	259
105-110		Sandy clay					
110-123		Sand					
123-140		Blue clay					
140-155		Sandy clay					
155-177		White clay					
177-182		Sand					
182-199		Sandy clay					
199-210		Sand					
210-220		Meally clay					
220-240		Sandy clay					
240-260		Sand					

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 238 ft. to 138 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 2
 Method used Pressure
 Cemented by Holly Water Wells


10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 120 ft. below land surface Date 4/29/86
 Artesian flow _____ gpm. Date _____

12) PACKERS:
 Type Lead Depth 233

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 220 ft.

14) WELL TESTS:
 Type Test: Pump Bailor Jetted Estimated
 Yield: 25 gpm with _____ ft. drawdown after _____ hrs.



15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER" _____
 Type of water? GOOD Depth of strata 20
 Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
 For TWC use only Well No. 60-13-9 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

RECEIVED

WALKER #10

Em: NISK
Em: EIWL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Larry Penny Address _____ (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 1 miles in NW direction from Dodge (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. on 60-13-4

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
Started <u>8-5</u> 19 <u>86</u>	<u>6 1/2</u>	Surface	<u>377</u>
Completed <u>8-6</u> 19 <u>86</u>			

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-16		Rock sandy clay
16-35		Sand
35-82		Brown clay
82-102		Brown and white clay
102-142		Meally clay
142-162		Meally clay and sand streaks
162-170		Meally clay
170-182		Sand
182-197		Meally clay
197-202		Meally clay and rock streaks
202-215		Meally clay
215-222		White clay
222-233		Meally clay
233-242		White clay
242-257		Meally clay
257-262		Sand streaks
262-282		Meally clay sand streaks
282-312		Meally clay
312-322		White clay
322-339		Meally clay streaks
339-342		Sand and rock streaks
342-344		m Rock streaks and sand
344-377		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	350	40
2 1/2	N	Stainless steel	366	376	#8

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 350 ft. to 250 ft. No. of Sacks Used 6
2 ft. to 17 ft. No. of Sacks Used 2
 Method used Pressure
 Cemented by Holly Water Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Lead Depth 345

RECEIVED
DEC 18 1986

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? GOOD Depth of strata #33
 Was a chemical analysis made? Yes No

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only, Well No. 60-13-9 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WALKER #8

.5m: NISL
.8m: IWL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mike Penny Address 6502 Greenvale Lane Houston, TX 77066
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 1 miles in NW direction from Dodge
 (N.E., S.W., etc.) (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. ON 60-13-4

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling:
 Started 8-4 19 86
 Completed 8-5 19 86

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>233</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-20		White clay
20-22		Calichie
22-42		White clay streaks
42-75		Hard Sand
75-107		Hard blue clay
107-125		Sand
125-142		Hard blue clay and sand streaks
142-147		Hard blue clay
147-154		Sand
154-165		Blue clay
165-180		Sand
180-213		Blue clay
213-233		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	1 212		#0
2 1/2	N	PVC Undercut	213	233	#8

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 212 ft. to 232 ft. No. of Sacks Used 14
 _____ ft. to _____ ft. No. of Sacks Used _____
 Method used Pressure
 Cemented by Holly Water well

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Lead Depth 207

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
DEC 18 1986

TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? GOOD Depth of strata 20
 Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. Rt. 2026/2221
 (Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) Randa A. Edwards (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-13-9 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WALKER #7

5 m: NUSH
8 m: BUSH

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Art Penny (Name) Address P O Box 987 Liberty, TX 77575 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER / miles in NW direction from DODGE (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. ON 60-13-4

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 7/29 19 86 Completed 7/30 19 86

Date	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
	<u>6 1/2</u>	Surface	<u>354</u>

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-4		Top soil						
4-18		Brown clay						
18-36		Sand	4	N	Plastic	-1 1/2	334	40
36-44		Sand streaks						
44-124		Brown clay	2 1/2	N	Stainless steel	353	333	#8
124-142		Meally clay						
142-144		Hard blue clay						
144-224		Meally clay						
224-244		Brown and meally clay						
244-251		Meally clay						
251-278		Brown clay						
278-282		Hard blue clay						
282-284		Sand						
284-304		Meally clay						
304-322		Brown clay						
322-354		Sand						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 334 ft. to 234 ft. No. of Sacks Used 6
17 ft. to 2 ft. No. of Sacks Used 2
 Method used Pressure
 Cemented by Holly Water Well service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 56 ft. below land surface Date 8-1-86
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Lead Depth 328

RECEIVED
DEC 18 1986

TEXAS WATER COMMISSION

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 32 Ft.
 Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well service Water Well Driller's License No. 2026/2221
 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60 / 13-9 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

49 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER S.W. Wilson Address P.O. Box 403 Dodge, TX 77334

2) LOCATION OF WELL: County Walker 2 miles in N direction from Dodge

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. map on 60-13-6d

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7-17-85
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 10 ft. to 0 ft. Method used Pressure Cemented by Henry Lee.

10) SURFACE COMPLETION Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

RECEIVED AUG 26 1985

11) WATER LEVEL: Static level, Artesian flow

12) PACKERS: Type, Depth

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Type of water? Good Depth of strata 7 Ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville TX 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-9H Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

307 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Barry Hawes Address P.O. Box 1822 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 1 1/2 miles in direction from Dodge

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. Map on 60-13-89

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 12/20/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 249
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 228 ft. to 128 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level 90 ft. below land surface Date 12-21-84 Artesian flow gpm. Date

RECEIVED JAN 11 1985

10) PACKERS: Type L Depth 222

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 30 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 25
Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-96 Located on map Yes DLE

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#11 WKE

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER John Howell Address P.O. Box 1382 Trinity, TX 75862
2) LOCATION OF WELL: County Walker 2 miles in NW direction from Dodge

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. Map on 60-20-6P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7/30/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 208
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Brown clay, Meally clay, Meally clay & sand streaks, Sand streaks, Meally clay, Sand, Meally clay, Sand streaks, Sand.

CEMENTING DATA
Cemented from 196 ft. to 96 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

RECEIVED
OCT 15 1984
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level . . . ft. below land surface Date . . .
Artesian flow . . . gpm. Date . . .

10) PACKERS: Type Depth
Lead L 180

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 160 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER" 46 Ft.
Type of water? good
Depth of strata 46 Ft.
Was a chemical analysis made? No

12) WELL TESTS:
Type Test, Pump, Bailer, Jetted, Estimated
Yield: 40 gpm with . . . ft. drawdown after . . . hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only Well No. 60-13-9F Located on map YES-C-F-5

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Doug Ehle Address 11226 Cayon Trail, Houston, TX 77066
2) LOCATION OF WELL: County WALKER 2 miles in NW direction from DODGE

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. Map on 60-20-6P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 9/4/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 279
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 267 ft. to 167 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 114 ft. below land surface Date 9/5/84 Artesian flow gpm. Date

RECEIVED OCT 15 1984 DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth Lead L 263

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER" 17 Ft.
Type of water? Depth of strata
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-13-9F Located on map Yes c. F. S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#9 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-13-9E Located on map YES Received: C.I.F.S.

1) OWNER Ross Dobbins Address 19319 Long Lake Houston, Texas 77084
2) LOCATION OF WELL: County Walker 2 miles in West direction from Dodge

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

See attached map. map on 60-12-82

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 10-15-80. DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 198
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include soil, red sandy clay, white sandy clay, sand, brown clay, blue clay, sand streaks, sand, blue clay, sand.

CEMENTING DATA Cemented from 186 ft. to 136 ft. Method used Pressure Cemented by Holly Water Well Service

RECEIVED APR 15 1982 CR/TD

9) WATER LEVEL: Static level 100 ft. below land surface Date 10-16-80 Artesian flow gpm. Date

10) PACKERS: Rubber R&R 182

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 160 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 29 ft. Was a chemical analysis made? No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 35 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Ralph A. Cadwallader Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Texas Dept. of Water Resources

DEC - 8 1980

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-13-9D Located on map Yes Received: 7/9 SAC

1) OWNER: Person having well drilled Morris Calvin (Name) Address Dodge (Street or RFD) Dodge (City) Tex (State) Landowner Same (Name) Address Same (Street or RFD) Same (City) Same (State)

2) LOCATION OF WELL: County Walker, 1 miles in NE direction from Dodge (Town)



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 325 ft. Depth of completed well 325 ft. Date drilled 7-23-78 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, clay, sand, rock, etc.

9) Casing: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 305 sch 40 10) SCREEN: Type plastic sch 40 Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4" 305 325 012

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 20 gpm with 10 ft. drawdown after 1 hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 160 ft. below land surface Date 7-30-78 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Soft depth of strata 35'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME James L. Graham Sr Water Well Drillers Registration No. 1781 ADDRESS Rt 2 Box 301 Willis Texas 77378 (Signed) James L. Graham (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEPT. OF
WATER RESOURCES

AUG 24 1978

RECEIVED

RECEIVED
MAR 16 '79
CR/TDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-13-9C
Located on map yes
Received: 7/7
dlr

1) OWNER:
Person having well drilled MR ANTHONY ZUMA Address 17795 JOHN F. KENNEDY BLVD
(Name) (Street or RFD) (City) (State)
Landowner SAME Address HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 5 miles in SW direction from RIVERSIDE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
HY 19 RIVERSIDE HY 190
WELL
DODGE
North ↑
(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 388 ft. Depth of completed well 388 ft. Date drilled 10-7-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	42	SAND
42	102	BLUE CLAY
102	216	BROWN CLAY
216	221	SAND
221	286	BROWN CLAY
286	359	BLUE CLAY
359	388	SAND

9) Casing:
Type: Old New Steel Plastic Other
Cemented from 368 ft. to 300 ft.
Diameter (inches) 4 Setting From (ft.) 368 To (ft.) TI Gage SEA 40
10) SCREEN:
Type STAINLESS STEEL
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 268 To (ft.) 388 Slot Size #10

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 180 ft. below land surface Date 10-7-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 220 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 29

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E.A. Holly F.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

FEB 9 1978

RECEIVED

OCT 13 1977

DEPT. OF
WATER RESOURCES

Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-13-9A Located on map Y25 Received: 73 *dlr*

1) OWNER: Person having well drilled ROBERT HALL (Name) Address Hwy 19-N HUNTSVILLE, TEXAS (Street or RFD) (City) (State)
 Landowner SAME (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER 5 miles in S direction from RIVERSIDE (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
 Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
 5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6½ in. Depth drilled 188 ft. Depth of completed well 188 ft. Date drilled 8-10-73
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	41	SURFACE CLAY
41	61	BROWN SAND
61	71	WHITE CLAY
71	180	GRAY CLAY
180	188	SAND

9) CASING: Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
 Cemented from 178 ft. to 125 ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 178 - +1 SCH 40

10) SCREEN: Type STAINLESS STEEL
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2½ 178 - 188 #10

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
 Was a pump test made? Yes No If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

8) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY:
 Was a chemical analysis made? Yes No
 Did any strata contain undesirable water? Yes No
 Type of water? Good depth of strata 8

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
 ADDRESS Box 37 RIVERSIDE TEXAS (Street or RFD) (City) (State)
 (Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 31 1973
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
NOV 30 1973
Central Records
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-13-9A
Located on map YRS
Received: 23
alt

1) OWNER:
Person having well drilled MR. D.E. HUGHES Address 3130 Southwest Freeway HOUSTON TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____ (Street or RFD) (City) (State)
(Name)

2) LOCATION OF WELL:
County WALKER, _____ 8 miles in S direction from RIVERSIDE
(N.E., S.W., etc.) (Town)



OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 $\frac{1}{2}$ in. Depth drilled 460 ft. Depth of completed well DRY ft. Date drilled 7-6-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	BROWN CLAY
26	117	WHITE CLAY
117	163	BROWN SHALE
163	304	BLUE CLAY
304	308	SAND
308	460	SANDY BLUE CLAY

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____

10) SCREEN:
Type _____
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? DRY HOLE depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. HOLLY CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

JUL 16 1973

RECEIVED

RECEIVED
SEP 19 1973
Central Records
Texas Water Development Board

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-13-9A Located on map yes Received: 73 *dlv*

1) OWNER: Person having well drilled MR D.F. HUGHES (Name) Address 3130 Southwest Fwy (Street or RFD) HOUSTON (City) TEXAS (State)
Landowner SAME (Name) Address _____ (Street or RFD) _____ (City) _____ (State)

2) LOCATION OF WELL: County WALKER miles in 8 direction from RIVERSIDE (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* *(Sketch map showing HWY 19, HWY 190, RIVERSIDE, DODGE, and a well location)*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 261 ft. Depth of completed well 261 ft. Date drilled 7-6-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	WHITE CLAY
26	71	STICKY BROWN CLAY
71	93	ROCK + CLAY STRKS
93	161	BLUE CLAY
161	184	SANDY BLUE SHALE
184	243	GRAY SHALE
243	253	SAND
253	261	ROCK + SAND STRKS

9) CASING: Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 243 ft. to 200 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 243 - +1 SC# 40
10) SCREEN: Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 243 253 #12

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL: Static level 70 ft. below land surface Date 7-6-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 180 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? GOOD depth of strata 10 FT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State)
(Signed) E.A. Holly (Water Well Driller) F.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER DEVELOPMENT BOARD

JUL 16 1973

RECEIVED

RECEIVED
SEP 19 1973
Central Records
Texas Water Development Board