Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Cliff Hammons	129 River Rd.	Channelview	Texas	77530

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	FM 980 Oakwood Village	Riverside	Texas	

Lat. | Long. | Grid # 60 - 14 - 1

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 08/29/00
Completed 08/30/00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6.75	-1.5	183

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	1	T.s.
1	37	Clieche r.
37	41	Bl.cl.
41	49	Sd.
49	79	Bl.cl.
79	102	Sd.
102	141	Bl.cl.
141	146	Sd.st.
146	159	Cl.
159	183	Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☒ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC Casing	-1.5	162	
2.5	N	Undercutt Screen	163	183	#10

9) Cementing Data
Cementing from -1.5 ft. to 162 ft. # of sacks used 9
ft. to ft. # of sacks used
Method Used Pressure
Cementing By HWW
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☒ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 140 ft.

11) Water Level
Static level 55 ft. below Date / /
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 35 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Slight salt Depth of Strata 24
Was a chemical analysis made? ☐ Yes ☒ No

12) Packers

	Type	Depth
1 – 2.5" K packer	RxL	158'

Company or Individual's Name (type or print) Holly Water Wells

Address 2928 SH 19 City Huntsville State TX Zip 77320

Signature Raymond McPike / / Licensed Driller/Pump Installer — Date

Signature / / Apprentice — Date

FILED SEQ # EMP # DESC CO OCT 22 2000 OPERATOR

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Jerry Scott	PO BOX 414	Riverside	TX	77367

2) WELL LOCATION

County	Physical Address	City	State	Zip
WALKER	8 mi. EAST RIVERSIDE	RIVERSIDE	TEXAS	77367

Lat.	Long.	Grid #
		60-14-1

3) Type of Work
☒ New Well ☐ Deepening
☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 9/28/00
Completed 10/3/00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6.75	-1.5	413

7) Drilling Method (check) ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft)	To (ft)	Description and color of formation material
0	2	Top bit soil
2	17	Caliche
17	42	H. bl.
42	52	Bl.
52	60	Sa.
60	76	Bl.
76	82	Sa.st.
82	165	Bl.
165	167	Sa.
167	236	Bl.
236	242	H. Bl.
242	246	Bl.

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☒ Open Hole ☐ Straight Wall
☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC Casing	-1.5	382	
2.5	N	SST Screen	389	409	#8

9) Cementing Data
Cementing from -1.5 ft. to 10 ft. # of sacks used 2
232 ft. to 382 ft. # of sacks used 7
Method Used Pressure
Cementing By H. Lee
Distance to septic system field or other concentrated contamination ____ ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 180 ft.

11) Water Level
Static level 60 ft. below Date / /
Artesian Flow ____ gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 80 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 31
Was a chemical analysis made? ☐ Yes ☒ No

12) Packers

	Type	Depth
1 – 2.5" Rubber packers	RxL	376'
1 – 2.5" Rubber packers	RxR	377'

FILE ID
SEQ #

Company or Individual's Name (type or print) Holly Water Wells, Inc.
EMP #

Address 2928 SH 19 City Huntsville State TX Zip 77320

Signature / / Signature / /
Licensed Driller/Pump Installer Date Apprentice Date

NOV 27 2000
COMMENT

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
246	249	Sa.st.
249	257	Bl.
257	262	Sa.
262	274	Br.cl.
274	276	Sa.
276	282	Bl & br.cl.
282	293	Br.cl.
293	298	Sa.st.
298	304	Sa.
304	306	Sa.st.
306	309	Bl.
309	322	Sa.st.
322	325	Sa.
325	370	Bl.
370	382	Sa.st.
382	413	Sand

#12 WALKER

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1G
Located on map 425
Received: RWB

1) OWNER Jack Garrett (Name) Address P.O. Box 387 (Street or RFD) Conroe, Texas (City) (State) 77301 (Zip)

2) LOCATION OF WELL: County Walker, 8 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ON 38-61-4A

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 9-28-81

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	484

From (ft.)	To (ft.)	Description and color of formation material
0	27	caliahie
27	60	blue clay
60	66	sand
66	86	sand streaks and rock streaks
86	122	coarse sand
122	162	blue clay and sand streaks
162	193	blue clay
193	208	sand
208	286	blue clay
286	312	sand
312	330	blue clay
330	335	sand streaks
335	398	blue clay
398	402	sand streaks
402	417	blue clay
417	430	sand Well here
430	484	blue clay

(Use reverse side if necessary)

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	1½	418	40
2½	N	Stainless steel	429	419	36

CEMENTING DATA
Cemented from 418 ft. to 368 ft.
Method used Pressure
Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL:
Static level 63 ft. below land surface Date 10-1-81
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead L	413

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 13 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside, Texas (City) (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#✓

'ATE OF TEXAS WATER WELL REPORT

1) OWNER: RICHARD GILCREST ADDRESS: 5502 BROWNIE LANE CITY: HOUSTON STATE: TX ZIP: 77379
2) LOCATION OF WELL: County: WALKER 3 miles in E direction from RIVERSIDE

LEGAL DESCRIPTION SEE ATTACHED MAP

on 60-04-5

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01084

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	404

7) BOREHOLE METHOD:
OPEN HOLE
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 09/04/90

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	4	TOP SOIL
4	24	CALICHE
24	108	BLUE CLAY
108	114	SAND STREAKS
114	149	BLUE CLAY
155	166	SAND STREAKS
166	200	BLUE CLAY
200	204	SAND STREAKS
204	234	BLUE CLAY
234	250	SAND STREAKS
250	266	BLUE CLAY
266	267	ROCK
267	275	SAND
275	277	BLUE CLAY
277	284	SAND STREAKS
284	294	FINE SAND
294	316	SAND STREAKS
316	374	BLUE CLAY
374	404	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING	GAGE SCREEN
A	N	PVC	-1.5	384		40
2	N	PVC	381	391		08

9) CEMENTING DATA:
Cemented from 0 FT. TO 15 FT.
384 FT. TO 284 FT.
Method used: PRESSURE
Cemented by: HENRY LEE

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : FT. DATE:
ARTESIAN FLOW: GPM. DATE:

12) PACKERS:

TYPE	DEPTH
K PACKER	360

RECEIVED
NOV 15 1990
TEXAS WATER COMMISSION

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 180

14) WELL TEST:
ESTIMATED
YIELD: 45 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 30 FT NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: HOLLY WATER WELLS WATER WELL DRILLER'S LICENSE NO.: 2026
ADDRESS: 607 HWY 19 CITY: HUNTSVILLE STATE: TX ZIP CODE: 77340

FOR TDWR USE ONLY
WELL NO. 60-14-1
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) [signature] (signed)
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

#2

STATE OF TEXAS WATER WELL REPORT

1) OWNER: RICHARD GILCREST ADDRESS: 5502 BROWNIE LANE CITY: HOUSTON STATE: TX ZIP: 77379
2) LOCATION OF WELL: County: WALKER 3 miles in E direction from RIVERSIDE

LEGAL DESCRIPTION SEE ATTACHED MAP

on 60-04-5

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01084

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	404

7) BOREHOLE METHOD:
OPEN HOLE
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

DATE DRILLED: 09/04/90

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	4	TOP SOIL
4	24	CALICHE
24	108	BLUE CLAY
108	114	SAND STREAKS
114	149	BLUE CLAY
155	166	SAND STREAKS
166	200	BLUE CLAY
200	204	SAND STREAKS
204	234	BLUE CLAY
234	250	SAND STREAKS
250	266	BLUE CLAY
266	267	ROCK
267	275	SAND
275	277	BLUE CLAY
277	284	SAND STREAKS
284	294	FINE SAND
294	316	SAND STREAKS
316	374	BLUE CLAY
374	404	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA.	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC	-1.5	384	40
2	N	PVC	381	391	08

9) CEMENTING DATA:
Cemented from 0 FT. TO 15 FT.
384 FT. TO 284 FT.
Method used: PRESSURE
Cemented by: HENRY LEE

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : FT. DATE:
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
K PACKER 360

RECEIVED
NOV 15 1990
TEXAS WATER COMMISSION

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 180

14) WELL TEST:
ESTIMATED
YIELD: 45 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: GOOD DEPTH OF STRATA: 30 FT NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: HOLLY WATER WELLS WATER WELL DRILLER'S LICENSE NO.: 2026
ADDRESS: 607 HWY 19 CITY: HUNTSVILLE STATE: TX ZIP CODE: 77340

FOR TWB USE ONLY
WELL NO. 60-14-1
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Robert A. Brumbaugh (signed)
LICENSED WATER WELL DRILLER REGISTERED DRILLER TRAINEE

#11 WALKER

Please use black ink. Send original copy by certified mail to the **Texas Water Commission** P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

77388

1) OWNER PHIL GEASLEN (Name) Address 3411 Blue Candle Spring, Tx. (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 5 miles in E (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

XX See attached map. on 60-13-2

3) TYPE OF WORK (Check): XX New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): XX Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven XX Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 10/14 19 87 Completed 10/15 19 87

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	425

7) BOREHOLE COMPLETION: ☐ Open Hole XX Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	10	BROWN CLAY
10	16	SAND STREAKS
16	119	HARD BLUE CLAY
119	129	SAND STREAKS
129	144	HARD BLUE CLAY
144	159	HARD BLUE CLAY W/ROCK STREAKS
159	164	BLUE CLAY W/LIGNITE
164	204	BLUE CLAY
204	209	SAND
209	262	BLUE CLAY
262	264	ROCK STREAKS
264	278	BLUE CLAY
278	282	SAND
282	284	ROCK
284	292	SAND
292	302	BLUE CLAY?
302	329	BROWN CLAY
329	365	SAND W/ROCK STREAKS
365	369	SAND
369	386	BLUE CLAY
386	391	SAND STREAKS
391	425	SAND

RECEIVED NOV 18 1987 TEXAS WATER COMMISSION

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	-1.5	404	20
2½	N	STAINLESSSTEEL	404	425	#6

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 404 ft. to 304 ft. No. of Sacks Used 7
10 ft. to 0 ft. No. of Sacks Used 2
Method used PRESSURE
Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow 50- gpm. Date _____

12) PACKERS: Type LEAD Depth 397

13) TYPE PUMP: ☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELL SERVICE (Type or Print) Water Well Driller's License No. 2026/2221

ADDRESS 607 HWY. 19 (Street or RFD) HUNTSVILLE, TX. (City) 77340 (State) (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) Raymond McPike (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 60-14-1
Located on map _____

TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

-46 WALKER

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Robert Park (Name) Address 2211 Peach Lane Pasadena, TX 77502 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker, 6 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. Map on 60-13-4R

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 11-05-84

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	526

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-22		Calichie rock
22-62		Blue clay
62-117		Hard blue clay
117-122		Sand streaks
122-139		Hard blue clay
139-142		Sand
142-182		Blue clay
182-187		Sand streaks
187-200		Blue clay
200-202		Sand
202-214		Hard blue clay
214-218		Blue clay
218-222		Sand
222-236		Blue clay
236-242		Hard blue clay
242-296		Blue clay
296-302		Sand streaks
302-325		Blue clay
325-326		Rock
326-329		Blue clay
329-342		Sand streaks
342-362		Blue clay
362-366		Rock streaks
366-379		Blue clay
379-382		Sand
382-388		Sand streaks

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	495	40
2½	N	Stainless steel	495	515	#6

CEMENTING DATA
Cemented from 495 ft. to 395 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level 62 ft. below land surface Date 11-10-84
Artesian flow _____ gpm. Date _____

10) PACKERS:

	Type	Depth
Lead	L	490

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 19 Ft.
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED
DEC 18 1984
DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) Ralph A. Schwarzer (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Dup

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-14-1k
Located on map Yes DLF

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

388-402	Sand
402-474	Blue clay
474-482	Sand streaks
482-496	Blue clay
496-516	Sand
516-519	Sand streaks
519-526	Blue clay

#~~[illegible]~~ 60 WALKER

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Steve Wilson (Name) Address Rt. 3 Box 284-E, Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker, 6 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. Map on 60-13-4R

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 11-13-84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	533

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-14		Brown clay
14-42		Sand streaks
42-62		Blue clay
62-79		Sand streaks
79-82		Blue clay
82-94		Hard blue clay
94-97		Blue clay
97-107		Hard blue clay
107-118		blue clay
118-122		Hard blue clay
122-129		Blue clay
129-131		Sand
131-139		Blue clay
139-142		Rock
142-148		Blue clay
148-153		Rock
153-174		Sand
174-179		Blue clay
179-191		Sand
191-232		Blue clay
232-242		Sand
242-255		Sand streaks
255-262		Sand
262-276		Sand streaks
276-291		Sand
291-299		Blue clay

(Use reverse side if necessary) (OVER)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	502	40
2½	N	Stainless steel	502	512	#8

CEMENTING DATA
Cemented from 502 ft. to 402 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level 55 ft. below land surface Date 11-15-84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Lead L Depth 497

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 30 Ft.
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED
DEC 18 1984
DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well SErvice (Type or Print) Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607, Huntsville TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-14-1R
Located on map Yes DLF

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

299-302	Sand
302-322	Sand streaks
322-337	Blue clay
337-342	Sand
342-372	Blue clay
372-376	Sand
376-382	Rock streaks
382-388	Blue clay
388-392	Rock
392-402	Blue clay
402-411	Sand
411-414	Blue clay
414-432	Sand
432-448	Blue clay
448-451	Rock
451-497	Blue clay
497-527	Sand
527-533	Blue clay

4 WALKER

DEEP

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-17-19
Located on map yes
Received: C.F.S.

1) OWNER Jack McVey (Name) Address P.O. Box 241 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip)

2) LOCATION OF WELL:
County Walker, 8 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. mapon 60-18-60

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 12-28-81

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	418

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		top soil
2-15		sand streaks
15-22		calichie
22-50		blue clay
50-51		rock
51-83		blue clay
83-89		sand
89-93		blue clay
93-102		sand streaks
102-119		blue clay
119-122		sand
122-126		sand streaks
126-139		blue clay
139-142		sand
142-146		sand streaks
146-152		sand
152-171		blue clay
171-179		sand
179-193		blue clay
193-196		sand
196-203		sand streaks
203-248		blue clay
248-261		sand
261-289		brown clay
289-334		sand and sand streaks
334-385		blue clay
385-418		sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	396	40
2½	N	Stainless steel	417	397	#6

CEMENTING DATA
Cemented from 396 ft. to 346 ft.
Method used Pressure
Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead L	392

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 33 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#3 WALKER

DUP

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1K
Located on map yes
Received: C.F.S.

1) OWNER Joe Goss (Name) Address Rt. 8 Box 118 (Street or RFD) Alvin, Texas (City) 77511 (State) (Zip)

2) LOCATION OF WELL:
County Walker, 8 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. map on 60-18-6D

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 12-21-81

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	440

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		top soil
2-7		white clay
7-14		rock
14-18		brown clay
18-54		blue clay
54-66		sand streaks
66-73		rock streaks
73-78		sand
78-80		rock
80-89		sand
89-99		sand streaks
99-100		rock
100-102		sand
102-106		rock streaks
106-110		coarse sand
110-112		lignite
112-124		sand
124-180		blue clay
180-185		sand
185-217		blue clay
217-224		sand
224-280		blue clay
280-293		sand
293-295		blue clay
295-317		sand
317-337		sand streaks
337-387		blue clay
387-440		sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	428	40
2½	N	Stainless steel	439	429	#6

CEMENTING DATA
Cemented from 428 ft. to 378 ft.
Method used Pressure
Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL:
Static level 67 ft. below land surface Date 12-23-81
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead	L 424

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 53 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside, Texas (City) (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#7

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1L
Located on map 4
Received: 79 SK

1) OWNER MR LEON PARRISH (Name) Address 8719 SHOAL CK. HOUSTON TEXAS 77064 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER 7 miles in E (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ **See attached map.** 7 Map on 60-20-5C

3) **TYPE OF WORK** (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**
Date drilled 5-31-79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	474

From (ft.)	To (ft.)	Description and color of formation material
0	26	BROWN CLAY
26	46	BLUE CLAY
46	110	ROCK
110	159	SAND
159	215	BLUE CLAY
215	221	SAND
221	223	ROCK (EXTRA HARD)
223	266	SAND (BUTTON BIT)
266	322	BLUE CLAY
322	325	SAND
325	448	BLUE CLAY
448	474	SAND

(Use reverse side if necessary)

7) **BOREHOLE COMPLETION:**
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	458	+1	Sch 40
2½	N	STAINLESS STEEL	458	474	#10

CEMENTING DATA
Cemented from 458 ft. to 400 ft.
Method used PRESSURE
Cemented by E.A. HOLLY CO (Company or Individual)

9) **WATER LEVEL:**
Static level 68 ft. below land surface Date 5-29-79
Artesian flow _____ gpm. Date _____

10) **PACKERS:** Type LEAD Depth 454

11) **TYPE PUMP:**
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) **WELL TESTS:**
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 26
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)

(Signed) E. A. Holly (Water Well Driller) E.A. HOLLY (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#11 WALKER

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1R
Located on map YES
Received: C.F.S.

1) OWNER William T. Brown (Name) Address 2001 S. Hwy. 288 Rt.1 Angleton, Texas 77515 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 4 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. map on 60-21-38

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 8-26-80

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	529

From (ft.)	To (ft.)	Description and color of formation material
0	22	colecha rock
22	77	blue clay
77	80	sand
80	86	blue clay
86	102	rock
102	112	blue clay
112	114	sand
114	116	rock
116	141	blue clay
141	151	sand
151	155	blue clay
155	164	sand streaks
164	180	blue clay
180	182	sand
182	203	blue clay
203	209	sand streaks
209	224	blue clay
224	228	sand streaks
228	265	blue clay
265	268	sand
268	286	blue clay
286	291	sand
291	345	blue clay
345	355	sand streaks
355	388	blue clay
388	399	sand streaks
399	412	sand

OVER (Use reverse side if necessary)

RECEIVED APR 7 1982 CR/TD.

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	497	40
2½	N	Stainless steel	498	508	#6

CEMENTING DATA
Cemented from 400 ft. to 455 ft.
Method used Pressure
Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL:
Static level 51 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
~~Lead~~ 493

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 42 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside, Texas 77367 (City) (State) (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

412-424 sand streaks
424-487 blue clay
487-529 sand-fine

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-14-1H
Located on map yes
Received: 73
dl

1) OWNER:
Person having well drilled MR BILL NEWMAN (Name) Address GEN. DEL. (Street or RFD) RIVERSIDE (City), TEXAS (State)

Landowner _____ (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 6 miles in S.E. (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 245 ft. Depth of completed well 198 ft. Date drilled 9-15-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	44	BROWN SAND
44	158	BLUE CLAY
158	171	ROCK
171	198	FINE SAND
198	245	BLUE CLAY

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 168 ft. to 100 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	168	+1	SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	168	198	#4

7) COMPLETION (Check):
Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 11 ft. below land surface Date 9-15-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No.
Type of water? GOOD depth of strata 27

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367

(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-14-18
Located on map yes
Received: 73
dlr

1) OWNER:
Person having well drilled C.E RICK'S (Name) Address Box 190 (Street or RFD) RIVERSIDE (City) TEXAS (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 6 miles in E (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 480 ft. Depth of completed well 480 ft. Date drilled 7-16-73

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	BROWN CLAY
26	58	BLUE CLAY
58	71	SAND
71	79	BLUE CLAY
79	94	SAND
94	162	CLAY + SAND WITH ROCK STKS
162	205	BLUE CLAY
205	215	SAND
215	220	BLUE CLAY
220	229	HARD ROCK 10 HRS (DRILLING)
229	262	FINE SAND

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 464 ft. to 400 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	464	+1	SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	464	480	#6

7) COMPLETION (Check):
Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 53 ft. below land surface Date 7-16-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 180 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 40'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS 77367 (State)

(Signed) E. A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

262 - 344	BLUE CLAY
344 - 367	FINE SAND
367 - 412	BLUE SHALE
412 - 449	STICKY BLUE CLAY
449 - 480	SAND

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 66-14-1D
Located on map yes
Received: 7-1
dir

1) OWNER:
Person having well drilled Carl Sullivan (Name) Address Gen. Del. Riverside, Texas (Street or RFD) (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, miles in 2 E (N.E., S.W., etc.) direction from Riverside, Texas (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 484 ft. Depth of completed well 484 ft. Date drilled 7-1-71

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	26	White Clay
26	67	blue clay
67	85	rock
85	253	blue clay
253	255	rock
255	366	blue sandy clay
366	390	fine sand
390	454	sticky blue clay
454	484	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 454 ft. to 100 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	454	X 1	Sch. 40

10) SCREEN:
Type Stainless Steel Bar-Weld
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	454	484	8

7) COMPLETION (Check):
Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 60 ft. below land surface Date 7-1-71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801

ADDRESS Box 37 (Street or RFD) Riverside (City) Texas (State) 77367

(Signed) E.A. Holly (Water Well Driller) E.A. Holly Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-14-1C
Located on map YES
Received: 71
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Carl Sullivan (Name) Address Gen Del. Riverside, Texas (Street or RFD) (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

RECEIVED MAR 8 1971 TEXAS WATER DEVELOPMENT BOARD

2) LOCATION OF WELL:
County Walker Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in 2 E (N.E., S.W., etc.) direction from Riverside, Texas (Town).



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☑ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☐ Industrial ☐ Municipal ☑ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☑ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 435 ft. Depth of completed well 435 ft. Date drilled 1-15-71

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	26	brown Clay	312	324	sand
26	98	Blue Clay	324	401	sticky blue clay
98	108	sand	401	435	sand
108	230	blue clay			
230	235	sand			
235	283	blue clay			
283	287	hard rock			
287	312	blue clay			(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall ☑ Gravel packed ☐ Other ☐ Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 20 ft. below land surface Date 1-15-71
Artesian pressure ____ lbs. per square inch Date

9) CASING:
Type: old ☐ New ☑ Steel ☐ Plastic ☑ Other ☐
Cemented from 405 ft. to 300 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	X-1	405	Sch.40

10) SCREEN:
Type Stainless Steel Bar-Weld
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2	405	435	8

11) WELL TESTS:
Was a pump test made? ☐ Yes ☑ No If yes by whom?

Yield: ____ gpm with ____ ft. drawdown after ____ hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☑ No
Did any strata contain undesirable water? ☐ Yes ☑ No
Type of water? good depth of strata 30

12) PUMP DATA:
Manufacturer's Name Ruth - Berry
Type Submersible H.P. 2
Designed pumping rate 1510 gpm ☐ gph ☑
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 140 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801

Address Box 37 (Street or RFD) Riverside, Texas (City) 77367 (State)

(Signed) E.A. Holly (Water Well Driller) E.A. Holly Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Chris Brumley (Name) ADDRESS 15 Brumley Rd (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

2) ADDRESS OF WELL: County Walker Thomas Lake Rd (Street, RFD or other) Huntsville (City) TX (State) 77320 (Zip) Long. ____ Lat. ____ GRID # 60 . 14 - 1

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boding [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) N

6) WELL LOG:
Date Drilling: Started 3-22 20 00; 3-23 20 00

DIAMETER OF HOLE Dia.. (in.)	From (ft.)	To (ft.)
6.75	Surface	232

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

From (ft.)	To (ft.)	Description and color of formation material
0	1	Bit t.s.
1	4	Br.cl.
4	21	Cleiche
21	52	Br. Sdy. Cl.
52	102	Bl.cl.
102	106	Sd.
106	182	Bl.cl.
182	194	Sdy. Cl.
194	197	Cl.
197	202	Sd.
202	217	Bl.cl.
217	222	Sd.st.
222	232	Sand

(Use reverse side if necessary)

8) Borehole Completion (Check): [X] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other ____
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	-1.5	217	
2.5	N	PVC Screen	222	232	#10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
67 ft. to 217 ft. No. of sacks used 7
Method used Pressure
Cemented by Holly Water Wells
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed (Rule 338.44(2)(A)]
[ ] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[X] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
Static Level 95 ft. below land surface Date ____
Artesian flow ____ gpm Date ____

12) PACKERS:

Type	Depth
2 ½" K Packer RxR	214

13) TYPE PUMP: [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other ____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS:
Type Test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 12 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 10
Was a chemical analysis made? [ ] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) WELL DRILLER'S LICENSE NO. F3114W

ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

(Signed) Raymond McPike (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

SEQ # ____ DEC 00 ____ APR 2 5 2000 ____

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-1-94)

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) **OWNER** Ray Brumley (Name) **ADDRESS** 15 Brumley Rd (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

2) **ADDRESS OF WELL:** County Walker Thomas Lake Rd (Street, RFD or other) Huntsville (City) TX (State) 77320 (Zip) Long. ____ Lat. ____ GRID # 60-14-1

3) **TYPE OF WORK (Check):** [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) **PROPOSED USE (Check):** [ ] Monitor [ ] Environmental Soil Boding [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) N

6) **WELL LOG:**
Date Drilling: Started 3-20 20 00; 3-21 20 00

DIAMETER OF HOLE		
Dia.. (in.)	From (ft.)	To (ft.)
6.75	Surface	197

7) **DRILLING METHOD (Check):** [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

From (ft.)	To (ft.)	Description and color of formation material
0	1	Bit t.s.
1	21	Cleiche w/ sd.st.
21	28	Sd.
28	50	Bl.cl.
50	55	Sd.
55	62	Bl.cl.
62	82	Bl.cl. w/ r.st.
82	122	Bl.cl.
122	128	Sd.st.
128	172	Bl.cl.
172	197	Sand

(Use reverse side if necessary)

8) **Borehole Completion (Check):** [X] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other ____
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	-1.5	176	
2.5	N	PVC Screen	187	197	#10

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
26 ft. to 176 ft. No. of sacks used 7
Method used Pressure
Cemented by Holly Water Wells
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

10) **SURFACE COMPLETION**
[ ] Specified Surface Slab Installed (Rule 338.44(2)(A)]
[ ] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[X] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

11) **WATER LEVEL**
Static Level 43 ft. below land surface Date ____
Artesian flow ____ gpm Date ____

12) **PACKERS:**

Type	Depth
2 ½" K Packer RxR	172

13) **TYPE PUMP:** [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other ____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) **WELL TESTS:**
Type Test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 20 gpm with ____ ft. drawdown after ____ hrs.

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 25
Was a chemical analysis made? [ ] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) **WELL DRILLER'S LICENSE NO.** 3114W

ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

(Signed) Raymond McRae (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

FILE ID SEQ # EMP # APR 3 0 2000 DATE CHECKED BY

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-1-94)

10 WALKER

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-10
Located on map yes
Received: C.F.S.

1) OWNER E. J. Walker (Name) Address Rt. 3 Box 408 (Street or RFD) Huntsville, Texas (City) (State) 77340 (Zip)

2) LOCATION OF WELL:
County Walker, 11 miles in NE (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. mapon 60-20-6K

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 4-6-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
9	Surface	62

From (ft.)	To (ft.)	Description and color of formation material
0	36	sand
36	57	blue clay
57	62	sand

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 62 ft. to 2 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic screen	62	42	#10
6	N	Plastic screen	37	27	#10
6	N	Plastic screen	21	11	#10
6	N	Plastic casing	11	-1½	sc40

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 1 ft. below land surface Date 4-6-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 40 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 5 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
APR 19 1982
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 41 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#1 WALKER

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1P
Located on map Yes
Received: KLW

1) OWNER Paul Carr (Name) Address 720 Heights Blvd. Houston, Texas 77007 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 5 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map. Map on 60-13-8B Dup

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 6-5-81

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	489

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	15	white clay
15	18	sand streaks
18	37	calichie
37	58	blue clay
58	62	sandy blue clay
62	69	sand streaks
69	74	blue clay
74	79	sand
79	219	blue clay
219	224	sand streaks
224	241	blue clay
241	243	sand
243	255	blue clay
255	264	sand streaks
264	287	blue clay
287	312	sand streaks
312	330	blue clay
330	333	sand
333	383	blue clay
383	418	sand (this sand)
418	489	blue clay

(Use reverse side if necessary)

RECEIVED AUG 17 1982 CR/TDWR

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 489 ft. to 418 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	405	40
2½	N	Stainless steel	417	407	#10

CEMENTING DATA
Cemented from 405 ft. to 355 ft.
Method used Pressure
Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL:
Static level 50 ft. below land surface Date 6-9-81
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead	L	401 ft.

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 35 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside, Texas 77367 (City) (State) (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#14

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1N
Located on map YES
Received: C.F.S.

1) OWNER Brumley Enterprises (Name) Address Rt. 20 Box 1248 (Street or RFD) Conroe (City) Texas (State) 77301 (Zip)

2) LOCATION OF WELL:
County Walker, 5 miles in SW (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. map on 60-13-16

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 7-9-80

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	546

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		top soil
2-19		limestone
19-22		sand streaks
22-48		blue clay
48-52		sand
52-65		blue clay
65-70		sand
70-100		blue clay
100-105		sand
105-122		meally clay
122-130		sand streaks
130-162		blue clay
162-198		sand
198-203		blue clay
203-215		fine sand
215-333		blue clay
333-335		sand
335-336		rock
336-390		blue clay
390-423		sand
423-513		blue clay
513-546		sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	534	40
2½	N	Stainless steel	535	545	#6

CEMENTING DATA
Cemented from 534 ft. to 464 ft.
Method used Pressure
Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL:
Static level 79 ft. below land surface Date 7-11-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Lead Depth 530

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 280 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 35 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 33
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#1 WALKER

DUP

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1N
Located on map Yes
Received: C.F.S.

1) OWNER C. E. Brumley (Name) Address 2214½ West 34th St. (Street or RFD) Houston, Texas (City) (State) 77018 (Zip)

2) LOCATION OF WELL:
County Walker, 6 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. mapon 60-18-3H

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 10-5-81

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	541

From (ft.)	To (ft.)	Description and color of formation material
0	4	top soil
4	36	calichie
36	50	sand
50	59	blue clay
59	63	sand
63	168	blue clay
168	171	rock
171	197	blue clay
197	203	sand streaks
203	217	blue clay
217	221	sand streaks
221	228	sand
228	376	blue clay
376	381	rock streaks
381	413	hard blue clay
413	423	sticky blue clay
423	448	sand
448	486	blue clay
486	493	sand
493	517	blue clay
517	538	sand
538	542	sandy clay

RECEIVED
AUG 17 1982
CR/TDWR

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	516	40
2½	N	Stainless steel	517	537	#6

CEMENTING DATA
Cemented from 516 ft. to 466 ft.
Method used Pressure
Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead	L	512

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 25 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riversdie, Texas (City) (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1M
Located on map YES
Received: TH

1) OWNER GREEN - RICH (Name) Address (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER 7 miles in E (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. Map on 60-19-4H

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 11-26-79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	371

From (ft.)	To (ft.)	Description and color of formation material
0	22	ROCK
22	52	BLUE CLAY
52	74	SAND
74	203	BLUE CLAY
203	224	ROCK STKS
224	233	BLUE CLAY
233	236	SAND
236	237	ROCK
237	268	SAND (FINE)
268	290	SANDY CLAY
290	333	BLUE CLAY
333	371	SAND

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	STEEL	349	+2	Sch 40
2½	N	STAINLESS STEEL	349	371	#10

CEMENTING DATA
Cemented from 349 ft. to SURFACE ft.
Method used PRESSURE
Cemented by E. A. HOLLY CO. (Company or Individual)

9) WATER LEVEL:
Static level 68 ft. below land surface Date 11-26-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type LEAD Depth 345

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 273 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 38
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)

(Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-14-1K
Located on map 60a
Received: 79 84C

1) OWNER GREEN RICH (Name) Address RT 3 BOX 821-1 (Street or RFD) HUNTSVILLE (City) TEX (State) 77340 (Zip)

2) LOCATION OF WELL:
County WALKER 6 miles in SE (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. #6, Map on 60-19-65

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 11-15-78

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	368

From (ft.)	To (ft.)	Description and color of formation material
0	47	ROCK & BLUE CLAY
47	69	BLUE CLAY
69	79	SAND
79	265	BLUE CLAY
265	271	SAND
271	315	BLUE CLAY
315	338	STICKY CLAY
338	368	SAND

#6

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	348	41	SCH 40
2½	N	STAINLESS STEEL	348	368	#8

CEMENTING DATA
Cemented from 348 ft. to SURFACE ft.
Method used PRESSURE
Cemented by E.A. HOLLY CO (Company or Individual)

9) WATER LEVEL:
Static level 68 ft. below land surface Date 11-15-78
Artesian flow _____ gpm. Date _____

10) PACKERS: Type LEAD Depth 343

11) TYPE PUMP:
☐ Turbin ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 189 ft.

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 60 gpm with 50 ft. drawdown after 1 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 30
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)

(Signed) E. A. Holly (Water Well Driller) E.A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TDWR-0392

2) **LOCATION OF WELL:**

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

#10 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER McCartney (Name) Address Rt. 3 Box 406-A Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker, 7 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. map on 60-11-68

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☒ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 3-04-85

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	429

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-20		Rock
20-22		Blue clay
22-36		Hard blue clay
36-50		Sand
50-54		Hard rock
54-108		Sand
108-110		Rock
110-173		Blue clay
173-182		Sand streaks
182-218		Blue clay
218-222		Sand
222-242		Blue clay
242-262		Meally blue clay
262-270		Blue clay
270-272		Rock

(Use reverse side if necessary)

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galvanized	-1½	399	40
2½	N	Stainless steel	414	399	#8

CEMENTING DATA
Cemented from 399 ft. to Surface ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead L	394

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 210 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 55 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 54 Ft.
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED APR - 8 1985 DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-14-1K
Located on map yes C.F.S.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-14-1J
Located on map yes
Received: 75
ok

1) OWNER:
Person having well drilled Jack Fulbright (Name) Address Riverside, Texas 77367 (Street or RFD) (City) (State)

Landowner same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 5 miles in E (N.E., S.W., etc.) direction from Riverside (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well — Deepening — Reconditioning — Plugging

4) PROPOSED USE (Check):
Domestic — Industrial — Municipal — Irrigation — Test Well — Other

5) TYPE OF WELL (Check):
Rotary — Driven — Dug — Cable — Jetted — Bored

6) WELL LOG:
Diameter of hole 6 ½ in. Depth drilled 534 ft. Depth of completed well 534 ft. Date drilled 2-14-75

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	50	brown clay
50	176	hard blue clay
176	194	sand
194	307	hard blue clay
307	387	blue sandy clay
387	421	brown clay
421	445	fine sand
445	509	sticky blue clay
509	~~534~~ 534	sand

(Use reverse side if necessary)

9) Casing:
Type: Old — New — Steel — Plastic — Other
Cemented from 514 ft. to 400 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4½	400	+1	sch 40

10) SCREEN:
Type stainless steel
Perforated — Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	~~514~~ 509	529	6 & 8

7) COMPLETION (Check):
Straight wall — Gravel packed — Other
Under reamed — Open Hole

8) WATER LEVEL:
Static level 60 ft. below land surface Date 2-14-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes X No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes X No
Did any strata contain undesirable water? Yes X No
Type of water? good depth of strata 25

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801

ADDRESS P.O. Box 37 (Street or RFD) Riverside (City) Texas (State)

(Signed) Dale Holly (Water Well Driller) E.A. Holly Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-14 1F
Located on map YES
Received: 2-7-73

1) OWNER:
Person having well drilled MR O.G. PERRY (Name) Address 831 CURTIN ST. HOUSTON, TEXAS (Street or RFD) (City) (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 6 miles in E (N.E., S.W., etc.) direction from RIVERSIDE TEXAS (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 502 ft. Depth of completed well 502 ft. Date drilled 12-18-72

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	32	BROWN SHALE
32	46	BROWN SAND
46	82	BLUE CLAY
82	87	SAND (SULFUR)
87	152	BLUE CLAY
152	192	FINE SAND
192	309	BLUE CLAY
309	319	SAND
319	375	BLUE CLAY
375	426	FINE SAND
426	482	STICKY BLUE CLAY
482	502	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 486 ft. to 400 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	486	+1	SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	486	502	#6

7) COMPLETION (Check):
Straight wall, Gravel packed, Other
Under reamed, Open Hole

8) WATER LEVEL:
Static level 62 ft. below land surface Date 12-18-72
Artesian pressure ____ lbs. per square inch Date ____
Depth to pump bowls, cylinder, jet, etc., 130 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: ____ gpm with ____ ft. drawdown after ____ hrs.
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water ____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 20 FT.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State)

(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

#12

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1F
Located on map yes
Received: 7-2-79

1) OWNER MR COY SPRAYBERRY (Name) Address 510 EDGEWOOD DR (Street or RFD) RICHMOND (City) TEXAS (State) 77467 (Zip)

2) LOCATION OF WELL:
County WALKER 6 miles in E (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 12 Map on 60-20-5C

3) **TYPE OF WORK** (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check):
☐ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**
Date drilled 5-5-79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	539

From (ft.)	To (ft.)	Description and color of formation material
0	41	BROWN CLAY
41	49	SAND
49	239	BLUE CLAY
239	247	SAND
247	442	BLUE CLAY
442	458	FINE CLAY
458	519	STICKY BLUE CLAY
519	539	SAND

(Use reverse side if necessary)

7) **BOREHOLE COMPLETION:**
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	529	+1	SCH 40
2½	N	STAINLESS STEEL	529	539	#10

CEMENTING DATA
Cemented from 529 ft. to 450 ft.
Method used PRESSURE
Cemented by E.A. HOLLY (Company or Individual)

9) **WATER LEVEL:**
Static level 70 ft. below land surface Date 5-5-79
Artesian flow _____ gpm. Date _____

10) **PACKERS:**

Type	Depth
LEAD	524

11) **TYPE PUMP:**
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) **WELL TESTS:**
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 20
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)

(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Dup

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-14-1F
Located on map 1-05
Received: 75
clb

1) OWNER:
Person having well drilled Mr I.J. Buckner (Name) Address P.O. Box 140 (Street or RFD) Riverside (City) Texas (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 5 miles in E (N.E., S.W., etc.) direction from Riverside, Texas (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well — Deepening — Reconditioning — Plugging

4) PROPOSED USE (Check):
Domestic — Industrial — Municipal — Irrigation — Test Well — Other

5) TYPE OF WELL (Check):
Rotary — Driven — Dug — Cable — Jetted — Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 471 ft. Depth of completed well 471 ft. Date drilled 7-25-75

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	110	Hard Clay & Rock
110	169	Sand
169	232	Blue Clay
232	240	Hard Rock
240	284	Sand
284	290	Hard Rock (Rock Bit)
290	350	Hard Blue Clay
350	445	Sticky Blue Clay
445	471	Sand (Gas in Water)

(Use reverse side if necessary)

9) Casing:
Type: Old — New — Steel — Plastic — Other
Cemented from 460 ft. to 400 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	460	X 1	Sch 40

10) SCREEN:
Type Stainless Steel
Perforated — Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
2½	460	471	#8

7) COMPLETION (Check):
Straight wall — Gravel packed — Other
Under reamed — Open Hole

8) WATER LEVEL:
Static level 50 ft. below land surface Date 7-25-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata 27

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801

ADDRESS Box 37 (Street or RFD) Riverside (City) Texas (State)

(Signed) E.A. Holly (Water Well Driller) E.A. Holly Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-14-1B
Located on map yes
Received: 77
dk

1) OWNER:
Person having well drilled MRS ELLA MAE PHILLIPS (Name) Address 1627 GARDENIA (Street or RFD) HOUSTON (City), TEXAS (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 3 miles in E (N.E., S.W., etc.) direction from RIVERSIDE (Town)

Locate by sketch map showing landmarks, roads, creeks, or hiway number, etc.*



(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 462 ft. Depth of completed well 462 ft. Date drilled 6-20-77

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	SAND + ROCK
22	122	HARD BLUE CLAY
122	216	BLUE CLAY
216	243	SAND
243	255	BLUE CLAY
255	375	SAND
375	430	SOFT BLUE CLAY
430	462	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 442 ft. to 375 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	442	+1	SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	442	462	#8

7) COMPLETION (Check):
Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 21 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 32

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS (State)

(Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

File original copy with
Texas Water Development Board
P. O. Box 12386, Capitol Station
Austin, Texas 78711

State of Texas

DRILLERS LOG AND WELL DATA REPORT

For use by TWDB only
Well No. 60-14-1A
Located on map yes
By dd Date 68
Map no.

1) Well Owner: Riverside Supply Co. (Name) Riverside (Street or RFD) Texas (City) (State)

2) Land Owner: Carolina Cove Development (Name) Same (Street or RFD) (City) (State)

3) Intended use: Industrial ☐ ; Municipal ☑ ; Irrigation ☐ ; Other

4) Location of well: County Walker Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

5 miles in SE (NE, SW, etc.) direction
from Riverside Texas (Town)



Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.

DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 7 in. Date drilled 10-26-67

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	26	Surface Soil			
26	107	Hard Blue Clay			
107	117	Coarse Sand			
					(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

Straight wall ☑
Under reamed ☐
Gravel packed ☐
Open hole ☐
Other

CASING

Type: Old ☐ New ☑
Cemented from ft.
to ft.

Diameter (inches)	Setting from (ft)	Setting to (ft)
4	X-1	107

SCREEN

Type Bar-Lug
Perforated ☐ Slotted ☐

Diameter (inches)	Setting from (ft)	Setting to (ft)
2½	107	117

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

E.A. Holly (Signature) E.A. Holly Co. (Company Name) Reg. No. 801

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 55
ft. below Surface

Pumping level

feet	hours	gpm

Pump type Submersible
Designed pumping rate 600 gpm ☐ gph ☑
Type power unit Electric
Horsepower 3/4 HP
Depth to bowls, cylinder, jet, etc., 84 ft. below pump base.

Name of contractor testing well or installing permanent pump if other than your company:

#6 Aukter DUP

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-14-1A
Located on map yes
Received: RWB

1) OWNER Shield Resources Inc. (Name) Address 3050 S. Post Oak Rd. Suite 400 Houston, Tex 77056 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker, 7 miles in East (N.E., S.W., etc.) direction from Riverside (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ON 60-10-2B

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☒ Other supply

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 6-11-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	456

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		top soil
2-32		kalichie
32-69		blue clay
69-132		sand
132-152		blue clay
152-162		sand
162-174		blue clay
174-182		sandy clay
182-202		sand
202-204		blue clay
204-208		rock
208-222		sand streaks
222-227		blue clay
227-242		sand
242-275		blue clay
275-282		sand streaks
282-298		blue clay
298-318		sand
318-320		blue clay
320-346		sand
346-350		blue clay
350-362		sand streaks
362-381		blue clay
381-382		sand
282-407		blue clay
407-456		sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	1	435	40
2½	N	Plastic undercut	455	435	#10

CEMENTING DATA
Cemented from 435 ft. to 335 ft.
Method used Pressure
Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL:
Static level 70 ft. below land surface Date 6-12-82
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead L	430

11) TYPE PUMP: ☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other air line to be jetted
Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 49 ft.
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED JUL 15 1982 DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).