Send original copy by certified return receipt requested mail to TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Robert Hutching (Name) ADDRESS 4219 Wickstone Drive (Street or RFD) Houston (City) TX (State) 77014 (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 236 Birdwell Rd (Street, RFD or other) Huntsville (City) (State) (Zip) Long. ____ Lat. ____ Grid # 60-18-2

3) TYPE OF WORK (Check): [x] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [x] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) N

6) WELL LOG:
Date Drilling:
Started 3-4 19 2002
Completed 3-4- 19 2002

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10	Surface	10
6 3/4	10	43

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [x] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

From (ft.)	To (ft.)	Description and color of formation material
0-1		Top Soil
1-19		Red Sand
19-23		Red Sand
23-30		white clay
30-43		Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [ ] Straight Wall [ ] Underreamed [x] Gravel Packed [ ] Other ____
If Gravel Packed give interval from 43 ft. to 13 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	33	#40
4	N	PVC Screen	33	43	#8

9) CEMENTING DATA
Cemented from 0 ft. to 10 ft. No. of sacks used 8
____ ft. to ____ ft. No. of sacks used ____
Method used mixed & poured
Cemented by Richard McKee
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance None

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
[ ] Turbine [ ] Jet [x] Submersible [ ] Cylinder
[ ] Other ____
Depth to pump bowls, cylinder, jet, etc., 40 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[x] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

RECEIVED TDLR MAIL ROOM SH MAY 31 2002

COST	AMOUNT

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [x] Jetted [ ] Estimated
Yield: 30 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 18 ft. below land surface Date 3-4-02
Artesian flow ____ gpm Date ____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [x] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 13
Was a chemical analysis made? [ ] Yes [x] No

12) PACKERS: ~~Element~~ None

Type	Depth

RECEIVED NOV 22 2004 TCEQ - CENTRAL FILE ROOM

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Service (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O.Box 1788 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) *White - TDLR Yellow - DRILLER Pink - WELL OWNER*

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

JLLER and ASSOCIATES
1222 University Avenue
Huntsville, Texas 77342

THE STATE OF TEXAS §
COUNTY OF WALKER §

I, the undersigned, JOE A. FULLER, Registered Professional Land Surveyor, do hereby certify that the following field notes represent a survey made on the ground of the following described tract or parcel of land situated in Walker County, Texas:

Tract 2 - 25.93 acres:

Being 25.93 **acres** of land, more or less, situated in the RICHARD BANKHEAD SURVEY, Abstract No. 71, Walker County, Texas and being out of and a part of a called 100 acre tract as described in a Deed from Edna Moore to **Robert Earl Hutching, et al**, dated December 17, 1962 and recorded in Volume 174, Page 333, Deed Records, said 25.93 acre tract being more definitely described as follows:

COMMENCING, for reference only, at the northeast corner of said Hutching tract, same being the southeast corner of a called 17.81 acre tract as described in a Deed from the Veteran's Land Board of Texas to Carroll Wayne McKay, dated February 11, 1987 and recorded in Volume 36, Page 297, Official Records, found a 5/8" iron rod on the east edge of a graded rock road, known locally as "Birdwell Road";

THENCE S00°00'13"W, with the east line of said Hutching tract, and within said road, for a distance of 484.21 feet to a point for the **POINT OF BEGINNING** and the northeast corner of the herein described tract, from said point a 5/8" iron rod, set for reference only in the west fence line of said road, bears S89°40'18"W-18.8 feet;

THENCE S00°00'13"W, continuing with the east line of said Hutching tract, for a distance of 472.34 feet to a point in said road, from which a 5/8" iron rod, set for reference only in the west fence line of said road, bears S89°40'18"W-11.8 feet;

THENCE S89°40'18"W, across said Hutching tract, for a distance of 2391.53 feet to its apparent west line, same being the east line of a called 34.362 acre tract, situated in the ELBERT EPPS SURVEY, Abstract No. 179, as described in a Deed from Tamara Freis Ashy, et al to Vincent J. Filippone, et al, dated March 19, 2000 and recorded in Volume 417, Page 276, Official Records, set a 5/8" iron rod for the southwest corner of the herein described tract;

THENCE, with the apparent west line of said Hutching tract and the east line of said Filippone tract, the following calls:
(1). N02°48'51"W - 156.97 feet; (2). N03°00'39"E - 97.14 feet to the northeast corner of said Filippone tract, same being the southeast corner of a called 10.00 acre tract, situated in the said EPPS SURVEY, as described in a Deed from Destiny Development Company to Robert V. Frogge, dated January 6, 1999 and recorded in Volume 378, Page 473, Official Records, found a 5/8" iron rod from which a 10" Water Oak bears S51°W-10.7 feet (found) and a 14" Pine (dead) bears N02°E-14.3 feet (found);

THENCE N03°46'45"E, with the east line of said Frogge tract and continuing with the apparent west line of said Hutching tract, for a distance of 219.10 feet to a 5/8" iron rod set for the northwest corner of the herein described tract;

THENCE N89°40'18"E, across said Hutching tract, for a distance of 2379.72 feet to the **PLACE OF BEGINNING.**

Surveyed in February, 2002.

Signed _____
JOE A. FULLER
R.P.L.S. No. 4066

\2002-FNS\HUTCHIN2.fns

Hutchings

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Jackie Riss	811 Hopewell Rd	Bedias	Texas	77831

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker 236	811 Hopewell Rd	Bedias	Texas	77831

Lat. Long. Grid # 60-18-2

3) Type of Work
☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply
If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 8/7/01
Completed 8/9/01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
10"	0	10
6 3/4	10	139
3 7/8	139	154

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0-5		Fan Sand
5-8		Sandstone
8-34		white clay
34-40		white sand
40-60		Lignite
60-80		Lignite
80-82		Rock
82-102		Brown clay
102-122		Brown clay
122-126		Rock
126-128		Brown clay
128-133		Lignite
133-138		Rock
138-154		Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC	0	139	#40
2	N	PVC Screen	134	154	#6

9) Cementing Data
Cementing from 139 ft. to 39 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 7
Method Used Pressure
Cementing By R.Baker
Distance to septic system field or other concentrated contamination 150 Plus
Method of verification of above distance Tape measured

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Type Pump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc: 120 ft.

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 15 gpm with ____ ft. drawdown after ____ hrs.

11) Water Level
Static level 72 ft. below Date 8/9/01
Artesian Flow gpm. Date

12) Packers Rubber Type K Depth 134'

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water good Depth of Strata 16'
Was a chemical analysis made ☐ Yes ☒ No

Company or individual's Name (type or print) Gray's Water Well Lic. No. 2011WPK
Address PO Box 1788 City Trinity State Tx. Zip 75862

Signature Vernon Gray (Licensed Driller/Pump Installer) 8/16/01 Date
Signature Richard McKee (Apprentice) 8/16/01 Date

TDLR FORM b001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

> Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material

236

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Leon Copeland	PO BOX 6074	Huntsville	TX	77342

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	Copeland RD	Huntsville	TX	

Lat. | Long. | Grid # 60-18-2

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑ 0

6) Drilling Date
Started 10/1/02
Completed 10/4/02

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6.75	-1.5	641

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	14	Br.cl.
14	26	Sdy.cl.
26	41	Bl.cl.
41	61	Bl.cl. w/ lig.
61	71	Bl.cl.
71	73	Sd.
73	81	Cl.
81	101	Bl.cl. w/ lig.
101	169	Bl.cl.
169	175	Sd.
175	180	Cl.

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☒ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC Casing	-1.5	550	
2.5	N	SST Screen	555	565	#8

9) Cementing Data
Cementing from -1.5 ft. to 20 ft. # of sacks used 2
400 ft. to 550 ft. # of sacks used 7
Method Used Pressure
Cementing By R. McPike
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

RECEIVED TDLR MAIL ROOM SH

13) Plugged ☐ Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used
570	580			4

10) Surface Completion
☐ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☒ Pitless Adapter Used
☐ Approved Alternative Procedure Used

DEC 12 2002
RECEIPT # AMOUNT

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 200 ft.

11) Water Level
Static level 92 ft. below Date / /
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 25 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 22
Was a chemical analysis made? ☐ Yes ☒ No

12) Packers

	Type	Depth
2 – 2.5" K Packers	RxR	535-536

Company or Individual's Name (type or print) Holly Water Wells, LTD Lic. No. 3114W

Address 2928 State Hwy 19 City Huntsville State TX Zip 77320

Signature Raymond McPike / / Signature / /
Licensed Driller/Pump Installer Date Apprentice Date

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
180	182	Sd.
182	201	Bl.cl.
201	211	Cl. w/sd.&r.st.
211	293	Bl.cl.
293	301	Sd.
301	306	Sd.st.
306	321	Bl.cl.
321	336	Sd.
336	376	Bl.cl.
376	384	Sd.
384	441	Bl.cl.
441	461	Bl.cl. w/sd.st.
461	471	Bl.cl.
471	481	Sd.
481	501	Cl. w/sd.st.
501	508	Sd.st.
508	509	Rock
509	521	Cl. w/sd.st.
521	549	Bl.cl.
549	571	Sd.
571	581	Cl.
581	594	Bl.cl.
594	606	Fine sd.
606	641	Shale

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087 *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) **OWNER** Robert Hoke (Name) **ADDRESS** 589 Loma Rd (Street or RFD) Bedias (City) TX (State) 77831 (Zip)

2) **ADDRESS OF WELL:** County WALKER Loma Rd. (Street, RFD or other) Bedias (City) TX. (State) (Zip) Long. ____ Lat. ____ GRID # 60-18-2

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling: Started 9/29 19 99; 10/1 19 99

DIAMETER OF HOLE		
Dia.. (in.)	From (ft.)	To (ft.)
6.75	Surface	410

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	14	Calc.
14	15	Rock
15	36	Sa.
36	39	Bl.
39	42	Sa.st.
42	58	Sa.
58	62	Sa.st.
62	73	Sa.
73	82	Sa.st.
82	122	Bl.
122	131	Sa.st.
131	152	Bl.
152	166	Lign & br.cl.
166	168	Bl

(Use reverse side if necessary)

8) Borehole Completion (Check): ☒ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	-1.5	397	
2.5	N	SST Screen	400	410	#8

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
260 ft. to 410 ft. No. of sacks used 7
Method used Pressure
Cemented by Henry Lee
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance ____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 160 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed (Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☒ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 60 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL
Static Level 56 ft. below land surface Date ____
Artesian flow ____ gpm Date ____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 17
Was a chemical analysis made? ☐ Yes ☒ No

12) PACKERS:

Type	Depth
2 – 2.5" Rubber packers RxR	392'&393'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) **WELL DRILLER'S LICENSE NO.** 2221W

ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

(Signed) Henry Lee (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

FILE ID SEQ # EMP # DESC CO OCT 25 1999 COMMENT

TNRCC-0199 (Rev. 11-1-94)

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
168	176	Lign.
176	190	Sa.
190	235	Bl.
235	242	Sa.st.
242	262	Sa.cl.
262	362	Bl.cl.
362	382	Sa.cl.
382	392	Cl.
392	409	Sand
409	410	Cl.

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-18-2D
Located on map YES
Received: TH

1) OWNER MR BILL JORDAN (Name) Address 7015 GULF FREEWAY (Street or RFD) HOUSTON (City) TEXAS (State) 77 (Zip)

2) LOCATION OF WELL:
County WALKER 15 miles in W (N.E., S.W., etc.) direction from HUNTSVILLE (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ **See attached map.** Map on 60-19-4H

3) **TYPE OF WORK** (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**

Date drilled 10-25-79

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	196

From (ft.)	To (ft.)	Description and color of formation material
0	2	TOP SOIL
2	8	SAND
8	27	BROWN CLAY
27	33	LIGNITE
33	42	BLUE CLAY
42	62	SAND
62	102	BLUE CLAY
102	122	SAND
122	190	BLUE CLAY
190	196	SAND

#1

(Use reverse side if necessary)

7) **BOREHOLE COMPLETION:**
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	184	+1	SCH 40
2½	N	STAINLESS STEEL	186	-196	#8

CEMENTING DATA
Cemented from 184 ft. to 125 ft.
Method used PRESSURE
Cemented by E.A. HOLLY (Company or Individual)

9) **WATER LEVEL:**
Static level 60 ft. below land surface Date 10-25-79
Artesian flow _____ gpm. Date _____

10) **PACKERS:** Type LEAD Depth 181

11) **TYPE PUMP:**
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) **WELL TESTS:**
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? SULPHUR Depth of strata 6
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)

(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-18-2C
Located on map yes
Received: 7-7
dl

1) OWNER:
Person having well drilled C. D. Wakefield (Name) Address 1604 14th (Street or RFD) Huntsville (City) Texas (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 10 miles in N (N.E., S.W., etc.) direction from Shiro (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North ↑

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6¾ in. Depth drilled 70 ft. Depth of completed well 70 ft. Date drilled Dec. 5-25
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	top soil
3	27	yellow Clay
27	70	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	70	

10) SCREEN:
Type slotted pipe
Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4"	55	70	

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 33 ft. below land surface Date Dec 5
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 63 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME George Batten (Type or Print) Water Well Drillers Registration No. 1348

ADDRESS Gen. Del. (Street or RFD) Kurten (City) Texas (State)

(Signed) George Batten (Water Well Driller) George Batten Water Well Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711	State of Texas WATER WELL REPORT	For TWDB use only Well No. 18.213 Located on map Received: Form GW 8 Form GW 9

1) OWNER:
Person having well drilled Mr. Victor Norwell (Name) Address 1108 Air Drive (Street or RFD) (City) (State)

Landowner Same (Name) Address Conroe Texas (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker Labor _____ League _____ Abstract No. _____

NW¼ NE¼ SW¼ SE¼ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)

15 miles in N.W (N.E., S.W., etc.) direction from Huntsville (Town).



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☑ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 147 ft. Depth of completed well 147 ft. Date drilled 8-2-70

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	137	Blue Shale			
137	147	SAND			
					(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☑ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 15 ft. below land surface Date 8-2-70
Artesian pressure ____ lbs. per square inch Date _____

9) CASING:
Type: old ☐ New ☑ Steel ☐ Plastic ☐ Other ☐
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	137	10 ½ lbs.

10) SCREEN:
Type Plastic Screen
Perforated ☑ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	137	147	17

11) WELL TESTS:
Was a pump test made? ☑ Yes ☐ No If yes by whom? J. B. Bradford
Yield: 7½ gpm with 50 ft. drawdown after 12 hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☑ No
Did any strata contain undesirable water? ☐ Yes ☑ No
Type of water? Fresh depth of strata 147

12) PUMP DATA:
Manufacturer's Name Sta-Rite
Type Sub. Pump. H.P. ½
Designed pumping rate 450 gpm ☐ gph ☑
Type power unit _____
Depth to bowls, cylinder, jet, etc., 105 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME J. B. BRADFORD (Type or Print) Water Well Drillers Registration No. 765

Address 363 N. McIVER (Street or RFD) MADISONVILLE (City) TEXAS (State)

(Signed) J. B. Bradford (Water Well Driller) J. B. Bradford & Son (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

8

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 18-24
Located on map
Received:
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Buddy Hope (Name) Address Huntsville (Street or RFD) Texas (City) (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

17 miles in N.W. (N.E., S.W., etc.) direction from Huntsville (Town).



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☑ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 164 ft. Depth of completed well 164 ft. Date drilled 6-3-70

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	50	Blue Shale			
50	164	Sand			

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☑ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 40 ft. below land surface Date 6-3-70
Artesian pressure ____ lbs. per square inch Date

9) CASING:
Type: old ☐ New ☑ Steel ☐ Plastic ☐ Other ☐
Cemented from ____ ft. to ____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	151	10 ¼

10) SCREEN:
Type Plastic Screen
Perforated ☑ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	151	164	10 gr.

11) WELL TESTS:
Was a pump test made? ☐ Yes ☑ No If yes by whom? J. B. Bradford
Yield: ~~12~~ 11½ gpm with 35 ft. drawdown after 12 hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☑ No
Did any strata contain undesirable water? ☐ Yes ☑ No
Type of water? Good depth of strata 164

12) PUMP DATA:
Manufacturer's Name Sta-Rite
Type Sub. Pump H.P. ¾
Designed pumping rate ~~720~~ 700 gpm ☐ gph ☑
Type power unit
Depth to bowls, cylinder, jet, etc., 84 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME J. B. BRADFORD (Type or Print) Water Well Drillers Registration No. 765

Address 303 N. McIVER (Street or RFD) MADISONVILLE (City) TEXAS (State)

(Signed) J. B. Bradford (Water Well Driller) J. B. Bradford & Son (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

5

#6 WALKER

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Gyln Holland (Name) Address 1201 TELEPHONE RD HUNTSVILLE (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 15 miles in W (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. on 60-21-5

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 2-23-88 19__ Completed 2-25-88 19__

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	93

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top Soil
2	19	Brown Clay
19	22	Lignite & Blue Clay Streaks
22	29	Sand Streaks
29	37	Blue Clay w/ Brown Clay Streaks
37	61	Blue Clay
61	62	Lignite Streaks
62	69	Lignite w/ Blue Clay
69	73	Blue Clay
73	78	Sand
78	80	Blue Clay
80	82	Sand
82	93	Sand

(Use reverse side if necessary)

RECEIVED
MAR 24 1988
TEXAS WATER COMMISSION

7) BOREHOLE COMPLETION:
☒ Open Hole ☐ Straight Wall ☒ Underreamed 10"
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from 93 ft. to 80 ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	-1.5	80	40
2	N	PVC slotted	93	80	#4

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 80 ft. to 20 ft. No. of Sacks Used 6
10 ft. to 0 ft. No. of Sacks Used 2
Method used PRESSURE
Cemented by HOLLY WATER WELLS

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date 2-25-88
Artesian flow _____ gpm. Date _____

12) PACKERS: Type K-Packer Depth

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 72 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 13 FT
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or Print) Water Well Driller's License No. 2026 / 22331

ADDRESS 607 Hwy. 19 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 60-18-2
Located on map _____

WWD-012 (Rev.01-28-87)

TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to: TNRCC, P.O. B 087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) **OWNER** Jerry & Cindy Baugh (Name) **ADDRESS** 2600 EL Toro #213 Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:** County Walker 12 M. NW of Huntsville on Kate Bowden Rd (Street or RFD) (City) (State) (Zip) **STATE WELL #**

3) **TYPE OF WORK (Check):** [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) **PROPOSED USE (Check):** [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) 60-18-2

N

6) **WELL LOG:**
Date Drilling:
Started 4-13 19 98
Completed 4-14 19 98

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	140

7) **DRILLING METHOD (Check):** [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0	1	top bit soil
1	3	sa.
3	6	calc.
6	21	sa.st.
21	24	sa.
24	28	bl.
28	41	br.cl. & sa.st.
41	58	bl.
58	66	sa.
66	67	lign.
67	86	bl.
86	91	sa.
91	101	lign.
101	103	bl.
103	106	sa.

(Use reverse side if necessary)

8) **Borehole Completion (Check):** [X] Open Hole [ ] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	-1.5	126	
2	N	PVC SCreen	129	139	#8

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from -1.5 ft. to 126 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by H. Lee
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) **TYPE PUMP:** [ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 115 ft.

10) **SURFACE COMPLETION**
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[ ] Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
[X] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

14) **WELL TESTS:**
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

11) **WATER LEVEL:**
Static level 72 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

FILE ID. SEO #
JUL 19 1999

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 16
Was a chemical analysis made? [ ] Yes [X] No

12) **PACKERS:**

Type	Depth
2 Rubber packers RxR	119 & 120

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) **WELL DRILLER'S LICENSE NO.** 2221W

ADDRESS 607 Hwy 19 (Street or RFD) HUntsville Tx (City) 77340 (State) (Zip)

(Signed) Henry Lee (Licensed Well Driller) **(Signed)** _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
106	114	bl.
114	118	sa.st.
118	124	bl.
124	140	sand