

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Peter Pothier (Name) ADDRESS 3205 Majestic Dr. Huntsville TX (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL: Scails Ranch Rd. (Street or RFD) Huntsville (City) TX (State) 77340 (Zip) GRID # 60-18-3 77340

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 6-7-1995
Completed 6-9-1995

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>321</u>
<u>3 7/8</u>	<u>321</u>	<u>330</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-10</u>		<u>Clay</u>
<u>10-35</u>		<u>Sand</u>
<u>35-60</u>		<u>Clay + Lignight</u>
<u>60-70</u>		<u>Sand</u>
<u>70-115</u>		<u>Lignight</u>
<u>115-145</u>		<u>Clay</u>
<u>145-166</u>		<u>Lignight</u>
<u>166-167</u>		<u>Clay</u>
<u>167-168</u>		<u>Rock</u>
<u>168-183</u>		<u>Lignight</u>
<u>183-186</u>		<u>Rock</u>
<u>186-196</u>		<u>Clay</u>
<u>196-294</u>		<u>Clay</u>
<u>294-315</u>		<u>Sand</u>
<u>294-321</u>		<u>Clay</u>
<u>321-330</u>		<u>Sand</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>6 3/4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>200</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>GAIV. BLANK</u>	<u>193</u>	<u>320</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>SS SCREEN</u>	<u>320</u>	<u>330</u>	<u>10</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 200 ft. to 100 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 9
Method used Pressure
Cemented by Vernon Gray
Distance to septic system field lines 160 ft.
Method of verification of above distance Staged off

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other Air Compressor
Depth to pump bowls, cylinder, jet, etc., 100 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 42 ft. below land surface Date 6-9-95
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water Sulphur Depth of strata 9
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 193

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. _____
ADDRESS PO Box 1788 (Street or RFD) Trinity (City) TX (State) 75862 (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard P. Kee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Joni Casey (Name) ADDRESS 495 Birdwell Rd Huntsville, Tx 77340 (Street or RFD) (City) (State) (Zip)
 2) ADDRESS OF WELL'S LOCATION: 495 Birdwell Rd Huntsville Tx 77340 Long. _____ Lat. _____
 County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-18-3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: _____
 Started 10-5 1998
 Completed 10-7 1998
 7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-4		Sand
4-10		clay
10-21		Limestone
21-40		clay
40-65		Clay
65-68		Rock
68-87		clay
87-103		Sand
103-106		Sand

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0'	96'	#40
4	N	PVC SCREEN	96'	106'	#8

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from 106' ft. to 96' ft.

9) CEMENTING DATA
 Cemented from _____ ft. to _____ ft. No. of sacks used _____
0 ft. to 10 ft. No. of sacks used 4
 Method used _____
 Cemented by Richard M. Gray
 Distance to septic system field lines or other concentrated contamination 153 ft.
 Method of verification of above distance Tape

13) Well plugged within 48 hours
 Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____
 From (ft) To (ft) From (ft) To (ft)

14) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
 Depth to pump bowls, cylinder, jet, etc., 60 ft.
 15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
 Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 19
 Was a chemical analysis made? Yes No
 10) SURFACE COMPLETION: Specified Surface Slab Installed Specified Steel Sleeve Installed Pitless Adapter Used Approved Alternative Procedure Used
 11) WATER LEVEL: Static level 8 ft. below land surface Date 10-7-98
 Artesian flow _____ gpm. Date _____
 12) PACKERS: Formation Type Rubber Depth 96'
Formation Rubber 76'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.
 COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
 ADDRESS P.O. Box 1788 (City) Trinity (State) Tx (Zip) 75862
 (Signed) Vernon Gray (Licensed Well Driller) JUN 05 2000 (Signed) Richard M. Gray (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

1) OWNER: Glyndol Hall (Name) ADDRESS 205 B Fm 1696 Huntsville Tx (Street or RFD) 77340 (City) (State) (Zip)

2) ADDRESS OF WELL:
County Walker 205 B Fm 1696 (Street, RFD or other) Huntsville, Tx. (City) 77340 (State) (Zip) GRID # 60-18-3

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 5-7 1998
Completed 5-9 1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	103'
3 7/8	103'	123'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-10		Sand
10-21		clay
21-28		Sand
28-30		Rock
30-48		Liggy
48-56		clay
56-58		shale
58-61		Sand
61-92		clay
92-100		clay
100-101		Rock
101-123		Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	103	*40
2	N	PVC Blank	96'	103'	*40
2	N	PVC Screen	103'	123'	*6

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 80 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 103 ft. to 0 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 6
Method used pressure
Cemented by Richard Mikee
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance NONE

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 22
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 25 ft. below land surface Date 5-9-98
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 95'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS P.O. Box 1788 (Street or RFD) (City) Trinity (State) Tx (Zip) 75862
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Mikee (Registered Driller Trainee)

FILE ID	SEQ #
EMP # <u>2011 WPK</u>	DESC CO
DATE <u>SEP 30 1998</u>	
COMMENT	TEMP

Please attach electric log, chemical analysis, and other pertinent information, if available.

#68 WALKER ✓

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER M.A. Kelly Address 2410 Dewberry Pasadena, TX 77502
2) LOCATION OF WELL: County WALKER 16 miles in N direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 60-11-9

3) TYPE OF WORK (Check): XX New Well
4) PROPOSED USE (Check): Domestic
5) DRILLING METHOD (Check): Mud Rotary

6) WELL LOG: Date drilled 09-06-85
7) BOREHOLE COMPLETION: Straight Wall

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 119 ft. to 69 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level _____ ft. below land surface Date _____ Artesian flow _____ gpm. Date _____

12) PACKERS: Lead 115
13) TYPE PUMP: Submersible

14) WELL TESTS: Type Test: Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Route 11 Box 607 Huntsville, TX 77340
(Signed) RANDY A. CRAWFORD (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-11-9 Located on map

RECEIVED OCT 22 1985

TEXAS WATER COMMISSION

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WATER #18

8m: NISK
3m: EK

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Bison Instruments John Nelson Address 5708 West 36th St. Minneapolis MN 55416
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County WALKER 18 miles in N direction from HUNTSVILLE
 (N.E., S.W., etc.) (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. on 60-13-4

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling:
 Started 11-6 19 86
 Completed 11-6 19 86

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>5</u>	Surface	<u>141</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-21		Caliche
21-41		Soft clay & sand streaks
41-48		Sand
48-121		Blue clay
121-141		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	

PLUGGED

RECEIVED
 DEC 18 1986

TEXAS WATER COMMISSION

(Use reverse side if necessary)

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 141 ft. to 50 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 2
 Method used PRESSURE
 Cemented by HOLLY WATER WELLS

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-18-3 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-18-3M
Located on map YES
Received: C.F.S.

1) OWNER DALE MYERS (Name) Address P.O. Box 144 (Street or RFD) HUNTSVILLE, TX (City) 77340 (State) (Zip)
2) LOCATION OF WELL: County WALKER 13 miles in N.W. direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. NO 1

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 9-12-83
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 160

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-30</u>		<u>SAND</u>
<u>30-120</u>		<u>SHALE</u>
<u>120-160</u>		<u>SAND</u>

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>135</u>	<u>40</u>
<u>2 1/2</u>	<u>N</u>	<u>BLANK LINER</u>	<u>130</u>	<u>140</u>	
<u>2 1/2</u>	<u>N</u>	<u>PLASTIC Screen</u>	<u>140</u>	<u>160</u>	<u>.10</u>

CEMENTING DATA
Cemented from 90 ft. to 135 ft.
Method used Pressure
Cemented by J.B. Bradford & Son (Company or Individual)

9) WATER LEVEL:
Static level 30 ft. below land surface Date 9-12-83
Artesian flow _____ gpm. Date _____

RECEIVED
MAR 28 1984

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes NO
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes NO

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 10 gpm with 40 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES B. BRADFORD (Type or Print) Water Well Drillers Registration No. 1881
ADDRESS 616 N. McIVER (Street or RFD) MADISONVILLE, TEXAS (City) 77864 (State) (Zip)
(Signed) Jimmy Bradford (Water Well Driller) J.B. Bradford & Son (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

#6

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-18-3L Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER LARRY MAULEY (Name) Address (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County WAKER 13 miles in NW direction from HUNTSVILLE, TX (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-18-7L

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 15 Sept 83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 198 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval... from 158 ft. to 198 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include SURFACE SAND, COLLECTI, BLUE SHALE, SAND - 12 GA.

CEMENTING DATA Cemented from 0 ft. to 10 ft. Method used Slurry Cemented by CLEARWATER Well Ser (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow 12 gpm. Date 15 Sept 83

RECEIVED NOV-9 1983 DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 20 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 60 gpm with 0 ft. drawdown after 30 min.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME EUGENE M. Poldrack Water Well Drillers Registration No. 2289 ADDRESS 440 Graham Rd. Huntsville TX 77340 (Signed) Eugene M. Poldrack Clearwater Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

9/19/88
10/1/88
10/1/88
10/1/88

#22 1/11/83

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-18-3K Located on map yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ronnie Rozell Address Rt. 5 Box 133 Huntsville TX 77340
2) LOCATION OF WELL: County Walker 15 miles in W direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4/11/83
DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 185
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Sandy clay, Blue clay, Sand streaks, etc.

CEMENTING DATA: Cemented from 164 ft. to 64 ft. Method used Pressure Henry Lee

9) WATER LEVEL: Static level 5 ft. below land surface Date 4/12/83

RECEIVED JUN - 7 1983 DEPT. OF WATER RESOURCES

10) PACKERS: Rubber R 159

11) TYPE PUMP: Submersible Depth to pump bowls, cylinder, jet, etc., 140 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? Good Depth of strata 31 Ft.

12) WELL TESTS: Yield: 40 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader/Henry Lee Water Well Drillers Registration No. 2026/2221
ADDRESS P. O. Box 638 Riverside Texas 77367
(Signed) Ralph A. Cadwallader Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-18-3J Located on map Yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER DIANE GEARHART Address Hopewell Road Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 11 miles in W direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. Map 60-13-5V

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 31 Aug 82
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
8 3/4 Surface 95
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval... from 75 ft. to 95 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include gray clay, sand, gray shale, 12 ga. sand, PVC, well screen inc, PVC.

CEMENTING DATA
Cemented from 0 ft. to 15 ft.
Method used slurry
Cemented by Clearwater Well Service (Company or Individual)

9) WATER LEVEL:
Static level 15 ft. below land surface Date
Artesian flow gpm. Date

RECEIVED
SEP 13 1982
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 63 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 15 gpm with 0 ft. drawdown after 3 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
Kenneth Downes
NAME Eugene M. Poldrack Water Well Drillers Registration No. 2134
ADDRESS 440 Graham Road Huntsville, TX 77340
(Signed) Kenneth Downes CLEARWATER WELL SERVICE (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#1 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-18-3H Located on map Yes Received: C.F.S.

1) OWNER Govan Hayward Address 8322 White Castle Houston, Texas 77088
2) LOCATION OF WELL: County Walker 12 miles in West direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 11-2-81 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 151
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-2 top soil, 2-8 sand, 8-13 white clay, 13-34 blue clay, 34-42 sand streaks, 42-97 blue clay, 97-122 fine sand, 122-151 medium sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 139 ft. to 89 ft. Method used Pressure Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 135

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 29 ft. Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 Riverside, Texas 77367

(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
DEC 16 1981
DEPT. OF
WATER RESOURCES

ATTACHMENT
60-18-3H

WALTER
D.

RECEIVED
DEC 16 1981
DEPT. OF
WATER RESOURCES

RECORDED

NOV 14 1978

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

DEPT OF WATER RESOURCES

WATER WELL REPORT

For TWDB use only Well No. 60-18-3G Located on map Received:

1) OWNER: Person having well drilled GLEN DAVIS Address 2103 CHIPPENDALE HOUSTON TEXAS Landowner SAME Address SAME

2) LOCATION OF WELL: County WALKER, 11 3/4 miles in N.W. direction from HUNTSVILLE

SEE REVERSE SIDE North (Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 338 ft. Depth of completed well 338 ft. Date drilled 11-14-77 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include TOP SOIL, SAND-CLAY-GRAVEL, LIGNITE, BLUE SHALE, CLAY, SAND, CLAY.

9) Casing: Type: Old New Steel Plastic Other Cemented from 320 ft. to TOP ft.

Diameter (inches) Setting From (ft.) To (ft.) Gage 4" PVC SCH 40 WELL CASING FROM 1' ABOVE GRADE TO 320' BELOW GRADE

10) SCREEN: Type 2 1/2" x 10' 0.010 GA WOP EVERFLO SCREEN ON SCH 80 PIPE Perforated Slotted

Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2" 328 338 10 GA

7) COMPLETION (Check): 2 STRING WELL Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs.

8) WATER LEVEL: Static level 40 ft. below land surface Date 11-14-77 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 160 ft.

Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

1 HP SUBMERSIBLE PUMP SET ON 160 SCH 80 PVC PIPE

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L. J. LORANCE Water Well Drillers Registration No. 145 ADDRESS 27309 Blue Berry Hill Conroe Texas 77301 (Signed) L. J. Lorraine (Water Well Driller) 10 & P. Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED

MAR 8 '79

CR/TDWR

RECEIVED

NOV 14 1978

2442

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas DEPT. OF WATER RESOURCES WATER WELL REPORT

For TWDB use only Well No. 60-18-3G Located on map 482 Received: 79 8 SAC

1) OWNER: Person having well drilled JOHN DAVIS Address 10943 ROYAL PINE DR (Name) (Street or RFD) (City) (State) Landowner SAME Address HOUSTON, TEXAS (Name) (Street or RFD) (City) (State) 77093

2) LOCATION OF WELL: County WALKER, 11 1/2 miles in NW direction from HUNTSVILLE (N.E., S.W., etc.) (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* SEE REVERSE SIDE North (Use reverse side if necessary) or Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 350 ft. Depth of completed well 350 ft. Date drilled 12-9-77 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-2 TOP SOIL, 2-10 SAND, 10-20 RED CLAY, 20-67 BLUE SHALE, 67-85 LIGNITE, 85-203 BLUE SHALE, 203-205 ROCK, 205-339 CLAY, 339-349 SAND, 349- CLAY

9) Casing: Type: Old New Steel Plastic Other Cemented from 330 ft. to TOP ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" PVC WELL CASING SCH 40 SET FROM 1' ABOVE GRADE TO 350' BELOW GRADE 10) SCREEN: Type 2 1/2" x 10' .010 GA W/O EVERFLO SCREEN ON SCH 80 PVC PIPE Slotted Perforated Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2" 339 349 10 GA

7) COMPLETION (Check): 2 STRING WELL Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 40 ft. below land surface Date 12-9-77 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 294 ft. below land surface. 3/4 HP SUBMERSIBLE PUMP ON 3/4" GALVANIZED PIPE

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? GOOD depth of strata 10 FT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME L. J. LORANCE Water Well Drillers Registration No. 145 ADDRESS 27309 Blueberry Hill Conroe Texas (Street or RFD) (City) (State) (Signed) L. J. LORANCE (Water Well Driller) L & L Water Well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED

MAR 8 '99

CR/TDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


For TWDB use only
Well No. 60-18-3F
Located on map Yes
Received: 7/9/77

WATER WELL REPORT

1) OWNER:
Person having well drilled Wayle Bowen (Name) Address Shiro, Tex (Street or RFD) (City) (State)
Landowner same (Name) Address same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker miles in _____ direction from _____ (Town)
(N.E., S.W., etc.)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/4 in. Depth drilled 380 ft. Depth of completed well 380 ft. Date drilled 12/8/77
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-38	351-380	oils shale shell
38-70	351-374	shale sand
70-75	374-380	br sand shale
75-105		shale
105-129		sandy shale
129-172		shale
172-210		shales clay
210-238		sandy shales shale
238-261		shales broken
261-329		sandy shale
329-351		sand

9) Casing:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from 0 ft. to 360 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	0	360	#40

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other
Under reamed _____ Open Hole _____

10) SCREEN:
Type Plastic
Perforated Slotted _____

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
2 1/2	360	375	.019

8) WATER LEVEL:
Static level 62 ft. below land surface Date 12-8-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Zac H. Falkenburg (Type or Print) Water Well Drillers Registration No. 1787
ADDRESS P.O. Box 668 (Street or RFD) NAVASOTA (City) TEXAS (State)
(Signed) Zac H. Falkenburg (Water Well Driller) Falkenburg Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEPT. OF
WATER RESOURCES

SEP 19 1978

RECEIVED

RECEIVED
MAR 16 1979
CR/TDWR

RECEIVED

APR 24 1978

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

DEPT. OF WATER RESOURCES

For TWDB use only Well No. 60-18-3 E Located on map 281 Received: 281

1) OWNER: Person having well drilled L.D. COPELAND (Name) Address 511 DAVID ST LEAGUE CITY TEXAS (Street or RFD) (City) (State) Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 15 miles in NW direction from HUNTSVILLE (N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 151 ft. Depth of completed well 151 ft. Date drilled 3-15-78 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-62 BLUE CLAY, 62-67 LIGNITE, 67-102 4' SANDY BLUE CLAY, 102-142 SAND

9) Casing: Type: Old New Steel Plastic Other Cemented from 132 ft. to 100 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 132 +1 SCH 40

(Use reverse side if necessary)

10) SCREEN: Type STAINLESS STEEL Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 132 142 #6

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 30 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? SULFUR depth of strata 12

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type of Print) Water Well Drillers Registration No. 801 ADDRESS BOX 37 MILL RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State) (Signed) E.A. HOLLY (Water Well Driller) E.A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 29 1978
Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-18-30 Located on map yes Received: 27 db

1) OWNER: Person having well drilled MR L.D. COPELAND (Name) Address 511 DAVID (Street or RFD) LEAGUE CITY-TEXAS (City) (State) 77573
 Landowner S.A.M.F. (Name) Address _____ (Street or RFD) _____ (City) (State)

2) LOCATION OF WELL: County WALKER, 15 miles in _____ direction from HUNTSVILLE (N.E., S.W., etc.) (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* OR Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
 5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 172 ft. Depth of completed well 172 ft. Date drilled 5-19-77
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-62	62	BLUE CLAY
62-67	67	LIGNITE
67-102	102	SANDY BLUE CLAY
102-142	142	SAND
142-162	162	HARD BLUE CLAY
162-172	172	SAND

9) CASING: Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
 Cemented from 162 ft. to 100 ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 1/2 162 +1 SC# 40

10) SCREEN: Type STAINLESS STEEL
 Perforated _____ Slotted _____
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 162 172 # 8

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
 Was a pump test made? Yes _____ No _____ If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

8) WATER LEVEL: Static level 45 ft. below land surface Date 5-19-77
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No _____
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? SULFUR depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
 NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
 ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367
 (Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 2 1977
TEXAS WATER
DEVELOPMENT BOARD

General Records
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-18-3C
Located on map YPS
Received: 77
dlc

1) OWNER:
Person having well drilled MR J. H. REYNOLDS Address 5503 VIKING HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 15 miles in W direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 197 ft. Depth of completed well 197 ft. Date drilled 5-19-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	SAND + CLAY
22	78	BLUE CLAY (FINE)
78	82	SAND
82	178	BLUE CLAY
178	180	SAND
180	182	CLAY
182	197	SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 185 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 185 71 50H 40

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
185 197 _____ #12

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 63 ft. below land surface Date 5-19-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? Good depth of strata 15

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME F. A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) F. A. Holly F. A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY 17 1957
TARRANT COUNTY BOARD
TARRANT COUNTY

RECEIVED
MAY 17 1957
TARRANT COUNTY BOARD
TARRANT COUNTY

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-18-3B
Located on map Y9C
Received: 7-11
216

1) OWNER:
Person having well drilled JORDAN, ZUEA NEMANN-SIMMONS Address 7015 GOLF FREEMAN HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____ (Street or RFD) (City) (State)
(Name)

2) LOCATION OF WELL:
County WALKER, 12 miles in N.W. direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
HOPEWELL RD FM 1696 CRABB PRAIRIE
HY 75 North
HUNTSVILLE
(Use reverse side if necessary)

or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 196 ft. Depth of completed well 196 ft. Date drilled 5-5-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	32	WHITE CLAY
32	38	ROCK
38	100	BLUE CLAY
100	103	SAND
103	113	BLUE CLAY
113	123	FINE SAND
123	188	BLUE CLAY
188	196	SAND

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 188 ft. to 125 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 188 + 1 SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 188 196 # 8

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 60 ft. below land surface Date 5-5-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? SULFUR depth of strata 8

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HALLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E. A. Hally F. A. HALLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
APR 3 1976
Central Records
Texas Water Development Board

TEXAS WATER DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 6078-3A
Located on map 74
Received: 74
dlr

1) OWNER:
Person having well drilled MR. C.W. M^cKAY Address 2513 VAUGHAN ST. HOUSTON, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER miles in _____ direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
HY 75
EM 1696
HOPEWELL RP
HUNTSVILLE
North
(Use reverse side if necessary)
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 $\frac{1}{2}$ in. Depth drilled 131 ft. Depth of completed well 131 ft. Date drilled 6-10-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	6	RED CLAY
6	40	SAND
40	59	BLUE CLAY
59	63	SAND
63	118	BLUE CLAY
118	121	ROCK
121	130	SAND
130	131	ROCK

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 120 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 121 + 10 SCN 40
10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 $\frac{1}{2}$ 120 - 130 #8

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 30 ft. below land surface Date 6-10-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 110 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? Good depth of strata 9

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E.A. Holly Water Well Drillers Registration No. 801
(Type or Print) (City) (State)
ADDRESS RIVERSIDE Box 37 TEXAS
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 7 1974
General Accounts
Texas Water Development Board

RECEIVED
JUN 24 1974
TEXAS WATER
DEVELOPMENT BOARD

WALKER #4

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Richard Holloman Address 12514 Ellenville Dr. Houston, TX 77089
2) LOCATION OF WELL: County Walker 12 miles in West direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. on 60-19-2

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 4-28-1988 Completed 4-29-1988 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 92
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from 54 ft. to 74 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-4 top soil, 4-7 brown clay, 7-24 sand, 24-44 sand w/ lignite streaks, 44-54 lignite, 54-74 sand, 74-92 blue clay.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)] Cemented from 54 ft. to 0 ft. No. of Sacks Used 5 Method used Pressure Cemented by HWWS

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 6 ft. below land surface Date 4-29-88 Artesian flow gpm. Date

12) PACKERS: Type Depth Rubber 50

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 40 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 20 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-18-3 Located on map

RECEIVED MAY 27 1988

TEXAS WATER COMMISSION

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.