

1945

1946

1947

1948

1949

1950

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

1971

1972

1973

1974

1975

1976

1977

1978

1979

1980

1981

1982

1983

1984

1985

1986

1987

1988

1989

1990

1991

1992

1993

1994

1995

1996

1997

1998

1999

2000

2001

2002

2003

2004

2005

2006

2007

2008

2009

2010

2011

2012

2013

2014

2015

2016

2017

2018

2019

2020

2021

2022

2023

2024

2025

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

Name <i>Ann Christian</i>	Address <i>181 Westridge</i>	City <i>Huntville</i>	State <i>Tx</i>	Zip <i>77340</i>
------------------------------	---------------------------------	--------------------------	--------------------	---------------------

County <i>Walker</i>	Physical Address <i>Bardwell Hwy 30</i>	City <i>Shiro</i>	State <i>Tx</i>	Zip <i>77876</i>
-------------------------	--	----------------------	--------------------	---------------------

3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning	Lat. <i>30 40 63</i> Long. <i>95 47 40</i> Grid # <i>60-18-5</i>	4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No	5) <i>N ↑</i>
---	--	--	---------------

6) Drilling Date Started <i>9, 00</i> Completed <i>9, 00</i>	Diameter of Hole Dia. (in.) From (ft) To (ft) <i>6 3/4 0 417</i>	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____
--	--	--

8) Borehole Completion <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give the interval from _____ ft. to _____ ft.
--

From (ft)	To (ft)	Description and color of formation material
<i>0</i>	<i>295</i>	<i>Shale + Clay</i>
<i>295</i>	<i>310</i>	<i>Sandy Shale</i>
<i>310</i>	<i>417</i>	<i>Clay</i>
<i>417</i>	<i>430</i>	<i>Sand</i>

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>Plastic</i>	<i>0</i>	<i>415</i>	<i>23'</i>
<i>2 1/2</i>	<i>N</i>	<i>Underbar Cut</i>	<i>415</i>	<i>430</i>	<i>.12</i>

9) Cementing Data
Cementing from *0* ft. to *15* ft. # of sacks used _____
ft. to _____ ft. # of sacks used _____
Method Used *pump & K Drilling*
Cementing By _____
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance *no septic*

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____
From (ft) To (ft) From (ft) To (ft) Sacks used _____

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Typepump Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., *180'* ft.

11) Water Level
Static level *93* ft. below Date *9, 00*
Artesian Flow _____ gpm. Date _____

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: _____ gpm with *180* ft. drawdown after _____ hrs.

12) Packers *OS&C CO* Type _____ Depth _____
4" Formation Packer 395'

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water _____ Depth of Strata _____
Was a chemical analysis made Yes No

Company or individual's Name (type or print) <i>S. & K. Drilling Co.</i>	Address <i>11312 S. Business 6</i>	City <i>Navasota</i>	State <i>Tx</i>	Zip <i>77868</i>
Signature <i>Ann K</i>	Date <i>9, 24, 00</i>	Signature <i>Herbert Blumlein</i>	Date <i>9, 24, 00</i>	

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER George Lyle ADDRESS Rt 1 Box 191 -A Bedias Tx 77831-9613
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Walker off Hwy 30 on Loma Rd STATE WELL # _____
County (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-18-5

6) WELL LOG:
Date Drilling:
Started 10-16 1997
Completed 10-18 1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>8.25</u>	Surface	<u>60</u>
6.5	60	400

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	t.s.
1	19	br. cl.
19	21	sd
21	24	sandstone
24	39	cl.
39	87	bl.cl.
87	91	sd.st.
91	159	bl.cl.
159	166	sd.
166	176	bl.cl.
176	189	sd.st.
189	219	sd.
219	221	bl.cl.
221	231	sd.st.
231	291	bl.cl.

(Use reverse side if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	378	
2.5	N	Undercut screen	379	399	#6

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 60 ft. No. of sacks used 10
378 ft. to 278 ft. No. of sacks used 7
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 48 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 22
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth	SEQ #
K Packer	373	

EMP # RxR DATE NOV 07 1997

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)
ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Raymond McPike (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

77092

1) OWNER Finis S. Beunfels (Name) ADDRESS 5527 Chantilly Lane Houston TX (Street or RFD) (City) (State) (Zip)
 2) ADDRESS OF WELL'S LOCATION: 497 Birdwell Huntsville TX (Street, RFD or other) (City) (State) (Zip) Long. _____ Lat. _____
 County Walker Grid # 60-18-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Test Well
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 9-30 1999 Completed 9-31 1999
 DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	80'
3 7/8	80'	102'

 7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
						From	To	
0-1		Top Soil						
1-21		Clay						
21-30		Clay						
30-32		Rock						
32-36		Sand						
36-47		shale						
47-48		Rock	4	N	PVC	0	80'	440
48-53		Sand	2	N	PVC Blank	73	82'	440
53-78		shale	2	N	PVC Screen	82'	102'	408
78-79		Rock						
79-102		Sand						

9) CEMENTING DATA
 Cemented from 80' ft. to 0 ft. No. of sacks used 4
0 ft. to 10 ft. No. of sacks used 4
 Method used Pressure
 Cemented by Richard Mike
 Distance to septic system field lines or other concentrated contamination N/A ft.
 Method of verification of above distance No Lines or Tanks

13) Well plugged within 48 hours
 Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____

From (ft)	To (ft)	From (ft)	To (ft)

 14) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 60 ft.

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 70 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 25'
 Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) WATER LEVEL:
 Static level 9' ft. below land surface Date 9-31-99
 Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 73

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray & Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
 ADDRESS P.O. Box 17887 (Street or RFD) Trinity (City) TX (State) 75862 (Zip)
 (Signed) Vernon Gray (Licensed Well Driller) Richard Mike (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Jan Matlock ADDRESS Rt 3 Box 956 Navasota Tx 77868
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Hwy 30 W. 16M from IH 45 .1M N on Hoke Rd STATE WELL # _____
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-18-5
N

6) WELL LOG:
Date Drilling:
Started 12-12 1996
Completed 12-24 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	405

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	t.s.
1	7	gravel
7	35	w. cl.
35	81	bl. cl.
81	101	bl. cl. w/ r. st.
101	104	sd.
104	124	bl. cl.
124	131	r. & sd. st.
131	141	cl.
141	161	bl. cl.
161	165	cl.
165	171	sd.
171	173	cl.
173	177	sd.
177	181	cl.


8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	350	
2.5	N	Rod base screen	395	405	

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
350 ft. to 200 ft. No. of sacks used 7
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.



10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown

11) WATER LEVEL:
Static level 85 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 12
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth
<u>2"K Packer</u>	<u>R x R 335</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond McPike (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
181	261	bl. cl.
261	264	cl.
264	274	sd.
274	279	cl.
279	281	sd.
281	285	sd. st.
285	319	sd.
319	325	cl.
325	339	sd.
339	341	hard r.
341	349	bl. cl.
349	365	sd.
365	369	cl.
369	383	sd.
383	387	cl.
387	388	r.
388	400	sd.
400	401	r.
401	405	sd.

#14, WKEC

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Highland Ranch (Name) Address Rt 1 Box 191 Bedias, Texas 77831 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 15 miles in W direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 0760-13-3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 11-14-89 Completed 11-15-89 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 284

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ft. to ft.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-4 top soil, 4-52 caliche, 52-76 blue clay, 76-91 sand, 91-107 blue clay, 107-110 rock, 110-154 blue clay, 154-164 sand streaks, 164-252 blue clay, 252-264 sand streaks, 264-284 sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 4 N PVC -1.5 269 40, 2 N PVC UC 274 284 14.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 269 ft. to 169 ft. No. of Sacks Used 7 0 ft. to 15 ft. No. of Sacks Used 2 Method Pressure Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 40 ft. below land surface Date 11-15-89 Artesian flow gpm. Date

RECEIVED DEC 15 1989

12) PACKERS: Type Depth Rubber 263

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 20 + Was a chemical analysis made? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 40 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-18-5 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#5 Walker

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mark Morgan (Name) Address 2115 Bush Dr. (Street or RFD) Huntsville, Texas 77340 (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 13 miles in W direction from Huntsville (Town) (N.E., S.W., etc.)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 0760-21-1

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 9-8-1988 Completed 9-9-1988

Table with 3 columns: Dia. (in.), From (ft.), To (ft.). Rows: 6.5 Surface 215

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-2 top soil, 2-5 black gumbo, 5-22 caliche, 22-109 blue clay, 109-114 sand and rock streaks, 114-149 blue clay, 149-154 sand, 154-182 blue clay, 182-189 sand, 189-194 blue clay, 194-215 sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows: 4 N PVC -1.5 195 40, 2 N PVC UC 215 205 #8

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 195 ft. to 95 ft. No. of Sacks Used 6 Method used Pressure Cemented by Holly Water Wells - Raymond

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 55 ft. below land surface Date 9-9-88 Artesian flow gpm. Date

12) PACKERS: Type Depth Rubber 190

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 35 gpm with ft. drawdown after hrs.

RECEIVED OCT 18 1988

TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 21 ft Was a chemical analysis made? No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 (Street or RFD) Huntsville, Texas 77340 (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-18-5 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WALKER #6 1.2 mi: SINK
1.0 mi: EL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Leroy Sheffield Address Rt. 29 Box 799 Conroe, TX 77302
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER 16 miles in W direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. DN 60-13-4

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 7/28 19 86
Completed 7/29 19 86
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 224

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-4		Top soil
4-15		Caliche
15-19		Rock
19-42		Brown clay
42-92		Blue clay
92-104		Sand streaks
104-144		Meally blue clay
144-170		Blue clay
170-174		Sand
174-220		Blue clay
220-224		Sand streaks

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	170	40
2 1/2	N	PVC Undercut	170	180	#8

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 170 ft. to 70 ft. No. of Sacks Used 6
0 ft. to 0 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Holly Water Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 80 ft. below land surface Date 7-29-86
Artesian flow _____ gpm. Date _____

RECEIVED
DEC 18 1986

12) PACKERS:
Type Lead Depth 165

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TWC use only
Well No. 60-18-5
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#10 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-18-SA Located on map YES Received: RWB

1) OWNER Joel Levingston Address 5601 39th. St. Groves, Texas 77619
2) LOCATION OF WELL: County Walker 14 miles in West direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 60-10-2B

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7-8-82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 290
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

CEMENTING DATA Cemented from 278 ft. to 178 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 274

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 30 gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 14 ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Henry Lee & Ralph Cadwallader Water Well Drillers Registration No. 2221 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Henry Lee Holly Water Well Service

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#10 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER RUDY LOVE (Name) Address (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 16 miles in WEST direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 60-13-2

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: 10/12/87 Started 10/13/87 Completed 10/13/87
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 142
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include TOP SOIL, BROWN CLAY, SAND, BLUE CLAY, SAND, BLUE CLAY, SAND STREAKS, FINE SAND, SAND.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 127 ft. to 30 ft. No. of Sacks Used 6 Method used PRESSURE Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow 30 gpm. Date

12) PACKERS: Type R-R Depth 128

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 128 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? GOOD Depth of strata 30 Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLSERVICE Water Well Driller's License No. 2026/2221

ADDRESS 607 HWY. 19 HUNTSVILLE, TX. 77340 (Street or RFD) (City) (State) (Zip)

(Signed) Rudy A. [Signature] (Licensed Water Well Driller) (Signed) Raymond McPike (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-18-5 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#7 WATER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER LEIGH COX (Name) Address 311 GREEN PARK HOUSTON, TX 77079 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 16 miles in WEST direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 0760-21-5

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Monitor [] Public Supply [] Irrigation [] Test Well [] Injection [] Other [] 5) DRILLING METHOD (Check): Mud Rotary [X] Air Hammer [] Jetted [] Bored [] Air Rotary [] Cable Tool [] Other []

6) WELL LOG: Date Drilling: Started 3-2-88 Completed 3-3-88 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 392


7) BOREHOLE COMPLETION: Open Hole [X] Straight Wall [] Underreamed [] Gravel Packed [] Other []

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-2 TOP SOIL, 2-22 CALICHE, 22-32 WHITE CLAY, 32-64 BLUE CLAY, 64-70 SAND, 70-160 BLUE CLAY, 160-164 SAND, 164-184 BLUE CLAY, 184-204 SAND STREAKS, 204-264 BLUE CLAY, 264-284 FINE SAND, 284-294 BLUE CLAY, 294-304 SAND STREAKS, 304-376 BLUE CLAY, 376-392 SAND.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 4 N PVC, 2.5 N S. STEEL.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 376 ft. to 276 ft. No. of Sacks Used 4 Method used PRESSURE Cemented by HOLLY WATER WELL

10) SURFACE COMPLETION: Specified Surface Slab Installed [] Pitless Adapter Used [X] Approved Alternative Procedure Used []



11) WATER LEVEL: Static level 80 ft. below land surface Date 3-3-88 Artesian flow gpm. Date

12) PACKERS: Type LEAD L Depth 371

13) TYPE PUMP: Turbine [] Jet [] Submersible [X] Cylinder [] Other [] Depth to pump bowls, cylinder, jet, etc., 266 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes [] No [X] If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 16 FT Was a chemical analysis made? Yes [] No [X]

14) WELL TESTS: Type Test: Pump [] Bailer [] Jetted [X] Estimated [X] Yield: 10 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026

ADDRESS 607 Hwy 69 HUNTSVILLE TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) Leigh A. Cox (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-18-5 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.