

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jim Lucas (Name) Address _____ (Street or RFD) _____ (City) _____ (State) _____ (Zip)
 2) LOCATION OF WELL _____ County WALKER miles in _____ direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

W-1 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
 Date drilled 1-84
 DIAMETER OF HOLE
 Dia. (in.) From (ft.) To (ft.)

	Surface	
<u>6</u>	<u>0</u>	<u>233</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other open end
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-38		gr sand
38-60		Rock & sand
60-82		sand
82-100		shale
100-110		br sand
110-127		clay
127-155		clay & lignite
155-165		br sand
165-172		shale
172-194		clay
194-214		clay 213 lock
214-233		sand


8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	213	
		OPEN END			

CEMENTING DATA
 Cemented from 0 ft. to 213 ft.
 Method used Pressure
 Cemented by Falkenburg Drilling Co.
 (Company or Individual)

9) WATER LEVEL:
 Static level 63 ft. below land surface Date 1-84
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth



11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 160' ft.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Falkenburg Drilling Co Water Well Driller's License No. 1787
 ADDRESS P.O. Box 668 NAVASOTA TEXAS 77862
 (Street or RFD) (City) (State) (Zip)
 (Signed) Joe H. Falkenburg (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-18-4C Located on map yes c.f.s.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”


The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



W-1
W-2

W-1
W-2

LIVINGSTON
RESERVOIR
Normal Pool
Elevation 131




Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-10-4A
Located on map Yas
Received: 691
dlr

1) OWNER:
Person having well drilled W.D. Richmond Address 14114 Reeweston Road (City) Humble TX (State)
Landowner same Address _____ (City) (State)

2) LOCATION OF WELL:
County Walker _____ miles in W direction from Huntsville Tex (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well _____ Deepening _____
Reconditioning _____ Plugging _____
PROPOSED USE (Check):
Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter hole 6 1/8 to 6 60 in. Depth drilled 720 ft. Depth of completed well 682 ft. Date drilled 4-7-69
4 3/4 to 720 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	45	Hard Sand
45	60	Blue shale
60	75	Sand
75	85	Brown shale
85	103	Blue shale
103	130	sand
130	160	Blue shale
160	178	sand
178	190	Sandy shale
190	200	sand
200	260	sand

9) Casing:
Type: Old _____ ^{New} Steel _____ Plastic _____ Other _____
Cemented from 643 ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 1/2 1 ft above ga 666 9 1/2 lb

10) SCREEN:
Type Bar-Weld
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
lead seal 643 .010
2 1/2 in liner 643 to 665
2 1/2 in screen 665 - 682

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other _____
2 strings
Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 93 ft. below land surface Date 4-11-69
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 336 ft. below land surface.
Well had lots of gas had to set pump deep to overcome gas.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Neal Drilling Co Water Well Drillers Registration No. 174
(Type or Print)
ADDRESS Box 152 Madisonville Tex (City) _____ (State)
(Signed) Wm J Neal (Water Well Driller) Neal Drilling Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

260 - 296	sandy shale
260 - 320	sand
320 - 327	sandy shale
320 - 360	sand
327 - 360	sandy shale
360 - 380	sand
380 - 395	sand
395 - 403	sandy shale
403 - 418	Blue shale
418 - 421	sand
421 - 424	Blue shale
424 - 438	sand
438 - 444	Blue shale
444 - 450	sand
450 - 467	sandy shale
467 - 475	Blue shale
475 - 478	sand
478 - 495	Blue shale
495 - 500	sand
500 - 605	Blue shale
605 - 620	sandy shale
620 - 650	Blue shale
650 - 655	sandy shale
655 - 660	sand
660 - 665	Blue shale
665 - 685	sand
685 - 720	Blue shale


 OCT 24 1969
 Texas Water Control District