


LIVINGSTON
RESERVOIR
Normal Pool
Elevation 151.



6 - WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-18-60 Located on map VES Received: C.F.S

1) OWNER W. P. McLaughlin Address 239 Pine Valley Huntsville, Texas 77340

2) LOCATION OF WELL: County Walker 15 miles in West direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 1-18-82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 312 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include sand streaks, sand, white clay, blue clay, sand, blue clay, sand, blue clay, sand streaks, blue clay, rock, blue clay, sand, blue clay, rock streaks, blue clay, sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 300 ft. to 250 ft. Method used Pressure Cemented by Holly Water Wells (Company or Individual)

9) WATER LEVEL: Static level 78 ft. below land surface Date 1-21-82 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 296

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 220 ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 15 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 34 ft. Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) RALPH A. CADWALLADER Holly Water Well Service (Water Well Driller) (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
FEB - 4 1982
DEPT. OF
WATER RESOURCES

RECEIVED
FEB - 4 1982
DEPT. OF
WATER RESOURCES

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Wesley Grove Missionary Baptist Church ADDRESS P.O. Box 6256 Huntsville TX 77342-6256
(Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: Long. _____ Lat. _____
County Walker Rt 1 Box 639-M Huntsville Tx 77340
(Street, RFD or other) (City) (State) (Zip) Grid # 60-18-6

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 2-3 1900
Completed 2-15 1900

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	460'
3 7/8	460'	485'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-2	Top Soil	92-119 shale 270-276 sandstone
2-4	clay	119-124 shale 276-294 shale
4-13	Limestone	124-129 rock 294-322 shale
13-16	sand	129-164 shale 322-357 shale
16-24	shale	164-174 clay 357-388 shale
24-38	sand	174-176 rock 388-403 shale
38-56	shale	176-193 shale 403-427 shale
56-59	rock	193-195 rock 427-441 shale
59-70	shale	195-217 shale 441-458 shale
70-73	rock	217-219 rock 458-462 rock
73-90	clay	219-246 shale 462-485 sand
90-92	rock	246-270 shale

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	460'	#40
2	N	PVC	450'	465'	#40
2	N	PVC Screen	465'	485'	#8

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
Cemented from 460' ft. to 240' ft. No. of sacks used 10
0 ft. to 100' ft. No. of sacks used 10
Method used pressure
Cemented by Richard Miller
Distance to septic system field lines or other concentrated contamination 95'
Method of verification of above distance Tap

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 80 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 107' ft. below land surface Date 2-15-00
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 19
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 450'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Wells SEQ # _____
(Type or print)

ADDRESS P.O. Box 1788 EMP # _____
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray JUN 05 2000 (Signed) Richard Miller
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Steve Swanke ADDRESS 619 Airlie Rd. Conroe TX 77301
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walber Morgan Rd. Houston STATE WELL # 60 18-6
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 3-7-1996
Completed 3-12-1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>202</u>
<u>3 7/8</u>	<u>202</u>	<u>217</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-70</u>		<u>Clay + Shale</u>
<u>70-86</u>		<u>Sand</u>
<u>86-92</u>		<u>Shale</u>
<u>92-96</u>		<u>Rock</u>
<u>96-112</u>		<u>Shale</u>
<u>112-115</u>		<u>Sand</u>
<u>115-145</u>		<u>Shale + Sand Rock</u>
<u>145-200</u>		<u>Clay</u>
<u>200-202</u>		<u>Rock</u>
<u>202-204</u>		<u>Sand</u>
<u>204-205</u>		<u>Rock</u>
<u>205-218</u>		<u>Sand</u>

(Use reverse side if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>202</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC 9/16"</u>	<u>194</u>	<u>218</u>	<u>10</u>

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 202 ft. to 100 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 7
Method used Pressure
Cemented by Richard McKee
Distance to septic system field lines _____ ft. No Septic
Method of verification of above distance _____

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(B)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 18
Was a chemical analysis made? Yes No

11) WATER LEVEL: TEXAS NATURAL RESOURCE CONSERVATION COMMISSION
Static level 72 ft. below land surface Date 3-9-96
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type R Depth 194

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Ser. WELL DRILLER'S LICENSE NO. 2011 WP12
(Type or print)

ADDRESS PO Box 1788 Trinity TX. 75862
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Signed) Richard McKee
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Janie Gracia ADDRESS 3623 Nutwoot Spring Tx 77389
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker HWY 30 Huntsville Tx 77340 STATE WELL # _____
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) #60-18-6

6) WELL LOG:
Date Drilling:
Started 3-14 19 96
Completed 3-20 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	280

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-1		top soil
1-18		white cl
18-21		sd st
21-41		hard sd
41-58		sand
58-131		bl cl
131-141		rock st
141-161		bl cl w/ rock st
161-229		bl cl
229-231		rock
231-241		sd st
241-261		bl cl w/ rock st
261-271		bl cl
271-280		sand st

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
2	N	PVC	-1.5	230	40
2	N	PVC	230	240	8
2	N	PVC	270	280	8

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 12 ft. No. of sacks used 2
230 ft. to 130 ft. No. of sacks used 7
Method used pressure
Cemented by McPike
Distance to septic system field lines 150+ ft.
Method of verification of above distance tape

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed. [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 105 ft. below land surface Date 3-20-96
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 20
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth
<u>1 ea K-packer</u>	<u>223'</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well WELL DRILLER'S LICENSE NO. 3114W
(Type or print)
ADDRESS 607 HWY 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)
(Signed) _____ (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

#9

STATE TEXAS WATER WELL REPORT

1) OWNER: MCLAUGHLIN, W.P. ADDRESS: 239 PINE VALLEY CITY: HUNTSVILLE STATE: TX ZIP: 77340
2) LOCATION OF WELL: County: WALKER 15 miles in W direction from HUNTSVILLE

LEGAL DESCRIPTION:

Section No.: Block No.: Township:
Abstract No.: Survey Name:
Distance and direction from two intersecting section or survey lines:

0160-04-5

3) TYPE OF WORK: DEEPENING 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 00132 DIAMETER OF HOLE 7) BOREHOLE METHOD:
DIAMETER FROM TO OPEN HOLE
6.5 0 405 IF GRAVEL... FROM FT. TO FT.
DATE DRILLED: 01/18/82 FROM FT. TO FT.

GEOLOGICAL DESCRIPTION:

FROM TO DESCRIPTION
0 9 SAND STREAKS
9 15 SAND
15 22 WHITE CLAY
22 57 BLUE CLAY
57 62 SAND
62 75 BLUE CLAY
75 88 SAND
88 132 BLUE CLAY
132 139 SAND STREAKS
139 151 BLUE CLAY
151 153 ROCK
153 177 BLUE CLAY
177 180 SAND
180 235 BLUE CLAY
235 239 ROCK STREAKS
239 278 BLUE CLAY
278 312 SAND
312 322 BLUE CLAY
322 386 MEALY CLAY
386 405 SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN
4 N PVC -1.5 392 40
2.0 N STAINLESS STEEL 403 393 #10

9) CEMENTING DATA:

Cemented from 392 FT. TO 292 FT.
0 FT. TO 15 FT.
Method used: PRESSURE
Cemented by: HNW, HENRY LEE

DRILLED 1-18-82
DEEPEMED 9-21-90

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:

STATIC LEVEL : 90 FT. DATE: 09/21/90
ARTESIAN FLOW: GPM. DATE: / /

RECEIVED
NOV 15 1990

12) PACKERS: TYPE DEPTH
LEAD SEAL 288

TEXAS WATER COMMISSION

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP: 270

14) WELL TEST:
ESTIMATED
YIELD: 20 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:

TYPE OF WATER: GOOD DEPTH OF STRATA: 19 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: HOLLY WATER WELLS
ADDRESS: 607 HWY 19

WATER WELL DRILLER'S LICENSE NO.: 2026
CITY: HUNTSVILLE STATE: TX ZIP CODE: 77340

: FOR TDWR USE ONLY
: WELL NO. 60-18-6
: LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) Richard D. Brown
(LICENSED WATER WELL DRILLER)

(signed) _____
(REGISTERED DRILLER TRAINEE)

RECEIVED

JUN 26 91

TWC
CENTRAL RECORDS

#12 W. KER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Robert Cox Address 1903 Long Dr Richmond, TX 77469

2) LOCATION OF WELL: County Walker 15 miles in WW direction from Huntsville

Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 0160-13-3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 10-30-89 Completed 11-1-89

Table with columns: DIAMETER OF HOLE (Dia. in., From ft., To ft.) and rows for different depths (6.5, 264)

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with columns: From (ft.), To (ft.), Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

9) CEMENTING DATA (Rule 319.44(b)) Cemented from 252 ft. to 152 ft. No. of Sacks Used 7

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 47 ft. below land surface Date 11-1-89

RECEIVED DEC 15 1989

12) PACKERS: Rubber 246

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026

ADDRESS 607 Hwy 10 Huntsville, Texas 77340

(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-18-6 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

ATTENTION OWNER: Confidentiality
Privilege Notice on an reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Mr. Robert Haigis ADDRESS Huntsville, TX
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker GRID # 60-18-6
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling: _____
Started 7-9-97
Completed 7-19-97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>291'</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

SEP 01 1997

From (ft.)	To (ft.)	Description and color of formation material
0-2		Sand
2-40		Brown Clay
40-140		Clay
140-150		Sand
150-204		Clay
204-220		Sand
220-245		Clay
245-291		Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4 1/2"</u>	<u>N</u>	<u>Plastic</u>	<u>0</u>	<u>276</u>	<u>1337</u>
<u>2 1/2"</u>	<u>N</u>	<u>Underbar Screen</u>	<u>276</u>	<u>291</u>	<u>112</u>

Well Supplies Inc. Houston, TX

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100' ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 276 ft. No. of sacks used _____
_____ ft. to _____ ft. No. of sacks used _____
Method used Pump
Cemented by S+K Drilling Co.
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No


11) WATER LEVEL:
Static level 36' ft. below land surface Date 7-9-97
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____
4" formation packer - 256'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME S+K Drilling Co. WELL DRILLER'S LICENSE NO. 1727WI
(Type or print)
ADDRESS Rt. 1, Box 78 Navasota, TX. 77868
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) Herbert Hayden
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

ATTENTION OWNER: Confidentiality
Privilege Notice on an reverse side
of Well Owner's copy (pink)

1) OWNER Cindy Townscoend ADDRESS Bedias, Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County WALKER GRID # 60-18-6
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRC? Yes No

5) GEO #

6) WELL LOG:
Date Drilling: 7-19-97
Started 7-19-97
Completed 7-19-97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>390'</u>

7) DRILLING METHOD (Check): Driven Bored
 Air Rotary Mud Rotary Jetted
 Air Hammer Cable Tool Other

SEP 01 1997
COMMENT

From (ft.)	To (ft.)	Description and color of formation material
<u>0-4</u>	<u>4</u>	<u>TOP SOIL</u>
<u>4-45</u>	<u>45</u>	<u>Brown Clay + Rock</u>
<u>45-175</u>	<u>175</u>	<u>Blue Clay</u>
<u>175-185</u>	<u>185</u>	<u>Fine Sand</u>
<u>185-207</u>	<u>207</u>	<u>Clay</u>
<u>207-219</u>	<u>219</u>	<u>Sand</u>
<u>219-220</u>	<u>220</u>	<u>ROCK</u>
<u>220-372</u>	<u>372</u>	<u>Clay</u>
<u>372-390</u>	<u>390</u>	<u>Sand</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

(Use reverse side of Well Owner's copy, if necessary)

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4 1/2</u>	<u>N</u>	<u>Plastic</u>	<u>0</u>	<u>375</u>	<u>1.337</u>
<u>2 1/2</u>	<u>N</u>	<u>Undercut</u>	<u>375</u>	<u>390</u>	<u>1.12</u>
<u>Screen Well Supply Mfg. Houston, TX</u>					

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other
Depth to pump bowls, cylinder, jet, etc., 160' ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 375 ft. No. of sacks used _____
ft. to _____ ft. No. of sacks used _____
Method used Pump
Cemented by S+K Drilling
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance No Septic

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 96' ft. below land surface Date 7-97
Artesian flow _____ gpm. Date _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME S+K Drilling Co. WELL DRILLER'S LICENSE NO. 1727WI
(Type or print)
ADDRESS Rt. 1, Box 78 Navasota, Tx. 77868
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) Herbert Hayden
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER CARL MIZE (Name) Address RT. 1 SAN BEDIAS TEXAS (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 10.0 miles in E direction from SHIRO (Town)
(N.E., S.W., etc.)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
W-1 See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 5/2/89 Completed 5/4/89
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 7/4 Surface 247
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other 2-STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0	38	SUR Y CLAY					
38	219	CLAY & SHALE	4 N		PVC	0 230	#40
84	106	SAND	2 1/2 N		PVC SCREEN	230 245	012
106	219	SHALE					
219	247	SAND					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 50 ft. to 230 ft. No. of Sacks Used 10
Method used FALKENBURY DRILLING Co.
Cemented by _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 76 ft. below land surface Date 5/4/89
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 75 gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME FALKENBURY DRILLING Co. Well Driller's License No. 1787
ADDRESS P.O. Box 668 NAVASOTA TEXAS 77868
(Street or RFD) (City) (State) (Zip)
(Signed) Joe H. Falkenburg (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-18-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#4 10/11/85

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER E.D. Hoke Address Rt. 1 Box 180A Bedias, TX 77831

2) LOCATION OF WELL: County Walker 15 miles in W direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map on 60-11-68

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 1-24-85 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 262 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

CEMENTING DATA Cemented from 247 ft. to 47 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 50 ft. below land surface Date 1-25-85 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 242

RECEIVED APR - 8 1985

DEPT. OF WATER RESOURCES (Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 40 Was a chemical analysis made? No

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-18-66 Located on map yes c.f.s.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

20 1' U.K.K.R

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER J. D. Hightower Address Rt. 10 Box 326 Huntsville, Tex 77340
2) LOCATION OF WELL Walker 15 miles in W direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. map on 60-12-1F

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other


6) WELL LOG: Date drilled 3-14-84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include soil, caliche, rock, sand, blue clay, sand streaks, etc.

CEMENTING DATA: Cemented from 228 ft. to 128 ft. Method used pressure. Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 70 ft. below land surface Date 3-16-84. Artesian flow gpm. Date

10) PACKERS: Type Lead L Depth 225



11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 160 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" 20 ft. Type of water good. Depth of strata 20 ft. Was a chemical analysis made? No.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 25 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026
ADDRESS Rt. 11 Box 607 Huntsville, Texas 77340
(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-18-6F Located on map Y.E.S.C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege, provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



9 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-18-6E Located on map YES Received: RWB

1) OWNER Ronnie Koch Address 13018 Jasper Lane Cypress, Texas 77429

2) LOCATION OF WELL: County Walker 15 miles in West direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 04 60-13-7J

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 5-26-82. DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 160. 7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include soil, caliche, sand streaks, blue clay, and sand.

CEMENTING DATA: Cemented from 148 ft. to 98 ft. Method used Pressure. Cemented by Holly Water Well Service.

RECEIVED JUN - 3 1982 DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 48 ft. below land surface. Date 5-27-82.

10) PACKERS: Type Lead L, Depth 144.

11) TYPE PUMP: Submersible. Depth to pump bowls, cylinder, jet, etc., 140 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? good. Depth of strata 31 ft. 12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026. ADDRESS P.O. Box 638 Riverside, Texas 77367. (Signed) Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-18-6C
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER F. L. Morgan (Name) Address Shiro Texas (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER miles in _____ direction from _____ (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. W-2 map on 60-18-1A

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 8-80
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface 6 0 262
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
		<u>0-82 shale hard</u>						
		<u>82-105 shale</u>						
		<u>105-111 sand</u>	<u>4</u>	<u>N</u>	<u>244' PVC</u>	<u>0</u>	<u>244</u>	
		<u>111-150 shale</u>	<u>3 1/2</u>	<u>N</u>	<u>PVC screen</u>	<u>244</u>	<u>259</u>	<u>012</u>
		<u>150-216 shale + clay</u>			<u>15' on 20' 3'</u>			
		<u>216-226 shale</u>			<u>Blk in bottom</u>			
		<u>226-239 unopen</u>						
		<u>239-259 sand</u>						
		<u>259-262 shale</u>						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 0 ft. to 244 ft.
Method used _____
Cemented by Falkenbury Drilling Co (Company or Individual)

RECEIVED
APR 6 1982
CR/TDWR

9) WATER LEVEL:
Static level 65 ft. below land surface Date 8-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

Type	Depth

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120' ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata? _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Zac H. Falkenbury (Type or Print) Water Well Drillers Registration No. 1787
ADDRESS P.O. Box 668 (Street or R.F.D.) NAVASOTA (City) Texas (State) 77868 (Zip)
(Signed) Zac H. Falkenbury (Water Well Driller) Falkenbury Drilling Co. (Company Name)
Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
OCT 21 1980
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-18-6B
Located on map YES
Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MR J.E. TRAYLOR (Name) Address Box 15419 (Street or RFD) HOUSTON (City) TEXAS (State) 77020 (Zip)

2) LOCATION OF WELL:
County WALKER 9 1/2 miles in W (N.E., S.W., etc.) direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. map on 60-22-7E

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 7-18-79

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>376</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0</u>	<u>22</u>	<u>BROWN CLAY</u>						
<u>22</u>	<u>32</u>	<u>BLUE CLAY</u>						
<u>32</u>	<u>36</u>	<u>SAND</u>						
<u>36</u>	<u>152</u>	<u>BLUE CLAY</u>	<u>4</u>	<u>N</u>	<u>PLASTIC</u>	<u>364</u>	<u>+1</u>	<u>5 1/4</u>
<u>152</u>	<u>162</u>	<u>SAND</u>						
<u>162</u>	<u>246</u>	<u>BLUE CLAY</u>						
<u>246</u>	<u>260</u>	<u>SAND</u>	<u>2 1/2</u>	<u>N</u>	<u>STAINLESS STEEL</u>	<u>366</u>	<u>376</u>	<u>4 1/8</u>
<u>260</u>	<u>351</u>	<u>BLUE CLAY</u>						
<u>351</u>	<u>376</u>	<u>SAND</u>						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA
Cemented from 366 ft. to 300 ft.
Method used PRESSURE
Cemented by E.A. HOLLY (Company or Individual)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 25
Was a chemical analysis made? Yes No

(Use reverse side if necessary)

9) WATER LEVEL:
Static level 38 ft. below land surface Date 7-18-79
Artesian flow _____ gpm. Date _____

10) PACKERS:
Type LEAD Depth 359 FT.

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)
(Signed) E. A. HOLLY (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DEPT. OF
WATER RESOURCES
OCT 24 1979
RECEIVED

RECEIVED

MAR 19 '80

CR/TDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB, use only
Well No. 60-18-6A
Located on map 18 Y 25
Received: 18 Y 25

1) OWNER:
Person having well drilled MR S. A. WAY (Name) Address 1301 INT. 45 N HUNTSVILLE, TX (Street or RFD) (City) (State)
Landowner SAME (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 12 miles in W direction from HUNTSVILLE (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc. *
WELL FM 2650
HY 30 FM INT 45
North
(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 440 ft. Depth of completed well 440 ft. Date drilled 3-6-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	42	HARD WHITE CLAY
42	122	HARD BLUE CLAY
122	240	BLUE CLAY
240	244	Rock
244	403	BLUE CLAY
403	440	SAND

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 430 ft. to 400 ft.
Diameter (inches) 4 Setting From (ft.) 430 To (ft.) +1 Gage SC# 40

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) 2 1/2 Setting From (ft.) 430 To (ft.) 440 Slot Size #10

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 63 ft. below land surface Date 3-6-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 37

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY Water Well Drillers Registration No. 801
(Type of Firm)
ADDRESS Riverside (City) TEXAS (State)
(Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 14 1978
DEPT. OF
WATER RESOURCES

RECEIVED
JUL 17 1978

Central Records
Texas Dept. of Water Resources