

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-6016  
Toll free (800) 803-9202

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

Email address: water.well@license.state.tx.us

**WELL REPORT**

**1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>Herschel O Koska</b>	Address <b>PO BOX 8480</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77340</b>
---------------------------------	-------------------------------	---------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker 236</b>	Physical Address <b>#3 Love Loop Spur</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77340</b>
-----------------------------	--	---------------------------	--------------------	---------------------

<b>3) Type of Work</b>	<b>Lat.</b>	<b>Long.</b>	<b>Grid #</b> <b>60-19-7</b>
------------------------	-------------	--------------	------------------------------

<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning	<b>4) Proposed Use (check)</b> <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No	<b>5)</b> <b>N↑</b>
--	---	---------------------

<b>6) Drilling Date</b>	<b>Diameter of Hole</b>	<b>7) Drilling Method (check)</b> <input type="checkbox"/> Driven
Started <u>4/30/02</u>	Dia. (in)    From (ft)    To (ft)	<input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored
Completed <u>5/1/02</u>	<u>6.75</u> <u>-1.5</u> <u>321</u>	<input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted
		<input type="checkbox"/> Other _____

<b>8) Borehole Completion</b> <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

From (ft)			To (ft)			Description and color of formation material		
0	1		0	1		Bit t.s.		
1	5		1	5		Red cl.		
5	19		5	19		Sd.		
19	21		19	21		cl.		
21	41		21	41		Sd.		
41	76		41	76		Sd&gr.		
76	81		76	81		w.cl.		
81	94		81	94		Cl&sd.		
94	121		94	121		Bl.cl.		
121	137		121	137		Sd.		
137	141		137	141		Bl.cl.		
141	143		141	143		cl.		

<b>13) Plugged</b> <input type="checkbox"/> Well plugged within 48 hours
Casing left in well: _____    Cement/Bentonite placed in well: _____
From (ft)    To (ft)    From (ft)    To (ft)    Sacks used

<b>14) Typepump</b>	<input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder
Other _____	
Depth to pump bowls, cylinder, jet, etc., <u>200</u> ft.	

<b>15) Water Test</b>	<input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated
Type test _____	
Yield: <u>15</u> gpm with _____ ft. drawdown after _____ hrs.	

<b>16) Water Quality</b>	Did you knowingly penetrate any strata which contain undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER? Type of water <u>Good</u> Depth of Strata <u>20</u> Was a chemical analysis made? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	---

<b>12) Packers</b>	Type    Depth
<u>2 -2.5" K Packers</u>	<u>NOV 22 2004</u> <u>293'-294'</u>

Company or Individual's Name (type or print) <b>Holly Water Wells, LTD</b>		City <b>Huntsville</b>	
Address <b>2928 State Hwy 19</b>		State <b>TX</b>	
Signature <u>Raymond J. P. R.</u> Licensed Driller/Pump Installer	Date _____	Signature _____ Apprentice	Date _____

**RECEIVED**

TDLR MAIL ROOM    CB

**JUN 25 2002**

---

**RECEIVED**

TCEQ - CENTRAL FILE ROOM

No. 3114W

State TX    JUN 20 2004

# THE HISTORY OF THE CITY OF BOSTON

FROM THE FIRST SETTLEMENT IN 1630 TO THE PRESENT TIME  
BY  
JOHN H. COLEMAN  
VOLUME I  
THE FOUNDING OF THE CITY

BOSTON  
PUBLISHED BY  
LITTLE, BROWN AND COMPANY  
1890

Copyright, 1890, by  
Little, Brown and Company  
Printed in the United States of America





Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>Hart Residence</b>	Address <b>17178 W FM 1097</b>	City <b>MONTGOMERY</b>	State <b>TEXAS</b>	Zip <b>77356</b>
-------------------------------	-----------------------------------	---------------------------	-----------------------	---------------------

**2) WELL LOCATION**

County <b>WALKER</b>	Physical Address <b>.6 MILES ON POOLE RD. ON LFT.</b>	City	State <b>TEXAS</b>	Zip
-------------------------	--	------	-----------------------	-----

**3) Type of Work**

New Well     Deepening  
 Reconditioning

Lat.	Long.	Grid # <b>60-19-7</b>
------	-------	-----------------------

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
If Public Supply well, were plans submitted to the TNRCC?     Yes     No

**5) N↑**

**6) Drilling Date**

Started **7/31/00**  
  
Completed **8/1/00**

**Diameter of Hole**

Dia. (in)	From (ft)	To (ft)
6.75	-1.5	232

**7) Drilling Method (check)**     Driven

Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

From (ft)	To (ft)	Description and color of formation material
0	1	t.s.
1	13	Sd. & cl.
13	29	w.cl.
29	41	Sd.
41	81	Sd. & gr.
81	86	Sd.
86	96	cl. st.
96	103	Sd.
103	121	Bl.cl.
121	153	cl.
153	171	Sd.
171	207	Bl.cl.

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	206	
2.5	N	Undercut screen	210	230	#10

**9) Cementing Data**

Cementing from **-1.5** ft. to **10** ft. # of sacks used **2**  
**56** ft. to **206** ft. # of sacks used **7**

Method Used **Pressure**

Cementing By **HWW**  
Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**     Well plugged within 48 hours

Casing left in well: \_\_\_\_\_    Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**10) Surface Completion**

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

**14) Typepump**

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., **160** ft.

**15) Water Test**

Typetest  Pump     Bailer     Jetted     Estimated  
Yield: **50** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**11) Water Level**

Static level **38** ft. below \_\_\_\_\_ Date **8/1/00**  
Artesian Flow \_\_\_\_\_ gpm. Date **8/1/00**

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water **Good**    Depth of Strata **25**  
Was a chemical analysis made?     Yes     No


**12) Packers**

**1 - 2.5" K Packer**    Type **RxR**    Depth **200**  
EMP # \_\_\_\_\_    Date **AUG 25 2000**

Company or Individual's Name (type or print) **Holly Water Wells, Inc.**

Address <b>2928 SH 19</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
---------------------------	------------------------	-----------------	------------------

Signature <i>[Signature]</i>	Date <b>8/1/00</b>	Signature _____	Date _____
Licensed Driller/Pump Installer	Date	Apprentice	Date









ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER Scott Fisher ADDRESS Huntsville Tx 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
2) ADDRESS OF WELL: Pool Rd. Rt. 2 Box 470 Huntsville Tx 77340 STATE WELL # 60-19-7  
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:  
Date Drilling:  
Started 7-6 1995  
Completed 7-7 1995

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>160</u>
<u>3 7/8</u>	<u>160</u>	<u>230</u>

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
<u>0-2</u>		<u>Top Soil</u>
<u>2-8</u>		<u>clay</u>
<u>8-40</u>		<u>Sand</u>
<u>40-61</u>		<u>Sand/Gravel streaks</u>
<u>61-76</u>		<u>Sand</u>
<u>76-99</u>		<u>Shale</u>
<u>99-110</u>		<u>Sand</u>
<u>110-133</u>		<u>Shale</u>
<u>133-145</u>		<u>shale</u>
<u>145-160</u>		<u>shale</u>
<u>160-180</u>		<u>Sand</u>
<u>180-200</u>		<u>clay/sand streaks</u>
<u>200-210</u>		<u>Sand/clay streaks</u>
<u>210-230</u>		<u>Sand</u>

(Use reverse side if necessary)

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 30 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 20  
Was a chemical analysis made?  Yes  No

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>160</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>160</u>	<u>200</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC screen</u>	<u>200</u>	<u>230</u>	<u>#8</u>

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from 160 ft. to 60 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 8  
Method used pressure  
Cemented by Richard M. Kee  
Distance to septic system field lines 162 ft.  
Method of verification of above distance stepped off

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:  
Static level RECEIVED Date 7-7-95  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Rubber 1997 Type K Depth 155'

TEXAS NATURAL RESOURCE  
CONSERVATION COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Wells WELL DRILLER'S LICENSE NO. 2011 WPK  
(Type or print)  
ADDRESS P.O. Box 1788 Trinity Tx 75862  
(Street or RFD) (City) (State) (Zip)  
(Signed) Vernon Gray (Signed) Richard M. Kee  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

**“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”**

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#1 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Kenneth Almond Address 133 Hickory Hill Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 9 miles in W direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 5-2-88 Completed 5-3-88
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6.5 Surface 504
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 487 ft. to 387 ft. No. of Sacks Used 6 Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 40 ft. below land surface Date 5-4-88 Artesian flow gpm. Date

12) PACKERS: Type Depth Lead L 483

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 189 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.


COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026
ADDRESS 607 Hwy 19 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 68-19-7 Located on map

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

GENERAL  
WALI

STATE C  
AND P  
TRAINS  
U.S. DEPT. OF  
AGRICULTURE



LET TO COUNTRY  
Copyright, 1917, by the U.S. Government  
Reprinted by permission of the U.S. Government



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WALKER ✓

#66

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Bernard Mesa Address 3179 Coon Trail -Rt. 10 Box 268 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 13 miles in SW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-11-9

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8/27/85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Sand, White clay, Blue clay, Sand streaks, Meally clay, etc.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 358 ft. to 258 ft.
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level ft. below land surface Date
Artesian flow gpm. Date

12) PACKERS: Type Depth
Lead 354

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
Type of water? Good Depth of strata 25 Ft.
Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

RECEIVED OCT 22 1985

TEXAS WATER COMMISSION

(Use reverse side if necessary)

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Route 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-11-9 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



# 3. WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Larry Day (Name) Address Rt. 2 Box 448 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 11 1/2 miles in SW direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 6D-13-4R

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 10/2/84 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 162 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, Sand streaks, Brown clay, Sand, PVC Undercut, Course sand and gravel, etc.

CEMENTING DATA Cemented from 148 ft. to 48 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level . . . ft. below land surface Date . . . Artesian flow . . . gpm. Date . . .

10) PACKERS: Type Depth Lead L 143

RECEIVED DEC 18 1984

DEPT. OF WATER RESOURCES (Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 12 Ft. Was a chemical analysis made? No 12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: . . . gpm with . . . ft. drawdown after . . . hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607, Huntsville, TX 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 6D-19-7H Located on map Yes DLF

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jessie H. Kidd (Name) Address P.O. Box 1087 Huntsville Tex 77340 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL: County WALKER 2 miles in N.W. direction from West Sand store; Between Shiner; Huntsville (N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map.

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 10-24-83  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 138

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0 - 2		Top Soil (Sandy b.)
2 - 12		Red CLAY SAND
12 - 30		SAND (Brown)
30 - 36		CLAY (white)
36 - 90		SAND (Light Brown)
90 - 102		CLAY (white)
102 - 138		SAND & R. (Grey)

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4		Pvc Sch 40 well casing	0	118	
4		PVC sch 40 slotted screens	118	138	.010

CEMENTING DATA  
Cemented from None 0 ft. to 10 ft.  
Method used 2 ft. x 2 ft x 4 in  
Cemented by SLAB ON SURFACE  
(Company or Individual)

9) WATER LEVEL:  
Static level 55 ft. below land surface Date 10-26-83  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
1 Rubben 102

**RECEIVED**  
DEC - 5 1983  
DEPT. OF WATER RESOURCES  
(Use reverse side if necessary)

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 115 ft.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 6 gpm with 40 ft. drawdown after 6 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells (Type or Print) Water Well Driller's License No. 2275  
ADDRESS Rt #4 Box 1094 Huntsville Texas 77340 (Street or RFD) (City) (State) (Zip)  
(Signed) Arthur L. Slatt (Licensed Water Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-19-76 Located on map YES C.F.S.

RECEIVED  
DEC -5 1983  
DEPT. OF  
WATER RESOURCES



RECEIVED  
DEC -5' 1983  
DEPT. OF  
WATER RESOURCES


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-19-7F  
Located on map yes  
Received: 78  
*elr*

1) OWNER:  
Person having well drilled MRS JEAN MILLS Address 4223 SW FREWAY APT. NO 2 HOUSTON, TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_ (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 15 miles in E direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 330 ft. Depth of completed well 132 ft. Date drilled 5-22-78  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	RED CLAY + SAND
22	142	SAND
142	178	BLUE CLAY
178	330	BLUE CLAY

9) Casing:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic  Other \_\_\_\_\_  
Cemented from GRAVEL ft. to \_\_\_\_\_ ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 122 71 SCH 4

10) SCREEN:  
Type PLASTIC 4 INCH  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
4 122 132 # 10

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 50 ft. below land surface Date 5-22-78  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? GOOD depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME E.A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 RIVERSIDE TEXAS 77367  
(Street or RFD) (City) (State)  
(Signed) E.A. HOLLY E.A. HOLLY CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

**R E C E I V E D**

**MAY 30 1978**

**DEPT. OF  
WATER RESOURCES**

**RECEIVED**  
**AUG 22 1978**

**Central Records  
Texas Dept. of Water Resources**

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-19-7E Located on map Received: 7-5-73

1) OWNER: Person having well drilled LAWRENCE WALKER Address RT 2 HUNTSVILLE TEX (Name) (Street or RFD) (City) (State) Landowner (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 10 miles in W direction from HUNTSVILLE (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\* OVER North (Use reverse side if necessary) or Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well [checked] Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic [checked] Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary [checked] Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 230 ft. Depth of completed well 230 ft. Date drilled FEB 3-73 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-2 surface dirt, 2-62 clay, 62-66 sand, 66-200 clay, 200-230 sand.

9) CASING: Type: Old New [checked] Steel Plastic [checked] Other Cemented from 170 ft. to 200 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0 200 540 10) SCREEN: Type PLASTIC Perforated Slotted [checked] Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 200 230 0.16

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed [checked] Open Hole

11) WELL TESTS: Was a pump test made? Yes No [checked] If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 120 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No [checked] Did any strata contain undesirable water? Yes No [checked] Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 ADDRESS PO Box 4 HUNTSVILLE TEX (Signed) Thomas Anders (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED  
JAN - 9 1975  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-19-7D  
Located on map 1/25  
Received: 25 1/85  
dlh

1) OWNER:  
Person having well drilled BUDDY WELLS (Name) Address RT1 RICHARD TEX (Street or RFD) (City) (State)  
Landowner " (Name) Address " (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 13 miles in W direction from HUNTSVILLE (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
  
OVER  
North  
↑  
(Use reverse side if necessary)

OR  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 390 ft. Depth of completed well 390 ft. Date drilled MDR 73  
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>1-2</u>		<u>surface dirt</u>
<u>2-19</u>		<u>red clay</u>
<u>19-20</u>		<u>sandy</u>
<u>20-140</u>		<u>clay</u>
<u>140-160</u>		<u>silt</u>
<u>160-360</u>		<u>blue shale</u>
<u>360-390</u>		<u>sand</u>

9) CASING:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 340 ft. to 260 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 0 260 540

10) SCREEN:  
Type PLASTIC  
Perforated \_\_\_\_\_ Slotted   
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 360 390 010

7) COMPLETION (Check):  
Straight wall \_\_\_\_\_ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed  Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 80 ft. below land surface Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS (Type or Print) Water Well Drillers Registration No. 1226  
ADDRESS PO BOX 4 HUNTSVILLE TEX (Street or RFD) (City) (State)  
(Signed) Thomas Anders (Water Well Driller) \_\_\_\_\_ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED  
JUN 12 1975  
Control Section  
Texas Water Development Board

RECEIVED  
JAN - 9 1975

TEXAS WATER  
DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-19-7C Located on map yes Received: 7/2 dlr

1) OWNER: Person having well drilled MR BRUNER Address HOUSTON, TEXAS Landowner SAME Address

2) LOCATION OF WELL: County WALKER, 15 miles in S direction from HUNTSVILLE



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other. 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 144 ft. Depth of completed well 144 ft. Date drilled 8-10-71. All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Includes handwritten entries for casing and screen details.

9) Casing: Type: Old, New, Steel, Plastic, Other. Cemented from ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage. 10) SCREEN: Type STAINLESS STEEL. Perforated, Slotted. Diameter (inches) Setting From (ft.) To (ft.) Slot Size.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole. 8) WATER LEVEL: Static level 62 ft. below land surface Date 8-14-72. Artesian pressure lbs. per square inch Date. Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No. If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm. Temperature of water. 12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? Good depth of strata 24.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME F.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Signed) F.A. HOLLY (Water Well Driller) F.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JAN 10 1972  
Central Records  
Texas Water Development Board

RECEIVED  
AUG 18 1972  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-19-7B  
Located on map yes  
Received: 7/1  
dkr

1) OWNER:  
Person having well drilled MR JERRY RIDDER Address HUNTSVILLE, TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 10 miles in S direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
NY 30  
CHURCH  
WELL  
FM 1791  
HUNTSVILLE  
INT. 45  
North  
↑  
(Use reverse side if necessary)

or  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well       Deepening  
 Reconditioning       Plugging

4) PROPOSED USE (Check):  
 Domestic       Industrial       Municipal  
 Irrigation       Test Well       Other

5) TYPE OF WELL (Check):  
 Rotary       Driven       Dug  
 Cable       Jetted       Bored

6) WELL LOG:  
Diameter of hole 9 1/2 in. Depth drilled 97 ft. Depth of completed well 97 ft. Date drilled 8-10-72  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5	CLAY
5	48	SAND WITH CLAY STRKS
48	97	SAND

9) CASING:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 87 ft. to 50 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4      87      +1      SEA 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2      87      97      #6

7) COMPLETION (Check):  
 Straight wall       Gravel packed       Other  
 Under reamed       Open Hole

11) WELL TESTS:  
Was a pump test made?      Yes      No      If yes, by whom?  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 50 ft. below land surface Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 70 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made?      Yes      No  
Did any strata contain undesirable water?      Yes      No  
Type of water? \_\_\_\_\_ depth of strata 49

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 RIVERSIDE TEXAS  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. HOLLY CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

TWDBE-GW-53

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JAN 18 1972  
Central Records  
Texas Water Development Board

RECEIVED  
AUG 18 1972  
TEXAS WATER  
DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-19-7A  
Located on map 69  
Received: 69  
*dlr*

1) OWNER:  
Person having well drilled A.D. Poskey Jr. Address 10327 Candlewood Houston Tex  
(Name) (Street or RFD) (City) (State)  
Landowner same Address \_\_\_\_\_ (City) (State)

2) LOCATION OF WELL:  
County WALKER, \_\_\_\_\_ miles in \_\_\_\_\_ direction from \_\_\_\_\_ (Town)



Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  Irrigation  Test Well  Other  
5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  
 Cable  Jetted  Bored

6) WELL LOG:  
Diameter 6 1/8 to 3 1/8 in. Depth drilled 340 ft. Depth of completed well 413 ft. Date drilled 5-2-69  
4 3/4 to 413 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	6	clay
6	35	sand
35	40	white shale
40	75	sand
75	80	white shale
80	100	sand
100	140	hard sand
140	180	sandy shale
180	200	white shale
200	238	blue shale 225 rock
238	245	sand on back

9) Casing:  
Type: Old  New  Steel  Plastic  Other  
Cemented from 413 ft. to \_\_\_\_\_ ft.  
Diameter (inches) 4 1/2 Setting From (ft.) 1ft above gun To (ft.) 386 Gage 9 1/2 lbs

10) SCREEN:  
Type stainless steel Bar-weld  
Perforated wrapped Slotted  
Diameter (inches) 2 1/2 Setting From (ft.) 371 To (ft.) 393 Slot Size 012  
2 1/2 screen 393 to 413

7) COMPLETION (Check):  
 Straight wall 2 string  Other  
 Under reamed  Open Hole

11) WELL TESTS:  
Was a pump test made? Yes No If yes, by whom?  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 87.6 ft. below land surface Date 4-3-69  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 189 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes No  
Did any strata contain undesirable water? Yes No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME Neal Drilling Co Water Well Drillers Registration No. 174  
(Type or Print)  
ADDRESS PO Box 252 Madisonville Tex 77864  
(Street or RFD) (City) (State)  
(Signed) Wm J Neal Neal Drilling Co  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECORDED  
OCT 24 1968  
Water Control Board  
District Records

248-296 sandy shale  
296-320 sand  
320-340 Blue shale  
340-360 Blue shale  
360-364 sandy shale  
364-385 Blue shale  
385-413 sand

<b>ATTENTION OWNER: Confidentiality</b> Privilege Notice on Reverse Side		<b>State of Texas</b> <b>WELL REPORT</b>		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																							
1) OWNER <u>V.J. Bates</u> (Name) ADDRESS <u>2333 Loberd. apt #405</u> (Street or RFD) <u>Huntville</u> (City) <u>TX</u> (State) <u>77340</u> (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> (Street or RFD) <u>Pool Rd.</u> (City) (State) (Zip) GRID # <u>60-19-7</u>																									
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																							
6) WELL LOG: Date Drilling: Started <u>6-5-1995</u> Completed <u>6-7-1995</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>113</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>113</u></td> <td><u>130</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>113</u>	<u>3 7/8</u>	<u>113</u>	<u>130</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____														
Dia. (in.)	From (ft.)	To (ft.)																									
<u>6 3/4</u>	Surface	<u>113</u>																									
<u>3 7/8</u>	<u>113</u>	<u>130</u>																									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> <tr> <td></td> <td></td> <td><u>0-80 Sand</u></td> </tr> <tr> <td></td> <td></td> <td><u>80-85 Gravel</u></td> </tr> <tr> <td></td> <td></td> <td><u>85-90 Sand</u></td> </tr> <tr> <td></td> <td></td> <td><u>90-100 Clay</u></td> </tr> <tr> <td></td> <td></td> <td><u>100-105 Sand</u></td> </tr> <tr> <td></td> <td></td> <td><u>105-113 Clay</u></td> </tr> <tr> <td></td> <td></td> <td><u>113-130 Sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material			<u>0-80 Sand</u>			<u>80-85 Gravel</u>			<u>85-90 Sand</u>			<u>90-100 Clay</u>			<u>100-105 Sand</u>			<u>105-113 Clay</u>			<u>113-130 Sand</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																									
		<u>0-80 Sand</u>																									
		<u>80-85 Gravel</u>																									
		<u>85-90 Sand</u>																									
		<u>90-100 Clay</u>																									
		<u>100-105 Sand</u>																									
		<u>105-113 Clay</u>																									
		<u>113-130 Sand</u>																									
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																									
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>115</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SLOTT</u></td> <td><u>108</u></td> <td><u>130</u></td> <td><u>.08</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>115</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC SLOTT</u>	<u>108</u>	<u>130</u>	<u>.08</u>		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																						
			From	To																							
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>115</u>	<u>40</u>																						
<u>2</u>	<u>N</u>	<u>PVC SLOTT</u>	<u>108</u>	<u>130</u>	<u>.08</u>																						
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>15</u> ft. to <u>10</u> ft. No. of sacks used <u>10</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>5</u> Method used <u>Pressure</u> Cemented by <u>Vernon Gray</u> Distance to septic system field lines <u>NONE</u> Method of verification of above distance _____																									
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>100</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																									
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>48</u> ft. below land surface    Date <u>6-6-95</u> Artesian flow _____ gpm.    Date _____																									
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Good</u> Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <u>Rubber</u> Type <u>K</u> Depth <u>108</u>																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																											
COMPANY NAME <u>Gray's Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>		ADDRESS <u>PO Box 1788 TRINITY</u> (Street or RFD) (City) (State) (Zip) <u>TX 75862</u>																									
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard Thicke</u> (Registered Driller Trainee)																									

Please attach electric log, chemical analysis, and other pertinent information, if available.

