

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-6000
Toll free (800) 803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name Richard Dupuy	Address 294 Bowden Road	City Huntsville	State TX	Zip 77340
------------------------------	-----------------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker 236	Physical Address 294 Bowden	City Huntsville	State TX	Zip
-----------------------------	---------------------------------------	---------------------------	--------------------	-----

3) Type of Work

New Well Deepening
 Reconditioning

Lat.	Long.	Grid # 60-19-9
4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		

6) Drilling Date

Started **8/26/02**
Completed **8/27/02**

Diameter of Hole Dia. (in) From (ft) To (ft) 6.75 -1.5 163			7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other
--	--	--	---

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	21	Br sdy cl
21	41	Sdy br cl
41	51	Sd
51	61	Br &w.cl
61	81	Sdy cl
81	116	Sd &gr.
116	121	Br.cl
121	136	Br&bl.cl
136	163	Sd&gr.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other
 If Gravel Packed give the interval from **140** ft. to **163** ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	143	
4	N	Slotted casing screen	143	163	#10

9) Cementing Data
 Cementing from **-1.5** ft. to **20** ft. # of sacks used **2**
130 ft. to **140** ft. # of sacks used **3**
 Method Used **Pressure**
 Cementing By **R McPike**

13) Plugged Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

Distance to septic system field or other concentrated contamination _____ ft.
 Method of verification of above distance _____

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., **120** ft.

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) Water Test

Type test Pump Bailer Jetted Estimated
 Yield: **20** gpm with _____ ft. drawdown after _____ hrs.

11) Water Level
 Static level **92** ft. below _____ Date **1/1**
 Artesian Flow _____ gpm Date _____


16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
 Type of water **Good** Depth of Strata **20**
 Was a chemical analysis made? Yes No

12) Packers
Gravel pack
 Type _____ Depth _____
NOV 22 2004

Company or Individual's Name (type or print) **Holly Water Wells, LTD**

Address 2928 State Hwy 19	City Huntsville	Lic. No. 3114W	Zip 77320
Signature Raymond McPike Licensed Driller/Pump Installer	Date 1/1	Signature _____ Apprentice	Date _____





ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Emma Lance (Name) ADDRESS 22 Mills Hightway Huntsville TX 77340 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 22 Mills Hightway Huntsville TX 77340 (Street, RFD or other) (City) (State) (Zip) Long. _____ Lat. _____ Grid # 60-19-9

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 10-8 1998 Completed 10-12 1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	205'

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
						From	To	
0-10	171-189	Sand	4	N	PVC	0'	190'	#40
10-23	189-205	clay	2	N	PVC Blank	183'	185'	#40
23-50		Sand	2	N	PVC SCREEN	185'	205'	#8
50-70		clay						
70-98		clay						
98-100		Rock						
100-116		clay						
116-124		Sandy						
124-144		Sand						
144-147		Rock						
147-150		Sand						
150-171		Clay						

9) CEMENTING DATA
Cemented from 190 ft. to 90 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 4

Method used pressure
Cemented by Richard M. Kree

Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Lines or Tanks

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION: Specified Surface Slab Installed Specified Steel Sleeve Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 132' ft. below land surface Date 10-12-99
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 183'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) JUN 05 2000 (Date) Richard M. Kree (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER William Bradham ADDRESS 4746B FM 1374 Huntsville Tx
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: Long. _____ Lat. _____
County Walker 4746B FM 1374 Huntsville Tx
(Street, RFD or other) (City) (State) (Zip) Grid # 60-19-9

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG:

Date Drilling: _____
Started 1-4 1900
Completed 1-7 1900

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	143'
3 7/8	143'	162'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top Soil
2-8		Clay
8-21		Sand
21-49		clay
49-50		Rock
50-68		clay
68-99		clay
99-101		Rock
101-129		shale
129-140		shale
140-141		Rock
141-162		Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	143	#40
2	N	PVC	136'	142'	#40
2	N	PVC screen	142'	162'	#10

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA 100%
Cemented from 143' ft. to 0 ft. No. of sacks used 8
0 ft. to 10' ft. No. of sacks used 5
Method used pressure
Cemented by Richard Myker
Distance to septic system field lines or other concentrated contamination 75 ft.
Method of verification of above distance Tape

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 69 ft. below land surface Date 1-7-00
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 23'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 136'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Wells WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print) SEQ # _____
ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray JUN 05 2000 (Signed) Richard Myker
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Pat Conway ADDRESS 54 Rd Ridge Run Huntville TX
(Name) (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: 64 C Hazels Huntville TX Long. _____ Lat. _____
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-19-9

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling: _____
Started 2-17 1900
Completed 2-22 1900
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
10" Surface 10'
6 3/4 10' 150'
3 7/8 150' 167'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-2	Top Soil	119-124 Sand
2-21	clay	124-146 Sand
21-36	clay	146-149 Rock
36-40	Rock	149-167 Sand
40-60	Shale	
60-61	Rock	
61-85	Gravel	
85-91	clay	
91-94	Rock	
94-109	clay	
109-111	Rock	
111-119	clay	

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	150'	40
2	N	PVC Blank	145'	147'	40
2	N	PVC Screen	147'	167'	10

13) Well plugged within 48 hours
Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____
From (ft) To (ft) From (ft) To (ft)

9) CEMENTING DATA
Cemented from 150 ft. to 50 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 4
Method used pressure
Cemented by Richard M. Keen
Distance to septic system field lines or other concentrated contamination 2 1/2 ft.
Method of verification of above distance No Septic

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 18 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 66 ft. below land surface Date 2-22-00
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 18'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 145'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print) (City) (State) (Zip)
ADDRESS P.O. Box 1788 # Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray JUN 05 2000 (Signed) Richard M. Keen
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Stone Walker (Name) ADDRESS 429 Bowden Huntsville 77340 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 429 Bowden Huntsville, TX, 77340 (Street, RFD or other) (City) (State) (Zip) GRID # 60-19-9

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 8-10 1998 Completed 8-12 1998
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	120
3 7/8	120	128

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top Soil
2-40		clay
40-42		Rock
42-50		clay
50-52		Sand
52-56		clay
56-97		Sand
97-101		clay
101-110		Sand
110-112		clay
112-128		Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	120'	*40
2	N	PVC	107	108	*40
2	N	PVC Screen	108	128'	*10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 120 ft. to 20 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 5
Method used pressure
Cemented by Richard Mikee
Distance to septic system field lines or other concentrated contamination NA ft.
Method of verification of above distance None

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 66 ft. below land surface Date 8-11-98
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 16'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 108'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) Tx. (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) JUN 05 2000 (Signed) Richard Mikee (Registered Driller Trainee)

COMMENT: _____

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Bob Blackstone ADDRESS 125 Summer Place Huntsville Tx 72340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Summer Place Huntsville Tx 72340 STATE WELL # 60-19-9
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 6-10 1997 Completed 6-12 1997
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 220
3 7/8 220 237
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-10	220-229	Sand
10-21	229-237	Sandy clay
21-40		Sand
40-50		clay
50-68		clay
68-82		Sand
82-103		shale
103-124		shale
124-135		shale
135-140		Rock
140-145		shale
145-166		shale
166-187		shale
187-208		shale
208-220		shale

(Use reverse side if necessary)

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 220 ft. to 120 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 7
Method used pressure
Cemented by Richard Myker
Distance to septic system field lines 160 ft.
Method of verification of above distance Tape Measure

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other
Depth to pump bowls, cylinder, jet, etc., 180 ft.
10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)] JAN 05 1998
 Pitless Adapter Used [Rule 338.44(2)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.
11) WATER LEVEL: Static level 102 ft. below land surface Date 6-12-97
Artesian flow _____

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 17'
Was a chemical analysis made? Yes No
12) PACKERS: Rubber Type K Depth 213'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print)
ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Myker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Beleo Oil + Gas Corp ADDRESS 14326 Cornerstone Village Dr #421 Houston Tx 77014
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker GRID # 60-19-9
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5)

6) WELL LOG:
Date Drilling:
Started 3-2 19 96
Completed 3-3 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>9 7/8</u>	Surface	<u>300</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-80</u>		<u>Clay + Sand</u>
<u>80-160</u>		<u>White + Gray Clay,</u>
<u>160-180</u>		<u>WS 8'</u>
<u>180-200</u>		<u>WS 5'</u>
<u>200-220</u>		
<u>220-240</u>		<u>WS 4'</u>
<u>240-260</u>		<u>WS 4'</u>
<u>260-280</u>		<u>WS 20'</u>
<u>280-300</u>		<u>WS 10'</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>6</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>260</u>	<u>SORZI</u>
<u>6</u>	<u>N</u>	<u>SCREEN</u>	<u>260</u>	<u>300</u>	<u>.020</u>

RECEIVED
MAY 02 1996
(Use reverse side if necessary)

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 14
_____ ft. to _____ ft. No. of sacks used _____
Method used sack
Cemented by driller
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 120 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Bennett Drilling Services WELL DRILLER'S LICENSE NO. 32074P
(Type or print)
ADDRESS PO Drawer 1320 Carthage Tx 75633
(Street or RFD) (City) (State) (Zip)
(Signed) Craig Smith (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

#15 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jackie May (Name) Address Rt 10 Box 316 Huntsville, Tex 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 8 miles in SW direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 0160-13-3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 11-17-89 Completed 11-20-89

Table with 3 columns: Dia. (in.), From (ft.), To (ft.). Row 1: 6.5, Surface, 154

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-4 top soil, 4-16 red clay, 16-29 sand, 29-37 white clay, 37-51 sand, 51-55 white clay, 55-138 blue clay, 138-154 sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 142 ft. to 42 ft. No. of Sacks Used 7

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 40 ft. below land surface Date 11-20-89

RECEIVED DEC 15 1989

12) PACKERS: Rubber R 2" 138

TEXAS WATER COMMISSION

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 25 gpm with 16 ft. drawdown after 19 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6019-9 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#10 W.M. Lee

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Blake Brady (Name) Address Rt 2 Box 904 Huntsville, TEX 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 8 miles in SW direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 0760-21-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 7-28 1989 Completed 7-29 1989
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6.5 Surface 319
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include soil, clay, sand, and gravel layers.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 307 ft. to 207 ft. No. of Sacks Used 7 Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

12) PACKERS: Type Rubber Depth 303

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 180 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 23 ft Was a chemical analysis made? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield 15 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-19-9 Located on map

RECEIVED AUG 21 1989 TEXAS WATER COMMISSION

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER L. J. Lorraine (Name) Address 27309 Blueberry Hill Course (Street or RFD) Jy (City) 77301 (State) (Zip)
2) LOCATION OF WELL County Walker 5 miles in SW (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. #1 on map

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____ Driven

6) WELL LOG: Date Drilling: Started 9-16-85 Completed 9-17-85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
Surface 180
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other Cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	13	Sand						
13	37	Brown Clay						
37	52	White Sand	4	N	PVC SCH 40	0	170	
52	79	Brown Clay	2 1/2	N	PVC SCH 80 WOPVC	170	180	.010
79	82	Rock			Everflo Screen			
82	163	Shale						
163	166	Rock						
166	180	Brown Sand						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 170 ft. to 30 ft. No. of Sacks Used 10
0 ft. to 20 ft. No. of Sacks Used 4
Method used Pressure pumped
Cemented by Driller

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 60 ft. below land surface Date 9-17-85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Lead Seal 160

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME WALKER CO. WATER WELLS (Type or Print) Well Driller's License No. 002216
ADDRESS Rt 1 Box 409 Hockley Jy 77447 (Street or RFD) (City) (State) (Zip)
(Signed) Donald G. Robinson (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-19-9 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:


“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.




LEGEND

	INTERSTATE HIGHWAY
	FEDERAL HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	CANAL
	PIPELINE
	POWER LINE
	TELEPHONE LINE
	ELECTRIC LINE
	GAS LINE
	SEWER LINE
	WATER MAIN
	FIRE HYDRANT
	STREET LIGHT
	BUILDING
	CHURCH
	SCHOOL
	POST OFFICE
	GAS STATION
	RESTAURANT
	HOTEL
	MOTEL
	CAMPGROUND
	PARK
	CEMETERY
	CEMETERY MARKER
	MONUMENT
	WELL
	SPRING
	LAKE
	RESERVOIR
	DAM
	BRIDGE
	TUNNEL
	OVERPASS
	UNDERPASS
	CULVERT
	RETAINING WALL
	EMBANKMENT
	CUT
	GRADE
	ELEVATION
	CONTOUR
	SPOT ELEVATION
	BENCH MARK
	SECTION CORNER
	SURVEY POINT
	BOUNDARY LINE
	TOWNSHIP LINE
	RANGE LINE
	MERIDIAN LINE
	SECTION LINE
	TOWNSHIP CENTER
	RANGE CENTER
	MERIDIAN CENTER
	SECTION CENTER



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



1969
HIGHWAYS REVISED TO MARCH 1, 1962
Copyright © 1969 by the State Department of Highways and Public Transportation, Austin, Texas

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 60-19-90
Located on map YES
Received: C.F.E.

1) OWNER Ed HARVEY Address _____ (Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 6 miles in SW direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. #6 map on 60-29-4X

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other livestock
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 10-17-84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
4 Surface 63
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
0	2	Top soil	
2	14	clay	
14	38	SAND	2 N Plastic 0 50
38	46	clay with SAND	2 N Plastic (commercial) 50 60 0/2
46	63	SAND	2 N Plastic 60 63
			customer provided MGF UNKNOWN

CEMENTING DATA
Cemented from 0 ft. to 15 ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL: Static level 10 ft. below land surface Date 10-17-84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Rubber Depth 50

RECEIVED
OCT 24 1984

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 45 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? HARD Depth of strata 17'
Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: 5 gpm with 10 ft. drawdown after 1 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L Graham Water Well Drillers Registration No. 1781
ADDRESS P.O. Box 1590 Willis Texas 77378
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] Air Flo Water Well
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Out

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-19-95 Located on map YES Received: C.F.S.

1) OWNER Ed Harvey (Name) Address (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL County Walker 4 miles in SW direction from Huntsville (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map #7. Map on 60-29-4x

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 10-15-84 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 130 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, clay, SAND, Rock, SAND, clay, soft clay w/ SAND, SAND.

CEMENTING DATA Cemented from 0 ft. to 15 ft. Method used Cemented by (Company or Individual)

9) WATER LEVEL: Static level 8 ft. below land surface Date 10-15-84 Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber 120

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 80 ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 15 gpm with 10 ft. drawdown after 1 hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Hard Depth of strata 20' Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L. Graham (Type or Print) Water Well Drillers Registration No. 1781 ADDRESS P.O. Box 1590 Willis TEXAS 77378 (Signed) [Signature] (Water Well Driller) Air-Flo Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#9 W. KOC

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-19-9C Located on map YES Received: C.F.S.

1) OWNER Shirley Clausen (Name) Address P.O. Box 6552 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 8 miles in SW direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-13-6E

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 2-21-83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 123 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0-2 top soil, 2-12 brown clay, 12-29 white clay, 29-72 sand, 72-92 brown then blue clay, 92-123 sand and gravel.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 113 ft. to 113 50 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 50 ft. below land surface Date 2-22-83 Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber K packer L 108

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 100 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

RECEIVED APR 13 1983 DEPT. OF WATER RESOURCES

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 31 ft. Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, Henry Lee (Type or Print) Water Well Drillers Registration No. 2026,2221

ADDRESS P.O. Box 638 Riverside, Texas 77367 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Water Well Driller) Holly Water Well Service (Company Name)


Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 60-19-98
Located on map YES
Received: C.F.S.

1) OWNER Reenie White (Name) Address _____ (Street or RFD) _____ (City) _____ (State) _____ (Zip)
2) LOCATION OF WELL: County Walker miles in _____ direction from _____ (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled _____
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
4" Surface _____
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
			From	To			
	0-10	Clay					
	10-30	Dry Sand "non-productive"	4"	new	Well Casing is plastic		
	30-38	Blue Shale			100% plastic		
	38-75	Dry Sand "non-productive"			Under Well screen		
	75-90	shale					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

RECEIVED
JAN - 3 1983
DEPT. OF WATER RESOURCES

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 20-25 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Thomas Anders Jr. (Type or Print) Water Well Drillers Registration No. 1984
ADDRESS F.M. 2929 (Street or RFD) Huntsville (City) Tex (State) 77340 (Zip)
(Signed) Tommy Anders (Water Well Driller) Anders Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

2110

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 00-19-90 Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ken Hopkins (Name) Address (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL County Wauke miles in west direction from (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

CEMENTING DATA Cemented from Surface ft. to Method used Hand Cemented by Self

RECEIVED

JAN - 3 1983

DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made?

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Thomas Anders JR Water Well Drillers Registration No. 1984 ADDRESS F.M. 2929 Hunterville Tex 77040 (Signed) Tommy Anders Anders Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

JAN 15 1988

Texas Dept. of Water Resources

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:


"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Hopkins

2 miles on

Bowden Road



RECEIVED
JAN - 3 1983

Texas Dept. of Water Resources

#3

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-19-9A Located on map YES Received: C.F.S.

1) OWNER Willie D Murphy (Name) Address 11402 SANDROCK DR HOUSTON TX 77048 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 8 miles in SW direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. map 60-12-9S

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging []
4) PROPOSED USE (Check): Domestic [X] Industrial [] Public Supply [] Irrigation [] Test Well [] Other []
5) DRILLING METHOD (Check): Mud Rotary [X] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other []

6) WELL LOG: Date drilled 25 OCT 82
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 180
7) BOREHOLE COMPLETION: Open Hole [] Straight Wall [] Underreamed [] Gravel Packed [X] Other []
If Gravel Packed give interval . . . from 50 ft. to 180 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include White Clay, .10 GAUGE SAND, yellow CLAY, PVC, MgF SCREEN, PVC.

CEMENTING DATA
Cemented from 0 ft. to 15 ft.
Method used slurry
Cemented by Clearwater Well Ser (Company or Individual)

9) WATER LEVEL: Static level 54 ft. below land surface Date 27 OCT 82
Artesian flow gpm. Date

RECEIVED
NOV 15 1982
DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine [] Jet [] Submersible [X] Cylinder [] Other []
Depth to pump bowls, cylinder, jet, etc., 100 ft.

12) WELL TESTS: Type Test [] Pump [] Bailer [] Jetted [X] Estimated []
Yield: 32 gpm with 0 ft. drawdown after 3 hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? [] Yes [] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Eugene M Poldrack (Type or Print) Water Well Drillers Registration No. 2134
ADDRESS 440 Graham Rd HUNTSVILLE TX 77340 (Street or RFD) (City) (State) (Zip)
(Signed) Kenneth Downes (Water Well Driller) CLEARWATER WELL SER (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).