

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-20-4K
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Wm. Dell York Address 2200 So. Post Oak 401 Post oak Bldg.
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL Huntsville, TX Walker Conty Houston, TX Hy. 30
County (N.E., S.W., etc.) direction from (Town)

SEE MAP ATTACHED (C)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 7-30-79

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
	Surface	
<u>8 3/4</u>		<u>408</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
		Dia. (in.)		New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen	
						From	To	
0-40		Red & white clay						
40-48		Sand						
48-70		Gray clay	6	N	Steel sch. 40	18"	300	40
70-86		Gray sand	4	N	PVC Screen	312	402	40
86-200		Clay & rock	4	N	Galv. Steel liner	291	312	40
200-212		Sand 10 ga.						
212-214		Rock						
214-220		Sand 10 ga.						
220-222		Rock						
222-228		Sand 10 ga.						
228-232		Hard gray clay						
232-240		Broken clay, rock, sand						
240-308		Gray hard clay						
308-402		Sand & clay streaks						

CEMENTING DATA
Cemented from 300 ft. to Surface ft.
Method used Pressure
Cemented by RAYMOND WATER WELLS
(Company or Individual)

9) WATER LEVEL:
Static level 166 ft. below land surface Date 8-7-79
Artesian flow _____ gpm. Date _____

RECEIVED
APR 7 1982
CR/TD

10) PACKERS: Type Depth
None

11) TYPE PUMP: None
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 150 gpm with 10 ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME C.A. Raymond, Jr. Water Well Drillers Registration No. TDL 774
(Type or Print)
ADDRESS 10011 Airline Dr. Houston, TX 77037
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] RAYMOND WATER WELLS
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.




**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources.



RECEIVED
NOV 12 1930
TEXAS DEPT.
OF
WATER RESOURCES

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0630

1) OWNER Clifford Hill ADDRESS 2015 Sycamore #36 Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Sumac & Nestor Rd. Huntsville TX 77340 GRID # 60-20-4
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 2-10 20 00
2-12 20 00

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	228

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

From (ft.)	To (ft.)	Description and color of formation material
0	1	Bit t.s.
1	37	Br. & wh.cl.
37	44	Sd.
44	89	Br.cl.
89	105	Bl. Meally
105	116	Sd.
116	139	Br.cl.
139	149	Sd.
149	161	W. cl.
161	181	w. & br.cl.
181	218	Bl.cl.
218	228	Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casino	-1.5	217	
2.5	N	PVC screen	218	228	#10

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other
Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 10
Was a chemical analysis made? Yes No

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 217 ft. No. of sacks used 17
Method used By Pressure
Cemented by R. McPike
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
Static Level 118 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

12) PACKERS:
Type Depth
2.5" K Packer RxR 212'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells
(Type or print)

ADDRESS 2928 SH 19
(Street or RFD)

(Signed) Raymond McPike
(Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 3114W

FILE ID	SEQ #
Huntsville	TX 77320
EMP #	DEBC CO
(Signed) <u>FEB 28 2000</u>	(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025

ATTENTION OWNER: *Confidentiality
Privilege Notice on reverse side
of Well Owner's copy*

**State of Texas
WELL REPORT**

**Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880**

1) OWNER Pearl Richards ADDRESS 180 FM 1791 Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 180 FM 1791 Huntsville TX 77340 GRID # 60-20-4
(Street, RFD or other) (City) (State) (Zip) Long. _____ Lat. _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG:
Date Drilling:
Started 3/24 99
Completed 3/27 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7"	Surface	194

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	SNDY TOP SOIL
2	12	RED CL
12	20	SND
20	28	HD BRN CL
28	38	SND
38	60	BRK SND
60	178	HD BRN CL
178	194	SND

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	184	
4	N	PVC SLOTTED	184	194	.008

13) Well plugged within 48 hours
Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____
From (ft) To (ft) From (ft) To (ft)

9) CEMENTING DATA
Cemented from 0 ft. to 100 ft. No. of sacks used 12
ft. to _____ ft. No. of sacks used _____
Method used Pressure Tremmie
Cemented by Ballard Water Well
Distance to septic system field lines or other concentrated contamination 100+ ft.
Method of verification of above distance Measure

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Sch 80 Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 30 gpm with 20 ft. drawdown after 2 hrs.

11) WATER LEVEL
Static Level 102 ft. below land surface Date 3/27/99
Artesian flow _____ gpm Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS: Type Depth
4" X 7" FORMATION 100

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

Ballard Water Well
(Type or print)
ADDRESS P.O. Box 970
(Street or RFD)
(Signed) Charles A. Ballard
(Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 2384WI
TX 77378
(City) (State) (Zip)
(Signed) _____
(Registered Driller Trainee)
Please attach electric log, chemical analysis, and other pertinent information, if available.

FILE ID	SEQ #
2384WI	
TX	77378
APR 17 2000	
COMBINE	

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0630

1) OWNER **Bobby Rigsby** ADDRESS **1008 Trinity Cut Huntsville TX 77340**
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County **Walker** **Sumac Rd(5 M W off HWY 30)** **Huntsville TX 77340** GRID # **60-20-4**
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started **12-2 19 98** **12-4 19 98**
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other
8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from **204** ft. to **221** ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	12	Br.Cl.
12	17	Sa.
17	42	Br. & Wh.Cl.
42	62	Br.Cl.
62	71	Wh. & Br.
71	82	Sa.
82	102	H.Cl.
102	194	Mily.Cl.
194	197	Sa.
197	204	Mily.Cl.
204	206	Sa.
206	221	Cl.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from **204** ft. to **221** ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC Casino	-1.5	191	
2.5	N	SST Screen	194	204	#10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from **-1.5** ft. to **15** ft. No. of sacks used **2**
41 ft. to **191** ft. No. of sacks used **7**
Method used **By pressure**
Cemented by **H. Lee**
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., **180** ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: **15** gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL
Static Level **116** ft. below land surface Date _____
Artesian flow _____ gpm Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? **Good** Depth of strata **3**
Was a chemical analysis made? Yes No

12) PACKERS:
Type Depth
2 - 2 1/2" Rubber Packers RxR **187' & 188'**

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.

COMPANY NAME **Holly Water Wells** (Type or print)
ADDRESS **2928 SH 19** (Street or RFD)
(Signed) **Herry Lee** (Licensed Well Driller)

WELL DRILLER'S LICENSE NO. **2221W**
Huntsville (City)
(Signed) _____ (Registered Driller Trainee)
COMMENT _____

EMP # _____
DESC CO _____
FILE ID _____
TEMP SEQ # _____
FEB TX 1999 77340 (State) (Zip)
COMMENT _____
(Registered Driller Trainee) TEMP

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																																	
1) OWNER <u>Carl Harris</u> (Name)		ADDRESS <u>208 Sumac St. Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip)																																																			
2) ADDRESS OF WELL: County <u>Walker</u>		<u>208 Sumac St. Huntsville Tx</u> (Street or RFD) (City) (State) (Zip)		STATE WELL # _____																																																	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____ <div style="font-size: 2em; font-weight: bold; text-align: center;">60-20-4</div>																																																	
6) WELL LOG: Date Drilling: Started <u>1-30</u> 19 <u>97</u> Completed <u>1-31</u> 19 <u>97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">Dia. (in.)</th> <th style="width: 20%;">From (ft.)</th> <th style="width: 20%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">6.5</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">213</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	6.5	Surface	213	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																											
Dia. (in.)	From (ft.)	To (ft.)																																																			
6.5	Surface	213																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> <th style="width: 70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>1</td><td>t.s.</td></tr> <tr><td>1</td><td>6</td><td>sd.</td></tr> <tr><td>6</td><td>12</td><td>br.</td></tr> <tr><td>12</td><td>45</td><td>sd.</td></tr> <tr><td>45</td><td>56</td><td>br. & w. cl.</td></tr> <tr><td>56</td><td>61</td><td>r. st.</td></tr> <tr><td>61</td><td>81</td><td>w. & br. cl.</td></tr> <tr><td>81</td><td>115</td><td>br. cl.</td></tr> <tr><td>115</td><td>121</td><td>gray cl.</td></tr> <tr><td>121</td><td>141</td><td>br. cl.</td></tr> <tr><td>141</td><td>161</td><td>w. & gray cl.</td></tr> <tr><td>161</td><td>169</td><td>sd. st.</td></tr> <tr><td>169</td><td>179</td><td>br. cl.</td></tr> <tr><td>179</td><td>189</td><td>sd. st.</td></tr> <tr><td>189</td><td>213</td><td>sd.</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">(Use reverse side if necessary)</p>		From (ft.)	To (ft.)	Description and color of formation material	0	1	t.s.	1	6	sd.	6	12	br.	12	45	sd.	45	56	br. & w. cl.	56	61	r. st.	61	81	w. & br. cl.	81	115	br. cl.	115	121	gray cl.	121	141	br. cl.	141	161	w. & gray cl.	161	169	sd. st.	169	179	br. cl.	179	189	sd. st.	189	213	sd.	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																																			
0	1	t.s.																																																			
1	6	sd.																																																			
6	12	br.																																																			
12	45	sd.																																																			
45	56	br. & w. cl.																																																			
56	61	r. st.																																																			
61	81	w. & br. cl.																																																			
81	115	br. cl.																																																			
115	121	gray cl.																																																			
121	141	br. cl.																																																			
141	161	w. & gray cl.																																																			
161	169	sd. st.																																																			
169	179	br. cl.																																																			
179	189	sd. st.																																																			
189	213	sd.																																																			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 10%;">Dia. (in.)</th> <th rowspan="2" style="width: 10%;">New or Used</th> <th rowspan="2" style="width: 40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width: 20%;">Setting (ft.)</th> <th rowspan="2" style="width: 10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">N</td> <td>PVC Casing</td> <td style="text-align: center;">-1.5</td> <td style="text-align: center;">198</td> <td></td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">N</td> <td>undercut screen</td> <td style="text-align: center;">213</td> <td style="text-align: center;">203</td> <td></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	198		2	N	undercut screen	213	203																													
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																
			From	To																																																	
4	N	PVC Casing	-1.5	198																																																	
2	N	undercut screen	213	203																																																	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>15</u> gpm with _____ ft. drawdown after _____ hrs.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> <u>198</u> ft. to <u>48</u> ft. No. of sacks used <u>7</u> Method used <u>by pressure</u> Cemented by <u>R. McPike</u> Distance to septic system field lines _____ ft. Method of verification of above distance _____																																																			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>24</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																			
11) WATER LEVEL: Static level <u>120</u> ft. below land surface Date _____ Artesian flow _____ gpm. Date _____		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">Type</th> <th style="width: 30%;">Depth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">K Packer</td> <td style="text-align: center;">R x R 191</td> </tr> </tbody> </table>				Type	Depth	K Packer	R x R 191																																												
Type	Depth																																																				
K Packer	R x R 191																																																				
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																					
COMPANY NAME <u>Holly Water Wells</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>3114W</u>																																																			
ADDRESS <u>607 Hwy 19</u> (Street or RFD)		<u>Huntsville Tx</u>		<u>77340</u> (State) (Zip)																																																	
(Signed) <u>Raymond McPike</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																			

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Rod Bird (Name) ADDRESS Po Box 55 Huntsville, Tx 77342
(Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Davis Rd Huntsville Tx 77340 STATE WELL # _____
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

6) WELL LOG:
Date Drilling:
Started 2-19 19 96
Completed 2-21 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	255

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

#60-20-4N

From (ft.) To (ft.) Description and color of formation material

0-1	top soil
1-19	br cl
19-21	sand
21-36	br cl
36-86	bl cl
86-99	sand
99-101	cl
101-121	bl cl
121-135	bl cl w/ r st
135-138	cl
138-141	sand
141-148	r w/ sand st
148-226	bl cl
226-233	bl cl w/ sand st
233-255	sand

(Use reverse side if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	238	40
2.5	N	stainless steel	245	255	10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
138 ft. to 238 ft. No. of sacks used 7
Method used perssure
Cemented by Mc pike
Distance to septic system field lines _____ ft.
Method of verification of above distance no septic

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140' ft.

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 22'
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 43 ft. below land surface Date 2-21-96
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
1 ea K-packer 2 1/2" 233

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well WELL DRILLER'S LICENSE NO. 3114W
(Type or print)

ADDRESS 607 HWY 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond McPike (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

8 WALKER

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Glenn Mohre ADDRESS Rt 6 Box 736 Huntsville, Tx 77340
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Walker, 2 miles in W direction from Huntsville
 (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:
 Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

on 60-11-5

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Irrigation Industrial Test Well Monitor Injection Public Supply De-Watering

5) DRILLING METHOD (Check):
 Mud Rotary Air Rotary Air Hammer Cable Tool Jetted Bored Other _____ Driven

6) WELL LOG:
 Date Drilling: _____
 Started 6-28 1990
 Completed 6-29 1990

Date	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
Started	6.5	Surface	451
Completed			

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
0-2		top soil	
2-33		brown and white sand	
33-43		sand	
43-218		brown and meally clay	
218-230		sand	
230-303		meally clay	
303-328		sand streaks	
328-363		meally clay	
363-375		sand streaks	
375-431		meally clay	
431-451		sand <i>(Use reverse side if necessary)</i>	

9) CEMENTING DATA [Rule 287.44(1)]
 Cemented from 430 ft. to 330 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 3
 Method used Pressure
 Cemented by Henry Lee

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
 Static level 120 ft. below land surface Date 7-9-90
 Artesian flow _____ gpm. Date _____

12) PACKERS:
Rubber 424 ft

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
 (Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-20-4 Located on map _____

Walker #26.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Moore Cattle Company Address P.o. Box 150, Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 6 miles in SW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-20-4P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4/5/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 263
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Brown clay, Sand, Sand streaks, Blue clay, Mixed Blue clay, Blue clay, Sand, Blue clay.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA: Cemented from 242 ft. to 142 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 47 ft. below land surface Date 4-6-84 Artesian flow gpm. Date

RECEIVED JUL - 6 1984

10) PACKERS: Type Depth Lead L 236

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 50 gpm with . . . ft. drawdown after . . . hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 34 Ft. Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) FAYON A. CRAWFORD (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-4P Located on map 40 MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



LEGEND

ROADS
 FEDERAL HIGHWAY
 STATE HIGHWAY
 COUNTY ROAD
 LOCAL ROAD
 UNIMPROVED ROAD
 RAILROAD
 AIRCRAFT ROUTE
 CANAL
 DRAINAGE CANAL
 IRRIGATION CANAL
 FLOOD CONTROL CANAL
 WATERWAY
 RIVER
 STREAM
 CREEK
 LAKE
 RESERVOIR
 DAM
 WEIR
 LOCK
 BOAT LIFT
 BRIDGE
 TUNNEL
 FERRY
 FISH PASSAGE
 WATER CONTROL STRUCTURE
 WATER TOWER
 WINDMILL
 TELEPHONE POLE
 POWER POLE
 LIGHT POLE
 SIGN POLE
 MAIL BOX
 TELEPHONE BOX
 POWER BOX
 LIGHT BOX
 SIGN BOX
 MAIL BOX
 TELEPHONE BOX
 POWER BOX
 LIGHT BOX
 SIGN BOX

LAND USE
 FEDERAL RESERVE
 NATIONAL FOREST
 STATE PARK
 COUNTY PARK
 LOCAL PARK
 UNIMPROVED LAND
 CROPLAND
 PASTURE
 WOODLAND
 SWAMP
 MARSH
 BEACH
 DUNE
 SANDHILL
 SAND BAR
 SAND POINT
 SAND SPIT
 SAND ISLAND
 SAND PENINSULA
 SAND TONGUE
 SAND TONGUE ISLAND
 SAND TONGUE PENINSULA
 SAND TONGUE SPIT
 SAND TONGUE ISLAND
 SAND TONGUE PENINSULA
 SAND TONGUE SPIT


BOUNDARIES
 COUNTY
 STATE
 FEDERAL

OTHER
 CITY
 TOWN
 VILLAGE
 UNINCORPORATED SETTLEMENT
 RAILROAD STATION
 AIRPORT
 MARINE LANDING
 FERRY LANDING
 BOAT LIFT
 BRIDGE
 TUNNEL
 FERRY
 FISH PASSAGE
 WATER CONTROL STRUCTURE
 WATER TOWER
 WINDMILL
 TELEPHONE POLE
 POWER POLE
 LIGHT POLE
 SIGN POLE
 MAIL BOX
 TELEPHONE BOX
 POWER BOX
 LIGHT BOX
 SIGN BOX



**GENERAL HIGHWAY MAP
 WALKER COUNTY
 TEXAS**

PREPARED BY THE
 STATE DEPARTMENT OF HIGHWAYS
 AND PUBLIC TRANSPORTATION
 TRANSPORTATION PLANNING DIVISION
 IN COOPERATION WITH THE
 U.S. DEPARTMENT OF TRANSPORTATION
 FEDERAL HIGHWAY ADMINISTRATION



1969
 1970 CENSUS FIGURES
 HIGHWAYS REISED TO MARCH 1, 1978
 POLYCONIC PROJECTION NORTH AMERICAN DATUM
 CONTROL: U. S. Coast and Geodetic Survey and U. S. Geological Survey
 UNDERWRITTEN BY U. S. Explorer's Survey, Revised Alignment, State Highway
 Department and State Department



KEY TO COUNTIES
 Map of the State of Texas showing the location of Walker County. The map is divided into counties, and Walker County is highlighted in the central-eastern part of the state. Neighboring counties like Harrison, Shelby, and Trinity are also labeled.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER /A. D. Downer ADDRESS 124 Sumac Huntsville, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 1 miles in West direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

ON 60-14-4

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:
Started 1-22 19 90
Completed 1-24 19 90

DIAMETER OF HOLE

Dia. (In.)	From (ft.)	To (ft.)
<u>6.5</u>	<u>Surface</u>	<u>212</u>

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0-2 top soil
2-27 sand
27-93 brown clay
93-106 sand and sand streaks
106-193 white clay
183-201 rock
201-212 sand and rock streaks

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (In.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>-1.5</u>	<u>194</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC IIC</u>	<u>201</u>	<u>211</u>	<u>#10</u>

RECEIVED
APR 4 1990

CEMENTING DATA [Rule 287.44(1)]

Cemented from 194 ft. to 94 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2

Method used _____
Cemented by _____

13) TYPE PUMP:

Turbine Jet Submersible Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:

Type Test: Pump Baller Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:

Static level 92 ft. below land surface Date 1-24-90
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 11 ft
Was a chemical analysis made? Yes No

12) PACKERS:

Type Depth
Rubber 184

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-20-4 Located on map _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT			Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																							
1) OWNER <u>George Hyatt</u> (Name) ADDRESS <u>359 Forrest Ln. Huntsville TX 77340</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>359 Forrest Ln. Huntsville TX 77340</u> GRID # <u>60-20-4</u> (Street or RFD) (City) (State) (Zip)																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No			5)																							
6) WELL LOG: Date Drilling: Started <u>9-25</u> 19 <u>94</u> Completed <u>9-27-94</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:20%;">Dia. (in.)</th> <th style="width:20%;">From (ft.)</th> <th style="width:20%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>254</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>254</u>							7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____												
Dia. (in.)	From (ft.)	To (ft.)																										
<u>6 3/4</u>	Surface	<u>254</u>																										
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td><u>0-10 Clay</u></td> </tr> <tr> <td> </td> <td> </td> <td><u>10-20 SAND</u></td> </tr> <tr> <td> </td> <td> </td> <td><u>20-168 Clay</u></td> </tr> <tr> <td> </td> <td> </td> <td><u>168-169 Rock</u></td> </tr> <tr> <td> </td> <td> </td> <td><u>169-170 SAND</u></td> </tr> <tr> <td> </td> <td> </td> <td><u>170-230 CLAY</u></td> </tr> <tr> <td> </td> <td> </td> <td><u>230-254 SAND</u></td> </tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material			<u>0-10 Clay</u>			<u>10-20 SAND</u>			<u>20-168 Clay</u>			<u>168-169 Rock</u>			<u>169-170 SAND</u>			<u>170-230 CLAY</u>			<u>230-254 SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.		
From (ft.)	To (ft.)	Description and color of formation material																										
		<u>0-10 Clay</u>																										
		<u>10-20 SAND</u>																										
		<u>20-168 Clay</u>																										
		<u>168-169 Rock</u>																										
		<u>169-170 SAND</u>																										
		<u>170-230 CLAY</u>																										
		<u>230-254 SAND</u>																										
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																										
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>230</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SLOTT</u></td> <td><u>225</u></td> <td><u>254</u></td> <td><u>010</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>230</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC SLOTT</u>	<u>225</u>	<u>254</u>	<u>010</u>			
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																							
			From	To																								
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>230</u>	<u>40</u>																							
<u>2</u>	<u>N</u>	<u>PVC SLOTT</u>	<u>225</u>	<u>254</u>	<u>010</u>																							
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>230</u> ft. to <u>08</u> ft. No. of sacks used <u>15</u> Cemented from <u>08</u> ft. to <u>08</u> ft. No. of sacks used <u>10</u> Method used <u>Pressure</u> Cemented by <u>Vernon Gray</u> Distance to septic system field lines <u>120</u> ft. Method of verification of above distance <u>Measure</u>																										
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>220</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																										
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>25</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>91</u> ft. below land surface Date <u>9-27-94</u> Artesian flow _____ gpm. Date _____																										
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>And</u> Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <u>Rubber</u> Type <u>12</u> Depth <u>225</u>																										
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																												
COMPANY NAME <u>Gray's Water Well Ser.</u> WELL DRILLER'S LICENSE NO. <u>2011 WPIK</u> (Type or print)																												
ADDRESS <u>PO Box 1788 TRINITY TX 75862</u> (Street or RFD) (City) (State) (Zip)																												
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard Miller</u> (Registered Driller Trainee)																										
Please attach electric log, chemical analysis, and other pertinent information, if available.																												

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Ira Gillum (Name) ADDRESS 330 Forrest Ln. Huntsville TX. 77340 (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL: County Walker 330 Forrest Ln. Huntsville TX 77340 (Street or RFD) (City) (State) (Zip) GRID # 60-20-4

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 9-9-1994 Completed 9-13-1994
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 478

From (ft.)	To (ft.)	Description and color of formation material
<u>0-21</u>	<u>21</u>	<u>Clay</u>
<u>21-84</u>	<u>84</u>	<u>Sand</u>
<u>84-240</u>	<u>240</u>	<u>Clay</u>
<u>240-245</u>	<u>245</u>	<u>Sand</u>
<u>245-370</u>	<u>370</u>	<u>Shale</u>
<u>370-371</u>	<u>371</u>	<u>Rock</u>
<u>371-450</u>	<u>450</u>	<u>Shale</u>
<u>450-460</u>	<u>460</u>	<u>Clay</u>
<u>460-478</u>	<u>478</u>	<u>Sand</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>460</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>Steel</u>	<u>455</u>	<u>460</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>S Steel</u>	<u>460</u>	<u>478</u>	<u>.008</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 460 ft. to 260 ft. No. of sacks used 10
0 ft. to 10 ft. No. of sacks used 5
Method used Pressure
Cemented by Vernon Gray
Distance to septic system field lines 150 ft.
Method of verification of above distance Tape Measure

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 79 ft. below land surface Date 9-13-94
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS: BF Type Rubber Depth 455

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.
COMPANY NAME Gray's W/Well Ser. (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS Po Box 1788 Trinity TX. 75862 (Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																																																					
1) OWNER <u>Kurt Stevenson</u> (Name) ADDRESS <u>155 Autmns Way Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>46 M. W. of IH 45 on Hwy 30</u> (Street or RFD) (City) (State) (Zip) STATE WELL # _____																																																																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>60-20-4</u>																																																																					
6) WELL LOG: Date Drilling: Started <u>6-15 1998</u> Completed <u>6-17 1998</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> </tr> <tr> <td>6.75</td> <td>Surface</td> <td>336</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	6.75	Surface	336	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																																															
Dia. (in.)	From (ft.)	To (ft.)																																																																							
6.75	Surface	336																																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">From (ft.)</th> <th style="width:10%;">To (ft.)</th> <th style="width:80%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>2</td><td>top bit soil</td></tr> <tr><td>2</td><td>8</td><td>sa.</td></tr> <tr><td>8</td><td>22</td><td>sa. cl. & sa. st.</td></tr> <tr><td>22</td><td>51</td><td>wh. cl.</td></tr> <tr><td>51</td><td>62</td><td>sa. st.</td></tr> <tr><td>62</td><td>82</td><td>br. & wh. cl.</td></tr> <tr><td>82</td><td>102</td><td>sa. st.</td></tr> <tr><td>102</td><td>116</td><td>sa.</td></tr> <tr><td>116</td><td>122</td><td>bl.</td></tr> <tr><td>122</td><td>142</td><td>bl. & wh. cl.</td></tr> <tr><td>142</td><td>162</td><td>br. & bl.</td></tr> <tr><td>162</td><td>202</td><td>bl.</td></tr> <tr><td>202</td><td>222</td><td>h. bl.</td></tr> <tr><td>222</td><td>236</td><td>bl.</td></tr> <tr><td>236</td><td>242</td><td>sa. & mly. cl.</td></tr> </tbody> </table> <p style="text-align: center; font-size: small;">(Use reverse side if necessary)</p>		From (ft.)	To (ft.)	Description and color of formation material	0	2	top bit soil	2	8	sa.	8	22	sa. cl. & sa. st.	22	51	wh. cl.	51	62	sa. st.	62	82	br. & wh. cl.	82	102	sa. st.	102	116	sa.	116	122	bl.	122	142	bl. & wh. cl.	142	162	br. & bl.	162	202	bl.	202	222	h. bl.	222	236	bl.	236	242	sa. & mly. cl.	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval .. from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>PVC Casing</td> <td>-1.5</td> <td>306</td> <td></td> </tr> <tr> <td>2.5</td> <td>N</td> <td>SST Screen</td> <td>306</td> <td>336</td> <td>#10</td> </tr> </tbody> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	306		2.5	N	SST Screen	306	336	#10
From (ft.)	To (ft.)	Description and color of formation material																																																																							
0	2	top bit soil																																																																							
2	8	sa.																																																																							
8	22	sa. cl. & sa. st.																																																																							
22	51	wh. cl.																																																																							
51	62	sa. st.																																																																							
62	82	br. & wh. cl.																																																																							
82	102	sa. st.																																																																							
102	116	sa.																																																																							
116	122	bl.																																																																							
122	142	bl. & wh. cl.																																																																							
142	162	br. & bl.																																																																							
162	202	bl.																																																																							
202	222	h. bl.																																																																							
222	236	bl.																																																																							
236	242	sa. & mly. cl.																																																																							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																																				
			From	To																																																																					
4	N	PVC Casing	-1.5	306																																																																					
2.5	N	SST Screen	306	336	#10																																																																				
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> <u>306</u> ft. to <u>156</u> ft. No. of sacks used <u>7</u> Method used <u>by pressure</u> Cemented by <u>H. Lee</u> Distance to septic system field lines _____ ft. Method of verification of above distance _____																																																																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>280</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																																							
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>30</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>180</u> ft. below land surface Date _____ Artesian flow _____ gpm. Date _____																																																																							
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>34</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">Type</th> <th style="width:20%;">Depth</th> </tr> </thead> <tbody> <tr> <td>2 2" Rubber Packers RXR</td> <td>300 & 301</td> </tr> </tbody> </table>		Type	Depth	2 2" Rubber Packers RXR	300 & 301																																																																		
Type	Depth																																																																								
2 2" Rubber Packers RXR	300 & 301																																																																								
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.		FILE # _____ EMP # _____ AUG 17 1998 2221W TEMP _____																																																																							
COMPANY NAME <u>Holly Water Wells</u> (Type or print) ADDRESS <u>607 Hwy 19</u> (Street or RFD) (Signed) <u>[Signature]</u> (Licensed Well Driller)		WELL DRILLER'S LICENSE NO. _____ <u>Huntsville Tx</u> (City) <u>340</u> (State) _____ (Zip) (Signed) _____ (Registered Driller Trainee)																																																																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Bill Prewitt ADDRESS 22 Timberwild Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 22 Timberwild Huntsville TX 77340 GRID # 60-20-4
(Street, RFD or other) (City) (State) (Zip) Lat.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling:
Started 9/23 19 98
9-30 19 98

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6.75</u>	Surface	<u>521</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>1</u>	<u>Bit t.s.</u>
<u>1</u>	<u>21</u>	<u>Br. Sd. & cl.st.</u>
<u>21</u>	<u>61</u>	<u>Br. & w.cl.</u>
<u>61</u>	<u>95</u>	<u>Mealy cl.</u>
<u>95</u>	<u>131</u>	<u>Br.cl.</u>
<u>131</u>	<u>135</u>	<u>Sd.</u>
<u>135</u>	<u>141</u>	<u>Br.cl.</u>
<u>141</u>	<u>161</u>	<u>Bl.cl. w/ Sd.st.</u>
<u>161</u>	<u>166</u>	<u>Bl.cl.</u>
<u>166</u>	<u>183</u>	<u>Sd.</u>
<u>183</u>	<u>189</u>	<u>cl.</u>
<u>189</u>	<u>195</u>	<u>Sd.</u>
<u>195</u>	<u>201</u>	<u>cl. w/ sd.st.</u>
<u>201</u>	<u>221</u>	<u>Bl. Cl. W/sd.st.</u>
<u>221</u>	<u>226</u>	<u>Bl.cl.</u>

(Use reverse side if necessary)

13) TYPE PUMP: DID NOT COMPLETE
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 12
Was a chemical analysis made? Yes No

5) _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from 333 ft. to 363 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>-1.5</u>	<u>333</u>	
<u>2.5</u>	<u>N</u>	<u>Pinebase screen</u>	<u>333</u>	<u>363</u>	<u>#20</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
183 ft. to 333 ft. No. of sacks used 7
Method used By pressure
Cemented by R. Cadwallader
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
Static Level 190 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

12) PACKERS: Type _____ Depth _____
K Packer

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells
(Type or print)
ADDRESS 2928 SH 19
(Street or RFD)
(Signed) [Signature]
(Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 2026WPK STATE # _____
EMP # _____ CITY Huntsville STATE TX ZIP 77340
(City) (State) (Zip)
(Signed) _____
COMM. Registered Driller Trainee TEMP

Please attach electric log, chemical analysis, and other pertinent information, if available.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

Let $f(x) = x^2 + 3x - 5$ and $g(x) = 2x - 1$. Find $(f \circ g)(x)$.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
226	231	R.st.
231	239	Sd.
239	241	cl.
241	251	Bl.cl.
251	263	Sd.
263	274	cl.
274	280	Sd.
280	281	cl.
281	321	Bl.cl. w/ R.st.
321	351	Meally cl.
351	363	Sd.
363	375	Bl.cl.
375	381	Sd.
381	391	Meally cl.
391	401	Sd.
401	431	Meally cl.
431	444	Sd.
444	455	cl.
455	464	Sd.
464	481	Br.cl. w/ r.st.
481	490	Br.cl.
490	516	Sd.
516	521	cl.

FILE ID	SEQ #
EMP #	DATE CO
JUL 12 1999	
COMMENT	TEMP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-20-46
Located on map W22
Received: 79 89c

1) OWNER CHARLES GLASS (Name) Address 204 SUMAC (Street or RFD) HUNTSVILLE, TEX (City) 77340 (State) (Zip)
2) LOCATION OF WELL: County WALKER 3 miles in W direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. #1

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 4-9-79
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 223
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
0	22	BROWN CLAY					
22	40	SAND					
40	62	BROWN CLAY	4	N	PLASTIC	203	71 5/8
62	78	BLUE CLAY					
78	90	BROWN CLAY	2 1/2	N	STAINLESS STEEL	203	215 1/10
90	96	SAND					
96	117	BROWN CLAY					
117	122	SAND					
122	186	BROWN CLAY					
186	203	BLUE CLAY					
203	215	SAND					
215	223	SAND BREAK					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 203 ft. to 150 ft.
Method used PRESSURE
Cemented by E.A. HOLLY CO (Company or Individual)

9) WATER LEVEL:
Static level 100 ft. below land surface Date 4-9-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
#1
LEAD 198

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 195 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED

JUL 6 '79

CR/TDWR

RECEIVED

APR 19 1979

DEPT. OF
WATER RESOURCES

#7

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Joe Barnes Address P.O. Box 171 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 3 miles in W direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
XX See attached map. 60-20-7

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other

6) WELL LOG: Date Drilling Started Feb. 13 19 86 Completed Feb. 14 19 86
DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 197 ft. to 0 ft. No. of Sacks Used 17
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used
11) WATER LEVEL: Static level 95 ft. below land surface Date 2/19/86

12) PACKERS: Type Depth Lead 192

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 15 gpm with ft. drawdown after hrs.


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville TX 77340

(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-4 Located on map



**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

29

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-20-4 Located on map Received:

1) OWNER Kenneth Cox (Name) Address Unknown (Street or RFD) Huntsville, Tx. (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 9 miles in W direction from Huntsville (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 60-13-3

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 2/13/87 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 6-3/4 470
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other 2 string cemented

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 456 ft. to 0 ft. Method used Halliburton Cemented by Robinson Water Well (Company or Individual)

RECEIVED SEP 16 1987

9) WATER LEVEL: Static level 120 ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type K Depth 439

TEXAS WATER COMMISSION

11) TYPE PUMP: 1 1/2 HP Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No Report of Undesirable Water Type of water? potable Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464 ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip) (Signed) M.E. Robinson (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-20-45
Located on map 422MM
Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Blackstone (Name) Address Richard Rd (Street or RFD) Huntsville Texas (City) 77340 (State) (Zip)
2) LOCATION OF WELL: County WAIKER 6 miles in West (N.E., S.W., etc.) direction from Huntsville (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-21-5X

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled June 19, 1983
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
4" Surface 170"
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
<u>0"</u>	<u>5"</u>	<u>Surface Sand</u>						
<u>5"</u>	<u>25"</u>	<u>Clay "Red"</u>			<u>Fin. Pipe Casing P.U.C. Pipe</u>	<u>0 to 150 ft</u>		<u>Casing</u>
<u>25"</u>	<u>50"</u>	<u>Sand Shell</u>				<u>150 to 170 ft</u>		<u>12 casing</u>
<u>50"</u>	<u>100"</u>	<u>Shell</u>			<u>20 ft of Anders Well Screen 2012</u>			
<u>100"</u>	<u>135"</u>	<u>Sand Shell</u>						
<u>135"</u>	<u>170"</u>	<u>Sand "Coag"</u>						

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used Hand (2 sacks cement from Set of top of well.)
Cemented by _____ (Company or Individual)

RECEIVED
OCT 31 1983
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
Static level 80 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Thomas Gary Anders Jr. (Type or Print) Water Well Drillers Registration No. 1984
ADDRESS F.M. 2999 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)
(Signed) Thomas Anders Jr. (Water Well Driller) Anders Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-20-4R
Located on map 40 MM
Received: _____

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Persons (Name) Address Hwy. 30 (Street or RFD) Huntsville Texas (City) 77340 (State) (Zip)
2) LOCATION OF WELL: County WALKER 3 miles in W direction from Huntsville (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-21-5X

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled June
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
4 Surface 230
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0"	5"	Surface Sand					
5"	15"	Red Clay	4"	New	Plastic	0' 210'	
15"	45"	Clay with trace of sand	4"	New	Slotted Screens	210-230 10	008
45"	130"	White Shell					
130"	210"	Blue Shell					
210"	230"	Sand "Gray"					

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used Hand packed cement gravel
Cemented by Self in top of well
(Company or Individual)

RECEIVED
OCT 31 1983
DEPT. OF
WATER RESOURCES

9) WATER LEVEL:
Static level 70' ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 150' ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Thomas Anders (Type or Print) Water Well Drillers Registration No. 1984
ADDRESS F.M. 2929 (Street or RFD) Huntsville Texas (City) 77340 (State) (Zip)
(Signed) Thomas Anders (Water Well Driller) Anders Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER J. M. Wieser (Name) Address 204 Sumac Rd. Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: County Walker 3 miles in W direction from Huntsville (Town) (N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. 60-20-40

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 4-9--84
 DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	<u>Surface</u>	<u>232</u>

 7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
				From	To		
		<u>0-2 top soil</u>					
		<u>2-14 sand streaks</u>					
		<u>14-22 brown clay</u>	<u>4</u>	<u>N</u>	<u>Plastic</u>	<u>-1 1/2</u>	<u>218</u>
		<u>22-32 sand streaks</u>					
		<u>32-47 sand</u>	<u>2 1/2</u>	<u>N</u>	<u>Stainless steel</u>	<u>229-219</u>	<u>#10</u>
		<u>47-102 brown clay</u>					
		<u>102-116 sand</u>					
		<u>116-202 meally brown clay</u>					
		<u>202-210 sandy clay</u>					
		<u>210-232 sand</u>					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 CEMENTING DATA
 Cemented from 218 ft. to 118 ft.
 Method used Pressure
 Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Lead L 214

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 35 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026
 (Type or Print)
 ADDRESS Rt. 11 Box 607 Huntsville, Texas 77340
 (Street or RFD) (City) (State) (Zip)
 (Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
 For TDWR use only
 Well No. 60-20-40
 Located on map 40 MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

10 11 1984
10 11 1984
10 11 1984

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

For TWDB use only Well No. 60-20-4N Located on map yes Received: C.F.S.

WATER WELL REPORT

1) OWNER: Person having well drilled Emmett Williams Address 15127 McKeel Houston Tex
 Landowner Same Address _____

2) LOCATION OF WELL: County Walker 5 miles in SW direction from Huntsville



Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other
 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 7/8 in. Depth drilled 260 ft. Depth of completed well 260 ft. Date drilled 6/28/82
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	105	SAND
105	125	clay
125	140	SAND
140	200	clay
200	202	Rock
202	239	clay
239	260	SAND

9) CASING: Type: Old New Steel Plastic Other _____
 Cemented from 0 ft. to 0 ft.
 Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 240 Gage Sch 40

10) SCREEN: Type plastic
 Perforated Slotted
 Diameter (inches) 4" Setting From (ft.) 240 To (ft.) 260 Slot Size .010

RECEIVED
JUL 29 1982

7) COMPLETION (Check): Straight wall Gravel packed Other _____
 Under reamed Open Hole

8) WATER LEVEL: Static level 125 ft. below land surface Date 6/30/82
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 235 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? _____
 Yield: 5 gpm with 10 ft. drawdown after 1 hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY: Was a chemical analysis made? Yes No
 Did any strata contain undesirable water? Yes No
 Type of water? soft depth of strata 10' 21'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
 NAME James Graham Water Well Drillers Registration No. 1781
 ADDRESS P.O. Box 1590 Willis Tex 77378
 (Signed) James Graham (Company Name) ATAA water wells

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 5 1953
DEPT. OF
WATER RESOURCES

#4 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 02-204M Located on map YES Received: KLU

1) OWNER Huntsville Church of the Nazarene Address 701 Ave. M #10 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 2 miles in West direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. Map on 60-13-88 Dup

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 6-17-81
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Perf., Slotted, etc., Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Rows include 0-2 top soil, 2-13 brown clay, 13-32 sand, 32-76 brown clay, 76-82 sand streaks, 82-195 brown clay, 195-216 sand.

CEMENTING DATA: Cemented from 204 ft. to 154 ft. Method used Pressure. Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL: Static level 120 ft. below land surface Date 6-18-81. Artesian flow gpm. Date

10) PACKERS: Type Lead, Depth 200 ft.

11) TYPE PUMP: Submersible, Depth to pump bowls, cylinder, jet, etc., 199 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 20 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER". Type of water? Good. Depth of strata 21 ft. Was a chemical analysis made? No.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CAIWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP - 21 1981
DEPT. OF
WATER RESOURCES

#4 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-20-46 Located on map YES Received: C.F.S.

1) OWNER Spencer McAdams Address P.O. Box 1392 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 4 miles in West direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-21-3B

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7-22-80
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include soil, clay, sand, and blue clay layers.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA. Cemented from 201 ft. to 149 ft. Method used Pressure. Cemented by Holly Water Well Service.

9) WATER LEVEL: Static level 80 ft. below land surface Date 7-23-80. Artesian flow gpm. Date

10) PACKERS: Type Depth. Rubber R&R 197

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 40 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? Good. Depth of strata 26 ft. Was a chemical analysis made? No.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED

SEP 11 1980

**DEPT. OF
WATER RESOURCES**

REGISTERED

APR 25 1979

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-20-4J Located on map Yes Registered: 79 810

1) OWNER MORRIS SOWELL Address RT. 2 Box 540-A HUNTSVILLE, TX 77340

2) LOCATION OF WELL: County WALKER 3 miles in W direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

Map & mail in with E.A. Holly #3, Map on 60-20-4G April 19, 1979

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 11-28-78 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 183 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include TOP SOIL, BROWN CLAY, COARSE SAND, etc.

CEMENTING DATA Cemented from 171 ft. to 120 ft. Method used PRESSURE Cemented by RALPH A. CANNALLA (Company or Individual)

9) WATER LEVEL: Static level 30 ft. below land surface Date 11-30-78 Artesian flow gpm. Date

10) PACKERS: Type LEAD Depth 166

11) TYPE PUMP: Turbin, Jet, Submersible, Cylinder Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 40 gpm with 0 ft. drawdown after 1 hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? GOOD Depth of strata 6' Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Co Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TX 77367 (Signed) RALPH A. CANNALLA E.A. HOLLY Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

JUL 6 '79

CR/DWR

RECEIVED

APR 19 1979

DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-20-4H
Located on map W2
Received: 79 SAC

1) OWNER CHARLES GLASS Address 204 SUMAC ST HUNTSVILLE, TEX, 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County WALKER 2 1/2 miles in W direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. #2, Map on 60-20-4G

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 12-15-78
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 260
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
0	20	SURFACE SOIL					
20	75	BROWN CLAY					
75	80	ROCK STKS	4	N	PLASTIC	249	+1 35# 40
80	100	BROWN SAND					
100	105	SAND	2 1/2	N	STAINLESS STEEL	250	260 #8
105	190	BROWN CLAY					
190	194	ROCK STKS					
194	201	HARD ROCK (8 HRS 3 BITS)					
201	248	BROWN CLAY					
248	260	SAND					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 249 ft. to 190 ft.
Method used PRESSURE
Cemented by E.A. HOLLY CO
(Company or Individual)

9) WATER LEVEL:
Static level 125 ft. below land surface Date 12-15-78
Artesian flow _____ gpm. Date _____

10) PACKERS:
Type Depth
#2 LEAD 245

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 220 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 12
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State) (Zip)
(Signed) E.A. Holly E.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

JUL 6 '79

CR/TDWR

RECEIVED

APR 19 1979

DEPT. OF
WATER RESOURCES

#18 WALKER

Please use black ink, Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Faith Lutheran Church (Name) Address 200 Summit 1629 Avenue J (Street or RFD) Huntsville, TX 77340 (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 2 miles in West direction from Huntsville (Town) (N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map on 60-05-1C

3) TYPE OF WORK (Check): [X] New Well [] Deepening [] Reconditioning [] Plugging 4) PROPOSED USE (Check): [] Domestic [] Industrial [X] Public Supply [] Irrigation [] Test Well [] Other 5) DRILLING METHOD (Check): [X] Mud Rotary [] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other

6) WELL LOG: Date drilled 4-15-85 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 475 7) BOREHOLE COMPLETION: [] Open Hole [X] Straight Wall [] Underreamed [] Gravel Packed [] Other If Gravel Packed give interval . . . from ft. to ft.

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include: 0-2 Top soil, 2-13 White clay, 13-14 Rock, 14-22 Brown clay, 22-34 Sand, 34-62 Brown clay, 62-150 Meally clay, 150-152 Rock, 152-206 Meally clay, 206-216 Sand, 216-256 Meally clay, 256-262 Sand streaks, 262-282 Meally clay, 282-292 Sand streaks, 292-302 Meally clay, 302-322 Sand streaks, 322-362 Meally clay, 362-382 Sand streaks, 382-442 Meally clay, 442-450 Blue clay, 450-475 Sand.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 418 ft. to Surface ft. Pressure Method used Cemented by Henry Lee

10) SURFACE COMPLETION [] Specified Surface Slab Installed [] Pitless Adapter Used [X] Approved Alternative Procedure Used

11) WATER LEVEL: Static level 220 ft. below land surface Date 4-17-85 Artesian flow gpm. Date

12) PACKERS: Type Depth

RECEIVED RECEIVED AUG - 9 1985 JUN 10 1985

13) TYPE PUMP: [] Turbine [] Jet [X] Submersible [] Cylinder [] Other Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 25 Ft. Was a chemical analysis made? [] Yes [X] No

14) WELL TESTS: Type Test: [] Pump [] Bailer [X] Jetted [X] Estimated Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip) (Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-46 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

RECEIVED

#4

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

AUG 11 1978

For TDWR use only Well No. 60-20-4F Located on map Yes Received: 78

1) OWNER RONNIE WHITE Address RT 2 Box 240 HUNTSVILLE TEX 77340
2) LOCATION OF WELL: County WALKER 4 miles in W direction from HUNTSVILLE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map on 60-14-7A

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 7-17-78 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 6 1/2 116
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include RED CLAY, GRAY CLAY, SAND, GREY CLAY, SAND, 4 N PLASTIC, 2 1/2 N STAINLESS.

CEMENTING DATA Cemented from 106 ft. to 50 ft. Method used PRESSURE Cemented by E.A. HOLLY (Company or Individual)

9) WATER LEVEL: Static level 57 ft. below land surface Date 8-17-78 Artesian flow gpm. Date

10) PACKERS: Type LEAD Depth 161

11) TYPE PUMP: Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 100 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 12 Was a chemical analysis made? No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME F.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Signed) F.A. HOLLY (Water Well Driller) F.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
DEC 6 1978

Central Records
Texas Dept. of Water Resources

RECEIVED

APR 6 1978

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

DEPT. OF WATER RESOURCES


For TWDB use only Well No. 60-20-4E Located on map 28 yes Received: dlk

1) OWNER: Person having well drilled MR C.M GLASS Address 1312 AVE O HUNTSVILLE TEXAS Landowner SAME Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER 5 miles in W direction from HUNTSVILLE

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

HY 30



Give legal location with distances and directions from adjacent sections or survey lines.

Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 214 ft. Depth of completed well 214 ft. Date drilled 3-29-78 All measurements made from 0 ft. above ground level.

From To Description and color of formation material

0 - 42 SAND 42 - 197 WHITE CLAY 197 - 214 SAND

9) Casing: Type: Old New Steel Plastic Other Cemented from 204 ft. to 150 ft.

Diameter Setting (inches) From (ft.) To (ft.) Gage 4 204 71 SCH

10) SCREEN: Type STAINLESS STEEL Perforated Slotted

Diameter Setting Slot (inches) From (ft.) To (ft.) Size 2 1/2 204 214 #8

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 130 ft. below land surface Date 3-29-78 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 180 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? GOOD depth of strata 27

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801

ADDRESS Box 37 RIVERSIDE TEXAS

(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 11 1978

Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATERWELL REPORT

For TWDB use only
Well No. 60-30-40
Located on map 205
Received: 7/31
dlr

1) OWNER:
Person having well drilled T.R. Corpe (Name) Address Huntsville (City) Texas (State)
Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker 4 miles in West direction from Huntsville (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Hwy 30
Huntsville
INUS
North ↑
(Use reverse side if necessary)

or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 2" in. Depth drilled 126' ft. Depth of completed well 126' ft. Date drilled 10-4-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 14		Sand
14 - 19		clay
19 - 49		Sand
49 - 51		shale
51 - 91		Sand Dug
91 - 93		slate +
93 - 93 1/2		Rock
93 1/2 - 126		Sand

9) CASING:
Type: Old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
2 0 128 5/8 40

10) SCREEN:
Type Plastic
Perforated Slotted
Diameter (inches) 2 Setting From (ft.) 118 To (ft.) 128 Slot Size 1/2

7) COMPLETION (Check):
 Straight wall Gravel packed Other
Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 7 gpm with 96 ft. drawdown after 4 1/2 hrs.
Bailer test: _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 57 ft. below land surface Date 10-4-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No.
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME W.R. Rhodes (Type of Print) Water Well Drillers Registration No. 1463
ADDRESS Rt 4 Box 1312 (Street or RFD) Huntsville (City) Texas (State)
(Signed) Ed Harris (Water Well Driller) W.R. Rhodes (Company Name) Duety Rhodes Water Wells Inc

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

OCT 17 1973

RECEIVED

RECEIVED

MAR 15 1974

Central Records

Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

NOV - 8 1973

RECEIVED

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-20-4D Located on map 480MM Received:

1) OWNER Caitherson (Name) Address Richards Rd. Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 5 1/2 miles in West direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-21-5X

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled June 27, 1983 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 4" Surface 140" 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0 ft to 5 ft Surface Sand, 5 ft to 80" Clay, 80 to 95" Shell, 95" to 140" Sand.

CEMENTING DATA Cemented from ft. to ft. Method used Hand (2 sacks of cement from top of well.) Cemented by Self (Company or Individual)

RECEIVED OCT 31 1983 DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 60 ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 95 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Thomas Gay Alexander Water Well Drillers Registration No. 1984 ADDRESS F.M. 2929 Huntsville Texas 77340 (Signed) Thomas Gay Alexander Anders Well Service

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Dup


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-4D Located on map yes Received: 27/yes

1) OWNER: Person having well drilled GUS NEIDERHOFER Address OFF Highway 30 Huntsville Tex Landowner cc Address cc City 21 State

2) LOCATION OF WELL: County Wacker 3 miles in W direction from Huntsville



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 486 ft. Depth of completed well 486 ft. Date drilled 11/15/76 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-20 Clay, 20-150 Clay & Rock, 150-170 Sand, 170-180 Clay, 180-190 Sand, 190-230 Clay & Rock, 230-250 Sand, 250-465 Clay & Rock, 465-486 Sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 465 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage. Rows: 4 0 465 sch 40, 2 1/2 454 486 "

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 1800 gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 177 ft. below land surface Date 11-15-76 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME John E. Weisinger Water Well Drillers Registration No. 1541 ADDRESS 105 N. Magnolia Conroe, Texas 77301 (Signed) John E. Weisinger (Water Well Driller) (713) 756-2741

Please attach electric log, chemical analysis, and other pertinent information, if available. *Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 9 1978

Central Records
Texas Dept. of Water Resources

DEPARTMENT OF WATER RESOURCES
TEXAS WATER

RECEIVED
AUG 19 1977

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-20-4C
Located on map yes
Received: 7/3/73
dlr

1) OWNER:
Person having well drilled John Hines (Name) Address Huntsville (Street or RFD) Texas (City) (State)
Landowner ✓ (Name) Address ✓ (Street or RFD) ✓ (City) (State)

2) LOCATION OF WELL:
County Walker, 4 miles in NW direction from Huntsville (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning	<input type="checkbox"/> Deepening <input type="checkbox"/> Plugging	4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Irrigation	<input type="checkbox"/> Industrial <input type="checkbox"/> Test Well	<input type="checkbox"/> Municipal <input type="checkbox"/> Other	5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Cable	<input type="checkbox"/> Driven <input type="checkbox"/> Jetted	<input type="checkbox"/> Dug <input type="checkbox"/> Bored
---	---	---	---	--	--	--	--

6) WELL LOG:
Diameter of hole 2 in. Depth drilled 148 ft. Depth of completed well 258 ft. Date drilled 8-30-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	clay
4	49	Sand
49	96	Shale
96	148	Sand

9) CASING:
Type: Old New Steel Plastic Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
2 0-138

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

8) WATER LEVEL:
Static level 51 ft. below land surface Date 8-30-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 86 ft. below land surface.

10) SCREEN:
Type Partial
 Perforated Slotted

Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 - 138-148 12 1/2

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.P. Rhodes (Type or Print) Water Well Drillers Registration No. 1463

ADDRESS Box 312 Huntsville (Street or RFD) (City) Texas (State)

(Signed) W.P. Rhodes (Water Well Driller) Shirley Rhodes Water Wells Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

OCT 17 1973

RECEIVED

RECEIVED

MAR 15 1974

General

Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

NOV - 8 1973

RECEIVED

Dup


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-4C Located on map 28-495 Received: 78-495

1) OWNER: Person having well drilled C.M. GLASS Address 1312 AVE O HUNTSVILLE TEXAS Landowner SAME Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALTER, 4 miles in W direction from HUNTSVILLE



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 216 ft. Depth of completed well 216 ft. Date drilled 12-1-77 All measurements made from ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include SAND, WHITE CLAY, SANDY WHITE CLAY, WHITE CLAY, SAND.

9) CASING: Type: Old New Steel Plastic Other Cemented from 206 ft. to 150 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 206 +1 SCH 40 10) SCREEN: Type STAINLESS STEEL Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 206 216 #10

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 130 ft. below land surface Date 12-1-77 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Good depth of strata 24

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Signed) E.A. HOLLY (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
DEC 6 1977
DEPT. OF
WATER RESOURCES

RECEIVED
JAN 30 1978
Central Records
Texas Dept. of Water Resources


Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-20-4c
Located on map 74 40 c
Received: 74 40 c
dlr

1) OWNER:
 Person having well drilled Angelina Williams (Name) Address Huntsville, Texas (Street or RFD) (City) (State)
 Landowner Williams Est (Name) Address Huntsville, Texas (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Walker, 3 miles in W direction from Huntsville, Texas (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

 (Use reverse side if necessary)

OR
 Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____	4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____	5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____
---	---	---

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 285 ft. Depth of completed well 285 ft. Date drilled 9-5-73
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>3</u>	<u>top soil</u>
<u>3</u>	<u>28</u>	<u>clay</u>
<u>28</u>	<u>140</u>	<u>rocky shale</u>
<u>140</u>	<u>190</u>	<u>shale</u>
<u>190</u>	<u>267</u>	<u>blue shale</u>
<u>267</u>	<u>285</u>	<u>SAND (blue)</u>

9) CASING:
 Type: Old _____ New _____ Steel _____ Plastic Other _____
 Cemented from 0 ft. to 0 ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4" 6 - 265 sch 40

10) SCREEN:
 Type Plastic
 Perforated _____ Slotted
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4" 265 - 285 20 ga.

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

8) WATER LEVEL:
 Static level 150 ft. below land surface Date 9-5-73
 Artesian pressure _____ lbs. per square inch Date 9-5-73
 Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface. pump 900 gal per hr.

11) WELL TESTS:
 Was a pump test made? Yes If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

12) WATER QUALITY:
 Was a chemical analysis made? Yes
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Paul Siegert (Type or Print) Water Well Drillers Registration No. 1448
 ADDRESS P.O. Box 467 (Street or RFD) New Waverly (City) Texas (State) 77358
 (Signed) Paul Siegert (Water Well Driller) A.A.A. Water Wells Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER DEVELOPMENT BOARD

JAN 24 1974

RECEIVED

RECEIVED

APR 11 1974

Central Records
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only Well No. 60-20-48 Located on map yes Received: 69 dlr

1) OWNER: Person having well drilled MOSES MARTINEZ Address RT2 HUNTSVILLE TEX (Name) (Street or RFD) (City) (State) Landowner (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 6 miles in WSW direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____ Block _____ Survey _____

Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well Deepening _____ Reconditioning _____ Plugging _____ 4) PROPOSED USE (Check): Domestic Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____ 5) TYPE OF WELL (Check): Rotary Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 220 ft. Depth of completed well 220 ft. Date drilled 8-7-69 All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-118	118	SAND W CLAY STREAKS
118-192	192	YELLOW CLAY
192-220	220	SAND

9) CASING: Type: Old _____ New Steel _____ Plastic Other _____ Cemented from 120 ft. to 200 ft. Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 200 Gage .173

10) SCREEN: Type PLASTIC Perforated _____ Slotted Diameter (inches) 2 Setting From (ft.) 200 To (ft.) 220 Slot Size 014

7) COMPLETION (Check): Straight wall Gravel packed _____ Other _____ Under reamed _____ Open Hole _____

11) WELL TESTS: Was a pump test made? Yes _____ No If yes, by whom? _____ Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test 20 gpm with 15 ft. drawdown after 1 hrs. Artesian flow _____ gpm Temperature of water _____

8) WATER LEVEL: Static level 68 ft. below land surface Date 8-10-69 Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes _____ No Did any strata contain undesirable water? Yes _____ No Type of water? Cool depth of strata 28

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 (Type or Print) ADDRESS RT 4 BOX 26 HUNTSVILLE TEX (Street or RFD) (City) (State) (Signed) Thomas Anders THOMAS ANDERS (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
APR 7 1970

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

REC'D
APR 9 1969

RECEIVED

File Original copy with
Texas Water Commission
P. O. Box 2311, Capitol Station
Austin 11, Texas

State of Texas

DRILLERS LOG AND WELL DATA REPORT


For use by TWC only
Well No. 60-20-4A
Located on map 4A
By HP Date 7/1/66
Map no. 236

1) Well Owner: Mrs H.R. Turpin 809 Pine st. Orange Texas
Name Street or RFD City State

2) Land Owner: Same
Name Street or RFD City State

3) Intended use: Industrial ; Municipal ; Irrigation ; Other Home

4) Location of well: County Walker Labor _____ League _____ Abstract No. _____
NW¹/₄ NE¹/₄ SW¹/₄ SE¹/₄ of Section Block No. Survey
(Circle as many as are known)



DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 6 1/2 in. Date drilled 4-28-66

All measurements made from 0 ft. above ground level.

From (ft)	To (ft)	Description and color of formation material	From (ft)	To (ft)	Description and color of formation material
0	26	Surface Soil			
26	70	Brown Clay			
70	107	Sandy Clay ^B Brown			
107	127	Sand			

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION	CASING	SCREEN
Straight wall <input checked="" type="checkbox"/>	Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/>	Type <u>Stainless Steel Barlug</u>
Under reamed <input type="checkbox"/>	Cemented from <u>105</u> ft. to <u>55</u> ft.	Perforated <input type="checkbox"/> Slotted <input type="checkbox"/>
Gravel packed <input type="checkbox"/>	Diameter (inches) Setting from (ft) to (ft)	Diameter (inches) Setting from (ft) to (ft)
Open hole <input type="checkbox"/>	<u>4</u> <u>0</u> <u>105</u>	<u>2</u> <u>113</u> <u>123</u>
Other _____		

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

E.A. Holly
Signature

E.A. Holly
Company Name

Reg. No. 801

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level <u>75</u> ft. below <u>surface</u>	Pump type <u>Submersible</u>															
<table border="1"> <thead> <tr> <th colspan="3">Pumping level</th> </tr> <tr> <th>feet</th> <th>hours</th> <th>gpm</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Pumping level			feet	hours	gpm										Designed pumping rate <u>700</u> gpm <input type="checkbox"/> gph <input checked="" type="checkbox"/>
	Pumping level															
	feet	hours	gpm													
	Type power unit <u>Electric</u>															
	Horsepower <u>1/3</u>															
	Depth to bowls, cylinder, jet, etc., <u>102</u> ft. below pump base.															

Name of contractor testing well or installing permanent pump if other than your company: _____

RECEIVED
MAY 3 1966
TEXAS WATER
DEVELOPMENT BOARD

Central Records
Texas Water Development Board

#54 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Zyle Glass Address 204 Sumac Road, Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 2 miles in West direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-13-8Q

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 12/10/84
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA: Cemented from 216 ft. to 116 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 213

RECEIVED JAN 11 1985

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No Type of water? Good Depth of strata 15 Ft. Was a chemical analysis made? Yes No

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-4A Located on map Yes DCF

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#8

Dub

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 00-20-4A Located on map Yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Charles Glass Address 204 Sumac Huntsville, Texas 77349
2) LOCATION OF WELL: County Walker 2 miles in West direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. Map on 60-13-6E

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 2-7-83
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 211
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Perf., Slotted, etc., Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA
Cemented from 198 ft. to 148 ft.
Method used Pressure
Cemented by Henry Lee

9) WATER LEVEL: Static level 106 ft. below land surface Date 2-8-83
Artesian flow gpm. Date

RECEIVED APR 13 1983

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth
Lead L 195

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 180 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water?
Type of water? good Depth of strata 36 ft.

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 40 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, Henry Lee Water Well Drillers Registration No. 2026, 2221
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly WaterWell Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

[Faint, illegible text or stamp]