

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER

Name	Address	City	State	Zip
Erick Vandorn	47 Twin Oaks Lane	Huntsville	Texas	77340

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	47 Twin Oaks Lane		Texas	77340

3) Type of Work
 New Well Deepening
 Reconditioning

Lat. **Long.** **Grid #** W0-21-7

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

5) **NT**

6) Drilling Date
 Started 10/5/2000
 Completed 10/9/2000

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6 3/4	0	291

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
 If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

From (ft)	To (ft)	Description and color of formation material	Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From To	Gage Casing Screen
0-4	84-92	CLAY	138-147	SHALE	212-213	2000	
4-6	92-95	ROCK	147-160	SHALE	213-252	SHALE	
6-21	95-105	CLAY	160-163	ROCK	252-262	CLAY	
21-40	105-107	ROCK	163-170	SHALE	267-273	SAND	
40-43	107-111	SANDSTONE	170-174	SAND	273-279	SAND	
43-57	111-120	SHALE	174-189	CLAY	279-280	ROCK	
57-60	120-126	CLAY	189-192	CLAY	280-291	SAND	
60-74	126-129	ROCK	192-194	SAND			
74-76	129-136	CLAY	194-210	SANDCLAY			
76-84	136-138	ROCK	210-212	SANDCLAY			

9) Cementing Data
 Cementing from 268 ft. to 168 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 10

Method Used ROTOR
 Cementing By _____
 Distance to septic system field or other concentrated contamination N/A ft.
 Method of verification of above distance _____

13) Plugged Well plugged within 48 hours
 Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet etc., _____ ft. 200

15) Water Test
 Typetest Pump Bailer Jetted Estimated
 Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
 Did you knowingly penetrate and strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
 Type of water Good Depth of Strata _____
 Was a chemical analysis made Yes No

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level
 Static level 117 ft. below Date 10/09/2000
 Artesian Flow FILE ID gpm Date _____

12) Packers
 Type _____ SEQ# 262
 DESC CO _____
 COMMENT DEC 01 2000

Company or individual's Name (type or print) Gray's Water Well Service

Address P.O. Box 1788 City Trinity State Texas Zip 75862

Signature Vernon Gray Date _____ Signature _____ Date _____

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us
WELL REPORT

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name James Yaggi	Address 341 Bowden Rd	City Huntsville	State TX	Zip 77340
----------------------------	---------------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker	Physical Address 341 Bowden Rd	City Huntsville	State TX	Zip 77340
-------------------------	--	---------------------------	--------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

Lat.	Long.	Grid # 60-20-7
4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic 5) N↑		
<input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell		
If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		

6) Drilling Date

Started 9/22/00
Completed 9/25/00

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	226

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	13	Sdy. Br.cl.
13	38	w.cl.
38	54	Sd.
54	61	w.cl.
61	73	Br.cl.
73	81	Sd.
81	101	Sd & gr.
101	121	Sd. w/ w.cl.st.
121	135	w. & bl.cl.
135	141	Sd.
141	161	Sd. w/ cl.st.

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	216	
2.5	N	Undercut screen	216	226	#10

9) Cementing Data
Cementing from -1.5 ft. to 10 ft. # of sacks used 2
66 ft. to 216 ft. # of sacks used 7
Method Used Pressure
Cementing By R. McPike
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours

Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

11) Water Level
Static level 42 ft. below Date / /
Artesian Flow _____ gpm. Date / /

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

12) Packers Type Depth
1 - 2.5" Rubber packers RxR 210'

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 9
Was a chemical analysis made? Yes No

Company or Individual's Name (type or print) Holly Water Wells, Inc.
Address 2928 SH 19 City Huntsville State Tx Zip 77320
Signature Raymond McPike Date NOV 27 2000 Signature Date
Licensed Driller/Pump Installer Apprentice

The first part of the document discusses the importance of maintaining accurate records and the role of the accounting department in providing reliable financial information. It highlights the need for transparency and accountability in all financial transactions.

The second part of the document details the various methods used to collect and analyze financial data, including the use of spreadsheets and specialized software. It emphasizes the importance of regular audits and the use of internal controls to prevent errors and fraud.

The third part of the document focuses on the reporting requirements for different types of organizations, such as public companies and non-profits. It provides a comprehensive overview of the various financial statements that must be prepared and the specific rules that govern their content and format.

The fourth part of the document discusses the impact of changes in accounting standards and regulations on the financial reporting process. It provides guidance on how to stay up-to-date with the latest developments and how to implement any necessary changes to internal procedures.

The fifth part of the document concludes with a summary of the key points discussed throughout the document and offers some final thoughts on the importance of maintaining high standards of financial reporting and transparency.

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Daniel Starkey	236 Magnolia Way	Huntsville	Tx	77320

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	Garvy Rd. Property Assn	Huntsville	Tx	77320

3) Type of Work

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell

If Public Supply well, were plans submitted to the TNRCC? Yes No

5) **6) Drilling Date**

Started 4/27/01 Completed 5/2/01

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
10"	0	10'
6 3/4	10	139'
3 7/8	139	164'

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0-2	120-122	Top Soil Rock
2-9	122-137	Sand Blue shale
9-23	137-139	Brown clay Rock
23-41	139-164	Tan clay Sand
41-62		Tan clay
62-80		Tan clay
80-82		Rock
82-90		Sand
90-103		Tan clay
103-120		Blue shale

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____

If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC	0	139'	+40
2	N	PVC	135'	144'	+40
2	N	PVC Screen	144'	164'	+10

9) Cementing Data

Cementing from 139 ft. to 39 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 8

Method Used Pressure
Cementing By Richard Mykan
Distance to septic system field or other concentrated contamination 144 ft.
Method of verification of above distance No lines or Tanks

13) Plugged Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet etc., 120 ft.

11) Water Level

Static level 90 ft. below Date 5/2/01
Artesian Flow _____ gpm. Date _____/_____/_____

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 70 gpm with _____ ft. drawdown after _____ hrs.

12) Packers Rubber Type R Depth 135'

FILE ID	SEQ #
EMP #	DESC CC
JUN 04 2001	

16) Water Quality

Did you knowingly penetrate and strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water good Depth of Strata 25
Was a chemical analysis made Yes No

Company or individual's Name (type or print) Gray's Water Well AG

Address PO Box 1788 City Trinity State TX. Zip 75862

Signature Vernon Gray Date 5/2/01 Signature Richard Mykan Date 5/2/01

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

**State of Texas
WELL REPORT**

**Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530**

1) OWNER Tim Stover ADDRESS 132 Lessa Lane Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 132 Lessa Lane Huntsville TX 77340 GRID # 60-20-7
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Industrial Irrigation Injection Environmental Soil Boding Public Supply De-watering Testwell Domestic

If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 6-15 20 00 6-16 20 00

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	190

7) DRILLING METHOD (Check): Air Rotary Mud Rotary Air Hammer Cable Tool Other Driven Bored Jetted

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	10	Br. & wh.cl.
10	13	Sa.
13	22	Br. & wh.cl.
22	36	Wh.cl.
36	58	Sa.
58	68	Wh.cl.
68	74	Sa.
74	82	Sa.st.
82	100	Sa. & r.st.
100	101	Rock
101	190	Sand

8) Borehole Completion (Check): Open Hole Straight Wall

Underreamed Gravel Packed Other

If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	165	
2.5	N	PVC Screen	164	184	#8

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 165 ft. No. of sacks used 9
ft. to _____ ft. No. of sacks used _____

Method used Pressure
Cemented by HWW

Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____

Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS: Type Test: Pump Bailor Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 89
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL: Static Level 24 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

12) PACKERS: Type 2-2.5" Rubber Packers RxR Depth 147' & 148'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells, Inc. (Type or print)

ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

(Signed) Henry Lee (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

WELL DRILLER'S LICENSE NO. 2221W

FILE # _____ DATE _____

EMP # _____ JUL 24 2000 _____

COMMENT _____

Please attach electric log, chemical analysis, and other pertinent information, if available.

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

OFFICE OF THE
DIRECTOR

PLANT INDUSTRY DIVISION

PLANT INDUSTRY DIVISION, BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

PLANT INDUSTRY DIVISION, BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

PLANT INDUSTRY DIVISION, BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

PLANT INDUSTRY DIVISION, BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

PLANT INDUSTRY DIVISION, BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

PLANT INDUSTRY DIVISION, BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

PLANT INDUSTRY DIVISION, BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Jack Nickels ADDRESS P.O. Box 7500 Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: Lot # 25 Wood Run Sub Huntsville 77340 Long. Lat.
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-20-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG:
Date Drilling:
Started 8-13 1999
Completed 8-17 1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	150'
3 7/8	150'	168'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-3	Sand	94-111 Sandy
3-14	clay	111-126 shale
14-30	Sand	126-139 shale
30-31	Rock	139-148 shale
31-38	Sand	148-150 Sand Stone
38-48	clay	150-168 Sand
48-50	Rock	
50-61	Sand	
61-65	clay	
65-80	Sand	
81-92	Sand	
92-94	clay	

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	150'	80'	#40
2	N	PVC Blank	144'	148'	#40
2	N	PVC SCREEN	148'	168'	#8

13) Well plugged within 48 hours
Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____
From (ft) To (ft) From (ft) To (ft)

9) CEMENTING DATA
Cemented from 150' ft. to 50' ft. No. of sacks used 5
0 ft. to 10' ft. No. of sacks used 5
Method used pressure
Cemented by Richard Trice
Distance to septic system field lines or other concentrated contamination NA ft.
Method of verification of above distance None

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 80' ft. below land surface Date 8-17-99
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 17'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 144'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Service WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray JUN 05 2000 (Signed) Richard Trice
(Licensed Well Driller) (Registered Driller Trainee)

COMMENT
Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Paul Compton ADDRESS 89 Natures Way Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 89 Natures Way Huntsville TX 77340 Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) GRID # 60-20-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 8/20, 99 Completed 8/21, 99
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
7" Surface 126
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	116	
4	N	PVC SLOTTED	116	126	.008

9) CEMENTING DATA
Cemented from 0 ft. to 100 ft. No. of sacks used 12
ft. to _____ ft. No. of sacks used _____
Method used Pressure Tremmie
Cemented by Ballard Water Well
Distance to septic system field lines or other concentrated contamination 100+ ft.
Method of verification of above distance Measure

14) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 126 ft.

15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 45 gpm with 20 ft. drawdown after 2 hrs.

16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

11) WATER LEVEL: Static Level 20 ft. below land surface Date 8/21/99
Artesian flow _____ gpm Date _____

12) PACKERS: 4" X 7" Type FORMATION Depth 100

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

Ballard Water Well
(Type or print)
ADDRESS P.O. Box 970
(Signed) Charles A. Ballard
(Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 2384WI
Willis TX 77378
(City) (State) (Zip)
FILE ID _____ SEQ # _____
(Registered Driller Trainee)

Form provided by Forms On-A-Disk, Inc. - Dallas, Texas - (214) 340-9429
APR 17 2000
COMMENT

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Buddy Smith ADDRESS 107 Bowden Rd. Huntsville Tx 77320
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker FM 1374 & Bowden Rd Huntsville Tx 77340 GRID # 60-20-7
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 3-13 20 00 3-16 20 00
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6.75 Surface 201
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	1	Bit t.s.
1	21	Br.cl.
21	41	Br & w.cl.
41	51	Br.cl.
51	71	Sd.
71	81	Bl. & br.cl.
81	101	Bl. & br.cl. w/ sd.st.
101	156	Sd. & gr.
156	161	Cl.st.
161	179	Sand
179	201	Cl.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	158	
2.5	N	PVC Screen	158	178	#10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 158 ft. No. of sacks used 9
Method used Pressure
Cemented by Holly Water Wells
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS: Type Test: Pump Bailor Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL: Static Level 40 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 18
Was a chemical analysis made? Yes No

12) PACKERS: Type Depth
2 - 2.5" K Packers RxR 153

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print)
ADDRESS 2928 SH 19 (Street or RFD)
(Signed) Ragnald McPhee (Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 3114W (City) Huntsville (State) TX (Zip) 77320
Date APR 23 2000
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

1957-1958
1958-1959
1959-1960

Year	1957-1958	1958-1959	1959-1960
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Clarence Hightower (Name) ADDRESS 4358 FM 1374 (Street or RFD) Huntsville (City) TX (State) 77340 (Zip)

2) ADDRESS OF WELL'S LOCATION: 4358 FM 1374 (Street, RFD or other) Huntsville (City) TX (State) 77340 (Zip) Long. _____ Lat. _____
County Waller Grid # 20-20-7

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRC? Yes No

5) _____

6) WELL LOG:
 Date Drilling: _____
 Started 5-4 1999
 Completed 5-7 1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	148'
3 7/8"	148'	163'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-6	103-105	Sand clay
6-12	105-115	clay shale
12-13	115-117	Rock
13-26	117-132	Sand shale
26-38	132-134	clay Rock
38-50	134-137	Sand
50-53	137-140	clay
53-60	140-147	Sand Gravel
60-65	147-162	clay Sand
65-84		slate
84-102		clay
102-163		Rock

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	148'	40
2	N	PVC Blank	141'	143'	40
2	N	PVC Screen	143'	163'	8

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
 Cemented from 148 ft. to 48' ft. No. of sacks used 5
0 ft. to 10' ft. No. of sacks used 6

Method used pressure
 Cemented by Richard Miskee
 Distance to septic system field lines or other concentrated contamination N/A ft.
 Method of verification of above distance None

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
 Static level 99 ft. below land surface Date 5-7-99
 Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 22'
 Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 141'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL-DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) TX (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) Richard Miskee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER John E. Nelson (Name) ADDRESS Rt 1 Bay Lake (Huntsville) 77364 (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: 15 Oak Ridge (Huntsville) 77340 (Street, RFD or other) (City) (State) (Zip) Grid # 60-20-7 Long. Lat.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG: Date Drilling: Started 12-18 1998 Completed 12-21 1998
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
10" Surface 10'
6 3/4" 10' 185'

From (ft.)	To (ft.)	Description and color of formation material
0-1	Top Soil	161-185 Sand
1-8	clay	
8-13	Sand	
13-21	clay	
21-42	clay	
42-63	clay	
63-84	clay	
84-98	Sand	
98-124	Clay	
124-126	Rock	
126-140	Sand	
140-161	Sand	

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 61'
Was a chemical analysis made? Yes No

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>173'</u>	<u>#40</u>
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>165'</u>	<u>185'</u>	<u>#10</u>

9) CEMENTING DATA
Cemented from 173 ft. to 73 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 5
Method used Pressure
Cemented by Richard M. Kee
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Lines or Tanks

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) WATER LEVEL: Static level 96 ft. below land surface Date 12-21-98
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 165'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS P.O. Box 1788 (Street or RFD) (City) Trinity (State) Tx (Zip) 75862
(Signed) Vernon Gray (Licensed Well Driller) JUN 05 2000 (Signed) Richard M. Kee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Stephen Thorp (Name) ADDRESS 15026 Kirkfield Houston Tx 77060
(Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: 92 Lissa Lane Huntsville Tx 77340 Long. _____ Lat. _____
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-20-7

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:

	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
Date Drilling: _____			
Started <u>8-18</u> 19 <u>99</u>	<u>10"</u>	Surface	<u>10'</u>
Completed <u>8-19</u> 19 <u>99</u>	<u>6 3/4</u>	<u>10'</u>	<u>120'</u>
	<u>3 1/8</u>	<u>120'</u>	<u>142'</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-3		Sand
3-10		clay
10-17		Sand
17-42		clay
42-63		Sand
63-65		Rock
65-84		Shale
84-85		Rock
85-93		Shale
93-103		Sand
103-105		Rock
105-143		Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	120'	*40
2	N	PVC Blank	115'	122'	*40
2	N	PVC Screen	122'	142'	*10

9) CEMENTING DATA

Cemented from 120' ft. to 0' ft. No. of sacks used 5
0' ft. to 10' ft. No. of sacks used 5

Method used pressure
 Cemented by Richard Misker

Distance to septic system field lines or other concentrated contamination 4 1/2 ft.
 Method of verification of above distance None

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 80 ft.

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 70 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
 Static level 36' ft. below land surface Date 8-19-99
 Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 46'
 Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 115'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Service WELL DRILLER'S LICENSE NO. 2011 WPK
 (Type or print)

ADDRESS P.O. Box 1788 (City) Trinity (State) Tx (Zip) 75862
 (Street or RFD)

(Signed) Vernon Gray EMP # _____ (Signed) Richard Misker DES # _____ (Registered Driller Trainee)
 (Licensed Well Driller)

JUN 05 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Jim Cordner ADDRESS 825 Bayland Houston Tx 77009
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County Walker Off Hwy 1374 on Robinson Rd GRID # 60-20-7
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 10-8 1998
Completed 10-9 1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	184

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	t.s.
1	17	br.sd.
17	21	br.cl.
21	41	w. & br.cl.
41	81	w.cl.
81	92	w. & bl.cl.
92	107	sd.
107	138	br.cl.
138	141	sd.
141	181	sd. & small gr.
181	184	sd.
(Use reverse side if necessary)		

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	162	
2.5	N	PVC Screen	163	183	#12

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 162 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No. If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 23
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 86 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K Packer	158
RxR	

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)

ADDRESS 2928 SH 19 Huntsville
(Street or RFD) (City)

(Signed) Raymond McPike (Licensed Well Driller) (Signed) _____

SEQ #	
EMP #	
Tx	<u>0073406 1998</u>
(State)	(Zip)
COMMENT	TEMP
(Registered Driller Trainee)	

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) **OWNER** Al Courtney (Name) **ADDRESS** 4977 Fm 1374 Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:**
County Walker 4977 Fm 1374 Huntsville Tx 77340 **GRID #** 120-20-7
(Street, RFD or other) (City) (State) (Zip)

3) **TYPE OF WORK (Check):**
 New Well Deepening
 Reconditioning Plugging
 4) **PROPOSED USE (Check):** Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) **WELL LOG:**
Date Drilling:
 Started 10-8 1997
 Completed 10-10 1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10
6 ³ / ₄	10'	170'
3 ⁷ / ₈	170'	180'

7) **DRILLING METHOD (Check):** Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
		0-15 Sand
		15-72 clay
		72-75 clay
		75-79 Sand
		79-116 clay
		116-119 Rock
		119-165 clay
		165-180 Sand
(Use reverse side of Well Owner's copy, if necessary)		

8) **Borehole Completion (Check):** Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	180	# 40
4	N	PVC Screen	160	180	# 10

13) **TYPE PUMP:**
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 143 ft.

9) **CEMENTING DATA** [Rule 338.44(1)]
 Cemented from 170 ft. to 70 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 6
 Method used pressure
 Cemented by Richard Tucker
 Distance to septic system field lines or other concentrated contamination 175 ft.
 Method of verification of above distance Tape

14) **WELL TESTS:**
 Type test: Pump Bailer Jetted Estimated
 Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

10) **SURFACE COMPLETION**
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) **WATER QUALITY:**
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 15'
 Was a chemical analysis made? Yes No

11) **WATER LEVEL:**
 Static level 96 ft. below land surface Date 10-9-97
 Artesian flow _____ gpm. Date _____

12) **PACKERS:** Rubber Type K Depth 160'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME <u>Greys Water Well</u> (Type or print) ADDRESS <u>P.O. Box 1788</u> (Street or RFD) (Signed) <u>Vernon Gray</u> (Licensed Well Driller)	WELL DRILLER'S LICENSE NO. <u>2044-6PK</u> (City) <u>Trinity</u> (State) <u>Tx</u> (Zip) <u>75862</u> (Signed) <u>Richard Tucker</u> (Registered Driller Trainee)
--	--

FILE ID	SEQ #
EMP #	DESC CO
SEP 30 1998	
COMMENT	TEMP

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
 Privilege Notice on on reverse side
 of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
 MC 177
 P.O. Box 13087
 Austin, TX 78711-3087
 512-239-0530

1) OWNER J.P. Landscape Supply ADDRESS P.O. Box 6593 Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 4557 FM 1374 Huntsville Tx 77340 GRID # 60-20-7
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling:
 Started 3-23 1998
 Completed 3-25 1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	180'
3 7/8	180'	202'

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-4		Sand 120-130 sand
4-10		clay 130-149 clay
10-14		Rock 149-152 Rock
14-37		Clay 152-202 Sand
37-42		Rock
42-53		Clay
53-60		Sand
60-63		Rock
63-73		shale
73-75		Rock
75-90		Shale
90-97		Rock
97-100		Sand
100-105		Sand
105-120		clay

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	180	40
2	N	PVC Blank	176	182	40
2	N	PVC Screen	182	202	14

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 160 ft.

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 180 ft. to 80 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 10
 Method used pressure
 Cemented by Richard Mikee
 Distance to septic system field lines or other concentrated contamination N/A ft.
 Method of verification of above distance No Lines or Talks

14) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 80 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 50
 Was a chemical analysis made? Yes No

11) WATER LEVEL:
 Static level 78' ft. below land surface Date 3-25-98
 Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 175'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well
(Type or print)
 ADDRESS P.O. Box 1788
(Street or RFD)
 (Signed) Vernon Gray
(Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 2015E001K1998
(City) (State) (Zip)
 (Signed) Richard Mikee
(Registered Driller Trainee)

FILE ID	SEQ #
EMP # <u>2015E001K1998</u>	DESC CO
COMMENT <u>TR</u>	<u>75' EP</u>

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																									
1) OWNER <u>Lea J. Cornelius</u> (Name) ADDRESS <u>4929 FM 1374</u> <u>Huntsville</u> <u>Tx</u> <u>77340</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>FM 1374</u> <u>Huntsville Tx 77340</u> STATE WELL # <u>60 20 7</u> (Street or RFD) (City) (State) (Zip)																																											
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																									
6) WELL LOG: Date Drilling: Started <u>6-16</u> 19 <u>97</u> Completed <u>6-18</u> 19 <u>97</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>154</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>154</u></td> <td><u>166</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>154</u>	<u>3 7/8</u>	<u>154</u>	<u>166</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																
Dia. (in.)	From (ft.)	To (ft.)																																											
<u>6 3/4</u>	Surface	<u>154</u>																																											
<u>3 7/8</u>	<u>154</u>	<u>166</u>																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td></td><td></td><td><u>0-21 clay</u></td></tr> <tr><td></td><td></td><td><u>21-40 clay</u></td></tr> <tr><td></td><td></td><td><u>40-48 Sand</u></td></tr> <tr><td></td><td></td><td><u>48-61 clay</u></td></tr> <tr><td></td><td></td><td><u>61-82 clay</u></td></tr> <tr><td></td><td></td><td><u>82-84 Rock</u></td></tr> <tr><td></td><td></td><td><u>84-103 clay</u></td></tr> <tr><td></td><td></td><td><u>103-107 Sand</u></td></tr> <tr><td></td><td></td><td><u>107-117 Shale</u></td></tr> <tr><td></td><td></td><td><u>117-124 Shale</u></td></tr> <tr><td></td><td></td><td><u>124-145 clay</u></td></tr> <tr><td></td><td></td><td><u>145-154 clay</u></td></tr> <tr><td></td><td></td><td><u>154-166 Sand</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material			<u>0-21 clay</u>			<u>21-40 clay</u>			<u>40-48 Sand</u>			<u>48-61 clay</u>			<u>61-82 clay</u>			<u>82-84 Rock</u>			<u>84-103 clay</u>			<u>103-107 Sand</u>			<u>107-117 Shale</u>			<u>117-124 Shale</u>			<u>124-145 clay</u>			<u>145-154 clay</u>			<u>154-166 Sand</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																											
		<u>0-21 clay</u>																																											
		<u>21-40 clay</u>																																											
		<u>40-48 Sand</u>																																											
		<u>48-61 clay</u>																																											
		<u>61-82 clay</u>																																											
		<u>82-84 Rock</u>																																											
		<u>84-103 clay</u>																																											
		<u>103-107 Sand</u>																																											
		<u>107-117 Shale</u>																																											
		<u>117-124 Shale</u>																																											
		<u>124-145 clay</u>																																											
		<u>145-154 clay</u>																																											
		<u>154-166 Sand</u>																																											
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																											
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:5%;">Dia. (in.)</th> <th rowspan="2" style="width:5%;">New or Used</th> <th rowspan="2" style="width:30%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th style="width:10%;">From</th> <th style="width:10%;">To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>154</u></td> <td><u>46</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC BLANK</u></td> <td><u>150</u></td> <td><u>156</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>156</u></td> <td><u>166</u></td> <td><u>10</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>154</u>	<u>46</u>	<u>2</u>	<u>N</u>	<u>PVC BLANK</u>	<u>150</u>	<u>156</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>156</u>	<u>166</u>	<u>10</u>														
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																								
			From	To																																									
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>154</u>	<u>46</u>																																								
<u>2</u>	<u>N</u>	<u>PVC BLANK</u>	<u>150</u>	<u>156</u>	<u>40</u>																																								
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>156</u>	<u>166</u>	<u>10</u>																																								
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>166</u> ft. to <u>54</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>8</u> Method used <u>Pressure</u> Cemented by <u>Richard Meyer</u> Distance to septic system field lines <u>N/A</u> ft. Method of verification of above data <u>No Tanks or Lines</u>																																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(a)] <u>SEP 05 1998</u> <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																											
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>40</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>72</u> ft. below land surface Date <u>6-18-97</u> Artesian flow _____ gpm. Date _____																																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>12"</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <u>Rubber</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">FILE ID</th> <th style="width:15%;">Type</th> <th style="width:15%;">Depth</th> <th style="width:15%;">SEQ #</th> </tr> </thead> <tbody> <tr> <td></td> <td><u>K</u></td> <td><u>150'</u></td> <td></td> </tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">EMP #</th> <th style="width:15%;">DATE</th> <th style="width:15%;">DESC CD</th> </tr> </thead> <tbody> <tr> <td></td> <td><u>SEP 05 1997</u></td> <td></td> </tr> </tbody> </table>				FILE ID	Type	Depth	SEQ #		<u>K</u>	<u>150'</u>		EMP #	DATE	DESC CD		<u>SEP 05 1997</u>																											
FILE ID	Type	Depth	SEQ #																																										
	<u>K</u>	<u>150'</u>																																											
EMP #	DATE	DESC CD																																											
	<u>SEP 05 1997</u>																																												
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																													
COMPANY NAME <u>Grays Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>																																													
ADDRESS <u>P.O. Box 1788</u> <u>Trinity</u> <u>Tx</u> <u>75862</u> (Street or RFD) (City) (State) (Zip)																																													
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard Meyer</u> (Registered Driller Trainee)																																											

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas
WELL REPORT

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Rick Murkot ADDRESS 9527 Meadowglen Houston Tx 77063
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Walker off of Bowden Rd on Lessa Lane STATE WELL # _____
County (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-20-7

6) WELL LOG:
Date Drilling:
Started 1-27 19 97
Completed 1-29 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	183

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall					
0	1	t. s.	<input type="checkbox"/> Underreamed	<input type="checkbox"/> Gravel Packed	<input type="checkbox"/> Other _____			
1	9	br. cl.	If Gravel Packed give interval ... from _____ ft. to _____ ft.					
9	51	w. cl.	CASING, BLANK PIPE, AND WELL SCREEN DATA:					
51	71	sd.	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
71	81	bl. & br. cl.				From	To	
81	99	br. cl.	4	N	PVC Casing	-1.5	160	
99	101	sd.	2	N	Undercut screen	163	183	.010
101	136	sd. & gr.						
136	151	cl. st.						
151	183	sd.						

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 160 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 18 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 48 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type Depth
K packer RxR 154

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond McPike (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																										
1) OWNER <u>PAUL CASSIDY</u> (Name) ADDRESS <u>Rt 2 LEENA LN Lot 2 Huntville TX</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: <u>Walker</u> County <u>Rt 2 Lot 2 LEENA LN Huntville TX 77340</u> (Street or RFD) (City) (State) (Zip) STATE WELL # <u>W-20-7</u>																												
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																										
6) WELL LOG: Date Drilling: Started <u>1-10-97</u> Completed <u>1-10-1997</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td></td> </tr> <tr> <td><u>4 3/4</u></td> <td><u>0</u></td> <td><u>200'</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>4 3/4</u>	<u>0</u>	<u>200'</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																	
Dia. (in.)	From (ft.)	To (ft.)																												
	Surface																													
<u>4 3/4</u>	<u>0</u>	<u>200'</u>																												
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr> <td><u>0-64</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>64-94</u></td> <td></td> <td><u>SAND</u></td> </tr> <tr> <td><u>94-104</u></td> <td></td> <td><u>Clay</u></td> </tr> <tr> <td><u>104-149</u></td> <td></td> <td><u>SAND Yellow</u></td> </tr> <tr> <td><u>149-154</u></td> <td></td> <td><u>Rock</u></td> </tr> <tr> <td><u>154-165</u></td> <td></td> <td><u>SAND</u></td> </tr> <tr> <td><u>165-171</u></td> <td></td> <td><u>BROKEN</u></td> </tr> <tr> <td><u>171-200</u></td> <td></td> <td><u>Blue SAND</u></td> </tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-64</u>		<u>Clay</u>	<u>64-94</u>		<u>SAND</u>	<u>94-104</u>		<u>Clay</u>	<u>104-149</u>		<u>SAND Yellow</u>	<u>149-154</u>		<u>Rock</u>	<u>154-165</u>		<u>SAND</u>	<u>165-171</u>		<u>BROKEN</u>	<u>171-200</u>		<u>Blue SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																												
<u>0-64</u>		<u>Clay</u>																												
<u>64-94</u>		<u>SAND</u>																												
<u>94-104</u>		<u>Clay</u>																												
<u>104-149</u>		<u>SAND Yellow</u>																												
<u>149-154</u>		<u>Rock</u>																												
<u>154-165</u>		<u>SAND</u>																												
<u>165-171</u>		<u>BROKEN</u>																												
<u>171-200</u>		<u>Blue SAND</u>																												
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																												
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>2"</u></td> <td><u>N</u></td> <td><u>Mc Jt Stem</u></td> <td><u>0</u></td> <td><u>190</u></td> <td></td> </tr> <tr> <td><u>2"</u></td> <td><u>N</u></td> <td><u>Jycd Slotted</u></td> <td><u>190</u></td> <td><u>200</u></td> <td><u>10ga</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>2"</u>	<u>N</u>	<u>Mc Jt Stem</u>	<u>0</u>	<u>190</u>		<u>2"</u>	<u>N</u>	<u>Jycd Slotted</u>	<u>190</u>	<u>200</u>	<u>10ga</u>					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																									
			From	To																										
<u>2"</u>	<u>N</u>	<u>Mc Jt Stem</u>	<u>0</u>	<u>190</u>																										
<u>2"</u>	<u>N</u>	<u>Jycd Slotted</u>	<u>190</u>	<u>200</u>	<u>10ga</u>																									
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>5</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>WESTERN Gravity Flow</u> Cemented by <u>WESTERN</u> Distance to septic system field lines <u>150+</u> ft. Method of verification of above distance <u>Tape</u>																												
13) TYPE PUMP: <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																												
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>25</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>42'</u> ft. below land surface Date <u>1-10-97</u> Artesian flow _____ gpm. Date _____																												
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Type</th> <th style="width:15%;">Depth</th> </tr> </thead> <tbody> <tr> <td><u>103</u></td> <td><u>151</u></td> </tr> </tbody> </table>				Type	Depth	<u>103</u>	<u>151</u>																					
Type	Depth																													
<u>103</u>	<u>151</u>																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																														
COMPANY NAME <u>WESTERN WATER WELL</u> (Type or print)		TEXAS NATURAL RESOURCE CONSERVATION COMMISSION																												
ADDRESS <u>12855 Mallard</u> (Street or RFD)		(City) <u>CINDY</u>		(State) <u>TX</u> (Zip) <u>77302</u>																										
(Signed) <u>Rustin Smith</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																												

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality <i>Privilege Notice on Reverse Side</i>		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																											
1) OWNER <u>Lowe</u> (Name) ADDRESS <u>Rt. 2 Box 286 B Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>Rt. 2 Box 286 B Huntsville Tx 77340</u> (Street or RFD) (City) (State) (Zip) STATE WELL # <u>60-20-7</u>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: Started <u>7-18 1995</u> Completed <u>7-19 1995</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 15%;">Dia. (in.)</th> <th style="width: 15%;">From (ft.)</th> <th style="width: 15%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>158</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>158</u></td> <td><u>195</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>158</u>	<u>3 7/8</u>	<u>158</u>	<u>195</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																		
Dia. (in.)	From (ft.)	To (ft.)																													
<u>6 3/4</u>	Surface	<u>158</u>																													
<u>3 7/8</u>	<u>158</u>	<u>195</u>																													
From (ft.) To (ft.) Description and color of formation material: <u>0-21 clay</u> <u>21-42 clay</u> <u>42-60 clay</u> <u>60-62 Sand</u> <u>62-84 Sand Brown</u> <u>84-105 clay</u> <u>105-120 clay</u> <u>120-126 Sand</u> <u>126-147 Sand Gray+white</u> <u>147-168 Sand white</u> <u>168-189 Sand</u> <u>189-195 Sandy</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																													
(Use reverse side if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>158</u></td> <td><u>#40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>158</u></td> <td><u>182</u></td> <td><u>#12</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC Blank</u></td> <td><u>182</u></td> <td><u>195</u></td> <td><u>#40</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>158</u>	<u>#40</u>	<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>158</u>	<u>182</u>	<u>#12</u>	<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>182</u>	<u>195</u>	<u>#40</u>
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen																										
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>158</u>	<u>#40</u>																										
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>158</u>	<u>182</u>	<u>#12</u>																										
<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>182</u>	<u>195</u>	<u>#40</u>																										
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>140</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>158</u> ft. to <u>058</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>6</u> Method used <u>pressure</u> Cemented by <u>Vernon Gray</u> Distance to septic system field lines <u>160</u> ft. Method of verification of above distance <u>Tape Measure</u>																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>40</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure [Rule 338.44(3)(c)] <div style="text-align: center; font-size: 2em; border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> RECEIVED JUN 1997 </div>																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>24'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>52</u> [ft. below land surface] Date <u>7-9-95</u> Artesian flow _____ [gpm] Date _____ <div style="text-align: center; font-weight: bold; font-size: 1.2em;"> TEXAS NATURAL RESOURCE CONSERVATION COMMISSION </div>																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.		12) PACKERS: <u>Rubber</u> Type <u>K</u> Depth <u>153</u>																													
COMPANY NAME <u>Gray's Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>		ADDRESS <u>P.O. Box 1788</u> (Street or RFD) <u>Trinity</u> (City) <u>Tx</u> (State) <u>75862</u> (Zip)																													
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard M. Kee</u> (Registered Driller Trainee)																													

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Tom Pegoda ADDRESS Rt 2 Box 175 Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Rt 2 Box 175 Huntsville, Tx 77430 STATE WELL # _____
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 4-23 19 96 Completed 4-24 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	160

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	1	top bit soil
1	8	sa.
8	12	r. cl.
12	20	sa. st.
20	30	sa.
30	40	br. cl.
40	60	br. & wh. cl.
60	72	sa.
72	80	cl.
80	116	sa.
116	120	r. st. & cl.
120	136	bl. & wh. cl.
136	160	sa.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 12 ft. No. of sacks used 2
150 ft. to 160 ft. No. of sacks used 7
Method used by pressure
Cemented by Henry Lee
Distance to septic system field lines _____ ft.
Method of verification of above distance no septic

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 20 ft. below land surface Date 4-24-96
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
2.5" RxR Rubber Packer 130"

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Henry Lee (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Guy WINDHAM ADDRESS _____ (Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 8-10 miles in W direction from Huntsville (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name 60-20-7
Distance and direction from two intersecting section or survey lines _____
 SEE ATTACHED MAP

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection De-Watering
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____ Driven

6) WELL LOG:
Date Drilling: _____
Started 8-28 1994
Completed 8-28 1994
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 176

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from 160 ft. to 196 ft.

From (ft.)	To (ft.)	Description and color of formation material
0-5		Surf-caliche
5-80		Shallow light shls
80-160		Sandy shls w lip trace
160-196		Sand shls R 196'

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC casing screen	0	176	40
			176	196	014

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 4
_____ ft. to _____ ft. No. of Sacks Used _____
Method used _____
Cemented by _____

13) TYPE PUMP: Turbine Jet Submersible Other _____
Depth to pump bowls, cylinder, jet, etc., 150 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: Pump Baller Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 85 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS:	Type	Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME G SNOOK DRILG CO WELL DRILLER'S LICENSE NO. 1490 WPK
(Type or print)
ADDRESS PO Box 6 TOLA TX 77861
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TNRCC use only: Well no. _____ Located on map _____

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Sonny Bradham ADDRESS PO Box 1404 Huntsville, Tex 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 8 miles in SW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0760-04-5

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling: _____
Started 9-5 1990
Completed 9-6 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
4	Surface	125

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
						From	To	
0-4		top soil						
4-9		brown clay						
9-24		sand streaks	4	N	PVC	-1.5	125	40
24-34		sand						
34-75		brown clay	2	N	PVC	130	140	#10
75-89		blue clay						
89-91		sand						
91-94		blue clay						
94-109		sand						
109-115		rock streaks						

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 125 ft. to 25 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Henry Lee

13) TYPE PUMP:

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., 100 ft.

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 287.44(3)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:

Type Test: Pump Baller Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 24 ft
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth
Rubber 2" R XR	119

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-20-7 Located on map _____

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Sonny Bradham ADDRESS PO Box 1404 Huntsville, Tex 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 8 miles in SW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0760-04-5

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:
Started 9-5 1990
Completed 9-6 1990

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
4	Surface	125

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

0-4	top soil	115-135	sand
4-9	brown clay	135-136	rock
9-24	sand streaks	136-140	sand
24-34	sand		
34-75	brown clay		
75-89	blue clay		
89-91	sand		
91-94	blue clay		
94-109	sand		
109-115	rock streaks		

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	125	40
2	N	PVC	130	140	#10

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 125 ft. to 25 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Henry Lee

RECEIVED
NOV 15 1990

13) TYPE PUMP:

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Specified Steel Sieve Installed [Rule 287.44(3)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:

Type Test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 24 ft.
Was a chemical analysis made? Yes No

12) PACKERS:

Type Depth
Rubber 2" R XR 119

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-20-7 Located on map _____

RECEIVED

JUN 26 91

TWC

CENTRAL RECORDS

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER ARCHIE Grays Water Well (Name) ADDRESS BOWEN RD. PO Box 1788 Trinity, TX 75862 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 6 miles in SW direction from Huntsville (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0N60-11-5

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
Started <u>5-15 19 90</u>	<u>6.5</u>	<u>Surface</u>	<u>203</u>
Completed <u>5-16 19 90</u>			

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-5		top soil and sand
5-13		red & white clay
13-39		sand and gravel
39-52		brown clay
52-63		blue clay
63-93		sand
93-163		blue clay
163-179		sand streaks
179-203		sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	187	40
2	N	PVC UC	185	195	#8

RECEIVED
AUG 29 1990

13) TYPE PUMP:
 Turbine Jet Submersible Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

9) CEMENTING DATA [Rule 287.44(1)]
 Cemented from 187 ft. to 87 ft. No. of Sacks Used 7
0 ft. to 10 ft. No. of Sacks Used 2
 Method used Pressure
 Cemented by Henry Lee

14) WELL TESTS:
 Type Test: Pump Bailor Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pileless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

15) WATER QUALITY:
 Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 24 ft
 Was a chemical analysis made? Yes No

11) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

12) PACKERS:


Type	Depth
Rubber	174

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.



COMPANY NAME Holly Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)



Scale: 1 inch = 1 mile



Legend: Solid line = Road, Dashed line = Boundary, Shaded area = Forest/Park

#5 Walker

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Gary Cmelka ADDRESS 12 Lessa Ln Huntsville, Texas 77340
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Walker 6 miles in SW direction from Huntsville
 (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP on 60-14-4

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling:
 Started 2-14 19 90
 Completed 2-15 19 90

Diameter of Hole	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
	<u>6.5</u>	<u>Surface</u>	<u>162</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-3		top soil
3-6		sand
6-25		brown clay
25-27		sand
27-39		brown clay
39-90		sand and gravel
90-93		rock streaks
93-99		brown clay
99-162		sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4		PVC	-1.5	147	40
2		PVC UC	148	158	10

RECEIVED
APR 4 1990

TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 287.44(1)]
 Cemented from 147 ft. to 47 ft. No. of Sacks Used 7
0 ft. to 10 ft. No. of Sacks Used 1
 Method used Pressure
 Cemented by Henry Lee

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: Pump Baller Jetted Estimated
 Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 63 ft
 Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
 Static level _____ ft. below land surface Date _____
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Rubber 142

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME holly Water Wells WELL DRILLER'S LICENSE NO. 2026
 (Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) Ronald A. [Signature] (Signed) _____
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 60-207 Located on map _____

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER PRICE WASHNER ADDRESS _____ (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER 7-10 miles in W direction from HUNTSVILLE
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

3) TYPE OF WORK (Check):

- New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

- Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

- Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling: _____
Started 5-5 1989
Completed _____ 19____

DIAMETER OF HOLE

Dia. (In.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>156</u>

7) BOREHOLE COMPLETION:

- Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from 120 ft. to 156 ft.

From (ft.) To (ft.) Description and color of formation material

0-18	SURF w/CALICHE
18-52	SAND COURSE BRWN GRAVEL
52-68	SHALE
68-102	SANDY SHALE
102-126	R-126 SAND
132-137	SHALE
137-144	SAND w/STRKS SHALE
144-148	SAND
148-156	SANDY

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (In.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>110</u>	
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>110</u>	<u>156</u>	

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 10 ft. No. of Sacks Used 5
80 ft. to 110 ft. No. of Sacks Used 4
Method used _____
Cemented by _____

10) SURFACE COMPLETION

- Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level 28 ft. below land surface Date _____
Flowing level _____ gpm. Date _____

12) PACKERS:

Type _____ Depth _____

13) TYPE PUMP:

- Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., 100'

14) WELL TESTS:

Type Test: Pump Baller Jetted Estimated
Yield: 15-20 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable components?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME G SNOOK DALL CO WELL DRILLER'S LICENSE NO. 1490
(Type or print)

ADDRESS 1205 N MAY MADISONVILLE TEX 77864
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-20-7 Located on map _____

RECEIVED
AUG 29 1989
TEX. WATER COMMISSION

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#15 WALKER

1.2 mi S/W
1 mi W/E

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ed Fisher (Name) Address Rt. 2 Box 166 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 5 miles in SSW direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. 60-13-9

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: 4-4 19 86
 Started 4-7 19 86
 Completed _____ 19 _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 1/2	Surface	182

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
0-2		Top soil					
2-33		Brown clay					
33-42		Sandy clay streaks	4	N	Plastic	-1 1/2	146
42-56		Sand and gravel					
56-62		White clay	2 1/2	N	Plastic	143	163
62-118		Brown clay					
118-140		Sand					
140-147		White clay					
147-159		Sand					
159-164		Rock streaks					
164-168		Sand					
168-182		White clay					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 146 ft. to 46 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 2
 Method used Pressure
 Cemented by Holly Water Wells

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 80 ft. below land surface Date 4-7-86
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Lead Depth 142

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
 Type Test: Pump Bailor Jetted Estimated
 Yield: 15 gpm with _____ ft. drawdown after _____ hrs.


I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-7 Located on map _____



**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

4

1.0 mi N/SL
18 mi W/EL

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dennis ROHAN (Name) Address P.O. Box 277 Wallis Tx 77485 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 5 miles in SW direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 60-28-5


3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 4-24-86
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 134
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
<u>0</u>	<u>60</u>	<u>SAND</u>	Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial Setting (ft.) From To Gage Casing Screen
<u>60</u>	<u>90</u>	<u>CLAY</u>	
<u>90</u>	<u>134</u>	<u>SAND</u>	<u>4 N PLASTIC</u> <u>0</u> <u>124</u>
			<u>4 N PLASTIC SLOTTED</u> <u>124</u> <u>134</u> <u>010</u>

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft.
_____ ft. to _____ ft.
Method used _____
Cemented by _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]



11) WATER LEVEL:
Static level _____ ft. below land surface Date 4-22-86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? soft Depth of strata 44
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Air Flo (Type or Print) Water Well Driller's License No. 1781
ADDRESS P.O. Box 1590 Wallis Texas 77378 (Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) _____ (Licensed Water Well Driller) (Registered Driller Trainee)
Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-20-7
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER JACK ARMSTEAD Address RFD Huntsville Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALTER 5 miles in E direction from Huntsville
(Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. 60-21-8

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 2-20-86

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 7/8</u>	Surface	<u>138</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>2</u>	<u>top soil</u>
<u>2</u>	<u>38</u>	<u>SAND</u>
<u>38</u>	<u>77</u>	<u>clay</u>
<u>77</u>	<u>100</u>	<u>SAND AND clay</u>
<u>100</u>	<u>108</u>	<u>clay</u>
<u>108</u>	<u>138</u>	<u>SAND</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>Plastic</u>	<u>0</u>	<u>128</u>	
<u>4</u>	<u>N</u>	<u>Slotted</u>	<u>128</u>	<u>138</u>	<u>010</u>

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft.
Method used _____
Cemented by _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
MAR 24 1986

11) WATER LEVEL:
Static level 80 ft. below land surface Date 2-21-86
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type Rubber Depth 128

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 15 gpm with 5 ft. drawdown after 1 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? HARD Depth of strata 30
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Air-Flo Water Well Driller's License No. 1781
(Type or Print)

ADDRESS P.O. Box 1590 Willis TX 77378
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-20-7
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

2

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mike Waltz Address RFD Huntsville TX
2) LOCATION OF WELL County Walker 5 miles in E direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-218

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 2-15-86
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft.
Method used
Cemented by

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 60 ft. below land surface Date 2-17-86
Artesian flow gpm. Date

12) PACKERS: Type Rubber Depth 132

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 60 ft.

14) WELL TESTS:
Type Test: Pump, Bailer, Jetted, Estimated
Yield: 15 gpm with 10 ft. drawdown after 1 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water: HARD Depth of strata: 25'
Was a chemical analysis made? No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Aie-Flo Water Well Driller's License No. 1781
ADDRESS P.O. Box 1590 Willis TX 77378
(Signed) [Signature] (Signed) [Signature]
Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#1 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Larry King Address P.O. Box 7174 Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 6 miles in SW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-20-7

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 1/31/86
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 182
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Brown clay, White clay, Sand, Meally clay, etc.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 169 ft. to 69 ft.
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 63 ft. below land surface Date 2/1/86
Artesian flow gpm. Date

12) PACKERS: Type Lead Depth 162
13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 40 gpm with ft. drawdown after hrs.
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
Type of water? GOOD Depth of strata 35

RECEIVED
MAR 24 1986

TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-7 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#1 Walker

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Cecil Williams Address P.O. Box 553 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 6 miles in SSW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 1-2-86
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 169 ft. to 69 ft. Method used Pressure Cemented by Holly Water Well Service

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

RECEIVED FEB 24 1986 TEXAS WATER COMMISSION

11) WATER LEVEL: Static level, Artesian flow

12) PACKERS: Lead 166

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other

14) WELL TESTS: Type Test, Yield

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Type of water GOOD

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-7 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:




"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



LEGEND

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	CANAL
	DAM
	RESERVOIR
	LAKE
	RIVER
	STREAM
	CREEK
	BRANCH
	TRIBUTARY
	BAYOU
	MARSH
	SWAMP
	WETLAND
	FOREST
	PARK
	CEMETERY
	SCHOOL
	CHURCH
	POST OFFICE
	GAS STATION
	TELEPHONE EXCHANGE
	ELECTRIC SUBSTATION
	WATER TOWER
	WINDMILL
	WELL
	MINE
	QUARRY
	PIT
	EMBANKMENT
	TRENCH
	DITCH
	FENCE
	BOUNDARY
	SECTION CORNER
	TOWNSHIP CORNER
	RANGE CORNER
	MERIDIAN CORNER
	SURVEY POINT
	MONUMENT
	MARKER
	STAKE
	NAIL
	PIPE
	POLE
	TOWER
	SPIRE
	STEEPLE
	TOWER TOP
	SPIRE TOP
	STEEPLE TOP
	TOWER BASE
	SPIRE BASE
	STEEPLE BASE
	TOWER FOOT
	SPIRE FOOT
	STEEPLE FOOT



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



1969
1970 CENSUS FIGURES
HIGHWAYS REVISED TO MARCH 1, 1978
POLYCONIC PROJECTION NORTH AMERICAN DATUM
CONTAINS U.S. CORNER AND STAKE SURVEY DATA AND U.S. BOUNDARY SURVEY
INFORMATION AND STATE STATISTICS
Scale: 1" = 10 Miles and 1" = 16 Kilometers

#1.2 WALKER ✓

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Terry Ramback Address 99 Normal Park Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 8 miles in SSW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 60-11-9

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Date drilled 8/13/85

7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Top soil, Brown clay, Sand streaks, Sand, Meally clay, Blue clay, Sand, Meally Clay, Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns for Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 142 ft. to 42 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level 60 ft. below land surface Date 8-15-85 Artesian flow gpm. Date

RECEIVED OCT 22 1985

12) PACKERS: Type L Depth 137

TEXAS WATER COMMISSION

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 46 Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 10 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Route 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR Use only Well No. 60-20-7 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

WALKER #12 1.0m: SINL 1.2m: NL

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Gene Perkins Address 1202 Cresthill Huntsville, TX 77340
 (Name) (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: County WALKER 6 miles in SW direction from HUNTSVILLE
 (N.E., S.W., etc.) (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. 0760-13-4

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
 5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
 Date Drilling:
 Started 8/12/86
 Completed 8/13 1986
 DIAMETER OF HOLE
 Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 202

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-6		Sand
6-17		Brown clay
17-27		Sand
27-62		Brown clay
62-73		Sand
73-92		Brown clay
92-107		Sand
107-132		Brown clay
132-162		Sand
162-177		Brown clay
177-202		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	183	40
2 1/2	N	Stainless steel	191	201	10

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 183 ft. to 83 ft. No. of Sacks Used 6
1 1/2 ft. to 16 1/2 ft. No. of Sacks Used 3
 Method used Pressure
 Cemented by Holly Water Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 60 ft. below land surface Date 8-17-86
 Artesian flow _____ gpm. Date _____

RECEIVED
 DEC 18 1986

12) PACKERS: Type Depth
 Lead 175

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? GOOD Depth of strata 25 Ft.
 Was a chemical analysis made? Yes No

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)
 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)
 (Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60 20-7 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#78 WALKER ✓

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ben Powell Address 3900 Two Houston Center Houston, TX 77010
2) LOCATION OF WELL: County Walker 6 miles in SW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-11-9

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 10/31/85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 162

7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Top soil, Brown clay, Sand streaks, Meally clay, Rock, Sand, etc.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 149 ft. to 99 ft.
0 ft. to 10 ft.
Method used Pressure
Cemented by Henry Lee

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 63 ft. below land surface Date
Artesian flow gpm. Date

12) PACKERS: Table with 3 columns: Type, Depth, Lead. Row: Lead 145

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 12 Ft
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)
Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only Well No. 6020-7 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#8 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER ALLEN COUGOT 1 Address RT. 10 BOX 370 HUNTSVILLE, TX 77340
2) LOCATION OF WELL: County WALKER 6 miles in SW direction from HUNTSVILLE

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-11-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling Started 08/07/87 19 Completed 08/10/87 19
DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 115 ft. to 15 ft. No. of Sacks Used 6
Method used PRESSURE
Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 32 ft. below land surface Date
Artesian flow gpm. Date

12) PACKERS: Type RUBBER Depth 108

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 40 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2221/2026
ADDRESS 607 HWY. 19 HUNTSVILLE TEXAS 77340
(Signed) (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-7 Located on map

RECEIVED AUG 19 1987

TEXAS WATER COMMISSION

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#29 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Don Perry (Name) Address 3309 Pine Grove Huntsville TX 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 9 miles in SW direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-05-16

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 5-28-85 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 142
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, Sand, Brown meally clay, Sand, Brown clay, Sand streaks, Meally clay, Sand.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 130 ft. to 30 ft. 10 ft. to 0 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level . . . ft. below land surface Date . . . Artesian flow . . . gpm. Date . . .

RECEIVED RECEIVED JUN 10 1985

AUG - 9 1985

DEPT. OF WATER RESOURCES DEPT. OF WATER RESOURCES

PACKERS: Type Depth Lead L 126

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., . . . ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: . . . gpm with . . . ft. drawdown after . . . hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 30 Ft. Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-7R Located on map YES.C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number, of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-20-70
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER LARRY TURNER (Name) Address Hwy 75 S. Huntsville Tx 7000 (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL County Walker 4 miles in SW direction from Huntsville Tx. (N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. MAP ON 60-28-6FF

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 4-17-85
 DIAMETER OF HOLE
 Dia. (in.) From (ft.) To (ft.)
4 3/4 Surface 160
 7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	2	top soil						
2	18	SAND						
18	22	CLAY	4	N	Plastic	0	150	
22	47	ROCK & CLAY	4	N	"	150	160	010
47	70	CLAY						
70	83	SAND						
83	135	CLAY						
135	160	SAND						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
 CEMENTING DATA
 Cemented from 0 ft. to 10 ft.
 Method used _____
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 50 ft. below land surface Date 4-17-85
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Rubber Depth 150

RECEIVED
MAY 17 1985

DEPT. OF WATER RESOURCES

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? hard Depth of strata 25'
 Was a chemical analysis made? Yes No

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 100 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 10 gpm with 15 ft. drawdown after 1 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L Graham (Type or Print) Water Well Drillers Registration No. 1781
 ADDRESS P.O. Box 1590 (Street or RFD) Willis (City) Texas (State) 77378 (Zip)
 (Signed) [Signature] (Water Well Driller) Airt To Water Well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

11/17

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER V.W. McMillan (Name) Address 5306 Rapido Houston Tex 77033 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 10 miles in N.W. direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 60-20-7L

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 6-17-1984
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
8 Surface 192
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:				
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
0 - 1/2		Top Soil (Blackland)					
1/2 - 11		CLAY (Grey)					
11 - 22		COLACHE (white)	5		PVC Sch 40 CASING	0	105
22 - 33		SAND (Brown)	5		PVC Sch 40 SCREEN	105	115
33 - 60		SAND (Brown)	5		PVC Sch 40 CASING	115	132
60 - 88		CLAY (white + Brown)	5		PVC Sch 40 SCREEN	132	192
88 - 104		CLAY (Blue)					
104 - 115		SAND (Brown)					
115 - 132		CLAY (Blue)					
132 - 143		SAND (Dark Grey)					
143 - 148		CLAY (Blue)					
148 - 160		SAND (Dark Grey)					
160 - 165		CLAY (Blue)					
165 - 176		CLAY + SAND (Grey)					
176 - 181		SAND (Grey)					
181 - 184		CLAY (Blue)					
184 - 192		CLAY + SAND (Grey)					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
Method used None Poured
Cemented by Arthur Slott

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 53 ft. below land surface Date 6-19-84
Artesian flow _____ gpm. Date _____

RECEIVED

JUL 30 1984

PACKERS: Type Depth
2 Formation 105-132

DEPT. OF WATER RESOURCES

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 105 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 30 gpm with 20 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
ADDRESS Rt #4 Box 1094 Huntsville Texas 77340
(Signed) Arthur R. Slott (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-7P Located on map 60 MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

RECEIVED

JUL 30 1984

**DEPT. OF
WATER RESOURCES**

#70

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dr. Everett Wilson Address Rt. 2 Box 88 Huntsville, TX 77340

2) LOCATION OF WELL: County Walker 6 miles in SW direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-13-4R

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other


6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 182 Date drilled 10-19-84 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, Sand, Red clay, Sand streaks, etc.

CEMENTING DATA Cemented from 161 ft. to 61 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 100 ft. below land surface Date 10-22-84 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 157



DEPT. OF WATER RESOURCES (Use reverse side if necessary)

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 13 Ft. Was a chemical analysis made? No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-7N Located on map Yes DLF

#10 WKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Kenneth Binford Address 5510 Cornish, Houston, TX 77007
2) LOCATION OF WELL Walker 7 miles in SW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. map on 60-20-6P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7/26/84
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA, Cemented from 198 ft. to 98 ft., Method used Pressure, Cemented by Henry Lee

9) WATER LEVEL: Static level, Date, Artesian flow, gpm, Date

RECEIVED OCT 15 1984 DEPT. OF WATER RESOURCES

10) PACKERS: Type, Depth, Lead, L, 182

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated, Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-6P Located on map Yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#71 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Bobby Howard Address Rt. 2 Box 88 Huntsville Tx 77340
2) LOCATION OF WELL Walker County 4 miles in SW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-20-4P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4/30/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 254
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Red clay, Sand, Brown clay, Rock streaks, Blue clay, Sandy brown clay, Sand streaks, Blue clay, Sand, Blue clay, Sand, Sand streaks, Sand.

CEMENTING DATA
Cemented from 208 ft. to 108 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level ft. below land surface Date
Artesian flow gpm. Date

10) PACKERS: Type Depth
Lead L 205

RECEIVED
JUL - 6 1984
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 17 Ft.
Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, Texas 77340
(Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 60-20-7L Located on map 480 MM

#4 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-20-7K Located on map YES Received: RWB

1) OWNER Ben Powell, Jr. Address 4400 First Internatl. Plaza Houston, Tx 77002
2) LOCATION OF WELL: County Walker 6 miles in SW direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 38-61-4A

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 9-6-81 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 142
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-4 black gumbo, 4-96 brown clay, 96-102 sand streaks, 102-142 sand, 4 Plastic, 2 1/2 Stainless steel.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 130 ft. to 80 ft. Method used Pressure Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL: Static level 68 ft. below land surface Date 9-7-81 Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber ? 126

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 40 ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

TEXAS DEPT.
OF
WATER RESOURCES

RECEIVED
DEPT. OF
WATER RESOURCES

#9 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-20-7J Located on map YES Received: RWB

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Bill Watson Address 16414 Waverly Houston, Texas 77032
2) LOCATION OF WELL: County Walker 7 miles in SSW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5-1-81
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Perf., Slotted, etc., Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA: Cemented from 151 ft. to 101 ft. Method used Pressure. Cemented by Holly Water Well Service

9) WATER LEVEL: Static level 8 ft. below land surface Date 5-15-81

10) PACKERS: Rubber R 148

11) TYPE PUMP: Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 20 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? Good. Depth of strata 9 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
JUL 14 1982
CR/TDWR

RECEIVED
JUN 9 1981
DEPT. OF
WATER RESOURCES

HS

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-20-7H Located on map 1422 Received: 7/9/81

1) OWNER MR O.A. DOUGLAS (Name) Address 710 GULF BANK HOUSTON, TEXAS 77032 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 8 miles in SW direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines
See attached map. 5 Map on 60-20-5C

3) TYPE OF WORK (Check): [X] New Well [] Deepening [] Reconditioning [] Plugging
4) PROPOSED USE (Check): [X] Domestic [] Industrial [] Public Supply [] Irrigation [] Test Well [] Other
5) DRILLING METHOD (Check): [X] Mud Rotary [] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other

6) WELL LOG: Date drilled 6-15-79
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 152
7) BOREHOLE COMPLETION: [] Open Hole [X] Straight Wall [] Underreamed [] Gravel Packed [] Other
If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0-22 RED & BROWN CLAY, 22-47 WHITE CLAY, 47-78 BROWN CLAY, 78-96 SAND HN PLASTIC, 96-102 BROWN CLAY, 102-122 FINE SAND, 122-152 SAND & GRAVEL 2 1/2 IN STAINLESS STEEL 132 152 #14

CEMENTING DATA: Cemented from 132 ft. to 75 ft. Method used PRESSURE Cemented by E.A. HOLLY CO (Company or Individual)

9) WATER LEVEL: Static level 60 ft. below land surface Date 6-15-79 Artesian flow gpm. Date

10) PACKERS: Type LEAD Depth 127 FT.

11) TYPE PUMP: [] Turbine [] Jet [X] Submersible [] Cylinder [] Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

12) WELL TESTS: [] Type Test [] Pump [] Bailer [] Jetted [] Estimated Yield: gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? GOOD Depth of strata 30 Was a chemical analysis made? [] Yes [X] No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME F.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS 77367 (Street or RFD) (City) (State) (Zip) (Signed) E.A. HOLLY (Water Well Driller) F.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

RECEIVED
JUN 29 1979

DEPT. OF
WATER RESOURCES

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
AUG 13 '79
CR/TDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-20-76
Located on map 408
Received: 96 7

1) OWNER:
Person having well drilled DARRELL WHITE Address RT 2 Box 240 HUNTSVILLE, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER 5 miles in W direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/4 in. Depth drilled 150 ft. Depth of completed well 150 ft. Date drilled 10-1-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	BROWN CLAY
15	30	MEALY CLAY
30	42	GRAVEL & SAND
42	90	BLUE CLAY
90	114	SAND
114	150	BLUE CLAY

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from GRAVEL ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	150	+ 1	SCH 40

10) SCREEN:
Type PLASTIC
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4 100 110 #10

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

8) WATER LEVEL:
Static level 56 ft. below land surface Date 10-1-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata 14

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E. A. Holly E. A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 6 1976

Public Records
Texas Water Development Board

RECEIVED
NOV - 8 1976
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-20-7F
Located on map 105
Received: 7/5
alt

1) OWNER:
Person having well drilled SHERRIE K GREGSON Address 1310 AVE C HUNTSVILLE TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____ (City) (State)
(Name) (Street or RFD)

2) LOCATION OF WELL:
County WALKER 5 miles in E direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, OR
hiway number, etc.* 5 MILES HUNTSVILLE
FM 1375 INTERSTATE
45 North
(Use reverse side if necessary)
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 156 ft. Depth of completed well 156 ft. Date drilled 6-8-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 18		RED CLAY
18 - 36		SAND
36 - 72		WHITE CLAY
72 - 94		SAND
94 - 96		BLUE CLAY
96 - 112		SAND
112 - 140		BLUE CLAY
140 - 156		SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 145 ft. to 100 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 145 + 1 SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 146 156 # 6

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 52 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump, bowls, cylinder, jet, etc., 100 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? Good depth of strata 16

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E. A. Holly Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E. A. Holly E. A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 15 1976
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
OCT 04 1976
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-20-7E
Located on map yes
Received: 73
dlr

1) OWNER:
Person having well drilled W.J. Shipp Address Rt 2 Box 378 Huntsville Tex
(Name) (Street or RFD) (City) (State)
Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker _____, _____ 12 miles in W direction from New Waverly
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

OR Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 1/2 in. Depth drilled 143 ft. Depth of completed well 143 ft. Date drilled 2-2-73
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
		0 - 80 Clay
		80 - 82 Rock
		82 - 105 Clay
		105 - 143 Water sand

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
2	0	133	

10) SCREEN:
Type Pro
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 133 143 12

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: 40 gpm with Air ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 6' ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc.; 40 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? H1 Ph depth of strata 38

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Pattersons Water Wells Water Well Drillers Registration No. 182
(Type or Print)
ADDRESS 109 n. Magnolia Conroe Tex
(Street or RFD) (City) (State)
(Signed) J.M. Patterson _____
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 2 1973
Central Records
Texas Water Development Board

RECEIVED
JUL 12 1973
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 80207D
Located on map YES
Received: 5-22
Y.M.C.A.

1) OWNER:
Person having well drilled MR DON KIRKPATRICK Address SUNSET LAKE HUNTSVILLE, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____ (Street or RFD) (City) (State)
(Name)

2) LOCATION OF WELL:
County WALKER, 6 miles in W direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 122 ft. Depth of completed well 122 ft. Date drilled 3-28-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Plastic <input type="checkbox"/> Other <input type="checkbox"/>
0	22	RED CLAY	Cemented from _____ ft. to _____ ft.
22	27	SAND	Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
27	82	BROWN CLAY	<u>4</u> <u>7-1</u> <u>119</u> <u>SH 40</u>
82	107	WHITE CLAY	
107	119	SAND	
119	122	CLAY	

7) COMPLETION (Check):
 Straight wall Gravel packed Other Under reamed Open Hole
8) WATER LEVEL:
Static level 75 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.
11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____
12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 12

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E.A. Holly F.A. HOLLY CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 20 1972
Central Texas
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-7c Located on map Y-25 Received: 71 *JK*

1) OWNER: Person having well drilled DOWLING KELLY Address RT 2 HUNTSVILLE TEX (Name) (Street or RFD) (City) (State) Landowner '' Address '' (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 6 1/2 miles in S direction from HUNTSVILLE (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* *OVER* North ↑ (Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 4 in. Depth drilled 112 ft. Depth of completed well 112 ft. Date drilled 3-28-70 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-1 surface dirt, 1-25 clay, 25-35 sand, 35-80 clay, 80-112 sand.

9) CASING: Type: Old Steel Plastic Other Cemented from 0 ft. to _____ ft. Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 82 Gage 1173

10) SCREEN: Type PLASTIC Perforated Slotted Diameter (inches) 4 Setting From (ft.) 82 To (ft.) 112 Slot Size 020

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: _____ gpm with _____ ft. drawdown after _____ hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____

8) WATER LEVEL: Static level 40 ft. below land surface Date 3-28-70 Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 ADDRESS PO BOX 4 HUNTSVILLE TEX (Street or RFD) (City) (State) (Signed) Thomas Anders (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED

MAR 8 1971

Central Records

Texas Water Development Board

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER DANNY CASEY (Name) Address Huntsville TX (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 10 miles in SW direction from Huntsville (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

#5 See attached map. Map on 60-29-5P

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 7-1-85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 144
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
0	2	Top soil					
2	40	SAND					
40	60	SAND & shale	4	N	Plastic	0	134
60	83	SAND	4	N	1" slotted	134	144
83	100	shale					
100	120	clay (soft)					
120	144	SAND					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft.
Method used _____
Cemented by _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 60 ft. below land surface Date 7-2-85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Rubber Depth 134

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
Depth to pump bowls, cylinder, jet, etc., 130 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 7 gpm with 15 ft. drawdown after 1 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? soft Depth of strata 24'
Was a chemical analysis made? Yes No

RECEIVED
JUL 24 1985
DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Air Flo Water Well (Type or Print) Water Well Driller's License No. 1781
ADDRESS P.O. Box 1590 (Street or RFD) Willis (City) TX (State) 77378 (Zip)
(Signed) [Signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)
Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only
Well No. 60-20-7C
Located on map Yes DJF

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 68-20-7B Located on map Received: Form GW 8 Form GW 9

1) OWNER: Person having well drilled DONALD R. BRYANT Address 926 AVE 24 TEXAS CITY Landowner SAME

2) LOCATION OF WELL: County WALKER Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey miles in 10 MI N direction from NEW WAVERLY (Town) Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] 5) TYPE OF WELL (Check): Rotary [X] Driven [] Dug [] Cable [] Jetted [] Bored []

6) WELL LOG: Diameter of hole 4 1/2 in. Depth drilled 347 ft. Depth of completed well 347 ft. Date drilled 8-20-70 All measurements made from 0 ft. above ground level.

Table with 2 columns: From (ft.) To (ft.) Description and color of formation material. Rows include: 0-1 TOP SOIL, 1-154 WHITE SOAP-CLAY, 154-196 HARD SAND + ROCK, 196-325 MEALY CLAY, 325-347 COARSE GRAY SAND.

7) COMPLETION (Check): Straight wall [X] Gravel packed [] Other [] Under reamed [] Open hole [] 8) WATER LEVEL: Static level 65 ft. below land surface Date 8-24-70 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [] New [X] Steel [X] Plastic [] Other [] Cemented from ft. to ft. 10) SCREEN: Type STAINLESS STEEL Perforated [] Slotted []

Table with 4 columns: Diameter (inches), Setting (From (ft.) To (ft.)), Gage, Slot size. Rows include: 2 1/2 inch diameter, 0 to 237 ft setting, SCH 40 gage, 0.14 slot size.

11) WELL TESTS: Was a pump test made? [X] Yes [] No If yes by whom? DONALD MEKAY Yield: 32 gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [] Yes [X] No Did any strata contain undesirable water? [] Yes [X] No Type of water? depth of strata 12) PUMP DATA: Manufacturer's Name STA RITE Type 2SAGE JET H.P.L. Designed pumping rate 10 gpm gph Type power unit ELECTRIC Depth to bowls, cylinder, jet, etc., 105 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME DONALD MEKAY Water Well Drillers Registration No. 688 Address Box 523 WILKES TEXAS 77378 (Signed) Donald Mekay (Water Well Driller) MLM WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TEXAS WATER
DEVELOPMENT BOARD

AUG 31 1970

RECEIVED

RECEIVED
OCT 30 1970
C. L. ...
...

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-7A Located on map Yes Received: 68 Form GW 8 Form GW 9

1) OWNER: Person having well drilled RALPH HIGHTOWER Address Rt. 2 Box 291 HUNTSVILLE TEX. Landowner (SAME)

2) LOCATION OF WELL: County WALKER Labor League Abstract No. 30 NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey

3 miles in SW direction from HUNTSVILLE



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] 5) TYPE OF WELL (Check): Rotary [X] Driven [] Dug [] Cable [] Jetted [] Bored []

6) WELL LOG: Diameter of hole 3 1/2 in. Depth drilled 230 ft. Depth of completed well 230 ft. Date drilled 4-7-68 All measurements made from 0 ft. above ground level.

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material. Rows include SANDY TOP SOIL, SANDY RED SHALE, FINE RED SAND, YELLOW SHALE, FINE WHITE SAND, WHITE SHALE, RED SHALE, SANDY RED SHALE.

7) COMPLETION (Check): Straight wall [X] Gravel packed [] Other [] Under reamed [] Open hole []

8) WATER LEVEL: Static level 151 ft. below land surface Date 4-8-68 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [] New [X] Steel [] Plastic [X] Other [] Cemented from 0 ft. to 205 ft.

10) SCREEN: Type PLASTIC Perforated [] Slotted []

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 2 inches, 1' ABOVE GROUND, 220, STANDARD SCH #40

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2 inches, 220, 230, #12

11) WELL TESTS: Was a pump test made? [X] Yes [] No If yes by whom? JAMES H. SUGG JR. Yield: 4.9 gpm with 12 ft. drawdown after 3 hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date 4-8-68 Temperature of water Was a chemical analysis made? [] Yes [X] No Did any strata contain undesirable water? [] Yes [X] No Type of water? depth of strata

12) PUMP DATA: Manufacturer's Name RUTH BERRY Type MP3D JET H.P. 2 Designed pumping rate 300 gpm gph [X] Type power unit ELECTRIC Depth to bowls, cylinder, jet, etc., 180 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006 Address 6705 THORNWALL HOUSTON TEXAS (Signed) James H. Sugg Jr. SUGG & SMITH DRILLING CO.

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED


JUN - 6 1968

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

JUN 28 1968

RECEIVED

ATTENTION OWNER: Confidentiality <i>Privilege Notice on Reverse Side</i>		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																																															
1) OWNER <u>Michael Whitley</u> (Name)		ADDRESS <u>RT, 2 Box 245 Cotton Rd. Huntville 77340</u> (Street or RFD) (City) (State) (Zip)																																																																	
2) ADDRESS OF WELL: County <u>Walker</u> <u>Rt. 2 Box 245 Cotton Rd Huntville Tx. 77340</u> (Street or RFD) (City) (State) (Zip)		GRID # <u>60-20-7</u>																																																																	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No			5)																																																														
6) WELL LOG: Date Drilling: Started <u>8-22-1994</u> Completed <u>8-24-1994</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>6 7/8</u> Surface <u>90</u> <u>3 3/4</u> <u>90</u> <u>104</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																																															
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																																	
0-16 clay		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="6">CASING, BLANK PIPE, AND WELL SCREEN DATA:</th> </tr> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td>4</td> <td>N</td> <td>PVC casing</td> <td>0</td> <td>90</td> <td>40</td> </tr> <tr> <td>2</td> <td>N</td> <td>Pvc screen</td> <td>90</td> <td>104</td> <td>40#8</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>				CASING, BLANK PIPE, AND WELL SCREEN DATA:						Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC casing	0	90	40	2	N	Pvc screen	90	104	40#8																																				
CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																																			
Dia. (in.)	New or Used					Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																										
							From	To																																																											
4	N					PVC casing	0	90	40																																																										
2	N					Pvc screen	90	104	40#8																																																										
16-20 sand																																																																			
20-40 clay																																																																			
40-61 sand																																																																			
61-67 shale																																																																			
67-69 sand																																																																			
69-77 shale																																																																			
77-79 sand																																																																			
79-82 shale																																																																			
82-104 sand																																																																			
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>90</u> ft. to <u>5</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>5</u> ft. No. of sacks used <u>5</u> Method used <u>Pressure</u> Cemented by <u>Vernon Gray</u> Distance to septic system field lines <u>150</u> ft. Method of verification of above distance <u>Step off</u>																																																																	
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>80</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																																	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>25</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>36'</u> ft. below land surface Date <u>8-24-94</u> Artesian flow _____ gpm. Date _____																																																																	
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No		12) PACKERS: <u>Rubber</u> Type <u>K</u> Depth <u>83'</u>																																																																	
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																																			
COMPANY NAME <u>Gray's Water Well Service</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>																																																																	
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)		<u>Trinity</u> (City)		<u>Texas 75862</u> (State) (Zip)																																																															
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard M. Ke</u> (Registered Driller Trainee)																																																																	
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																																			

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER MIKE WHITE ADDRESS 2004 SAN SEBASTIAN B128 HOU. TX 77053
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County WALKER RT 2 BOX 8 HUNTSVILLE TX 77350 GRID # 60-20-7
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 5/2 1996
Completed 5/3 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	200

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	25	clay
25	90	sand
90	115	clay
115	200	sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other 2 STRING
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC CASING	0	180	
2 1/2	N	" LINER	175	185	
2 1/2	N	" SCREEN	185	200	.012

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 80 ft. to 40 ft. No. of sacks used 10
10 ft. to 0 ft. No. of sacks used 8
Method used HALIBURTON
Cemented by SCOTT WATER WELL SER. INC.
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance TO BE INSTALLED

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 50 ft. below land surface Date 5/3/96
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
K-PACKER	175

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME SCOTT WATER WELL SER. INC. WELL DRILLER'S LICENSE NO. 4839
(Type or print)

ADDRESS 11915 GREEN PINE CIRCLE HOUSTON, TEXAS 77066
(Street or RFD) (City) (State) (Zip)

(Signed) Scott Robinson (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Barry Dewberry ADDRESS 2520 Sand Shore Conroe Tx 77301
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Off Hwy 1374 on Bowden Road. STATE WELL # _____
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-20-7

6) WELL LOG:
Date Drilling:
Started 4-7 19 98
Completed 4-9 19 98

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	184

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	t.s.
1	11	br.cl.
11	21	sd. cl.
21	41	br. cl.
41	61	br. cl. & w.cl.
61	81	sd. & cl.
81	99	sd.
99	118	cl. FILE ID
118	121	sd.
121	152	sd. & gr.
152	175	cl. EMP #
175	183	sd. JUL 06 1998
183	184	cl. COMMENT

8) Borehole Completion (Check): Open Hole Straight Well
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC casing	-1.5	176	
4	N	Undercut screen	174	184	#10

9) CEMENTING DATA [Rule 338.44(1)]:
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
26 ft. to 176 ft. No. of sacks used 7
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 90 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER".
Type of water? good Depth of strata 8
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth
K Packer	170

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond McPike (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Tom Pegoda ADDRESS 1440 Brazos Dr. #90 Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Bowden Rd Huntsville TX 77340 Long. Lat.
(Street, RFD or other) (City) (State) (Zip) GRID # 60 20 7

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 4/16 19 99
4/19 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	163

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

From (ft.)	To (ft.)	Description and color of formation material
0	1	Bit t.s.
1	5	Red. Cl.
5	17	Sd.
17	21	Br.cl.
21	41	Br. & wh.cl.
41	62	Wh.cl.
62	81	Sdy.cl.
81	101	Sd. w/ cl. & liq. st.
101	121	Sd w/ cl.st.
121	140	Sd.
140	141	Rock
141	163	Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	150	
2	N	PVC Screen	153	163	#10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 150 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used By pressure
Cemented by R. McPike
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL
Static Level 55 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 22
Was a chemical analysis made? Yes No

12) PACKERS:
1 - 2" K Packer RxR 145
FILE Type _____ Depth _____
DESC CO _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.


COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)

ADDRESS 2928 SH 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Raymond McPike (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Stamp: FILE Type _____ Depth _____
DESC CO _____
EMP # _____
MAY 10 1999
COMMENT _____



G R I M S
E - 30°45'

Y N U C S
30°40'

30°35'

30°30'

30°25'

30°20'

30°15'

30°10'

30°05'

30°00'

29°55'

29°50'

29°45'

29°40'

29°35'

29°30'

29°25'

29°20'

29°15'

29°10'

29°05'

29°00'

28°55'

28°50'

28°45'

28°40'

28°35'

28°30'

28°25'

28°20'

95°30'

95°25'

95°20'

95°15'

95°10'

95°05'

95°00'

94°55'

94°50'

94°45'

94°40'

94°35'

94°30'

94°25'

94°20'

94°15'

94°10'

94°05'

94°00'

93°55'

93°50'

93°45'

93°40'

93°35'

93°30'

93°25'

93°20'

93°15'

93°10'

93°05'

93°00'

92°55'

92°50'

92°45'

92°40'

92°35'

92°30'

92°25'

92°20'

92°15'

92°10'

92°05'

92°00'

91°55'

91°50'

91°45'

91°40'

91°35'

91°30'

91°25'

91°20'

91°15'

91°10'

91°05'

91°00'

90°55'

90°50'

90°45'

90°40'

90°35'

90°30'

90°25'

90°20'

90°15'

90°10'

90°05'

90°00'

89°55'

89°50'

89°45'

89°40'

89°35'

89°30'

89°25'

89°20'

89°15'

89°10'

89°05'

89°00'

88°55'

88°50'

88°45'

88°40'

88°35'

88°30'

88°25'

88°20'

88°15'

88°10'

88°05'

88°00'

87°55'

87°50'

87°45'

87°40'

87°35'

87°30'

87°25'

87°20'

87°15'

87°10'

87°05'

87°00'

86°55'

86°50'

86°45'

86°40'

86°35'

86°30'

86°25'

86°20'

86°15'

86°10'

86°05'

86°00'

85°55'

85°50'

85°45'

85°40'

85°35'

85°30'

85°25'

85°20'

85°15'

85°10'

85°05'

85°00'

84°55'

84°50'

84°45'

84°40'

84°35'

84°30'

84°25'

84°20'

84°15'

84°10'

84°05'

84°00'

83°55'

83°50'

83°45'

83°40'

83°35'

83°30'

83°25'

83°20'

83°15'

83°10'

83°05'

83°00'

82°55'

82°50'

82°45'

82°40'

82°35'

82°30'

82°25'

82°20'

82°15'

82°10'

82°05'

82°00'

81°55'

81°50'

81°45'

81°40'

81°35'

81°30'

81°25'

81°20'

81°15'

81°10'

81°05'

81°00'

80°55'

80°50'

80°45'

80°40'

80°35'

80°30'

80°25'

80°20'

80°15'

80°10'

80°05'

80°00'

79°55'

79°50'

79°45'

79°40'

79°35'

79°30'

79°25'

79°20'

79°15'

79°10'

79°05'

79°00'

78°55'

78°50'

78°45'

78°40'

78°35'

78°30'

78°25'

78°20'

78°15'

78°10'

78°05'

78°00'

77°55'

77°50'

77°45'

77°40'

77°35'

77°30'

77°25'

77°20'

77°15'

77°10'

77°05'

77°00'

76°55'

76°50'

76°45'

76°40'

76°35'

76°30'

76°25'

76°20'

76°15'

76°10'

76°05'

76°00'

75°55'

75°50'

75°45'

75°40'

75°35'

75°30'

75°25'

75°20'

75°15'

75°10'

75°05'

75°00'

74°55'

74°50'

74°45'

74°40'

74°35'

74°30'

74°25'

74°20'

74°15'

74°10'

74°05'

74°00'

73°55'

73°50'

73°45'

73°40'

73°35'

73°30'

73°25'

73°20'

73°15'

73°10'

73°05'

73°00'

72°55'

72°50'

72°45'

72°40'

72°35'

72°30'

72°25'

72°20'

72°15'

72°10'

72°05'

72°00'

71°55'

71°50'

71°45'

71°40'

71°35'

71°30'

71°25'

71°20'

71°15'

71°10'

71°05'

71°00'