

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Ray Parks ADDRESS 3000 South St. #813 Lufkin TX 75901
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Sunset Lake Huntsville TX 77340 GRID # 60-20-8
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 6-7 20 00
6-9 20 00

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	222

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	11	Sa.
11	22	R.cl.
22	42	Wh. & r.cl.
42	62	Wh.cl.
62	71	Sa.
71	102	Wh. & br.cl.
102	122	Br.cl.
122	140	Wh.cl.
140	222	Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	199	
2.5	N	PVC Screen	207	217	#10

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 170 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft to 15 ft. No. of sacks used 2
49 ft to 199 ft. No. of sacks used 7
Method used Pressure
Cemented by HWW
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 82
Was a chemical analysis made? Yes No

11) WATER LEVEL
Static Level 116 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

12) PACKERS:
Type Depth
2 - 2.5" Rubber packers RxR 196' & 197'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells, Inc.
(Type or print)

WELL DRILLER'S LICENSE NO. 2221W

ADDRESS 2928 SH 19
(Street or RFD)

Huntsville TX 77320
(City) (State) (Zip)

(Signed) Henry Lee
(Licensed Well Driller)

(Signed) _____
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER **Bob Flack** ADDRESS **1229 Dogwood Dr. Benbrook Tx 76126**
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County **Walker** **4 M.on Hwy 1374** **Huntsville TX 77340** Long. Lat. GRID # **60 20 8**
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started **3-1** 19 **99** **3-3** 19 **99**
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6.75 Surface **213**
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	12	Mily.cl.
12	22	Wh.cl.
22	36	Sa.
36	47	Wh.cl.
47	82	Br.Cl.
82	122	Br. & wh.cl.
122	126	Br.cl.
126	136	Wh.cl.
136	142	Br.cl.
142	149	Coarse sa.
149	150	Rock
150	156	cl.
156	182	Sa.st.
182	199	cl. 199 213 Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casino	-1.5	199	
2	N	PVC Screen	203	213	#10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from **-1.5** ft. to **15** ft. No. of sacks used **2**
49 ft. to **199** ft. No. of sacks used **7**
Method used **Pressure**
Cemented by **H.Lee**
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., **180** ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS: Type Test: Pump Bailor Jetted Estimated
Yield: **20** gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL: Static Level **88** ft. below land surface Date _____
Artesian flow _____ Date _____

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? **Good** Depth of strata **14**
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth	SEQ #
2 - 2" Rubber Packers	RxR	192 & 193

EMP # _____ Date **MAY 10 1999**


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME **Holly Water Wells**
(Type or print)

WELL DRILLER'S LICENSE NO. **2221W**

ADDRESS **2928 SH 19**
(Street or RFD)

Huntsville TX 77340
(City) (State) (Zip)

(Signed)  (Licensed Well Driller)

(Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Joe & Helen Parks ADDRESS PO Box 540144 Houston TX 77254-0149
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County WALKER 123 SUNSET LK. HUNTSVILLE, TEXAS 77320 GRID # 60-20-8
(Street, RFD or other) (City) (State) (Zip) Long. Lat.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

5)

6) WELL LOG:
 Date Drilling:
 Started 1-3 20 00
1-5 20 00

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	206

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

From (ft.)	To (ft.)	Description and color of formation material
0	1	Top bit soil
1	21	Br. & wh.cl.
21	38	Wh.cl.
38	41	Sa.st.
41	44	Sa.
44	81	Br.cl.
81	101	Wh. & br.cl.
101	121	Wh.cl & sa.st.
121	141	Sa. & grav. St.
141	161	Br.cl.
161	181	Cl. & r.st.
181	191	Cl.
191	203	Sand
203	206	

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	191	
2	N	PVC Screen	192	202	#10

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from -1.5 ft to 15 ft No. of sacks used 2
41 ft to 191 ft No. of sacks used 7
 Method used Pressure
 Cemented by H. Lee

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other
 Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:
 Type Test: Pump Bailor Jetted Estimated
 Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Good Depth of strata 12
 Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
 Static Level 85 ft. below land surface Date _____
 Artesian flow _____ gpm Date _____

12) PACKERS:
 Type Depth
2 - 2" Rubber Packers RxR 183' & 184'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print)
 WELL DRILLER'S LICENSE NO. 2221W

ADDRESS 2928 Sh 19 (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

(Signed) Henry Lee (Licensed Well Driller) (Signed) _____

ENR Registered Driller Trainee
 JAN 31 2000
 DESC CO

COMMENT

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Kelvin Steely ADDRESS 4249 Fm 1374 Huntsville Tx 77246
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 4249 Fm 1374 Huntsville Tx 77246 GRID # 60-20-8
1374 (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 10-3-1997
Completed 10-5-1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	135'
3 7/8"	135'	157'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
		0-50 clay
		50-58 Sand
		58-60 clay
		60-64 Sand
		64-103 clay
		103-120 clay
		120-157 Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	135	+40
2	N	PVC Blank	127'	137'	+40
2	N	PVC Screen	137	157'	+8

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 135 ft. to 35 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 9
Method used Pressure
Cemented by Richard Tucker
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Lines or Tanks

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 128 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 67 ft. below land surface Date 10-5-97
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 37'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 127'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME <u>Grass Water Well</u>	WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>	FILE ID	SEQ #
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)	<u>Trinity</u> (City)	<u>SEP 30 1998</u> (Date)	<u>73862</u> (Zip)
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)	(Signed) <u>Richard Tucker</u> (Registered Driller Trainee)	COMMENT	TEMP

Please attach electric log, chemical analysis, and other pertinent information, if available.

DATE		TIME
04/23/70	6:11 PM	
500		COMMERCIAL

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Greg Wilson ADDRESS RTZ Box 95 Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL: RTZ Box 95 Huntsville Tx 77340 STATE WELL # _____
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: 1/06 1995
Started 11/08 1995
Completed _____ 19____
7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	283

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To	Gage Casting Screen	
0-1		bit						
1-5		br cl						
5-14		w cl						
14-21		sand						
21-41		sand with cl st						
41-54		sand	4	N	PVC	-1.5	268	#40
54-66		w cl	2	N	PVC/ undercut	273	283	#10
66-94		coarse sand						
94-159		br cl						
159-161		sand ?						
161-171		br cl with sand st						
171-255		bl cl						
255-261		sand						
261-263		cl						
263-283		sand						

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
268 ft. to 168 ft. No. of sacks used 7
Method used pressure
Cemented by R. McPike
Distance to septic system field lines 150+ ft.
Method of verification of above distance tape

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 45 ft. below land surface Date 11/08/95
Artesian flow _____ gpm. Date _____

12) PACKERS:	Type	Depth
lea	R x R 2"	K-packer 261

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well WELL DRILLER'S LICENSE NO. 3114W
(Type or print)
ADDRESS 607 HWY 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Raymond McPike (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

#7 Walker

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board P.O. Box 13087 Austin, Texas 78711

1) OWNER Howard Gay ADDRESS 26623 Hillisde Dr Spring, Tex 77386
2) LOCATION OF WELL: County Walker 5 miles in SW direction from Huntsville

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

SEE ATTACHED MAP 0760-11-5

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, De-Watering
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other

6) WELL LOG: Date Drilling: Started 6-26-90 Completed 6-27-90
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Setting (ft.), Gage Casting Screen

RECEIVED AUG 29 1990 TEXAS WATER COMMISSION

CEMENTING DATA [Rule 287.44(1)] Cemented from 200 ft. to 100 ft. No. of Sacks Used 7 Method used Pressure Cemented by Henry Lee

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS: Type Test: Pump, Baller, Jetted, Estimated Yield: 25 gpm with ft. drawdown after hrs.

15) WATER QUALITY: Did the drilling penetrate any strata which contained undesirable constituents? Type of water? good Depth of strata 27 ft

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used


11) WATER LEVEL: Static level 90 ft. below land surface Date 6-27-90 Artesian flow gpm. Date

12) PACKERS: Rubber 187

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026 ADDRESS 607 Hwy 19 Huntsville, Texas 77360

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 60-20-8 Located on map



1:25,000
Scale
1:50,000
Scale
1:100,000
Scale
1:200,000
Scale
1:500,000
Scale
1:1,000,000
Scale
1:2,000,000
Scale
1:5,000,000
Scale
1:10,000,000
Scale
1:20,000,000
Scale
1:50,000,000
Scale
1:100,000,000
Scale
1:200,000,000
Scale
1:500,000,000
Scale
1:1,000,000,000
Scale

#2 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER John Smither (Name) Address (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 4.5 miles in SW direction from Huntsville, (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. on 60-19-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 5-20-1988 Completed 5-21-1988

Table with columns: DIAMETER OF HOLE (Dia. in., From ft., To ft.) and rows for different depths (0-19, 19-59, etc.)

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with columns: From (ft.), To (ft.), Description and color of formation material

Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 157 ft. to 57 ft. No. of Sacks Used 6

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 5-23-88 ft. below land surface Date 5-23-88

RECEIVED JUL 25 1988

12) PACKERS: Type Rubber Depth 130

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-8 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**





The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



- 1. ...
- 2. ...
- 3. ...
- 4. ...
- 5. ...
- 6. ...
- 7. ...
- 8. ...
- 9. ...
- 10. ...
- 11. ...
- 12. ...
- 13. ...
- 14. ...
- 15. ...
- 16. ...
- 17. ...
- 18. ...
- 19. ...
- 20. ...
- 21. ...
- 22. ...
- 23. ...
- 24. ...
- 25. ...
- 26. ...
- 27. ...
- 28. ...
- 29. ...
- 30. ...
- 31. ...
- 32. ...
- 33. ...
- 34. ...
- 35. ...
- 36. ...
- 37. ...
- 38. ...
- 39. ...
- 40. ...
- 41. ...
- 42. ...
- 43. ...
- 44. ...
- 45. ...
- 46. ...
- 47. ...
- 48. ...
- 49. ...
- 50. ...
- 51. ...
- 52. ...
- 53. ...
- 54. ...
- 55. ...
- 56. ...
- 57. ...
- 58. ...
- 59. ...
- 60. ...
- 61. ...
- 62. ...
- 63. ...
- 64. ...
- 65. ...
- 66. ...
- 67. ...
- 68. ...
- 69. ...
- 70. ...
- 71. ...
- 72. ...
- 73. ...
- 74. ...
- 75. ...
- 76. ...
- 77. ...
- 78. ...
- 79. ...
- 80. ...
- 81. ...
- 82. ...
- 83. ...
- 84. ...
- 85. ...
- 86. ...
- 87. ...
- 88. ...
- 89. ...
- 90. ...
- 91. ...
- 92. ...
- 93. ...
- 94. ...
- 95. ...
- 96. ...
- 97. ...
- 98. ...
- 99. ...
- 100. ...



Copyright © 1964 by the U.S. Army Corps of Engineers, Houston, Texas

STATE AND TRAIL
 U.S. DEPT. OF THE ARMY
 GENERAL WALL

W. 1270 #4
 2 m: SINK
 8. E1WK

Please use black ink.
 Send original copy by
 certified mail to the
 Texas Water Commission
 P.O. Box 13087
 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
 P. O. Box 13087
 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Marshall Wiley Address 113 Sunset Lake Huntsville, TX 77340
 (Name) (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: County Walker miles in SSW direction from Huntsville
 (N.E., S.W., etc.) (Town)

Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. ON 60-12-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 01/26/87 Completed 01/27 19 87
 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	DIAMETER OF HOLE			8) CASING, BLANK PIPE, AND WELL SCREEN DATA:						
			Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	
0-2		Top soil										
2-18		Sandy brown clay	6 1/2	Surface	180							
18-23		Sand				4	N	Plastic	-1 1/2	170		40
23-30		White clay										
30-90		Brown clay	2 1/2				N	PVC Undercut	170	180		#10
90-128		Sand										
128-130		Brown clay										
130-140		Sand										
140-160		Sand and gravel										
160-167		Sand & rock streaks										
167-170		Sand										
170-180		Sand and rock streaks										

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 170 ft. to 70 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 2
 Method used Pressure
 Cemented by Holly Water Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 70 ft. below land surface Date 01/27/87
 Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Lead 164

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type Test: Pump Bailor Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
 FEB 17 1987

TEXAS WATER COMMISSION

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Good Depth of strata _____
 Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)
 ADDRESS Route 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)
 (Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-8 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#6 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER N.V. DAVIDSON Address #121 SUNSET DR. Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 4 miles in SW direction from HUNTSVILLE

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 0760-11-8

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other

6) WELL LOG: Date Drilling: Started 07/27/87 19 Completed 07/27/87 19
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 175 ft. to 75 ft. No. of Sacks Used 7
Method used PRESSURE
Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 70 ft. below land surface Date 7-28-87
Artesian flow gpm. Date

12) PACKERS: Type RUBBER Depth 170

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026/2221
ADDRESS 607 HWY 19 HUNTSVILLE TEXAS 77340
(Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-8 Located on map

Handwritten notes: 60-20-8, 1987, 5/20

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

CONFIDENTIAL

25

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER W.W. McMillian Address 5306 Rapido Houston, Tx. 77033
2) LOCATION OF WELL: County Walker 6 miles in West I-45 direction from on FM 1347 New Waverly, Texas

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-22-85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
8 3/4 Surface 200
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 7 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include clay, sandy clay, sand, rock, gray clay, sand, clay, sand, clay, sand, clay, sand, clay, sand, clay.

RECEIVED SEP - 3 1985

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? Yes No

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from ft. to ft.
Method used
Cemented by No Cement

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 50 ft. below land surface Date 4/25/85
Artesian flow gpm. Date

12) PACKERS: Type Depth
1 Rubber 100'

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 168' ft.

14) WELL TESTS:
Type Test: Pump, Bailer, Jetted, Estimated
Yield: 220 gpm with 12 ft. drawdown after 2 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Raymond WATER WELLS Water Well Driller's License No. 774
ADDRESS 10011 Airline Drive Houston, Texas 77037
(Signed) Raymond Go (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-8F Located on map. Yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Casing, Blank Pipe, & Well screen Data:

6"	N	SCH 40 Screen	150	160	14 ga.
6"	N	SCH 40 Liner	160	164	40
6"	N	SCH 40 Screen	160	179	14
6"	N	SCH 40 Liner	179	185	40
6"	N	SCH 40 Screen	185	195	12
6"	N	SCH 40 Liner	195	200	40

#17 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Homer E Powell (Name) Address 1513 New Orleans, Deer Park, TX 77536 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 4 miles in SW direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. map on 60-20-2P

3) TYPE OF WORK (Check):
[X] New Well [] Deepening [] Reconditioning [] Plugging
4) PROPOSED USE (Check):
[X] Domestic [] Industrial [] Public Supply [] Irrigation [] Test Well [] Other
5) DRILLING METHOD (Check):
[X] Mud Rotary [] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other

6) WELL LOG: Date drilled 8/24/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 127
7) BOREHOLE COMPLETION:
[] Open Hole [X] Straight Wall [] Underreamed
[] Gravel Packed [] Other
If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen.
Rows include: 0-2 Top soil, 2-22 White clay, 22-37 Sand, 37-42 White clay, 42-102 Meally clay, 102-127 Sand.

CEMENTING DATA
Cemented from 113 ft. to 13 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level ... ft. below land surface Date ...
Artesian flow ... gpm. Date ...

10) PACKERS: Type Depth
Lead L 110

RECEIVED OCT 15 1984

DEPT. OF WATER RESOURCES (Use reverse side if necessary)

11) TYPE PUMP:
[] Turbine [] Jet [X] Submersible [] Cylinder
[] Other
Depth to pump bowls, cylinder, jet, etc., ... ft.
12) WELL TESTS:
[] Type Test: [] Pump [] Bailer [X] Jetted [X] Estimated
Yield: ... gpm with ... ft. drawdown after ... hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only Well No. 60-20-8E Located on map yes c.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#1, WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER L.J. Forney Address 143 Sunset Lake Huntsville, TX 77340
2) LOCATION OF WELL: Walker County 5 miles in S SW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. map on 60-12-1F

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 2/13/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 131
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Brown clay, Sand, Brown clay, Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA
Cemented from 119 ft. to 19 ft.
Method used Pressure
Cemented by Henry Lee

9) WATER LEVEL: Static level ft. below land surface Date
Artesian flow gpm. Date

10) PACKERS: Type Depth
Rubber R 103

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.
13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 21 Ft
Was a chemical analysis made? Yes No

RECEIVED APR 11 1984 DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-8D Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-20-8C
Located on map yes
Received: 7/21
alt

1) OWNER:
Person having well drilled OBie Teamer (Name) Address FM 1374 Huntsville Tex (Street or RFD) (City) (State)
Landowner OBIE Teamer (Name) Address FM 1374 Huntsville Tex (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 3 miles in SW direction from Huntsville (N.E., S.W., etc.) (Town)



OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 309 ft. Depth of completed well 309 ft. Date drilled 11-28-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	1	top soil
1	98	red SAND
98	105	clay
105	115	SAND
115	187	CLAY + shale
187	198	SAND
198	289	grey CLAY
289	309	SAND

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) Setting From (ft.) To (ft.) Gage
4" 0 190 Sch 40 012
2 1/2" 190 309 Sch 40 012

10) SCREEN:
Type # 2 1/2 sch 40 plastic 012gn
Perforated Slotted
Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 1/2" 289 309 012gn

7) COMPLETION (Check):
Straight walls Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes If yes, by whom? _____
Yield: 10 gpm with 14 ft. drawdown after 2 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 87 ft. below land surface Date 12-13-75
Artesian pressure 25 lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 180 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes
Did any strata contain undesirable water? Yes No _____
Type of water? Hard depth of strata 20

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME AAA Water Wells (Type or Print) Water Well Drillers Registration No. 1332
ADDRESS Box 576 New Waverly Tex (Street or RFD) (City) (State)
(Signed) W.A. Walker (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 8 1976
Central Records
Texas Water Development Board

RECEIVED
JAN - 6 1976
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-20-8B
Located on map yes
Received: 74
dlr

1) OWNER:
Person having well drilled Woodrow Wilson Address Huntsville Texas
(Name) (Street or RFD) (City) (State)
Landowner Woodrow Wilson Address Huntsville Texas
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker 4 miles in SN direction from Huntsville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



OR Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 242 ft. Depth of completed well 242 ft. Date drilled 8-30-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	top soil
4	24	clay
24	28	SAND
28	212	shale
212	242	SAND

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	232	sch 40

(Use reverse side if necessary)

10) SCREEN:
Type _____
Perforated Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	232	242	12ga

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 80 ft. below land surface Date 8-30-73
Artesian pressure _____ lbs. per square inch Date 8-30-73
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface. Set 12 gal per min

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Paul Sargent Water Well Drillers Registration No. 1448
(Type or print)
ADDRESS P.O. 467 New Waverly Texas
(Street or RFD) (City) (State)
(Signed) Paul Sargent A.A.A. Water Wells Inc.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

JAN 24 1974

RECEIVED

RECEIVED

APR 11 1974

Central Records
Texas Water Development Board

48 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Oma Burnett Address 109 Sunset Lake Dr. Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 5 miles in S SW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
See attached map. Mapon 60-12-1F

3) TYPE OF WORK (Check): New Well
4) PROPOSED USE (Check): Domestic
5) DRILLING METHOD (Check): Mud Rotary

6) WELL LOG: Date drilled 2/6/84
7) BOREHOLE COMPLETION: Straight Wall

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA.

CEMENTING DATA: Cemented from 120 ft. to 20 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level 64 ft. below land surface

10) PACKERS: Rubber R 116

11) TYPE PUMP: Submersible
Depth to pump bowls, cylinder, jet, etc., 100 ft.

12) WELL TESTS: Yield: 30 gpm with 36 Ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 60-20-88 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WATER WELL DRILLERS BOARD
DEPARTMENT OF WATER RESOURCES
AUSTIN, TEXAS

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 22-2
Located on map _____
Received: _____
Form GW 8 _____
Form GW 9 _____

1) OWNER:
Person having well drilled E.F. HORN (Name) Address 1106 WYNNWOOD HOUSTON TEXAS (Street or RFD) (City) (State)
Landowner SAME (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER Labor _____ League _____ Abstract No. _____
NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section _____ Block No. _____ Survey _____
(Circle as many as are known)

miles in 12 MI W direction from NEW WAYERLY (Town)
(NE, SW, etc.)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging
4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other
5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 1/2 in. Depth drilled 199 ft. Depth of completed well 199 ft. Date drilled 7-1-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	1	TOP SOIL	177	181	SAND
1	60	CLAY	181	183	CLAY
60	76	FINE SAND	183	199	BLUE SAND
76	104	SAND + CLAY			
104	118	SAND			
118	153	ROCK + CLAY			
153	164	SAND - ROCK + CLAY			
164	177	CLAY			

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open hole
8) WATER LEVEL:
Static level 80 ft. below land surface Date 7-1-70
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.
10) SCREEN:
Type STAINLESS STEEL
Perforated Slotted

Diameter (inches)	Setting		Gage	Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)			From (ft.)	To (ft.)	
<u>2 1/2</u>	<u>0</u>	<u>189</u>	<u>SEN 40</u>	<u>2 1/2</u>	<u>189</u>	<u>199</u>	<u>0 14</u>

11) WELL TESTS:
Was a pump test made? Yes No If yes by whom? _____
Yield: 20 gpm with AIR ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

12) PUMP DATA:
Manufacturer's Name STA RITE
Type 2 STAGE JET H.P. 1
Designed pumping rate _____ gpm 350 gph
Type power unit ELECTRIC
Depth to bowls, cylinder, jet, etc., 105' ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G MCKAY (Type or Print) Water Well Drillers Registration No. 688
Address BOX 523 WILLIS TEXAS (Street or RFD) (City) (State)
(Signed) Donald G McKay (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TEXAS WATER
DEVELOPMENT BOARD

AUG 31 1970

RECEIVED

OCT 30 1970
C. H. ...
...

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Kelvin Steeley (Name) ADDRESS RT 8 Box 350 Hunterville TX 77340 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker FM 1374 (Street or RFD) Huntville Tx 77340 (City) (State) (Zip) GRID # 60208

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 7-31-96
Completed 8-7-96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>225</u>
<u>3 7/8</u>	<u>225</u>	<u>240</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
<u>0-10</u>	<u>10-26</u>	<u>Sand</u>						
<u>10-26</u>	<u>26-46</u>	<u>clay</u>						
<u>26-46</u>	<u>46-61</u>	<u>Sand</u>						
<u>46-61</u>	<u>61-68</u>	<u>clay</u>						
<u>61-68</u>	<u>68-80</u>	<u>clay</u>						
<u>68-80</u>	<u>80-145</u>	<u>Sand</u>	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>225</u>	<u>240</u>
<u>80-145</u>	<u>145-150</u>	<u>clay</u>	<u>2</u>	<u>N</u>	<u>PVC 8.6 galv.</u>	<u>207</u>	<u>228</u>	<u>240</u>
<u>150-166</u>	<u>166-176</u>	<u>Sand</u>	<u>2</u>	<u>N</u>	<u>S.S. Screen</u>	<u>228</u>	<u>248</u>	<u>10</u>
<u>166-176</u>	<u>176-225</u>	<u>clay</u>						
<u>176-225</u>	<u>225-241</u>	<u>Sand</u>						
<u>225-241</u>	<u>241-248</u>	<u>Sand</u>						

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 100 ft. to 125 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 9
Method used Pressure
Cemented by Richard Thayer
Distance to septic system field lines N/A ft.
Method of verification of above distance No Tanks or Lines

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 120 ft. below land surface Date 8-7-96
Artesian flow _____

12) PACKERS: Rubber Type K Depth 207'

DATE	SEQ #
<u>SEP 05 1997</u>	

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 20116PK

ADDRESS PO BOX 1788 Trinity TX 75862 (Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Thayer (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

#12 WPKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER BOB TAYLOR Address 111 SUNSET LAKE DR. HUNTSVILLE, TX. 77340

2) LOCATION OF WELL: County WPKER 4 1/2 miles in SSW direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 60-13-2

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 10/15/87 Completed 10/16/87 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 181 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 169 ft. to 75 ft. No. of Sacks Used 7 Method used PRESSURE Cemented by HOLLY WATER WELL SERVICE 10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

RECEIVED NOV 18 1987

11) WATER LEVEL: Static level 72 ft. below land surface Date Artesian flow 20 gpm. Date

12) PACKERS: Type Depth K-PACKERS 165

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 165 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" 72 Type of water? GOOD Depth of strata Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026/2221

ADDRESS 607 HWY. 19 HUNTSVILLE, TX. 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-8 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Cindy Blaylock ADDRESS PO BOX 1122 Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Sunset Lake Huntsville TX 77340 Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) GRID # 60-20-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 5-24 19 99 6-2 19 99
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material	DIAMETER OF HOLE		SETTING (ft.)		Gage Casting Screen
			Dia. (in.)	From (ft.)	From	To	
0	2	Top bit soil	6.75	Surface	430		
2	12	Wh.cl.					
12	22	Br.cl.					
22	32	Wh.cl.					
32	38	Sa.					
38	42	Wh.cl.					
42	62	Br. & wh.cl.					
62	82	Br.cl.					
82	108	Br.cl. & wh.cl.					
108	109	Rock					
109	122	Br. & wh.cl.					
122	127	Br.cl.					
127	142	Coarse sa.					
142	162	Sa.st.					
162	171	Sa.					

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
267 ft. to 417 ft. No. of sacks used 7
Method used By pressure
Cemented by H. Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
Static Level 103 ft. below land surface Date _____
Artesian flow _____ gpm Date _____
12) PACKERS: Type _____ Depth _____
2 - 2.5" rubber packers RxR 397' & 398'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W SEQ # _____
(Type or print) FILE # _____
ADDRESS 2928 SH 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Henry Lee (Signed) _____
(Censed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

