

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name SHSU- Biological Sciences	Address Box 2116	City Huntsville	State TX	Zip 77341
--	----------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker	Physical Address Fish Hatchery Rd	City Huntsville	State TX	Zip 77320
-------------------------	---	---------------------------	--------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

Lat. _____ **Long.** _____ **Grid #** 60-21-1

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____ **NT**

6) Drilling Date

Started 08/06/01

Completed 08/08/01

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	205

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	9	Sd.
9	14	Wh.cl.
14	21	Cleiche
21	41	Wh.cl.
41	61	Wh.cl. w/ sd.st.
61	76	Sd.
76	81	Wh.cl.
81	101	Cleiche
101	141	Wh.cl.
141	151	Sd.st.
151	174	Wh.cl.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	185	
2.5	N	Undercut screen	185	205	#10

13) Plugged Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

9) Cementing Data
Cementing from -1.5 ft. to 185 ft. # of sacks used 18
_____ ft. to _____ ft. # of sacks used _____
Method Used Pressure
Cementing By R. McPike
Distance to septic system field or other concentrated-contamination _____ ft.
Method of verification of above distance _____

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) Surface Completion EMP # _____
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used
Date: SEP 05 2001
COMMENT: _____ AG

15) Water Test

Type test Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

11) Water Level
Static level 40 ft. below Date / /
Artesian Flow _____ gpm. Date / /

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 24
Was a chemical analysis made? Yes No

12) Packers	Type	Depth
<u>2 - 2.5" K Packers</u>	<u>RxR</u>	<u>180-181'</u>

Company or Individual's Name (type or print) Holly Water Wells, Inc. Lic. No. 3114W

Address 2928 State Highway 19 City Huntsville State TX Zip 77320

Signature <u>Raymond McPike</u>	Date <u>/ /</u>	Signature _____	Date <u>/ /</u>
Licensed Driller/Pump Installer		Apprentice	



#7

STATE TEXAS WATER WELL REPORT

1) OWNER: RUBY WOOD ADDRESS: RT 5 BOX 362 CITY: HUNTSVILLE STATE: TX ZIP: 77340

2) LOCATION OF WELL: County: WALKER 1 miles in NE direction from HUNTSVILLE

LEGAL DESCRIPTION SEE ATTACHED MAP

0760-045

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01109 DIAMETER OF HOLE 7) BOREHOLE METHOD:
DIAMETER FROM TO OPEN HOLE
6.5 0 517 IF GRAVEL... FROM FT. TO FT.
DATE DRILLED: 10/15/90 FROM FT. TO FT.

GEOLOGICAL DESCRIPTION: 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
FROM TO DESCRIPTION DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN
0 4 TOP SOIL 4 N PVC -1.5 488 40
4 100 SAND & CLAY 2.5 N STAINLESS STEEL 514 504 8
100 270 BLUE CLAY
270 379 MEALY CLAY
379 392 BROWN CLAY
392 488 MEALY CLAY
488 501 FINE SAND
501 507 BLUE CLAY
507 517 SAND

9) CEMENTING DATA:
Cemented from 488 FT. TO 388 FT.
15 FT. TO 0 FT.
Method used: PRESSURE
Cemented by: HENRY LEE

10) SURFACE COMPLETION:
PITLESS ADAPTER USED

11) WATER LEVEL:
STATIC LEVEL : 120 FT. DATE: 10/18/90
ARTESIAN FLOW: GPM. DATE:

RECEIVED
NOV 15 1990

12) PACKERS: TYPE DEPTH
B-P SEAL 480
TEXAS WATER COMMISSION

13) TYPE PUMP: SUBMERSIBLE DEPTH TO PUMP: 420
14) WELL TEST: ESTIMATED YIELD: GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: GOOD DEPTH OF STRATA: 8 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: HOLLY WATER WELLS WATER WELL DRILLER'S LICENSE NO.: 2026 FOR TDWR USE ONLY
ADDRESS: 607 HWY 19 CITY: HUNTSVILLE STATE: TX ZIP CODE: 77340 WELL NO. 60-21-1
LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) [Signature] (signed) [Signature]
(LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

RECEIVED

JUN 26 91

TWC
CENTRAL RECORDS

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Jack Townsend ADDRESS 3535 Berry Rd Houston, TX 77093
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 2 miles in E direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP on 60-14-4

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:
Started 12-7 19 89
Completed 12-9 19 89

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	322

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-13		brown caly
13-18		white clay
18-24		sand
24-35		white & Brown clay
35-52		sand
52-64		brown clay
64-84		sand streaks
84-126		sand streaks
126-128		clay
128-146		sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	292	40
4	N	PVC UC	322	292	#10

RECEIVED
APR 4 1990

TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 292 ft. to 192 ft. No. of Sacks Used 7
0 ft. to 10 ft. No. of Sacks Used 2
Method used Henry Lee
Cemented by Pressure

13) TYPE PUMP:

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 273 ft.

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:

Type Test: Pump Baller Jetted Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:

Static level 165 ft. below land surface Date 12-9-89
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 55 ft.
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth
Rubber	281

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells
(Type or print)

WELL DRILLER'S LICENSE NO. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature]
(Licensed Well Driller)

(Signed) _____
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-21-1 Located on map _____

#1 Walker

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Davy Crockett Federal Savings Address 700 E. Houston, Texas 75835
2) LOCATION OF WELL: county Walker 3 miles in NE direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 8-4 19 88 Completed 8-5 19 88
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6.5 Surface 250
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-4 top soil, 4-24 brown clay, 24-42 white clay, 42-53 sandy streaks, 53-74 white clay, 74-84 meally clay, 84-113 sand, 113-164 blue clay, 164-238 meally clay, 238-250 sand.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 238 ft. to 138 ft. No. of Sacks Used 6 0 ft. to 15 ft. No. of Sacks Used 2 Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

RECEIVED OCT 18 1988

11) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

12) PACKERS: Type Depth Lead L 235

TEXAS WATER COMMISSION

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 12 ft Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026 ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-21-1 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:




"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.




LEGEND

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	LAKE
	RIVER
	STREAM
	CANAL
	PIPELINE
	POWER LINE
	TELEPHONE LINE
	GAS LINE
	SEWER LINE
	WATER MAIN
	FIRE HYDRANT
	WELL
	BUILDING
	TOWER
	MONUMENT
	BOUNDARY
	SECTION
	TOWNSHIP
	RANGE
	MERIDIAN
	PARALLEL
	CONTOUR
	SPOT ELEVATION
	BENCH MARK
	ELEVATION
	ELEVATION RANGE
	ELEVATION INTERVAL
	ELEVATION CONTOUR INTERVAL
	ELEVATION CONTOUR INTERVAL RANGE
	ELEVATION CONTOUR INTERVAL RANGE INTERVAL
	ELEVATION CONTOUR INTERVAL RANGE INTERVAL RANGE
	ELEVATION CONTOUR INTERVAL RANGE INTERVAL RANGE INTERVAL
	ELEVATION CONTOUR INTERVAL RANGE INTERVAL RANGE INTERVAL RANGE INTERVAL



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



1970 CENSUS FIGURES
HIGHWAYS REVISED TO MARCH 1, 1978
NATIONAL PROJECTION NORTH AMERICAN DATUM
Copyright © 1978 by U.S. Department of Transportation, Federal Highway Administration
Houston, Texas 77001, Texas 77001, Texas 77001

#2 Walker

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jack Townsend (Name) Address 3535 Berry Rd. Houston, TX 77093 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 2 miles in E direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 0160-10-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 4-27-1989 Completed 5-1-1989 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 602 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Includes rows for soil/clay/sand layers and casing data.

RECEIVED

MAY 22 1989

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 19 ft. Was a chemical analysis made? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026 (Type or Print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-21-1 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

455-534 meally clay
534-554 sand
554-580 blue clay
580-599 sand Well here
599-602 clay

Σ "6 Walker

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Tony Gonzales (Name) Address Rt 6 Box 386-D Huntsville, TX 77340
(Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 3 miles in E direction from Huntsville
(N.E., S.W., etc.) (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 0760-21-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____ Driven

6) WELL LOG:
Date Drilling:
Started 7-17 19 89
Completed 7-18 19 89
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6.5 Surface 160
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
		<u>0-2 top soil</u>					
		<u>2-7 brown clay</u>					
		<u>7-32 sand</u>	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>-1.5</u> <u>147</u>	<u>40</u>
		<u>32-36 white clay</u>					
		<u>36-52 sand</u>					
		<u>52-82 white clay</u>					
		<u>82-122 brown clay</u>					
		<u>122-131 blue clay</u>					
		<u>131-132 rock</u>					
		<u>132-133 blue clay</u>					
		<u>133-160 sand</u>					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 147 ft. to 47 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Raymond McPike

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
AUG 21 1989

TEXAS WATER COMMISSION

11) WATER LEVEL:
Static level 345 ft. below land surface Date 7-18-89
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type Rubber Depth 142

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 27 ft.
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TWC use only
Well No. 60-21-5
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#29 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Don Fowler (Name) Address 2305 Badger Lane (Street or RFD) Huntsville TX 77340 (City) (State) (Zip)

2) LOCATION OF WELL: County _____ miles in _____ (N.E., S.W., etc.) direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____ Distance and direction from two intersecting section or survey lines _____

See attached map. map on 60-03-84

3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Public Supply [] Irrigation [] Test Well [] Other [] 5) DRILLING METHOD (Check): Mud Rotary [X] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other []

6) WELL LOG: Date drilled 10/7/83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 167 7) BOREHOLE COMPLETION: Open Hole [] Straight Wall [X] Underreamed [] Gravel Packed [] Other [] If Gravel Packed give interval . . . from _____ ft. to _____ ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include: 0-2 Top soil, 2-10 Brown clay, 10-42 Sand, 42-52 Sand streaks, 52-62 Sand, 62-77 Sand streaks, 77-82 Brown clay, 82-136 Meally clay, 136-142 Sand, 142-162 Sand & Gravel, 162-167 Sand.

CEMENTING DATA Cemented from 155 ft. to 55 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level _____ ft. below land surface Date _____ Artesian flow _____ gpm. Date _____

10) PACKERS: Type Rubber Depth 151

RECEIVED

JAN 14 1984

DEPT. OF WATER RESOURCES (Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 5 Ft. Was a chemical analysis made? [] Yes [X] No

11) TYPE PUMP: Turbine [] Jet [] Submersible [X] Cylinder [] Other [] Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: Type Test [] Pump [] Bailer [] Jetted [X] Estimated [X] Yield: 45 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221 ADDRESS P. O. Box 638 (Street or RFD) Riverside (City) TX (State) 77367 (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-21-1K Located on map YPSC.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#7.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-21-1J Located on map YES Received: C.F.S.

1) OWNER Weldon Tyler (Name) Address 2614 Chimney Rock (Street or RFD) Huntsville, TX 77340 (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in NE direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map 60-28-4E

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 11 March 83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 118
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from 90 ft. to 118 ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include gray clay, 14 ga sand, and pvc/manufg. screen.

RECEIVED

MAR 16 1983

DEPT. OF WATER RESOURCES

CEMENTING DATA Cemented from 0 ft. to 10 ft. Method used slurry Cemented by Clearwater Well Service (Company or Individual)

9) WATER LEVEL: Static level 63 ft. below land surface Date 11 March 83 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 102 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 34' Was a chemical analysis made? No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 15 gpm with 10 ft. drawdown after 3 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Eugene M. Poldrack (Type or Print) Water Well Drillers Registration No. 2289

ADDRESS 440 Graham Road, Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) Eugene M. Poldrack (Water Well Driller) CLEARWATER WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
MAR 16 1983

Texas Dept. of Water Resources


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-21.1H
Located on map yes
Received: 77
dl

1) OWNER:
Person having well drilled MR RALPH BUELL Address P.O. Box 100 HUNTSVILLE, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER 4 miles in N direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

(Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 190 ft. Depth of completed well 190 ft. Date drilled 9-29-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	WHITE CLAY
22	42	SAND
42	180	BLUE CLAY
180	190	SAND

9) Casing:
Type: Old New Steel Plastic Other
Cemented from 180 ft. to 100 ft.
Diameter (inches) 4 Setting From (ft.) 180 To (ft.) 71 Gage SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 180 To (ft.) 190 Slot Size # 10

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 65 ft. below land surface Date 9-29-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E. A. Holly Water Well Drillers Registration No. 801
(Type of Print)
ADDRESS Box 37 RIVERSIDE TEXAS
(Street or RFD) (City) (State)
(Signed) E. A. Holly E. A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 5 1977
DEPT. OF
WATER RESOURCES

RECORDED
FEB 9 1978
Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-21-1B
Located on map yes
Received: 76
alt

1) OWNER:
Person having well drilled MR JACK HUMPHRIES Address 206 PINE VALLEY HUNTSVILLE, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 5 miles in N- direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____
(Handwritten sketch: HY. 19, North ROBERTSON RD, WELL, HUNTSVILLE)

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 435 ft. Depth of completed well 435 ft. Date drilled 5-15-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	55	WHITE CLAY
55	59	ROCK
59	102	WHITE CLAY
102	168	BROWN CLAY
168	265	BLUE CLAY
265	376	BROWN CLAY
376	415	BLUE CLAY
415	435	SAND

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 415 ft. to 350 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 1/2 415 - +1 SC# 40
10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 415 435 # 10

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole
8) WATER LEVEL:
Static level 109 ft. below land surface Date 5-15-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____
12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? GOOD depth of strata 20

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME F.A. Holly Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) F.A. Holly F.A. Holly Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 24 1976
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
JUN 24 1976
Central Records
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-21-1F
Located on map 705
Received: 751

1) OWNER:
Person having well drilled ELLA GORDON Address RT 4 HUNTSVILLE TEX
(Name) (Street or RFD) (City) (State)
Landowner " Address "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 4 miles in E direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 80 ft. Depth of completed well 80 ft. Date drilled JUL 13, 75
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	surface
2	16	red clay
16	18	sandy
18	62	white clay
62	80	sand

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	0	60	540

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
4	60	80	0.16

10) SCREEN:
Type PLASTIC
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

7) COMPLETION (Check):
Straight well Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 58 ft. below land surface Date JULY 5 75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 70 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME THOMAS ANDERS Water Well Drillers Registration No. 1226
(Type or Print)
ADDRESS P.O. Box 7 HUNTSVILLE TEX
(Street or RFD) (City) (State)
(Signed) Thomas Anders THOMAS ANDERS
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JAN 20 1976
Texas Water Development Board

RECEIVED
SEP 17 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-21-1E Located on map 405 Received: 75-405

1) OWNER: Person having well drilled EDD LANGLEY Address RF3 HUNTSVILLE TEX (Name) (Street or RFD) (City) (State) Landowner IL II Address II (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 5 miles in NE direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

OVER

North



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 170 ft. Depth of completed well 170 ft. Date drilled DEC 73 All measurements made from ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-2 surface, 2-145 blue silt, 145-170 sand

9) CASING: Type: Old New Steel Plastic Other Cemented from ft. to ft.

Table with 4 columns: Diameter (inches), Setting From (ft.), Setting To (ft.), Gage. Row: 4, 0, 150, 540

10) SCREEN: Type PLASTIC Perforated Slotted

Table with 4 columns: Diameter (inches), Setting From (ft.), Setting To (ft.), Slot Size. Row: 4, 150, 170, 010

(Use reverse side if necessary)

7) COMPLETION (Check): Straight well Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom?

Yield: gpm with ft. drawdown after hrs.

Bailer test gpm with ft. drawdown after hrs.

Artesian flow gpm

Temperature of water

8) WATER LEVEL: Static level 68 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 ADDRESS PO Box 4 HUNTSVILLE TEX (Street or RFD) (City) (State) (Signed) [Signature] (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
 JUN 12 1975
 Texas Water Development Board

HUNTSVILLE

RECEIVED
 JAN - 9 1975
 TEXAS WATER
 DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-21-10
Located on map 25 Y05
Received: 25 Y05
dlc

1) OWNER:
Person having well drilled CRAIG LONGINO CO Address RT 3 HUNTSVILLE TEX
(Name) (Street or RFD) (City) (State)
Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, _____ miles in NE direction from _____
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
OVER North
↑
(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 190 ft. Depth of completed well 190 ft. Date drilled FEB 73
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-1</u>	<u>1-60</u>	<u>surface</u>
<u>1-60</u>	<u>60-160</u>	<u>soft to clay</u>
<u>60-160</u>	<u>160-190</u>	<u>blue sands</u>
<u>160-190</u>		<u>sand</u>

9) Casing:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 170 S40
10) SCREEN:
Type PLASTIC
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4 170 190 .014

(Use reverse side if necessary)
7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____
8) WATER LEVEL:
Static level 65 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____
12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME T. THOMAS ANDERS Water Well Drillers Registration No. 1226
(Type or Print)
ADDRESS PO Box 4 HUNTSVILLE TEX
(Street or RFD) (City) (State)
(Signed) Thomas Anders (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

JUN 12 1975
Texas Water Development Board
HARRISVILLE

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-21-1C
Located on map 1/25
Received: 75/1/85
dlf

1) OWNER:
Person having well drilled BILLY MILLER (Name) Address RT 3 HUNTSVILLE (Street or RFD) (City) (State)
Landowner " (Name) Address " (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 5 miles in NE direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 Depth drilled 140 ft. Depth of completed well 140 ft. Date drilled NOV 72
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-3		surface
3-11		shaly clay
11-140		sand

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	0	120	340

10) SCREEN:
Type Plastic
Perforated _____ Slotted

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
4	120	140	014

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 60 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS (Type or Print) Water Well Drillers Registration No. 1226
ADDRESS PO Box 4 HUNTSVILLE TEX (Street or RFD) (City) (State)
(Signed) Thomas Anders (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

JUN 12 1975
TEXAS WATER DEVELOPMENT BOARD
[Signature]

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 60-21-1B
Located on map 25405
Received alt

WATER WELL REPORT

1) OWNER:
Person having well drilled GUSSE SCHAULTZ Address HUNTSVILLE TEX
(Name) (Street or RFD) (City) (State)
Landowner " " Address C I
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 5 miles in NE direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

OVER

North



(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening Reconditioning _____ Plugging _____	4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____	5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____
---	---	---

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 120 ft. Depth of completed well 120 ft. Date drilled Nov. 6-72
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-3</u>	<u>3</u>	<u>surface dirt</u>
<u>3-95</u>	<u>95</u>	<u>clay</u>
<u>95-120</u>	<u>120</u>	<u>sand</u>

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
<u>4</u>	<u>0</u>	<u>100</u>	<u>540</u>

10) SCREEN:
Type PLASTIC
Perforated _____ Slotted

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
<u>4</u>	<u>100</u>	<u>120</u>	<u>020</u>

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 40 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226
(Type or Print)
ADDRESS P.O. Box 4 HUNTSVILLE TEX
(Street or RFD) (City) (State)
(Signed) Thomas Anders (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JUN 12 1975
Texas Water Development Board

RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

Dup


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-21-1B Located on map 76 Y 15 Received: 7/6/76

1) OWNER: Person having well drilled RICHARD L. DOBBS Address P.O. Box 1862 HUNTSVILLE, TEXAS Landowner SAME Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 5 miles in N direction from HUNTSVILLE. Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other. 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 183 ft. Depth of completed well 183 ft. Date drilled 2-27-76. All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-100 WHITE CLAY, 100-103 ROCK, 103-122 WHITE CLAY, 122-163 BROWN CLAY, 163-183 SAND.

9) CASING: Type: Old, New, Steel, Plastic, Other. Cemented from 173 ft. to 100 ft. Diameter (inches) 4, Setting From (ft.) 173, To (ft.) 11, Gage SCH 40. 10) SCREEN: Type STAINLESS STEEL. Perforated, Slotted. Diameter (inches) 2 1/2, Setting From (ft.) 173, To (ft.) 183, Slot Size #10.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole.

11) WELL TESTS: Was a pump test made? Yes No. If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm. Temperature of water.

8) WATER LEVEL: Static level 60 ft. below land surface Date 2-27-76. Artesian pressure lbs. per square inch Date. Depth to pump bowls, cylinder, jet, etc., 135 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? GOOD depth of strata 20.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801 ADDRESS P.O. Box 37 RIVERSIDE TEXAS 77367 (Signed) E.A. HOLLY (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
MAR - 4 1976
TEXAS WATER
DEVELOPMENT BOARD

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-21-1B Located on map Yes Received: 25 Yes

1) OWNER: Person having well drilled Leonard J Lund Address Rt. 3 Box 322 Huntsville, Tex Landowner same

2) LOCATION OF WELL: County Walker, 5 miles in N.E. direction from Huntsville

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 215 ft. Depth of completed well 215 ft. Date drilled 5-15-74

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include white clay, sandy white clay, blue clay, hard blue shale, sand.

9) CASING: Type: Old, New, Steel, Plastic, Other. Cemented from 150 ft. to 205 ft. Diameter 4 inches, Setting +1, To 205, Gage sch#40

10) SCREEN: Type stainless steel, Perforated, Slotted. Diameter 2 1/2 inches, Setting 205, To 215, Slot Size #8

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

11) WELL TESTS: Was a pump test made? Yes, No. Yield: gpm with ft. drawdown after hrs.

8) WATER LEVEL: Static level 60 ft. below land surface Date 5-15-74. Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WATER QUALITY: Was a chemical analysis made? Yes, No. Type of water? good, depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 ADDRESS P.O. Box 37 Riverside, Texas 77367 (Signed) Dale Holly E.A. Holly Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
Texas Water Development Board


RECEIVED
JAN 24 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

For TWDB use only
Well No. 60-21-1A
Located on map Y-5
Received: 72
Form GW 8 _____
Form GW 9 _____

1) OWNER:
Person having well drilled MR JOE KING Address HUNTSVILLE TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)
miles in 4 1/2 NE direction from HUNTSVILLE
(NE, SW, etc.) (Town)



3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 160 ft. Depth of completed well 160 ft. Date drilled 8-30-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	5	RED CLAY			
5	52	BROWN SAND			
52	76	WHITE CLAY			
76	79	BROWN SAND			
79	81	BLUE CLAY			
81	134	GRAY SHALE			
134	160	SAND			

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open hole

8) WATER LEVEL:
Static level 82 ft. below land surface Date 8-25-71
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old New Steel Plastic Other
Cemented from 148 ft. to 100 ft.

10) SCREEN:
Type STAINLESS STEEL
Perforated Slotted

Diameter (inches)	Setting		Gage	Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)			From (ft.)	To (ft.)	
4	148	+1	SC# 40	2 1/2	148	160	# 8

11) WELL TESTS:
Was a pump test made? Yes No If yes by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 26 FT

12) PUMP DATA:
Manufacturer's Name RUTH-BERRY
Type SUBMERSIBLE H.P. 1
Designed pumping rate 700 gpm gph
Type power unit ELECTRIC
Depth to bowls, cylinder, jet, etc., 140 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
Address Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E.A. HOLLY F.A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED
DEC 20 1972
General Counsel
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
SEP 7 1972