

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202

Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA

Name G P Hardy	Address 210 Rosenwall Rd	City Huntsville	State TX	Zip 77340
--------------------------	------------------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker	Physical Address 210 Rosenwall Rd	City Huntsville	State TX	Zip 77340
-------------------------	---	---------------------------	--------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

Grid # **60-21-2**

5) **N↑**

6) Drilling Date

Started **11/19/02**

Completed **11/20/02**

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6.75	-1.5	290

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	9	Br.cl.
9	29	Sd.
29	41	W.cl.
41	61	W & br. meally cl
61	81	Br meally cl
81	99	Sdy cl
99	193	Bl.cl.
193	201	Cl w/ sd.st.
201	239	Bl.cl.
239	241	Sd
241	249	Sd.st.

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion

Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____

If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	270	
2.5	N	UC Screen	270	290	#10

9) Cementing Data

Cementing from **-1.5** ft. to **20** ft. # of sacks used **4**
120 ft. to **270** ft. # of sacks used **7**

Method Used **Pressure**

Cementing By **R McPike**

Distance to septic system-field or other concentrated contamination _____ ft.

Method of verification of above distance
RECEIVED
TDLR MAIL ROOM 6H

13) Plugged

Well plugged within 48 hours

Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., **240** ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: **10** gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water **Good** Depth of Strata **20**
Was a chemical analysis made? Yes No

10) Surface Completion

Specified Surface Slab Installed **DEC 18 2002**
 Specified Surface Sleeve Installed
 Pitless Adapter Used RECEIPT # _____ AMOUNT _____
 Approved Alternative Procedure Used

11) Water Level

Static level **196** ft. below Date **/ /**
Artesian Flow _____ gpm. Date **/ /**

12) Packers

Type	Depth
2 - 2.5 K Packers	RxR 264-265

Company or Individual's Name (type or print) **Holly Water Wells, LTD**

Lic. No. **3114W**

Address **2928 State Hwy 19**

City **Huntsville**

State **TX**


Zip **77320**

Signature *Raymond M. ...*
Licensed Driller/Pump Installer

Date **/ /**

Signature _____
Apprentice

Date **/ /**



27° U N
RILES
ROW

S A N J A C I N T O

9

11
12
13
14

15
16
17
18

19
20
21
22

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Alice Harrison ADDRESS Rt 12 Box 255 Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: North of Phelps GRID # 60-21-2
County Walker (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5)

6) WELL LOG:
Date Drilling:
Started 7-21 19 97
Completed 7-22 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	140

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	top bit soil
1	31	br. cl.
31	58	wh. cl.
58	64	sa.
64	81	wh. cl.
81	101	br. & wh. cl.
101	121	sa. st.
121	140	sa.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	139	
2	N	PVC Screen	130	140	#10

R
AUG - 5 1997

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 139 ft. No. of sacks used 7
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by H. Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: customer provided
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 118 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 8 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 85 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 19
Was a chemical analysis made? Yes No

12) PACKERS:
Type Depth
2 Rubber packers RxR 114

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Henny Lee (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

**State of Texas
WELL REPORT**

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Langston Kochl (Name) ADDRESS PO Box 1125 New Waverly TX. 77358
(Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Kyle Dodge Tx GRID # 60-21-2
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 0

6) WELL LOG: Date Drilling: Started 1-8 1996 Completed 1-9 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>108</u>
<u>3 7/8</u>	<u>108</u>	<u>127</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-21</u>		<u>clay</u>
<u>21-40</u>		<u>clay</u>
<u>40-61</u>		<u>clay</u>
<u>61-82</u>		<u>shale</u>
<u>82-103</u>		<u>shale</u>
<u>103-108</u>		<u>shale / sand rock</u>
<u>108-124</u>		<u>sand</u>
<u>124-127</u>		<u>sand</u>

8) Borehole Completion (Check): Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>108</u>	<u>#40</u>
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>108</u>	<u>127</u>	<u>#8+10</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 110 ft. to 100 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 7
Method used pressure
Cemented by Richard Tucker
Distance to septic system field lines 155 ft.
Method of verification of above distance Tape Measure

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 338.44(2)(A)] Specified Steel Sleeve Installed [Rule 338.44(3)(A)] Pitless Adapter Used [Rule 338.44(3)(b)] Approved Alternative Procedure Used [Rule 338.44(1)]

11) WATER LEVEL: Static level 60 ft. below land surface Date: 1-9-96
Artesian flow _____ gpm. Date _____

12) PACKERS: TEXAS NATURAL RESOURCE CONSERVATION COMMISSION Depth 105'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print)

ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Tucker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Please use black ink,
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER DONALD REELE (Name) Address RT 4 Box 918 Huntville Texas 77340 (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: County WALKER miles in 6.35 direction from EAST (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. 370 Block No. 1-12-81 Township New Waverly Tex
 Abstract No. 673 Survey Name Ronald Howell
 Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____ Driven

6) WELL LOG: Date Drilling: Started 8-15 1988 Completed 8-17 1988
 DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
 Surface: 6 1/2 245
3 1/2 245-260
 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	15	Red CLAY						
15	35	SAND	4	N	4" PVC 40	0	245	-
35	145	GRAY CLAY	2 1/2	N	Slotted Screen	245	260	006
145	155	SAND						
155	200	GRAY CLAY						
200	210	Rock SAND						
210	240	GRAY CLAY						
240	260	Water SAND						

9) CEMENTING DATA [Rule 319.44(b)]
 Cemented from 0 ft. to 15 ft. No. of Sacks Used 10
 _____ ft. to _____ ft. No. of Sacks Used _____
 Method used Concrete mix
 Cemented by John W Tolen

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
 Static level 70' ft. below land surface Date 8-18-88
 Artesian flow 15 gpm. Date 8-18-88

12) PACKERS: Type Depth
Concrete Mex 18

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 150 ft.
1-H.P. PUMP.

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 20 gpm with 0 ft. drawdown after 0 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Tolen Water Well Service Water Well Driller's License No. 2917-W
 ADDRESS 14211 Anchwood Houston Texas 77049
 (Street or RFD) (City) (State) (Zip)
 (Signed) John W Tolen (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
 For TWC use only
 Well No. 60 21-2
 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

DUP


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB, use only Well No. 60 21 2B Located on map 236 Received: 5-28-72

1) OWNER:
 Person having well drilled Mrs S L Autry (Name) Address Houston Tex (Street or RFD) (City) (State)
 Landowner James (Name) Address Phelps Texas (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Waller, 6 miles in the E. direction from Huntsville (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

 (Use reverse side if necessary)

or
 Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening _____
 Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
 Domestic Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other

5) TYPE OF WELL (Check):
 Rotary Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 4 in. Depth drilled 167 ft. Depth of completed well 167 ft. Date drilled 3-1-72
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic _____ Other _____
0-9		clay	Cemented from _____ ft. to _____ ft.
9-12		sand	Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
12-14		clay	<u>4</u> <u>0</u> - <u>157</u> <u>PRC 40</u>
14-24		sand	
24-58		clay	
58-78		sand hard	
78-85		clay hard	
85-86		sandstone	
86-124		slate	
124-167		sand coarse	

7) COMPLETION (Check):
 Straight wall Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

11) WELL TESTS:
 Was a pump test made? Yes No _____ If yes, by whom? W.A. Waller
 Yield: 12 gpm with 6 ft. drawdown after 1 hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

8) WATER LEVEL:
 Static level 55 ft. below land surface Date 3-2-72
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., set for ft. below land surface.
windmill & capped

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No
 Did any strata contain undesirable water? Yes _____ No
 Type of water? good soft depth of strata 43'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.A. Waller (Type or Print) Water Well Drillers Registration No. 1332
 ADDRESS Box 516 (Street or RFD) New Waverly (City) Texas (State)
 (Signed) W.A. Waller (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 14 1972
Texas Water Development Board

TEXAS WATER DEVELOPMENT BOARD

MAY 9 1972

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60 21-2B
Located on map 205
Received: 5-22-72
W.A. Waller

1) OWNER:
Person having well drilled Mrs S.L. Rutny Address Houston Tex
(Name) (Street or RFD) (City) (State)
Landowner Same Address Phelps Tex
(Name) (Street or RFD) (City) (State)
Barn Well

2) LOCATION OF WELL:
County Walker, 6 miles in E direction from Huntsville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

(Use reverse side if necessary)

OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 232 ft. Depth of completed well 232 ft. Date drilled 7-5-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic <input checked="" type="checkbox"/> Other _____ Cemented from _____ ft. to _____ ft.
0	14	clay red	
14	18	Sand	
18	28	clay	
28	33	clay grey	
33	58	clay	
58	64	Sand	
64	80	caliche	
80	88	Sand	
88	156	shale	
156	211	clay sills	
211	232	Sand	

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes No _____ If yes, by whom? W.A. Waller
Yield: 20 gpm with 12 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 50 ft. below land surface Date 7-6-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? Good taste depth of strata 2 ft

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.A. Waller Water Well Drillers Registration No. 1332
(Type or Print)
ADDRESS Box 516 New Waverly Tex 77358
(Street or RFD) (City) (State)
(Signed) W.A. Waller AAA Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 14 1972
General Manager
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

MAY 9 1972

RECEIVED

RECEIVED

APR 25 1979 For TDWR use only

State of Texas WATER WELL REPORT

original copy by... Department of Water Resources

DEPT. OF WATER RESOURCES

OWNER W. R. BARTEE Address RT 4 Box 206 HUNTSVILLE TEXAS 77340

LOCATION OF WELL: County WALKER 8 miles in E direction from HUNTSVILLE

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. #5, Map on 60-20-4G

TYPE OF WORK (Check): 4) PROPOSED USE (Check): 5) DRILLING METHOD (Check):

WELL LOG: DIAMETER OF HOLE 7) BOREHOLE COMPLETION:

Table with columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

CEMENTING DATA: Cemented from 207 ft. to 157 ft. Method used PRESSURE Cemented by E.A. HOLLY CO

9) WATER LEVEL: Static level 120 ft. below land surface Date 1-15-79

10) PACKERS: LEAD 200'

11) TYPE PUMP: Submersible Depth to pump bowls, cylinder, jet, etc., 198 ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

E.A. HOLLY CO Water Well Drillers Registration No. 801 P.O. Box 37 RIVERSIDE TEXAS 77367

Each electric log, chemical analysis, and other pertinent information, if available.

See instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

JUL 6 '79

CR/DWR

RECEIVED

APR 19 1979

DEPT. OF
WATER RESOURCES

#7 WALKER

Send original copy by certified mail to: Texas Water Com. ,lon, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege: Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Teodulo Mejia ADDRESS Rt 8 Box 819 Huntsville, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 6 miles in E direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0160-11-5

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 8-20 1990
Completed 8-22 1990

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	323

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-3		top soil 313-323 sand
3-23		brown clay
23-73		sand
73-113		sandy clay
113-121		sand
121-130		white clay
130-135		sand streaks
135-152		sand
152-203		white clay
203-313		meally clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	313	40
2	N	PVC UC	323	313	#8

RECEIVED
AUG 29 1990

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 313 ft. to 213 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2
Method used Pressure
Cemented by William McPike

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 220 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 120 ft. below land surface Date 8-22-90
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 10 ft
Was a chemical analysis made? Yes No

12) PACKERS:	Type	Depth
Rubber	2"	307

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)



ADDRESS 607 hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) _____ (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-21-2 Located on map _____

Legend symbols for various map features.



Scale and other technical information.



#5 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Leroy Williams (Name) Address Rt 8 Box 904-C Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 6 miles in E direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 0160-19-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other
5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 6-23-88 Completed 6-24-88
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6.5 Surface 293
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include soil, sand, clay, and cementing data.

RECEIVED JUL 25 1988

TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 265 ft. to 165 ft. No. of Sacks Used 6 Method used Pressure Cemented by Ralph A. Cadwallader
10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 132 ft. below land surface Date 6-24-88 Artesian flow gpm. Date

12) PACKERS: Type Depth Rubber R 2 1/2" 257

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 25 Was a chemical analysis made? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 15 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WE:LLS (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-21-2 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”


The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

1. Contour interval 100 feet
 2. Spot heights in feet
 3. Elevation of benchmark in feet
 4. Elevation of spot in feet
 5. Elevation of spot in feet
 6. Elevation of spot in feet
 7. Elevation of spot in feet
 8. Elevation of spot in feet
 9. Elevation of spot in feet
 10. Elevation of spot in feet
 11. Elevation of spot in feet
 12. Elevation of spot in feet
 13. Elevation of spot in feet
 14. Elevation of spot in feet
 15. Elevation of spot in feet
 16. Elevation of spot in feet
 17. Elevation of spot in feet
 18. Elevation of spot in feet
 19. Elevation of spot in feet
 20. Elevation of spot in feet
 21. Elevation of spot in feet
 22. Elevation of spot in feet
 23. Elevation of spot in feet
 24. Elevation of spot in feet
 25. Elevation of spot in feet
 26. Elevation of spot in feet
 27. Elevation of spot in feet
 28. Elevation of spot in feet
 29. Elevation of spot in feet
 30. Elevation of spot in feet
 31. Elevation of spot in feet
 32. Elevation of spot in feet
 33. Elevation of spot in feet
 34. Elevation of spot in feet
 35. Elevation of spot in feet
 36. Elevation of spot in feet
 37. Elevation of spot in feet
 38. Elevation of spot in feet
 39. Elevation of spot in feet
 40. Elevation of spot in feet
 41. Elevation of spot in feet
 42. Elevation of spot in feet
 43. Elevation of spot in feet
 44. Elevation of spot in feet
 45. Elevation of spot in feet
 46. Elevation of spot in feet
 47. Elevation of spot in feet
 48. Elevation of spot in feet
 49. Elevation of spot in feet
 50. Elevation of spot in feet
 51. Elevation of spot in feet
 52. Elevation of spot in feet
 53. Elevation of spot in feet
 54. Elevation of spot in feet
 55. Elevation of spot in feet
 56. Elevation of spot in feet
 57. Elevation of spot in feet
 58. Elevation of spot in feet
 59. Elevation of spot in feet
 60. Elevation of spot in feet
 61. Elevation of spot in feet
 62. Elevation of spot in feet
 63. Elevation of spot in feet
 64. Elevation of spot in feet
 65. Elevation of spot in feet
 66. Elevation of spot in feet
 67. Elevation of spot in feet
 68. Elevation of spot in feet
 69. Elevation of spot in feet
 70. Elevation of spot in feet
 71. Elevation of spot in feet
 72. Elevation of spot in feet
 73. Elevation of spot in feet
 74. Elevation of spot in feet
 75. Elevation of spot in feet
 76. Elevation of spot in feet
 77. Elevation of spot in feet
 78. Elevation of spot in feet
 79. Elevation of spot in feet
 80. Elevation of spot in feet
 81. Elevation of spot in feet
 82. Elevation of spot in feet
 83. Elevation of spot in feet
 84. Elevation of spot in feet
 85. Elevation of spot in feet
 86. Elevation of spot in feet
 87. Elevation of spot in feet
 88. Elevation of spot in feet
 89. Elevation of spot in feet
 90. Elevation of spot in feet
 91. Elevation of spot in feet
 92. Elevation of spot in feet
 93. Elevation of spot in feet
 94. Elevation of spot in feet
 95. Elevation of spot in feet
 96. Elevation of spot in feet
 97. Elevation of spot in feet
 98. Elevation of spot in feet
 99. Elevation of spot in feet
 100. Elevation of spot in feet

GENEF
WAL

STATE
AND
TERRITORY
U.S. DEPARTMENT
OF THE INTERIOR
GEOLOGICAL SURVEY

1:25,000
 1:50,000
 1:100,000
 1:200,000
 1:500,000
 1:1,000,000
 1:2,000,000
 1:5,000,000
 1:10,000,000
 1:25,000,000
 1:50,000,000
 1:100,000,000
 1:200,000,000
 1:500,000,000
 1:1,000,000,000



1:25,000
 1:50,000
 1:100,000
 1:200,000
 1:500,000
 1:1,000,000
 1:2,000,000
 1:5,000,000
 1:10,000,000
 1:25,000,000
 1:50,000,000
 1:100,000,000
 1:200,000,000
 1:500,000,000
 1:1,000,000,000



1:25,000

1:50,000

1:100,000

1:200,000

1:500,000

1:1,000,000

1:2,000,000

1:5,000,000

1:10,000,000

1:25,000,000

1:50,000,000

1:100,000,000

1:200,000,000

1:500,000,000

1:1,000,000,000

1:2,000,000,000

1:5,000,000,000

1:10,000,000,000

1:25,000,000,000

1:50,000,000,000

1:100,000,000,000

1:200,000,000,000

1:500,000,000,000

1:1,000,000,000,000

1:2,000,000,000,000

1:5,000,000,000,000

1:10,000,000,000,000

1:25,000,000,000,000

1:50,000,000,000,000

1:100,000,000,000,000

1:200,000,000,000,000

1:500,000,000,000,000

1:1,000,000,000,000,000

1:2,000,000,000,000,000

1:5,000,000,000,000,000

1:10,000,000,000,000,000

#18 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Majic Ranch Address P.O. Box 296, Dodge, TX 77334
2) LOCATION OF WELL; 2 miles in West direction from Dodge

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. Map on 60-12-1F

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 3/6/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 253
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Brown clay, Sand streaks, Rock, Meally clay, Blue clay, Sand, Rock streaks, Sand streaks, Blue clay, Sand, Rock streaks, Sand streaks, Blue clay, Sand streaks, Blue clay, Sand.

CEMENTING DATA
Cemented from 241 ft. to 141 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level ft. below land surface Date
Artesian flow gpm. Date

RECEIVED APR 11 1984

PACKERS: Type Depth
Lead L 237

DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 168 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 14 Ft.
Was a chemical analysis made? No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 40 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-21-2J Located on map Yes c.f.s.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-21-2H Located on map YES Received: C.F.S.

1) OWNER Majic Ranch Address P.O. Box 296 Dodge, Texas 77334
2) LOCATION OF WELL: County Walker 2 miles in West direction from Dodge

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-21-5V

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-4-82
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Perf., Slotted, etc., Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Rows include soil, red and white clay, sand, brown and white clay, brown clay, blue clay, sand, blue clay, sand, rock streaks, sand streaks, sand, sand streaks, blue clay, sand, sand streaks, blue clay, sand.

CEMENTING DATA: Cemented from 336 ft. to 236 ft. Method used Pressure. Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 80 ft. below land surface Date 8-6-82. Artesian flow gpm. Date

10) PACKERS: Lead, L, 332

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 35 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 35 ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, HENRY LEE Water Well Drillers Registration No. 2026 2221
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) [Signature] Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
MAY 15 1982
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-21-26
Located on map YES
Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MR JAMES McRAE (Name) Address 800 DRESSER TOWER HOUSTON TEXAS 77002 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 3 miles in W (N.E., S.W., etc.) direction from DODGE (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-22-7E

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 10-5-79
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 353
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	78	WHITE CLAY						
78	106	SAND						
106	152	BLUE CLAY						
152	170	SAND STRKS	4	N	STEEL STEEL	316	+2	40
170	182	BLUE CLAY						
182	307	WHITE CLAY						
307	311	SAND	2 1/2	N	STAINLESS STEEL	318	338	#70
311	338	SAND WITH CLAY BK						
338	353	WHITE SAND						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 316 ft. to 100 ft.
Method used PRESSURE
Cemented by E.A. HOLLY CO (Company or Individual)

9) WATER LEVEL:
Static level 98 ft. below land surface Date 10-5-79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
LEAD 315

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 294 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 24
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DEPT. OF
WATER RESOURCES
OCT 24 1979
RECEIVED

RECEIVED

MAR 19 '80

CR/TDWR

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-21-2F
Located on map YES
Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MR JAMES M^o RAE (Name) Address 800 DRESSER TOWERS (Street or RFD) HOUSTON, TEXAS (City) 77012 (State) (Zip)
2) LOCATION OF WELL: County WALKER 5.03 miles in SW direction from DODGE (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-22-7E

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 9-15-79
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6.5 Surface 6.80
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
					From		To	
0	42	BLUE CLAY						
42	45	SAND						
45	65	BLUE CLAY						
65	72	SAND						
72	130	BLUE CLAY						
130	136	SAND						
136	410	BLUE CLAY						
410	523	SANDY CLAY						
523	634	BLUE CLAY						
634	680	SANDY CLAY						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 200 ft. to 100 ft.
Method used PRESSURE
Cemented by E.A. HOLLY (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY CO (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DEPT. OF
WATER RESOURCES
OCT 24 1979
RECEIVED

RECEIVED

MAR 19 '80

CR/IDWR

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-21-2E
Located on map YES
Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MR JAMES M^cRAE Address 800 DRESSER TOWER HOUSTON, TEX, 77002
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County WALKER 3 miles in SW direction from ROGEE
(N.E., S.W., etc.) (Town)

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. map on 60-22-7E

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other DRY
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 10-1-79
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 547
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	39	SANDY SOIL						
39	53	SAND						
53	65	WHITE CLAY						
65	75	SAND						
75	88	BLUE CLAY						
88	100	SAND						
100	121	BLUE CLAY						
121	133	SAND						
133	296	BLUE CLAY						
296	433	SANDY BLUE CLAY						
433	501	MEALY BROWN CLAY						
501	547	BLUE SANDY CLAY						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 300 ft. to 100 ft.
Method used PRESSURE
Cemented by F.A. HOLLY
(Company or Individual)

9) WATER LEVEL:
Static level — ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
9

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME F.A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State) (Zip)
(Signed) F.A. Holly F.A. HOLLY CO
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DEPT. OF
WATER RESOURCES

OCT 24 1979

RECEIVED

RECEIVED

MAR 19 80

CR/TDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-21-2C
Located on map yes
Received: 7.2.72
dlb

1) OWNER:
Person having well drilled D.F. HUGHES (Name) Address HOUSTON TEXAS (Street or RFD) (City) (State)
Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 3 miles in W direction from DODGE, TEXAS (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Sketch map showing Hwy 19, Hwy 190, Dodge, Riverside, and Well location. Includes 'DIAT RD' and 'WELL' labels. A north arrow is present.
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 347 ft. Depth of completed well 347 ft. Date drilled 9-28-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 10		SURFACE CLAY
10 - 18		BROWN SAND
18 - 19		ROCK
19 - 32		WHITE CLAY
32 - 37		BROWN SAND
37 - 77		WHITE CLAY
77 - 87		BROWN SAND
87 - 329		BLUE CLAY
329 - 347		SAND

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from 730 ft. to 275 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 330 +1 SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 330 347 #10

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water GOOD

8) WATER LEVEL:
Static level 98 ft. below land surface Date 9-28-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? GOOD depth of strata 17

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801
ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State)
(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.
*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 2 1972
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
JAN 30 1973
Central Records
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-21-2A Located on map Yes Received: 6/8 Form GW 8 Form GW 9

1) OWNER: James Gillaspie, Huntsville Texas. Landowner: Same

2) LOCATION OF WELL: Walker County, Dodge, Texas. Sketch map showing well location relative to Dodge, Texas, Riverside, and FM 405.

3) TYPE OF WORK (Check): New Well [X], Deepening [], Reconditioning [], Plugging []. 4) PROPOSED USE (Check): Domestic [X], Industrial [], Municipal [], Irrigation [], Test Well [], Other []. 5) TYPE OF WELL (Check): Rotary [X], Driven [], Dug [], Cable [], Jetted [], Bored [].

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 277 ft. Depth of completed well 277 ft. Date drilled 8-29-68. All measurements made from 0 ft. above ground level.

Table with 2 columns for From (ft.) and To (ft.), and 2 columns for Description and color of formation material. Rows include: 0-55 Surface soil and Sand, 55-85 clay brown, 85-148 shale, 148-155 sand.

7) COMPLETION (Check): Straight wall [X], Gravel packed [], Other [], Under reamed [], Open hole []. 8) WATER LEVEL: 102. Static level 102 ft. below land surface. Date 8-28-68. Artesian pressure ___ lbs. per square inch. Date ___

9) CASING: Type: old [], New [X], Steel [X], Plastic [], Other []. Cemented from 257 ft. to 150 ft. 10) SCREEN: Bar-Weld. Perforated [], Slotted [].

Table with 4 columns: Diameter (inches), Setting (From (ft.) to To (ft.)), Gage, Diameter (inches), Setting (From (ft.) to To (ft.)), Slot size. Row 1: 4, x-1, 257, 2 1/2, 257, 267, 10.

11) WELL TESTS: Was a pump test made? [] Yes [] No. Yield: ___ gpm with ___ ft. drawdown after ___ hrs. Bailer test ___ gpm with ___ ft. drawdown after ___ hrs. Artesian flow ___ gpm. Date ___. Temperature of water ___. Was a chemical analysis made? [] Yes [] No. Did any strata contain undesirable water? [] Yes [] No. Type of water? good. depth of strata ___

12) PUMP DATA: Manufacturer's Name Ruth-Berry. Type Submersible. H.P. 2. Designed pumping rate 1300 gpm. Type power unit Electric. Depth to bowls, cylinder, jet, etc., 210 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Co. Water Well Drillers' Registration No. 801. Address Box 37, Riverside, Texas. (Signed) E.A. Holly, (Water Well Driller), E.A. Holly Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

CIP

RECEIVED

SEP 18 1968

TEXAS WATER
DEVELOPMENT BOARD

OCT 9 1968
Central Records
Texas Water Development Board

11-11-68

11-11-68

11-11-68

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jimmy Oliver (Name) Address RT 8 Box 470 Huntville (Street or RFD) (City) (State) (Zip) 77348
2) LOCATION OF WELL: County Walker miles in _____ direction from _____ (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. 60-13-4

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 9-29-85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 100
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
0	6	SURFACE SAND	
6	32	clay	
32	41	SAND	4" N Slotted 4" 80 - 100 100
41	70	clay	
70	100	SAND	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 80 ft. to 40 ft.
10 ft. to 0 ft.
Method used pumped
Cemented by CR Hall

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 60 ft. below land surface Date 9-29-85
Artesian flow 12 gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 12 gpm with 60 ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME CR Hall's Water Well (Type or Print) Water Well Driller's License No. 1995
ADDRESS 12702 Flay road way (Street or RFD) (City) (State) (Zip) State-Ford Texas 77477
(Signed) CR Hall (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)
Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-21-2 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

47

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER ROW RILES (Name) Address 506 SARLINE ST. LOCKHART TX 78644 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County WALKER @ 15 miles in E direction from HUNTSVILLE (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 8-22-87 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 6 3/4 0 154 4 3/4 154 300
7) BOREHOLE COMPLETION: Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns for Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Includes entries for 0-26 Clay, 26-60 Sand, 60-86 Clay, 86-134 Sand, 134-300 Clay.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 0 ft. to 10 ft. Method used Gravity Flow Cemented by WESTERN WATER WELL

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 83' ft. below land surface Date 8-22-87 Artesian flow gpm. Date

12) PACKERS: Type Depth @ 10' RUBBER 26' 34'

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 5 gpm with ft. drawdown after hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. COMPANY NAME WESTERN WATER WELL Driller Well Driller's License No. 02475W ADDRESS Rt 4 Box 1314 Comroe Tex (Signed) Preston L. Smith (Signed) (Licensed Water Well Driller) (Registered Driller Trainee) For TDWR use only Well No. 60-21-2 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.