

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Ronnie Hatcher ADDRESS 3 Notch Rd. Phelps Tx. 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Same Phelps Texas Long. 77340 Lat. 60-21-6
(Street, RFD or other) (City) (State) (Zip) GRID #

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG:
Date Drilling:
Started 4/21 00
Completed 4/24 00

| DIAMETER OF HOLE | | |
|------------------|------------|----------|
| Dia. (in.) | From (ft.) | To (ft.) |
| 7" | Surface | 290 |
| | | |
| | | |

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

| From (ft.) | To (ft.) | Description and color of formation material |
|------------|----------|---|
| 0 | 1 | Top soil |
| 1 | 9 | Red clay |
| 9 | 17 | Hd brn cl |
| 17 | 65 | Sft. Wht Clay |
| 65 | 85 | Fine Sand |
| 85 | 120 | Gry Clay |
| 120 | 125 | Sand |
| 125 | 160 | Gry Clay |
| 160 | 167 | Sand |
| 167 | 272 | Gry Clay |

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

| Dia. (in.) | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial | Setting (ft.) | | Gage Casting Screen |
|------------|-------------|--|---------------|-----|---------------------|
| | | | From | To | |
| 4 | N | PVC | 0 | 280 | |
| 4 | N | PVC SLOTTED | 280 | 290 | .008 |

13) Well plugged within 48 hours

| Casing left in well: | | Cement/bentonite placed in well: | | Sacks used: |
|----------------------|---------|----------------------------------|---------|-------------|
| From (ft) | To (ft) | From (ft) | To (ft) | |
| | | | | |

9) CEMENTING DATA
Cemented from 0 ft. to 100 ft. No. of sacks used 12
_____ ft. to _____ ft. No. of sacks used _____
Method used Pressure Tremmie
Cemented by Ballard Water Well
Distance to septic system field lines or other concentrated contamination 100+ ft.
Method of verification of above distance Measure

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other
Depth to pump bowls, cylinder, jet, etc., 180 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Sch 80 Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with 40 ft. drawdown after 2 hrs.

11) WATER LEVEL
Static Level 116 ft. below land surface Date 4/24/00
Artesian flow _____ gpm Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS:
Type _____ Depth _____
4" X 7" FORMATION 280

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

Ballard Water Well (Type or print)
WELL DRILLER'S LICENSE NO. 2384WI
ADDRESS P.O. Box 979
(Signed) Charles Ballard (Licensed Well Driller) (City) Willis TX 77378
(Signed) _____ (Registered Driller Trainee) (State) (Zip)

Please attach electric log, chemical analysis, and other pertinent information, if available.

COMMENT
MAY 19 2000

#16

STATE OF TEXAS WATER WELL REPORT



1) OWNER: WEAVER, MIKE ADDRESS: P.O. BOX 1086 CITY: COLLEGE STATION STATE: TX ZIP: 77840

2) LOCATION OF WELL: County: WALKER 8 miles in E direction from HUNTSVILLE

LEGAL DESCRIPTION SEE ATTACHED MAP

0160-04-5

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01101 DIAMETER OF HOLE 7) BOREHOLE METHOD:
DIAMETER FROM TO OPEN HOLE IF GRAVEL... FROM FT. TO FT.
6.5 0 187 FROM FT. TO FT.

DATE DRILLED: 10/07/90

Table with 3 columns: FROM TO, DESCRIPTION, and 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN. Rows include TOP SOIL, WHITE CLAY, SAND, RED AND WHITE CLAY, BLUE CLAY, SAND STREAKS, SAND & ROCK STREAKS, SAND.

9) CEMENTING DATA: Cemented from 176 FT. TO 76 FT. 10 FT. TO 0 FT. Method used: PRESSURE Cemented by: WILLIAM MC PIKE

10) SURFACE COMPLETION: PITLESS ADAPTER USED

11) WATER LEVEL: STATIC LEVEL : 42 FT. DATE: 10/07/90 ARTESIAN FLOW: GPM. DATE:

RECEIVED NOV 15 1990

12) PACKERS: TYPE DEPTH K PACKER 168

TEXAS WATER COMMISSION

13) TYPE PUMP: SUBMERSIBLE DEPTH TO PUMP: 140 14) WELL TEST: ESTIMATED YIELD: 15 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: GOOD DEPTH OF STRATA: 15 FT NO STRATA OF UNDESIRABLE WATER PENETRATED NO CHEMICAL ANALYSIS MADE

COMPANY NAME: HOLLY WATER WELLS WATER WELL DRILLER'S LICENSE NO.: 2026 FOR TDWR USE ONLY ADDRESS: 607 HWY 19 CITY: HUNTSVILLE STATE: TX ZIP CODE: 77340 WELL NO. 60-21-6 LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) [Signature] (LICENSED WATER WELL DRILLER) (signed) [Signature] (REGISTERED DRILLER TRAINEE)

RECEIVED

JUN 26 91

TWC
CENTRAL RECORDS

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-21-6E Located on map YES Received: TH

1) OWNER Mr. Phillips Address Unknown New Waverly, Tx. 2) LOCATION OF WELL: County Walker 10 miles in N direction from New Waverly

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-21-6B

3) TYPE OF WORK (Check): 4) PROPOSED USE (Check): 5) DRILLING METHOD (Check):

6) WELL LOG: Date drilled 1/31/80 DIAMETER OF HOLE 7) BOREHOLE COMPLETION: Other 2 string cemented

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA Cemented from 200 ft. to 80 ft. Method used Halliburton Cemented by Robinson Water Well

9) WATER LEVEL: Static level 100 ft. below land surface Date 2/1/80

10) PACKERS: Type K Depth 195

11) TYPE PUMP: Submersible Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No Type of water? pebble

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464 ADDRESS 11607 FM 149 Houston, Tx. 77086 (Signed) M. E. Robinson, Jr. Robinson Water Well Service, Inc.

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

CR/TDMH
DEC 11 1980
RECEIVED

RECEIVED
JUN 27 1980

Texas Dept. of Water Resources

** This log was started back - I have no map with the location on it. We have drawn another map on reverse side. I hope you can accept it. We have 3 wells with a block of them. #56*

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-21-6D
Located on map YES
Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Boykin (Name) Address Unknown (Street or RFD) New Caney, Tx. (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 10 miles in NE direction from New Caney (N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. ** See reverse side for map - not available*

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Map on 60-21-6B

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 11/3/79

| DIAMETER OF HOLE | | |
|------------------|------------|------------|
| Dia. (in.) | From (ft.) | To (ft.) |
| | Surface | |
| <u>6-3/4</u> | | <u>260</u> |

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2 string cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

| From (ft.) | To (ft.) | Description and color of formation material | Dia. (in.) | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial | Setting (ft.) | Gage Casing Screen |
|------------|----------|---|------------|-------------|--|---------------|--------------------|
| 0 | 28 | Clay | | | | | |
| 28 | 36 | Sand | | | | | |
| 36 | 128 | Shell | 4" | N | Plastic Casing | 0 250 | Sch |
| 128 | 147 | Sand | 2 1/2" | N | Blank Pipe | 240 250 | 40 |
| 147 | 247 | shell | | | | | |
| 247 | 260 | Sand | 2 1/2" | N | Slotted Screen | 250 260 | .012 |

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA

Cemented from 250 ft. to 150 ft.
Method used Halliburton
Cemented by Robinson Water Well
(Company or Individual)

9) WATER LEVEL:
Static level 104 ft. below land surface Date 11/5/79
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 240

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? potable Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. (Type or Print) Water Well Drillers Registration No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M. E. Robinson, Jr. (Water Well Driller) Robinson Water Well Service, Inc. (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**


The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

RECEIVED
JUN 27 1980

Texas Dept. of Water Resources

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



#41

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-21-6C Located on map YES Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James Eaton Address Rt. Box 117026 New Waverly, Tx. 2) LOCATION OF WELL: County Walker 13 miles in N direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Map on 60-21-6B

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 10/5/79, Diameter of hole 6-3/4, 7) BOREHOLE COMPLETION: 2 string cemented

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA: Cemented from 235 ft. to 115 ft. Method used Halliburton Cemented by Robinson Water Wells

9) WATER LEVEL: Static level 115 ft. below land surface Date 10/8/79

10) PACKERS: Type K Depth 225

11) TYPE PUMP: Submersible Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464 ADDRESS 11607 FM 149 Houston, Tx. 77086 (Signed) M. E. Robinson, Jr. Robinson Water Well Service, Inc.

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED

JUN 27 1980


IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

Texas Dept. of Water Resources

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-21-6B Located on map YES Received: TH

1) OWNER Mr. Ronald Troyer Address Unknown New Waverly, Tx. 2) LOCATION OF WELL: County Walker 15 miles in N direction from New Waverly

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 6/23/80 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 6-3/4 251 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other 2 string cemented If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New/Used, Steel, Plastic, etc. Setting (ft.), Gage Casing Screen. Rows include Clay, Sand, Clay, Sand, Clay, Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 240 ft. to 120 ft. Method used Halliburton Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL: Static level 98 ft. below land surface Date 6/24/80 Artesian flow gpm. Date

10) PACKERS: Type K Depth 236

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 160 ft.


12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs. 13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? potable Depth of strata Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464 ADDRESS 11607 FM 149 Houston, Tx. 77086 (Signed) M. E. Robinson, Jr. Robinson Water Well Service, Inc. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY



CR/TDMR
DEC 11 1980
RECEIVED

RECEIVED
JUN 27 1980

Texas Dept. of Water Resources

105

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-21-6A Located on map YES Received: TH

1) OWNER Mr. Barkley Address Unknown New Waverly, Tx. (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 10 miles in N direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-21-6B

3) TYPE OF WORK (Check): X New Well Reconditioning Deepening Plugging

4) PROPOSED USE (Check): X Domestic Irrigation Test Well Other

5) DRILLING METHOD (Check): X Mud Rotary Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 3/14/80 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6-3/4 Surface 255

7) BOREHOLE COMPLETION: X Other 2 string cemented

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Clay, Sand, Clay, Sand, Clay, Sand, Clay, Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen. Rows include PVC Casing, Blakk Pipe, Slotted Screen.

CEMENTING DATA Cemented from 240 ft. to 120 ft. Method used Halliburton Cemented by Robinson Water Well

9) WATER LEVEL: Static level 86 ft. below land surface Date 3/15/80

10) PACKERS: Type k Depth 235

11) TYPE PUMP: X Submersible Depth to pump bowls, cylinder, jet, etc., 140 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? potable Depth of strata Was a chemical analysis made? No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464 ADDRESS 11607 FM 149 Houston, Tx. 77086 (Signed) M. E. Robinson Robinson Water Well Service, Inc.

Please attach electric log, chemical analysis, and other pertinent information, if available.

CR/TD
DEC 11 1980
RECEIVED

RECEIVED
JUN 27 1980

Texas Dept. of Water Resources