

#3 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Leonard Zellar Address Rt 4 Box 806 Huntsville, Texas 77340

2) LOCATION OF WELL: County Walker 8 miles in SE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

See attached map. 0760-10-7

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Monitor, Public Supply, Irrigation, Test Well, Injection, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Jetted, Bored, Air Rotary, Cable Tool, Other.

6) WELL LOG: Date Drilling Started 5-8-1989 Completed 5-9-1989. DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6.5 Surface 351. 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include 0-4 top soil, 4-15 brown clay, 15-24 white clay, 24-152 brown clay, 152-164 brown clay w/rock streaks, 164-264 meally clay, 264-329 brown clay, 329-351 sand.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 336 ft. to 236 ft. No. of Sacks Used 6. Method used Pressure. Cemented by Henry Lee.

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used.

11) WATER LEVEL: Static level, Artesian flow, Date.

12) PACKERS: Type Lead 4 X 2, Depth 330.

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 200 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER". Type of water? good. Depth of strata 22 ft/. Was a chemical analysis made? No. 14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated. Yield: 60 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026

ADDRESS 607 Hwy. 19 Huntsville, Texas 77340

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-21-9 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jacob W. Smith Address Rt #4 Box 800 Huntsville Texas 71340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL
County Walker 8 miles in N.E. direction from New Waverly
(N.E., S.W., etc.) (Town)

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 60-28-8

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 1-17-86
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
4 Surface 344
6 1/8 0 280
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 4 in. x 2 1/2 in.
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:	Gage Casing Screen
0 - 1/2		Top soil (Black Land)		
1/2 - 11		CLAY (white)		
11 - 22		CLAY (white + Brown)	4 PVC Sch 40 Cas.	0 280
22 - 55		CLAY (white + TAN)	2 1/2 PVC Sch 40 Cas.	270-324
55 - 143		CLAY (white + Grey)		
143 - 154		SAND + CLAY + Rock (Bn)	2 1/2 PVC Sch 40 well	
154 - 165		SAND + Rock (Bn)	screen slotted	324-344 .010
165 - 182		CLAY + SHALE (yel + Bn)		
182 - 198		SHALE + SAND (Bn + Yel)		
198 - 242		CLAY + SHALE (white)		
242 - 317		SHALE + Rock (Grey)		
317 - 344		SAND (Grey)		

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
Method used 2 Ft. x 2 Ft. x 4 in.
Cemented by slab ON SURFACE
10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 92 ft. below land surface Date 1-19-86
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type 1 Depth Formation 324

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 30 gpm with 23 ft. drawdown after 3 hrs.
15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
(Type or Print)
ADDRESS Rt #4 Box 1094 Huntsville Tex. 71340
(Street or RFD) (City) (State) (Zip)
(Signed) Arthur R. Slott (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use on Well No. 60-21-9 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-21-9A
Located on map yes
Received: 76
de

1) OWNER:
Person having well drilled Archie Coward Address New Waverly Tex
(Name) (Street or RFD) (City) (State)
Landowner Archie Coward Address New Waverly Tex
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 10 miles in N.E. direction from New Waverly
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

(Use reverse side if necessary)

or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 300 ft. Depth of completed well 301 ft. Date drilled 12-18-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	95	CLAY
95	105	SAND
105	200	CLAY
200	213	SAND
213	273	CLAY
273	301	SAND

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	301	sch 40 0129A

10) SCREEN:
Type 4" plastic sch 40 0129A
Perforated Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	291	301	0129A

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes If yes, by whom? _____
Yield: 20 gpm with 12 ft. drawdown after 3 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 36 ft. below land surface. Date 12-20-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes
Did any strata contain undesirable water? yes No. _____
Type of water? Sept depth of strata 28'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME AAA Water Wells Water Well Drillers Registration No. 1332
(Type or Print)
ADDRESS Box 516 New Waverly Tex
(Street or RFD) (City) (State)
(Signed) W.A. Waller AAA Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 8 1976
Central Records
Texas Water Development Board

RECEIVED
JAN - 6 1976
TEXAS WATER
DEVELOPMENT BOARD