

<p><b>ATTENTION OWNER: Confidentiality</b> Privilege Notice on Reverse Side</p>		<p><b>State of Texas</b> <b>WELL REPORT</b></p>		<p>Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299</p>																																									
<p>1) OWNER <u>Patricia Dobson</u> (Name) ADDRESS <u>P.O. Box 257 Dodge Tx 77334</u> (Street or RFD) (City) (State) (Zip)</p>		<p>2) ADDRESS OF WELL: County <u>Walker</u> <u>EAST LAKE RD. Dodge 77343</u> (Street or RFD) (City) (State) (Zip) STATE WELL # <u>60221</u> <u>Forgotten Forest (190)</u></p>																																											
<p>3) TYPE OF WORK (Check):  <input checked="" type="checkbox"/> New Well    <input type="checkbox"/> Deepening  <input type="checkbox"/> Reconditioning    <input type="checkbox"/> Plugging</p>		<p>4) PROPOSED USE (Check):    <input type="checkbox"/> Monitor    <input type="checkbox"/> Environmental Soil Boring    <input checked="" type="checkbox"/> Domestic  <input type="checkbox"/> Industrial    <input type="checkbox"/> Irrigation    <input type="checkbox"/> Injection    <input type="checkbox"/> Public Supply    <input type="checkbox"/> De-watering    <input type="checkbox"/> Testwell                  If Public Supply well, were plans submitted to the TNRCC?    <input type="checkbox"/> Yes    <input type="checkbox"/> No</p>		<p>5)</p>																																									
<p>6) WELL LOG:                  Date Drilling:                  Started <u>6-26</u> 19<u>97</u>                  Completed <u>6-30</u> 19<u>97</u></p>		<p>DIAMETER OF HOLE</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:20%;">Dia. (in.)</th> <th style="width:20%;">From (ft.)</th> <th style="width:20%;">To (ft.)</th> </tr> </thead> <tbody> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>150</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>150</u></td> <td><u>166</u></td> </tr> </tbody> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>150</u>	<u>3 7/8</u>	<u>150</u>	<u>166</u>	<p>7) DRILLING METHOD (Check):    <input type="checkbox"/> Driven  <input type="checkbox"/> Air Rotary    <input checked="" type="checkbox"/> Mud Rotary    <input type="checkbox"/> Bored  <input type="checkbox"/> Air Hammer    <input type="checkbox"/> Cable Tool    <input type="checkbox"/> Jetted  <input type="checkbox"/> Other _____</p>																																
Dia. (in.)	From (ft.)	To (ft.)																																											
<u>6 3/4</u>	Surface	<u>150</u>																																											
<u>3 7/8</u>	<u>150</u>	<u>166</u>																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0-21</u></td><td><u>clay</u></td><td></td></tr> <tr><td><u>21-38</u></td><td><u>clay</u></td><td></td></tr> <tr><td><u>38-48</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>48-58</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>58-68</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>68-82</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>82-103</u></td><td><u>clay</u></td><td></td></tr> <tr><td><u>103-124</u></td><td><u>clay</u></td><td></td></tr> <tr><td><u>124-141</u></td><td><u>clay</u></td><td></td></tr> <tr><td><u>141-143</u></td><td><u>Rock</u></td><td></td></tr> <tr><td><u>143-145</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>145-147</u></td><td><u>clay</u></td><td></td></tr> <tr><td><u>147-166</u></td><td><u>Sand</u></td><td></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-21</u>	<u>clay</u>		<u>21-38</u>	<u>clay</u>		<u>38-48</u>	<u>Sand</u>		<u>48-58</u>	<u>Sand</u>		<u>58-68</u>	<u>Sand</u>		<u>68-82</u>	<u>Sand</u>		<u>82-103</u>	<u>clay</u>		<u>103-124</u>	<u>clay</u>		<u>124-141</u>	<u>clay</u>		<u>141-143</u>	<u>Rock</u>		<u>143-145</u>	<u>Sand</u>		<u>145-147</u>	<u>clay</u>		<u>147-166</u>	<u>Sand</u>		<p>8) Borehole Completion (Check):    <input type="checkbox"/> Open Hole    <input checked="" type="checkbox"/> Straight Wall  <input type="checkbox"/> Underreamed    <input type="checkbox"/> Gravel Packed    <input type="checkbox"/> Other _____                  If Gravel Packed give interval ... from _____ ft. to _____ ft.</p>	
From (ft.)	To (ft.)	Description and color of formation material																																											
<u>0-21</u>	<u>clay</u>																																												
<u>21-38</u>	<u>clay</u>																																												
<u>38-48</u>	<u>Sand</u>																																												
<u>48-58</u>	<u>Sand</u>																																												
<u>58-68</u>	<u>Sand</u>																																												
<u>68-82</u>	<u>Sand</u>																																												
<u>82-103</u>	<u>clay</u>																																												
<u>103-124</u>	<u>clay</u>																																												
<u>124-141</u>	<u>clay</u>																																												
<u>141-143</u>	<u>Rock</u>																																												
<u>143-145</u>	<u>Sand</u>																																												
<u>145-147</u>	<u>clay</u>																																												
<u>147-166</u>	<u>Sand</u>																																												
		<p>CASING, BLANK PIPE, AND WELL SCREEN DATA:</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>150</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>146</u></td> <td><u>166</u></td> <td><u>6</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>150</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>146</u>	<u>166</u>	<u>6</u>																				
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																								
			From	To																																									
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>150</u>	<u>40</u>																																								
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>146</u>	<u>166</u>	<u>6</u>																																								
		<p>9) CEMENTING DATA [Rule 338.44(1)]                  Cemented from <u>150</u> ft. to <u>50</u> ft. No. of sacks used <u>5</u>  <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>7</u>                  Method used <u>pressure</u>                  Cemented by <u>Richard Mikee</u>                  Distance to septic system field lines <u>160</u> ft.                  Method of verification of above distance <u>Tape Measure</u> SEQ # _____</p>																																											
<p>13) TYPE PUMP:  <input type="checkbox"/> Turbine    <input type="checkbox"/> Jet    <input checked="" type="checkbox"/> Submersible    <input type="checkbox"/> Cylinder  <input type="checkbox"/> Other _____                  Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.</p>		<p>10) SURFACE COMPLETION  <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)]  <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(B)]  <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]                  EMP # _____ DATE <u>JAN 05 1998</u> TNRCC CO _____                  COMMENT _____ WG _____</p>																																											
<p>14) WELL TESTS:                  Type test:    <input type="checkbox"/> Pump    <input type="checkbox"/> Bailor    <input checked="" type="checkbox"/> Jetted    <input type="checkbox"/> Estimated                  Yield: <u>45</u> gpm with _____ ft. drawdown after _____ hrs.</p>		<p>11) WATER LEVEL:                  Static level <u>66</u> ft. below land surface    Date <u>6-30-97</u>                  Artesian flow _____                  Date _____ SEQ # _____</p>																																											
<p>15) WATER QUALITY:                  Did you knowingly penetrate any strata which contained undesirable constituents?  <input type="checkbox"/> Yes    <input checked="" type="checkbox"/> No    If yes, submit "REPORT OF UNDESIRABLE WATER"                  Type of water? <u>good</u>    Depth of strata <u>19'</u>                  Was a chemical analysis made?    <input type="checkbox"/> Yes    <input checked="" type="checkbox"/> No</p>		<p>12) PACKERS: <u>Rubber</u>                  Type <u>K</u>    Depth <u>146'</u>                  EMP # _____ DATE <u>SEP 05 1997</u> TNRCC CO _____                  COMMENT _____ WG _____</p>																																											
<p>I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.</p>																																													
<p>COMPANY NAME <u>Greys Water Well</u> (Type or print)                  ADDRESS <u>P.O. Box 1788</u> (Street or RFD)                  (Signed) <u>Vernon Gray</u> (Licensed Well Driller)</p>		<p>WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>  <u>Trinity</u> <u>Tx</u> <u>75862</u>                  (City) (State) (Zip)                  (Signed) <u>Richard Mikee</u> (Registered Driller Trainee)</p>																																											

Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		<b>State of Texas</b> <b>WELL REPORT</b>		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>Mildred Williams</u> (Name) ADDRESS <u>P.O. Box 455 Dodge</u> (Street or RFD) <u>Arkansas</u> (City) <u>Tx</u> (State) <u>77334</u> (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>Forgotten Forest</u> (Street or RFD) <u>Dodge</u> (City) <u>Tx</u> (State) <u>77334</u> (Zip) GRID # <u>60-22-1</u>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: Started <u>10-30</u> 19 <u>95</u> Completed <u>11-1</u> 19 <u>95</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:25%;">Dia. (in.)</th> <th style="width:25%;">From (ft.)</th> <th style="width:25%;">To (ft.)</th> <th style="width:25%;"></th> </tr> <tr> <td><u>6 1/2</u></td> <td>Surface</td> <td><u>154</u></td> <td></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>154</u></td> <td><u>170</u></td> <td></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		<u>6 1/2</u>	Surface	<u>154</u>		<u>3 7/8</u>	<u>154</u>	<u>170</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____															
Dia. (in.)	From (ft.)	To (ft.)																													
<u>6 1/2</u>	Surface	<u>154</u>																													
<u>3 7/8</u>	<u>154</u>	<u>170</u>																													
From (ft.)    To (ft.)    Description and color of formation material <u>0-21 clay</u> <u>21-27 clay</u> <u>27-40 Sand</u> <u>40-61 Sand</u> <u>61-75 Sand</u> <u>75-82 clay</u> <u>82-103 clay</u> <u>103-124 clay</u> <u>124-137 clay</u> <u>137-142 Rock</u> <u>142-145 clay</u> <u>145-154 clay</u> <u>154-166 Sand</u> <u>166-168 Sand</u> <u>168-170 clay</u> (Use reverse side if necessary)		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA:																											
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>154</u></td> <td><u>*40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>154</u></td> <td><u>160</u></td> <td><u>*40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>160</u></td> <td><u>170</u></td> <td><u>*10</u></td> </tr> </tbody> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>154</u>	<u>*40</u>	<u>2</u>	<u>N</u>	<u>PVC</u>	<u>154</u>	<u>160</u>	<u>*40</u>	<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>160</u>	<u>170</u>	<u>*10</u>	9) CEMENTING DATA [Rule 338.44(1)] <u>100%</u> Cemented from <u>154</u> ft. to <u>0</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>5</u> Method used <u>pressure</u> Cemented by <u>Richard M. Ker</u> Distance to septic system field lines <u>142</u> ft. Method of verification of above distance <u>Tape Measure</u>	
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)				Gage Casting Screen																								
			From	To																											
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>154</u>	<u>*40</u>																										
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>154</u>	<u>160</u>	<u>*40</u>																										
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>160</u>	<u>170</u>	<u>*10</u>																										
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]		11) WATER LEVEL: Static level <u>60</u> ft. below land surface    Date <u>JUN 1997</u> Artesian flow _____ Date _____																											
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>30</u> gpm with _____ ft. drawdown after _____ hrs.		12) PACKERS: <u>Rubber</u> Type _____ Depth <u>149'</u>		TEXAS NATURAL RESOURCES CONSERVATION COMMISSION																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>16'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																													
COMPANY NAME <u>Grays Water Well</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>		ADDRESS <u>P.O. Box 1788</u> (Street or RFD) <u>Trinity</u> (City) <u>Tx</u> (State) <u>75862</u> (Zip)																													
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard M. Ker</u> (Registered Driller Trainee)																													

Please attach electric log, chemical analysis, and other pertinent information, if available.



#3 WALKER

Send original copy by certified mail to: Texas Water Comm. Jn, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentially  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Board  
P.O. Box 13087  
Austin, Texas 78711

1) OWNER Max Hereford ADDRESS Rt 8 Box 852 Hwy 190E Huntsville, Tx  
(Name) (Street or RFD) (City) (State) (Zip) 7734  
2) LOCATION OF WELL:  
County Walker 3.5 miles in W direction from Oakhurst  
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 SEE ATTACHED MAP 0760-11-5

3) TYPE OF WORK (Check):  New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  Domestic  Industrial  Irrigation  Test Well  Monitor  Injection  Public Supply  De-Watering  
5) DRILLING METHOD (Check):  Mud Rotary  Air Hammer  Air Rotary  Cable Tool  Other \_\_\_\_\_  Driven  Jetted  Bored

6) WELL LOG:

Date Drilling:	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
Started <u>5-30</u> 19 <u>90</u>	<u>6.5</u>	Surface	<u>488</u>
Completed <u>5-31</u> 19 <u>90</u>			

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Gravel Packed  Other \_\_\_\_\_  Underreamed  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
		0-3 top soil
		3-14 red clay
		14-63 white clay
		63-68 sand streaks
		68-152 brown clay
		152-159 rock streaks
		159-183 blue clay
		183-239 mealy clay
		239-259 sand
		259-320 mealy clay
		OVER (Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	468	40
2	N	PVC UC	478	488	#8

CEMENTING DATA [Rule 287.44(1)]  
Cemented from 468 ft. to 368 ft. No. of Sacks Used 7  
0 ft. to 15 ft. No. of Sacks Used 2  
Method used Pressure  
Cemented by Henry Lee

RECEIVED  
AUG 29 1990

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 200 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 287.44(2)(A)]  
 Pitless Adapter Used [Rule 287.44(3)(B)]  
 Approved Alternative Procedure Used [Rule 287.71]

14) WELL TESTS:  
Type Test:  Pump  Baller  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:  
Did the drilling penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 25 ft  
Was a chemical analysis made?  Yes  No

12) PACKERS:

Type	Depth
<u>2 R X R</u>	<u>462</u>



I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026  
(Type or print)  
ADDRESS 607 Hwy 19 Huntsville, Texas 77340  
(Street or RFD) (City) (State) (Zip)  
(Signed) [Signature] (Licensed Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 60-22-1 Located on map \_\_\_\_\_

320-337 sand streaks  
337-443 meally clay  
443-451 sand streaks  
451-453 rock streaks  
453-463 meally clay  
463-488 sand

Scale: 1:50,000  
Vertical Exaggeration: 10x



UTAH  
Scale: 1:1,000,000  
Vertical Exaggeration: 10x



Scale: 1:50,000  
Vertical Exaggeration: 10x

#5 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jerry Evans Address Rt. 8 Box 854 Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 8 miles in E direction from HUNTSVILLE

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-20-7

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 1-17-86
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 350
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA. Includes rows for soil, sand, clay, and rock streaks.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 330 ft. to 230 ft.
Method used Pressure
Cemented by Henry Lee
10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level, Artesian flow
12) PACKERS: Lead 330
13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder
Depth to pump bowls, cylinder, jet, etc., 180'

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 25 gpm with ft. drawdown after hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
Type of water? GOOD Depth of strata
Was a chemical analysis made? Yes No
I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]
Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only Well No. 60-22-1 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

# 30 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-252-400 Located on map YES Received: C.R.S.

1) OWNER George L. Myers Address Rt. 8 Box 862 Huntville, Texas 77340
2) LOCATION OF WELL: County Walker 9.6 miles in East direction from Huntville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. map on 60-18-3K

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5-2-83
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA: Cemented from 278 ft. to 178 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level 150 ft. below land surface Date 5-3-83 Artesian flow gpm. Date

RECEIVED JUN - 7 1983 DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth Rubber R 274

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 35 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 48 ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CABWALLADER, Henry Lee Water Well Drillers Registration No. 2026, 2221 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

+4 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-22-1B Located on map YES Received: C.F.S.

1) OWNER Don Strong (Name) Address 10519 Town Square (Street or RFD) Sugarland, Tx 77478 (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 7 miles in E direction from Huntsville (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map on 60-20-6K

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 2-25-82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 239 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns for From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

CEMENTING DATA Cemented from 218 ft. to 168 ft. Method used Pressure Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

RECEIVED

APR 19 1982

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth Lead L 213

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs. 13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 21 ft. Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 (Street or RFD) Riverside, Texas 77367 (City) (State) (Zip) (Signed) [Signature] (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-22-1A  
Located on map yes  
Received: 79 KAC

1) OWNER C. L. Williams Address Oakhurst, Tex.  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Lytle Walker 20 miles in W. direction from Livingston  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

See attached map. Map on 60-19-3D

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  
 Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  
 Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 10-1-78  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
Surface 7 0 227  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen	
						From	To	
0	23	Clay						
23	103	White Clay						
103	125	SAND	4" N.		pvc pipe	0	277	54 40
125	130	Clay	2 1/4" N.		plastic slotted	277	287	92
130	143	Sand & White Clay	2 1/2" N.		pvc pipe	280	288	54 40
143	223	Clay-sand strips						
223	243	Sandy Clay & Shale						
243	291	Sand (good)						

CEMENTING DATA  
Cemented from 0 ft. to 227 ft.  
Method used Pressure Pump  
Cemented by Miller's Pump & Supply  
(Company or Individual)

9) WATER LEVEL:  
Static level 150' ft. below land surface Date 10-2-78  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth

11) TYPE PUMP:  
 Turbin  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME Emanuel Miller Water Well Drillers Registration No. #607  
(Type or Print)  
ADDRESS P.O. Box 202 Lt. Tex 77351  
(Street or RFD) (City) (State) (Zip)  
(Signed) Emanuel Miller Miller's Water Well Drilling  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**2) LOCATION OF WELL:**

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

SEP 21 '79

CR/TDWR

SEP 21 1979

CR/TDWR