

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8000
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Johnnie Mitchell	Address 112-B Love Loop	City Richards	State TX	Zip 77873
---------------------------------	-----------------------------------	-------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker 236	Physical Address Love Loop	City Richards	State TX	Zip
-----------------------------	--------------------------------------	-------------------------	--------------------	-----

3) Type of Work

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date

Started 7/31/02
Completed 8/1/02

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	120

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	6	Sdy cl.
6	40	Sd.
40	118	Sd & gr.
118	120	Bl.cl.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from 95 ft. to 120 ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	100	
4	N	Slotted casing screen	100	120	#14

(Use reverse side of Well Owner's copy, If necessary)

9) Cementing Data

Cementing from 0 ft. to 20 ft. # of sacks used 3
90 ft. to 95 ft. # of sacks used 3

Method Used Pressure

Cementing By R. McPike

13) Plugged Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., 80 ft.

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

11) Water Level

Static level 13 ft. below _____ Date _____
Artesian Flow _____ gpm. Date _____

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 20
Was a chemical analysis made? Yes No


12) Packers


Gravel Packed

Company or Individual's Name (type or print) **Holly Water Wells LTD** Lic. No. **3114W**

Address **2928 State Hwy 19** City **Huntsville** State **TX** Zip **77320**

Signature <u>Raymond McPike</u> Licensed Driller/Pump Installer	Date	Signature _____ Apprentice	Date
--	------	-------------------------------	------







LAKE
COMROE
Normal Pool Elev 201.0'
Max Flood Elev 214.0'

M O N T G O M E R Y C O U N T Y

G R I M S O N T Y

HUNTVILLE
pop. 23,856

HOUSTON
NATIONAL FOREST

SAM

PACIFIC RAILROAD

MOBILAR-SAM HOUSTON
OIL FIELD

NEW WAVERLY
pop. 824

HUNTVILLE STATE PARK

PHILLIPS

DOODGE

SAN HOUSTON NATIONAL FOREST

INSET NO 2

BOSEWELL

BRIER

PHILLIPS

DOODGE

SHOCKIE CHAPEL

ATTENTION OWNER: Confidentiality
 Privilege Notice on reverse side
 of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
 Regulation
 P.O. Box 12157
 Austin, TX 78711
 512-463-7880

1) OWNER Charles Zang (Name) ADDRESS 3418 Willow Run Montgomery TX 77356
 (Street or RFD) (City) (State) (Zip)
 2) ADDRESS OF WELL'S LOCATION: 277 Prestwether Richards TX Long. _____ Lat. _____
 County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-26-3

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling: _____
 Started 10-10-1999
 Completed 11-14-1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	260'
3 7/8	260'	315'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	260'	40
2	N	PVC Blank	252'	295'	40
2	N	PVC Screen	295'	315'	8

9) CEMENTING DATA
 Cemented from 260' ft. to 160' ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 20
 Method used pressure
 Cemented by Richard Mikee
 Distance to septic system field lines or other concentrated contamination 100 ft.
 Method of verification of above distance Tape

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 180 ft.

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER".
 Type of water? good Depth of strata 20'
 Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) WATER LEVEL:
 Static level 78 ft. below land surface Date 11-14-99
 Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 252'
Formation packers Rubber 295'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
 (Type or print) (State) (Zip)
 ADDRESS P.O. Box 1788 (Street or RFD) (City) (State) (Zip)
 (Signed) Vernon Gray JUN 05 2000 (Signed) Richard Mikee
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

#3 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER LARRY MILLS Address rt. 2 BOX 3310 HUNTSVILLE, TX. 77340

2) LOCATION OF WELL: County WALKER 15 miles in SW direction from HUNTSVILLE

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 0160-27-3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 12/04/87 Completed 12/07/87 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 310 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ft. to ft.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include TOP SOIL, WHITE CLAY, COARSE SAND, BLUE CLAY, SAND STREAKS, etc. Includes casing data and cementing data.

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used 11) WATER LEVEL: Static level 60 ft. below land surface Date 12-7-87 Artesian flow 15 gpm. Date

12) PACKERS: LEAD 278 13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 180 ft. 14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 15 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELL SERVICE Water Well Driller's License No. 2026/2221 ADDRESS 607 HWY. 19 HUNTSVILLE, TX. 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6026-3 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Walters (Name) Address Preston Rd. 1791 West Hunterville (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker Co. 40 miles in North West direction from Conroe (N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 2-19-86 Completed 2-21-86
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
Surface: 6 3/4 0 415'
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	25	Sand & Clay						
25	101	Sand & coarse gravel						
101	120	Clay soil						
120	299	hd. Blue Dry Clay	4" N.		PVC Casing	0	400'	
299	300	Real Fine Mucky Clay	2 1/2" N.		Galv Blank	392'	402'	
300	309	Fine Dark Black Sand	2 1/2" N.		Stainless Screen	402'	411'	10 gpa
309	402	hd Dry Blue shale	2 1/2" N.		Galv. Bottom Blank	411'	415'	
402	410	Sand (12gr) coarse (hard)						
410	415	Rock						
415		Bottom						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 400' ft. No. of Sacks Used 25
Method used Pressure Cemented
Cemented by Con-Tex Water Well Co.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 45 ft. below land surface Date 2-21-86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 120 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
MAR 31 1986

TEXAS WATER COMMISSION

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Con-Tex Water Well Co. (Type or Print) Water Well Driller's License No. 1985
ADDRESS P.O. Box 275 Conroe Texas 77305 (Street or RFD) (City) (State) (Zip)
(Signed) Rick A. Neal (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use: Well No. 60-26-3 Located on map _____

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-26-3A
Located on map Yes
Received: 25
dk

1) OWNER:
Person having well drilled ALTON LOVE Address RT1 RICHARDS TEX
(Name) (Street or RFD) (City) (State)
Landowner " Address "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 13 miles in W direction from Huntsville
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Over North
(Use reverse side if necessary)
OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 120 ft. Depth of completed well 120 ft. Date drilled AUG 8-72
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-2		surface
2-14		sh clay
14-20		sand
20-80		white clay
80-120		sand

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 100 S 40
10) SCREEN:
Type plates
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4 100 120 012

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 60 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME THOMAS ANDERS Water Well Drillers Registration No. 1226
(Type or Print)
ADDRESS PO Box 4 HUNTSVILLE TEXAS
(Street or RFD) (City) (State)
(Signed) Thomas Anders (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
JUN 12 1975
Texas Water Development Board

RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD