

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616  
Toll free (800)803-9202

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

Email address: water.well@license.state.tx.us

**WELL REPORT**

**A. WELL IDENTIFICATION AND LOCATION DATA**

**1) OWNER**

Name <b>David Griffith</b>	Address <b>344 Preston Rd.</b>	City <b>Richards</b>	State <b>Texas</b>	Zip <b>77873</b>
-------------------------------	-----------------------------------	-------------------------	-----------------------	---------------------

**2) WELL LOCATION**

County <b>Walker 236</b>	Physical Address <b>344 Preston Rd.</b>	City <b>Richards</b>	State <b>Texas</b>	Zip <b>77873</b>
-----------------------------	--	-------------------------	-----------------------	---------------------

**3) Type of Work**

New Well     Reconditioning  
 Replacement     Deepening

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # **60-27-1**

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
 Rig Supply    If Public Supply well, were plans submitted?     Yes     No

**5)**    **N↑**  
•

**6) Drilling Date**

Started **6/25/02**  
Completed **6/27/02**

Diameter of Hole		
Dia.(in)	From (ft)	To (ft)
10"	0	10'
6 1/2	10'	162'
3 3/8	162'	180'

**7) Drilling Method (check)**

Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

From (ft)	To (ft)	Description and color of formation material
0-6	Red clay	135-138 Blue shale
6-26	Red Sand	138-140 Rock
26-42	Gravel	140-149 Blue clay
42-48	Red Sand	149-159 Blue clay
48-49	Sandstone	150-160 Rock
49-53	White clay	160-180 Sand
53-76	Sand	
76-98	Sand	
98-128	Gravel	
128-135	Sand	

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC	6	162	40
2	N	PVC	157	160	40
2	N	PVC Screen	160	180	8

**9) Cementing Data**  
Cementing from **162** ft. to **0** ft. # of sacks used **110**  
**0** ft. to **10** ft. # of sacks used **8**  
Method Used \_\_\_\_\_  
Cementing By **Richard Tucker**  
Distance to septic system field or other concentrated contamination **80** ft.  
Method of verification of above distance **TAPS ROOM**

**13) Plugged**     Well plugged within 48 hours  
Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Type Pump**  
 Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet etc., **140** ft.

**15) Water Test**  
Type test  Pump     Bailer     Jetted     Estimated  
Yield: **12** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**  
Did you knowingly penetrate a strata which contain undesirable constituents.  
 YES     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER  
Type of water **good**    Depth of Strata **20**  
Was a chemical analysis made     Yes     No

**10) Surface Completion**  
 Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used  
AUG 21 2002  
RECEIPT # \_\_\_\_\_

**11) Water Level**  
Static level **56** ft. below Date **6/27/02**  
Artesian Flow \_\_\_\_\_ Date \_\_\_\_\_

**12) Packers** **Rubber** Type **K** Depth **157'**  
TCEQ - CENTRAL FILE ROOM

Company or individual's Name (type or print) <b>Gray's Water Well Service</b>	Lic. No. <b>2011 WPK</b>
Address <b>P.O. Box 1788</b>	City <b>Trinity</b> State <b>Tx</b> Zip <b>75862</b>
Signature <b>Vernon Gray</b> Date <b>6/27/02</b>	Signature <b>Richard Tucker</b> Date <b>6/27/02</b>
Licensed Driller/Pump Installer	Apprentice



ATTENTION OWNER: Confidentiality  
Privilege Notice on reverse side  
of Well Owner's copy (pink)

# State of Texas WELL REPORT

Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
512-463-7880 **77340**

1) OWNER Cris Smith ADDRESS 336 Walker Loop Huntswiller TX  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: 336 Walker Loop Huntswiller TX Long. \_\_\_\_\_ Lat. \_\_\_\_\_  
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-27-1

3) TYPE OF WORK (Check):  
 New Well     Deepening  
 Reconditioning     Plugging

4) PROPOSED USE (Check):     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
 If Public Supply well, were plans submitted to the TNRCC?     Yes     No

6) WELL LOG:    7) DRILLING METHOD (Check):     Driven  
 Date Drilling:     Air Rotary     Mud Rotary     Bored  
 Started 3-23 1900     Air Hammer     Cable Tool     Jetted  
 Completed 4-4 1900     Other \_\_\_\_\_

DIAMETER OF HOLE		Description and color of formation material
Dia. (in.)	From (ft.)	
10"	Surface	0-21 clay 158-173 sand
6 3/4"	10'	21-30 clay 173-186 shale
3 7/8"	230'	30-46 Sand 186-188 Rock
	272'	46-58 clay 188-196 shale
		58-63 Sand 196-200 Rock
		63-70 clay 200-231 shale
		70-105 shale 231-235 shale
		105-133 Sand 235-237 Rock
		133-135 clay 237-250 Sand
		135-147 Sand 250-272 Sand
		147-156 Sand
		156-158 Sand

8) Borehole Completion (Check):     Open Hole     Straight Wall  
 Underreamed     Gravel Packed     Other \_\_\_\_\_  
 If Gravel Packed give interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	230	+40
2	N	PVC	225'	252	+40
2	N	PVC Screen	252'	272'	+10

9) CEMENTING DATA  
 Cemented from 230 ft. to 130 ft. No. of sacks used 5  
0 ft. to 10 ft. No. of sacks used 7  
 Method used Pressure  
 Cemented by Richard Mike  
 Distance to septic system field lines or other concentrated contamination 105 ft.  
 Method of verification of above distance Tap

13)  Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:  
 Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., 200' ft.

15) WELL TESTS:  
 Type test:     Pump     Bailer     Jetted     Estimated  
 Yield: 50 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

16) WATER QUALITY:  
 Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes     No    If yes, submit "REPORT OF UNDESIRABLE WATER"  
 Type of water? good    Depth of strata 22'  
 Was a chemical analysis made?     Yes     No

10) SURFACE COMPLETION  
 Specified Surface Slab Installed  
 Specified Steel Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

11) WATER LEVEL:  
 Static level 90 ft. below land surface    Date 4-4-00  
 Artesian flow \_\_\_\_\_ gpm.    Date \_\_\_\_\_

12) PACKERS: Rubber    Type K    Depth 225'  
Formation packer Rubber    252'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well    WELL DRILLER'S LICENSE NO. 2011 WPK  
 ADDRESS P.O. Box 1788    SEQ # Trinity    TP 75862  
 (Type or print) (City) (State) (Zip)  
 (Signed) Vernon Gray    JUN 05 2000    (Signed) Richard Mike  
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



1 p 3 # 1

1) OWNER: COLE, JIM ADDRESS: FM 1791 CITY: NEW WAVERLY STATE: TX ZIP:  
 2) LOCATION OF WELL: County: WALKER miles in direction from

LEGAL DESCRIPTION SEE ATTACHED MAP

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01815 DIAMETER OF HOLE 7) BOREHOLE METHOD:  
 DIAMETER FROM TO STRAIGHT WALL  
 6.5 0 373 IF GRAVEL... FROM FT. TO FT.  
 4.5 373 395 FROM FT. TO FT.  
 DATE DRILLED: 07/24/90

GEOLOGICAL DESCRIPTION: 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
 FROM TO DESCRIPTION DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN  
 0 3 SAND 4 N PVC 0 373 SCH 40  
 3 108 SAND & CLAY 2.5 N GALV. 362 374 SCH 40  
 108 127 SAND 2.5 N RBSS 374 389 .012  
 127 202 SAND & CLAY 2.5 N DOWN HOLE ASSEMBLY 389 395 SCH 40  
 202 242 SAND  
 242 373 SAND & ROCK  
 373 392 SAND  
 392 395 SHALE

9) CEMENTING DATA:  
 Cemented from 0 FT. TO 373 FT.  
 FT. TO FT.  
 Method used: PRESSURE  
 Cemented by: WEISINGER WATER WELL

**RECEIVED**  
 SEP 17 1990

10) SURFACE COMPLETION:  
 APP. ALTER. PROCD.

11) WATER LEVEL:  
 STATIC LEVEL : 80 FT. DATE: 07/24/90  
 ARTESIAN FLOW: GPM. DATE:

TEXAS WATER COMMISSION

12) PACKERS: TYPE DEPTH  
 RUBBER SEAL 362

13) TYPE PUMP: SUBMERSIBLE DEPTH TO PUMP:  
 14) WELL TEST: JETTED YIELD: 100 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: EXCELLENT DEPTH OF STRATA: NO CHEMICAL ANALYSIS MADE  
 NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO.: 1541, 1991, & 1992 FOR TDWR USE ONLY  
 ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301 WELL NO. 60-27-1  
 LOCATED ON MAP

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 12 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John E. Weisinger (signed) \_\_\_\_\_  
 (LICENSED WATER WELL DRILLER) (REGISTERED DRILLER TRAINEE)

1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that this is crucial for ensuring transparency and accountability in the organization's operations.

2. The second part of the document outlines the various methods and tools used to collect and analyze data. It highlights the need for consistent data collection procedures and the use of advanced analytical techniques to derive meaningful insights from the data.

3. The third part of the document focuses on the implementation of data-driven decision-making processes. It provides a detailed overview of the steps involved in identifying key performance indicators (KPIs) and using data to inform strategic decisions.

4. The fourth part of the document discusses the challenges and risks associated with data management and analysis. It addresses issues such as data quality, security, and privacy, and offers strategies to mitigate these risks.


5. The fifth part of the document provides a comprehensive overview of the data ecosystem, including the roles of various stakeholders and the integration of data from different sources. It also discusses the importance of data governance and compliance with relevant regulations.

6. The sixth part of the document concludes with a summary of the key findings and recommendations. It emphasizes the need for a continuous and iterative approach to data management and analysis to ensure the organization remains competitive and agile in a rapidly changing market.



7. The seventh part of the document provides a detailed appendix of the data sources and methods used in the study. It includes a list of all data sources, a description of the data collection methods, and a list of the data analysis tools and software used.

8. The eighth part of the document provides a list of references and a glossary of terms. The references include a list of all the sources cited in the document, and the glossary provides definitions for key terms and acronyms used throughout the document.

Map 3



1:50,000



ROADS	
	INTERSTATE HIGHWAY
	U.S. HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	UNIMPROVED ROAD
	RAILROAD
	AIRWAY
	CANAL
	WATERWAY
	LAKE/RESERVOIR
	RIVER
	STREAM
	CREEK
	POND
	WELL
	BUILDING
	CHURCH
	SCHOOL
	CEMETERY
	PARK
	FOREST
	SWAMP
	MARSH
	HILL
	MOUNTAIN
	CLIFF
	CAVE
	SPRING
	WELLHEAD
	POWER LINE
	TELEPHONE LINE
	GAS LINE
	WATER LINE
	SEWER LINE
	FENCE
	BOUNDARY
	SECTION CORNER
	TOWNSHIP CORNER
	RANGE CORNER
	MERIDIAN CORNER
	SECTION CENTER
	TOWNSHIP CENTER
	RANGE CENTER
	MERIDIAN CENTER

**GENERAL HIGHWAY MAP  
WALKER COUNTY  
TEXAS**

PREPARED BY THE  
STATE DEPARTMENT OF HIGHWAYS  
AND PUBLIC TRANSPORTATION  
TRANSPORTATION PLANNING DIVISION  
IN COOPERATION WITH THE  
FEDERAL HIGHWAY ADMINISTRATION

U.S. DEPARTMENT OF TRANSPORTATION

1969

#14 W1 "RC"

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James Wells (Name) Address PO Box 703 Huntsville, TEX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 12 miles in SW direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 0160-21-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 8-9 1989 Completed 8-10 1989

Table with columns: DIAMETER OF HOLE, Dia. (in.), From (ft.), To (ft.). Rows: 6.5 Surface 212

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-2 top soil, 2-22 brown clay, 22-40 sand, 40-42 blue clay, 42-111 sand, 111-130 blue clay, 130-160 sand, 160-195 blue clay, 195-212 sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 199 ft. to 99 ft. No. of Sacks Used 7

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 220 ft. below land surface Date 8-10-89

12) PACKERS: K packer Rubber 194

13) TYPE PUMP: Turbine Jet Submersible Cylinder Depth to pump bowls, cylinder, jet, etc., 100 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

RECEIVED AUG 21 1989 TEXAS WATER COMMISSION

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-27-1 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

**“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”**

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER Pat Bushee ADDRESS 3222 Chapparral Way Spring Tx 77380  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 10 m. West of Huntsville off HWY 1791 STATE WELL # \_\_\_\_\_  
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

5) 60-27-1

6) WELL LOG:  
Date Drilling:  
Started 11-22 1996  
Completed 11-26 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	382

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
0	2	top bit soil
2	19	wh. cl.
19	35	br. cl.
35	42	bl.
42	62	br. & bl. w/ sa. st.
62	82	sa. st.
82	114	coa. sa.
114	148	bl.
148	162	sa.
162	182	bl & sa. st.
182	187	bl.
187	195	sa.
195	242	bl.
242	282	bl. & wh.
282	296	bl.

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	372	
2.5	N	Pipe base	370	385	.006

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2  
372 ft. to 222 ft. No. of sacks used 7  
Method used by pressure  
Cemented by H. Lee  
Distance to septic system field lines \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 220 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 14 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level 105 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 14  
Was a chemical analysis made?  Yes  No

12) PACKERS:

Type	Depth
B.P. Packer R x L	359'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W  
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) Henny Lee (Licensed Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-27-16  
Located on map yes  
Received: C.K.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side.

1) OWNER OBIE Ellington (Name) Address Richards (Street or RFD) Tx. (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 10 miles in S.E (N.E., S.W., etc.) direction from Huntsville (Town)

Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
# See attached map. #7 n upon 60-29-9R

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 10-1-81  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 170  
3 1/8 170 178  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other 2-string  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
<u>0</u>	<u>5</u>	<u>Gypsum</u>						
<u>5</u>	<u>100</u>	<u>Yellow Clay</u>						
<u>100</u>	<u>168</u>	<u>Rock</u>	<u>4 1/2</u>	<u>N</u>	<u>PUC</u>	<u>0</u>	<u>170</u>	<u>Sch 40</u>
<u>168</u>	<u>178</u>	<u>Grate sand</u>	<u>2 1/2</u>	<u>N</u>	<u>PUC FUEFLOW</u>	<u>168</u>	<u>178</u>	<u>014</u>
			<u>2 1/2</u>	<u>N</u>	<u>PUC blank</u>	<u>158</u>	<u>168</u>	<u>Sch 80</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
CEMENTING DATA  
Cemented from 0 ft. to 170 ft.  
Method used PRESSURE Pumped  
Cemented by M+M WELL SERVICE (Company or Individual)

9) WATER LEVEL:  
Static level 70 ft. below land surface Date 10-2-81  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  

--	--	--

11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 100 ft.

12) WELL TESTS:  
 Type Test  Pump  Bailer  Jetted  Estimated  
Yield: 30 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688  
ADDRESS P.O. Box 523 (Street or RFD) Willis (City) Tx. (State) 77378 (Zip)  
(Signed) Donald McKay (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

16

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
SEP 2 1987  
TEXAS DEPT.  
OF  
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-27-1F Located on map VES Received: C.P.S.

1) OWNER Fossil Fuels Address 811 Dallas Ste. 1505 Houston, Texas 77002

2) LOCATION OF WELL: County Walker 10 miles in SW direction from Huntsville O'Conner & Young #203 - Central Coal & Coke #1

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 3-17-82. DIAMETER OF HOLE: Dia. (in.) 6.5, From (ft.) 0, To (ft.) 450. 7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Clay, Sand, PVC Casing, Slotted Screen.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA. Cemented from 0 ft. to 10 ft. Method used Slurry. Cemented by J & S Well Service.

9) WATER LEVEL: Static level 25 ft. below land surface. Date 3-18-82. Artesian flow gpm. Date.

10) PACKERS: Type, Depth. Includes 'RECEIVED' stamp dated APR - 9 1982.

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 125 gpm with 0 ft. drawdown after 1 hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes/No. Type of water? Depth of strata? Was a chemical analysis made? Yes/No.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E. Richardson Water Well Drillers Registration No. 1994. ADDRESS P.O. box 675 Bellville Texas 77418. (Signed) John E. Richardson APR 7 1982 J & S Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



STANDARD LIBRARY

APR - 9 1932

UNIVERSITY OF CHICAGO

STANDARD LIBRARY  
UNIVERSITY OF CHICAGO

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

For TWDB use only  
Well No. 60-27-1E  
Located on map YES  
Received: 76-1-25

WATER WELL REPORT

1) OWNER:  
Person having well drilled H. D. Whitehead Address Cross Trail Rd Huntsville Tex  
(Name) (Street or RFD) (City) (State)  
Landowner Some Address Some  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 1 1/4 miles in West direction from Huntsville Tex  
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 4 3/4 in. Depth drilled 190 ft. Depth of completed well 190 ft. Date drilled 6-7-76  
All measurements made from \_\_\_\_\_ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-90	ft	clay
90-110		Sand
110-160		clay & Boulder
160-180		clay & turkey
180-190		Sand

9) Casing:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 3/4" hole set 180 ft. V.C.  
2 1/2" casing 10 ft 14 ft  
1/2" total depth 190  
10) SCREEN:  
Type \_\_\_\_\_  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2" P.C. 180-190

7) COMPLETION (Check):  
Straight well  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes  No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 66 ft. below land surface Date 5-8-76  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.  
Jet Pump set 105 ft  
1 hp 2 stage jet

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? good depth of strata 14 ft

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME H. D. Doraume Water Well Water Well Drillers Registration No. 145  
(Type or Print)  
ADDRESS 29309 Blue Berry Hill (City) \_\_\_\_\_ (State) \_\_\_\_\_  
(Signed) H. D. Doraume \_\_\_\_\_  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

*[Faint, illegible handwritten notes and scribbles covering the middle section of the page.]*

**RECEIVED**  
JAN 14 1977

Central Texas  
Texas Water Development Board

**RECEIVED**  
SEP 23 1976  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-27-10  
Located on map 105  
Received: 751  
dl

1) OWNER:  
Person having well drilled RUBIN WALKER Address RT 2 HUNTSVILLE TEX  
(Name) (Street or RFD) (City) (State)  
Landowner " Address "  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 10 miles in W direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*

OR Give legal location with distances and directions from adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_

Block \_\_\_\_\_ Survey \_\_\_\_\_

Abstract No. \_\_\_\_\_

(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

OVER

North



(Use reverse side if necessary)

3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 230 ft. Depth of completed well 230 ft. Date drilled FEB 9-73  
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	surface dirt
2	120	clay
120	160	sand
160	200	clay
200	230	sand

9) CASING:  
Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic  Other \_\_\_\_\_  
Cemented from 170 ft. to 200 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 0 200 S40

10) SCREEN:  
Type PLASTIC  
Perforated \_\_\_\_\_ Slotted   
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 200 230 010

7) COMPLETION (Check):  
Straight wall \_\_\_\_\_ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed  Open Hole \_\_\_\_\_

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 80 ft. below land surface Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME THOMAS ANDERS Water Well Drillers Registration No. 1226  
(Type or Print)  
ADDRESS PO. 4 HUNTSVILLE TEX  
(Street or RFD) (City) (State)  
(Signed) Thomas Anders (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED  
JUN 12 1975  
Texas Water Development Board

RECEIVED  
JAN - 9 1975  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-27-1C  
Located on map yes  
Received: 23  
dlr

1) OWNER: Person having well drilled MR ALTON FARRIS Address REARD RD. HUNTSVILLE, TEXAS  
(Name) (Street or RFD) (City) (State)  
Landowner SAME Address \_\_\_\_\_ (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 15 miles in SW direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*

Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

(Use reverse side if necessary)

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  Irrigation  Test Well  Other

5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  Cable  Jetted  Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 282 ft. Depth of completed well 282 ft. Date drilled 8-15-73  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-34		CLAY + SAND
34-64		BLUE CLAY
64-94		SAND
94-125		CLAY + SAND STKS
125-137		SAND STKS
137-201		CLAY + SAND BRKS
201-270		BLUE CLAY
270-282		SAND

9) Casing: Type: Old   New  Steel  Plastic  Other  
Cemented from 270 ft. to 200 ft.  
Diameter (inches) 4 Setting From (ft.) 270 To (ft.) +1 Gage SC#40

10) SCREEN: Type STAINLESS STEEL  
Perforated  Slotted   
Diameter (inches) 2 1/2 Setting From (ft.) 272 To (ft.) 282 Slot Size #6

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other  
 Under reamed  Open Hole

8) WATER LEVEL: Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY: Was a chemical analysis made? Yes  No   
Did any strata contain undesirable water? Yes  No   
Type of water? GOOD depth of strata 15

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY Water Well Drillers Registration No. 801  
(Type or Print)  
ADDRESS Box 37 HUNTSVILLE TEXAS  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. HOLLY CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER  
DEVELOPMENT BOARD

AUG 31 1973

RECEIVED

RECEIVED  
NOV 30 1973  
Central Records  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-27-1B Located on map 19-2 Received: 23/1/73

1) OWNER: Person having well drilled MR VIRGIL HINALE Address 1820 MILAN ST. HOUSTON, TEXAS Landowner SAME

2) LOCATION OF WELL: County WALKER, 15 miles in S.W. direction from HUNTSVILLE

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\* Give legal location with distances and directions from adjacent sections or survey lines.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 163 ft. Depth of completed well 163 ft. Date drilled 5-15-73

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include RED CLAY, WHITE SAND, BLUE CLAY, SAND.

9) CASING: Type: Old New Steel Plastic Other Cemented from 143 ft. to 100 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 153 +1 SCHA0

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole 8) WATER LEVEL: Static level 50 ft. below land surface Date 5-15-73 Depth to pump bowls, cylinder, jet, etc., 170 ft. below land surface.

10) SCREEN: Type STAINLESS STEEL Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 153 163 #12 11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water 12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? GOOD depth of strata 55 FT.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. HOLLY Water Well Drillers Registration No. 801 ADDRESS BOX 37 RIVERSIDE TEXAS 77367 (Signed) E.A. HOLLY (Water Well Driller) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

**RECEIVED**  
JUL 13 1973  
Central Records  
Texas Water Development Board

**RECEIVED**  
JUN 18 1973  
TEXAS WATER  
DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-27-1A  
Located on map 108  
Received: 69  
dlr

1) OWNER:  
Person having well drilled CATHERINE WOODS Address RT1 RICHARDS TEX  
(Name) (Street or RFD) (City) (State)  
Landowner " " Address " " (City) (State)  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 1.3 miles in W SW direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)



3) TYPE OF WORK (Check):  
New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_

4) PROPOSED USE (Check):  
Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_

5) TYPE OF WELL (Check):  
Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 7 3/4 in. Depth drilled 170 ft. Depth of completed well 170 ft. Date drilled 5-7-69  
All measurements made from -0- ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing: Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic <input checked="" type="checkbox"/> Other _____ Cemented from _____ ft. to _____ ft.
0-2		surface dirt	
2-61		yellow clay	Diameter (inches) <u>4</u> Setting From (ft.) <u>0</u> To (ft.) <u>150</u> Gage <u>173</u>
61-90		sandy clay	
90-105		sand	
105-135		yellow clay	
135-170		sand	

7) COMPLETION (Check):  
Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

10) SCREEN:  
Type PLASTIC  
Perforated \_\_\_\_\_ Slotted   
Diameter (inches) 4 Setting From (ft.) 150 To (ft.) 170 Slot Size 014

8) WATER LEVEL:  
Static level 72 ft. below land surface Date 5-8-69  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 130 ft. below land surface.

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test 12 gpm with 18 ft. drawdown after 2 hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? Good depth of strata 35

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226  
(Type or Print)  
ADDRESS RT4 BOX 26 HUNTSVILLE TEX  
(Street or RFD) (City) (State)  
(Signed) Thomas Anders THOMAS ANDERS  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
APR 7 1970  
Central Records  
Texas Water Development Board

RECEIVED  
DEC 2 1969  
TEXAS WATER  
DEVELOPMENT BOARD

Please use black ink.  
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MIKE STANTON (Name) Address POOLE RD. (Street or RFD) Huntsville Tx. (City) (State) (Zip)  
2) LOCATION OF WELL: County WALKER 10 miles in S.W. (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
 Legal description: Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_  
 See attached map. # 2 60-29-6

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG: Date drilled 9/4/84  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 150  
3 7/8 150 160  
7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other 2-string  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	29	topsoil						
29	72	red clay						
72	102	black sand	4	N	PVC	0	150	och 40
102	130	yellow clay	2 1/2	N	EXFLOW (PVC)	150	160	.016
130	160	water sand	2 1/2	N	PVC LINER	140	150	och 80

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 150 ft.  
Method used pressure pumped  
Cemented by M+M Well Service

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 319.44(c)]  
 Pitless Adapter Used [Rule 319.44(d)]  
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 57 ft. below land surface Date 9/5/84  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
Depth to pump bowls, cylinder, jet, etc., 107 ft.

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 30 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME M+M Well Service (Type or Print) Water Well Driller's License No. 2429  
ADDRESS P.O. Box 1612 (Street or RFD) Willis (City) TX (State) 77378 (Zip)  
(Signed) Jed (Licensed Water Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-27-1 Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Map #1

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER B.S. Driscoll Address Off Pool Rd Huntsville Tx 77340
2) LOCATION OF WELL: water 12"2 miles in SW direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: DIAMETER OF HOLE Date drilled 7-17-85
7) BOREHOLE COMPLETION: Straight Wall Underreamed Gravel Packed Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 0 ft. to 375 ft. Method used Pressure Cemented by Weisinger

10) SURFACE COMPLETION: Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 82 ft. below land surface Date 7-17-85 Artesian flow gpm. Date

12) PACKERS: Type Depth

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 60 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the data and information are to the best of my knowledge and belief.

COMPANY NAME Weisinger Water Well, Inc. 2200 E. Davis Conroe, Texas 77301 (409) 756-7721
John E. Weisinger (Licensed Water Well Driller)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-27-1 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:


“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.





**LEGEND**

	INTERSTATE HIGHWAY
	FEDERAL HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	CANAL
	WATERWAY
	LAKE
	RESERVOIR
	DAM
	WELL
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL BUILDING
	RESIDENTIAL BUILDING
	FOREST
	PARK
	CEMETERY
	MONUMENT
	BOUNDARY
	ELEVATION
	CONTOUR
	SPOT ELEVATION
	DIRECTION
	DISTANCE
	AREA
	POINT
	LINE
	CIRCLE
	SQUARE
	TRIANGLE
	DIAMOND
	HEXAGON
	OCTAGON
	STAR
	CROSS
	CIRCLE WITH CROSS
	SQUARE WITH CROSS
	TRIANGLE WITH CROSS
	DIAMOND WITH CROSS
	HEXAGON WITH CROSS
	OCTAGON WITH CROSS
	STAR WITH CROSS
	CROSS WITH CROSS
	CIRCLE WITH CIRCLE
	SQUARE WITH SQUARE
	TRIANGLE WITH TRIANGLE
	DIAMOND WITH DIAMOND
	HEXAGON WITH HEXAGON
	OCTAGON WITH OCTAGON
	STAR WITH STAR
	CROSS WITH CROSS
	CIRCLE WITH CIRCLE
	SQUARE WITH SQUARE
	TRIANGLE WITH TRIANGLE
	DIAMOND WITH DIAMOND
	HEXAGON WITH HEXAGON
	OCTAGON WITH OCTAGON
	STAR WITH STAR
	CROSS WITH CROSS



**GENERAL HIGHWAY MAP  
WALKER COUNTY  
TEXAS**

PREPARED BY THE  
STATE DEPARTMENT OF HIGHWAYS  
AND PUBLIC TRANSPORTATION  
TRANSPORTATION PLANNING DIVISION  
IN COOPERATION WITH THE  
U.S. DEPARTMENT OF TRANSPORTATION  
FEDERAL HIGHWAY ADMINISTRATION



MAP #1

- ① B. S. Driscoll
- ② Mrs. J. E. Owens
- ③ M. B. Carlson

#2 Walker

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER FRED DEATS (Name) Address Rt 2 Box 8100 Richards, Texas 77873 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 12 miles in SW direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 60-19-2

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 4-4-88 19 Completed 4-6-88 19 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 417 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include soil, clay, sand, and gravel layers.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 383 ft. to 283 ft. No. of Sacks Used 6 15 ft. to 0 ft. No. of Sacks Used 2 Method used Pressure Cemented by Holly Water Well Service

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 82 ft. below land surface Date 4-6-88 Artesian flow gpm. Date

12) PACKERS: Type Depth Lead L 377

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 20 gpm with ft. drawdown after hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 14 ft Was a chemical analysis made? Yes No

RECEIVED MAY 27 1988

TEXAS WATER COMMISSION

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS (Type or Print) Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-27-1 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

**"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."**

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.