

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name <i>Kenneth Dixon</i>	Address <i>2100 Ave S.</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77340</i>
------------------------------	-------------------------------	---------------------------	-----------------------	---------------------

2) WELL LOCATION

County <i>Walker 236</i>	Physical Address <i>49 Lessa Lane</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77340</i>
-----------------------------	--	---------------------------	-----------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat.	Long.	Grid # <i>60-27-3</i>	5) <i>NT</i>
4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No			

6) Drilling Date

Started *9/18/01*
Completed *9/20/01*

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<i>10"</i>	<i>0</i>	<i>10'</i>
<i>6 3/4</i>	<i>10'</i>	<i>147'</i>
<i>3 7/8</i>	<i>147'</i>	<i>170'</i>

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

<i>0-2</i>	<i>Top Soil</i>
<i>2-35</i>	<i>Red clay</i>
<i>35-63</i>	<i>Tan clay</i>
<i>63-68</i>	<i>Rock</i>
<i>68-93</i>	<i>Blue clay</i>
<i>93-120</i>	<i>Blue clay</i>
<i>120-123</i>	<i>Sand Stone</i>
<i>123-170</i>	<i>Sand</i>

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>147'</i>	<i>*40</i>
<i>2</i>	<i>N</i>	<i>PVC</i>	<i>142'</i>	<i>150'</i>	<i>*40</i>
<i>2</i>	<i>N</i>	<i>PVC Screen</i>	<i>150'</i>	<i>170'</i>	<i>*10</i>

9) Cementing Data
Cementing from *147* ft. to *47* ft. # of sacks used *5*
0 ft. to *10* ft. # of sacks used *5*
Method Used *pressure*
Cementing By *R. Baker*
Distance to septic system field or other concentrated contamination *44 ft.*
Method of verification of above distance *RECEIVED*

13) Plugged Well plugged within 48 hours
Casing left in well: *Cement/Bentonite placed in well:*

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., *120* ft.

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: *50* gpm with _____ ft. drawdown after _____ hrs.


16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water *good* Depth of Strata *47'*
Was a chemical analysis made Yes No

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used
RECEIVED
MAY 20 2002


11) Water Level
Static level *70* ft. below Date *9/20/01*
Artesian Flow _____ gpm. Date _____

12) Packers *NO Rubber* Type *K* Depth *142'*
2004

Company or individual's Name (type or print) *Gray's Water Well* Lic. No. *2011 WPK*
Address *PO Box 1788* City *Trinity* State *TX* Zip *75862*
Signature *Vernon Gray* Date *9/23/01* Signature *Richard M. Keel* Date *9/23/01*
Licensed Well/Pump Installer Date Apprentice



I #



ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Walter Shipp ADDRESS 3107 Pine Harbor Onalaska Tx 77360
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 10 miles SW off 1374 on Possum Walk Loop STATE WELL # _____
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____
60-27-3

6) WELL LOG:
Date Drilling:
Started 11-20 19 96
Completed 11-21 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	182

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	top bit soil
2	7	sa.
7	17	br. & wh. cl.
17	28	sa.
28	42	wh & br. cl.
42	52	br. cl.
52	62	wh. cl.
62	72	sa.
72	99	br & wh cl.
99	102	sa.
102	111	sa. st.
111	114	bl. & br. cl.
114	115	r.
115	122	sa. st.
122	142	sa.
142	182	(Use reverse side if necessary) coarse sa.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	159	
2	N	PVC Screen	161	181	.010

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
159 ft. to 59 ft. No. of sacks used 6
Method used by pressure
Cemented by H. Lee
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 38 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER".
Type of water? good Depth of strata 60
Was a chemical analysis made? Yes No

12) PACKERS:
Type Depth
Rubber Packers R x R 153

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. -2221W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Bill Delfache ADDRESS Rt 2 Box 230-B Huntsville, Texas
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 8 miles in SSW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0 N 60-11-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection De-Watering
5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 7-29 1990
Completed 7-30 1990

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	149

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2	top soil	
2-42	brown and white clay	
42-55	white clay	
55-66	sandf	
66-76	blue clay	
76-87	sand streaks	
87-104	brown clay	
104-108	sand	
108-121	blue clay	
121-149	sand and gravel	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	137	40
2	N	PVC UC	138	148	#10

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 137 ft. to 37 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Raymond McPike

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.


10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 28 ft
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 43 ft. below land surface Date 7-30-90
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
Rubber R X R	132




I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.




COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)
ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-27-3 Located on map _____



UNCLASSIFIED



Legend symbols for various map features including roads, boundaries, and terrain.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Nick Johnas ADDRESS Rt 2 Box 171-A Huntsville, Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker , 8 miles in SSW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:
Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 SEE ATTACHED MAP 0160-11-5

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering
5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 6-25 19 90
Completed 6-26 19 90
DIAMETER OF HOLE
Dia. (In.) From (ft.) To (ft.)
6.5 Surface 208
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (In.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., If commercial	Setting (ft.)		Gage Casting Screen
						From	To	
0-2		top soil						
2-49		brown clay						
49-65		sand	4	N	PVC	-1.5	183	40
65-122		white clay						
122-151		sand and gravel	2	N	PVC UC	183	203	#10
151-191		sand streaks						
191-208		sand						

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 3 ft. to 15 ft. No. of Sacks Used 2
183 ft. to 83 ft. No. of Sacks Used 7
Method used Raymond McPike
Cemented by Pressure

13) TYPE PUMP:
 Turbine Jet Submersible
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
Type Test: Pump Baller Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 17 ft
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 80 ft. below land surface Date 6-26-90
Artesian flow _____ gpm. Date _____


12) PACKERS: Type Depth
Rubber 177

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete Items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)
ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 60-27-3 Located on map _____

Scale 1:50,000
Vertical Datum: Mean Sea Level
Horizontal Datum: North American Datum of 1983



STATE OF TEXAS
COUNTY OF ...



Scale 1:50,000
Vertical Datum: Mean Sea Level
Horizontal Datum: North American Datum of 1983

#16 Walker

Send original copy by certified mail to: Texas Water Comm'n, P.O. Box 13087, Austin, Texas 78711

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Mrs Helen Harding ADDRESS Rt 2 Box 192 Huntsville, Tex 77340
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
 County Walker , 9 miles in SE direction from Huntsville
 (NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP

0760-13-3

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling:
Started 12-4 19 89
Completed 12-5 19 89

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	169

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0-2 top soil
2-22 white clay
22-62 brown clay
62-75 white clay
75-82 sand
82-102 sand streaks
102-107 sand
107-122 brown clay
122-152 white clay
152-169 sand

(Use reverse side if necessary)

13) TYPE PUMP:

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:

Type Test: Pump Baller Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?

Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? good Depth of strata 17 ft

Was a chemical analysis made? Yes No

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	156	40
2	N	PVC UC	159	169	#10

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 156 ft. to 56 ft. No. of Sacks Used 7
0 ft. to 15 ft. No. of Sacks Used 2

Method used Pressure
Cemented by Raymond McPike

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level 67 ft. below land surface Date 12-5-89
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type Depth
Rubber 151

RECEIVED

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete Items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells 15 1989
(Type or print)

WELL DRILLER'S LICENSE NO. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(City) (State) (Zip)

(Signed) [Signature]
(Licensed Well Driller)

(Signed) _____
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-27-3 Located on map _____

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Billy Vaughn (Name) Address P.O. Box 996 New Waverly Tx 77358 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 10 miles in W direction from New Waverly Tx (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. # 1 0

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: Started 4-20-88 Completed 4-20-88
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface 434 0 174

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	89	Clay
89	100	SAND
100	107	HARD PKO SAND
107	128	Clay
128	129	Rock
129	158	Clay
158	173	SAND COARSE BLUE
173	174	Clay

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
2"	N	PVC SCH 40	0	163	
2"	N	PVC Slotted	163	173	17/94
2"	N	PVC Blank	173	174	

RECEIVED
AUG 29 1988
TEXAS WATER COMMISSION

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used 2
ft. to _____ ft. No. of Sacks Used _____
Method used Gravity Flow
Cemented by WESTERN

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 75 ft. below land surface Date 4-20-88
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type Depth
RUBBER @ 15 @ 157'

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 105' ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Western Water Well (Type or Print) Water Well Driller's License No. 02475W
ADDRESS Rt 4 Box 1314 Course (Street or BFD) (City) Tex (State) 77302 (Zip)
(Signed) Preston Smith (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6827-3 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

1 of map #3

STATE OF TEXAS WATER WELL REPORT

1) Owner: DAVIS, E.R.(BUCK) Address: FM 1374 City: NEW WAVERLY State: TX ZIP: 77358
2) LOCATION OF WELL:
County: WALKER 10 miles in W direction from NEW WAVERLY

LEGAL DESCRIPTION: SEE ATTACHED MAP: 01489
Section No.: Block No.: Township:
Abstract No.: Survey Name:
Distance and direction from two intersecting section or survey lines:

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01489 7) BOREHOLE METHOD:
DIAMETER OF HOLE
DIAMETER FROM TO
6.5 0 216 STRAIGHT WALL
4.5 216 230 IF GRAVEL... FROM FT TO FT
FROM FT TO FT

Date Drilled: 03/16/88

GEOLOGICAL DESCRIPTION: 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
FROM TO DESCRIPTION DIA NEW/USED DESCRIPTION FROM TO GAGE CASING SCREEN
0 80 CLAY 4 N PVC 0 216 SCH 40
80 135 SAND 2.5 N GALV. 209 220 SCH 40
135 140 CLAY 2.5 N RBSS 220 230 12 GA
140 178 SAND
178 190 CLAY
190 230 SAND

9) CEMENTING DATA:
Cemented from 0 FT. TO 216 FT.
FT. TO FT.
Method used: PRESSURE
Cemented by: WEISINGER

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL: 73 FT. DATE / /
TESTING POINT: FT. DATE / /

RECEIVED
JUL 07 1988

12) PACKERS: TYPE DEPTH

TEXAS WATER COMMISSION

13) TYPE PUMP: SUBMERSIBLE 14) WELL TEST: JETTED
DEPTH TO PUMP: YIELD: 75 GPM WITH FT DRAWDOWN AFTER HRS


15) WATER QUALITY:
TYPE OF WATER: EXCELLENT DEPTH OF STRATA: 230
NO STRATA OF UNDESIRABLE WATER PENETRATED

NO CHEMICAL ANALYSIS MADE

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO.: 1541,1991,&1992
ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301

(signed) [Signature] (signed)

60-27-3



#3 1) E.P. (Buck) Davis

9 WALKER

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Curtis Cauthen Address Rt. 2 Box 238 Huntsville, TX 77340

2) LOCATION OF WELL: County Walker 10 miles in SSW direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 60-12-9

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 11/01/85. DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 152. 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 136 ft. to 36 ft., 0 ft. to 10 ft. Method used Pressure. Cemented by Holly Water Well.

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used.

11) WATER LEVEL: Static level, Artesian flow, Date.

12) PACKERS: Lead, Type, Depth. Lead 132.

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Type of water? GOOD. Depth of strata 56 Ft. 14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated. Yield: gpm with ft. drawdown after hrs.

RECEIVED JAN 10 1986

TEXAS WATER COMMISSION

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR (use only) Well No. 60-27-3 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

1 JAWKER #2 8m. NISH
3m IEL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Gerald Frie Address Rt. 2 Box 242 Huntsville, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County JAWKER 8 miles in SW direction from HUNTSVILLE
(Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. ON 60-12-5

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 01/13 19 87
Completed 01/14 19 87

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>158</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-22		White clay
22-42		Meally clay
42-58		White clay
58-76		Sand
76-122		Meally clay
122-126		Clay
126-134		Sand
134-142		Blue clay
142-158		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	143	40
2 1/2	N	PVC	154	144	12

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 143 ft. to 43 ft. No. of Sacks Used 6
17 ft. to 2 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Holly Water Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 50 ft. below land surface Date 01/14/87
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
Lead	138

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 16 Ft.
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
(Type or Print)

ADDRESS Route 11 Box 607 Huntsville Texas 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-27-3 Located on map _____

RECEIVED
FEB 17 1987

TEXAS WATER COMMISSION

(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER George Keeth (Name) Address Rt #2 Box 234 Huntsville Tex. 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 12 miles in N.W. direction from New Waverly (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-29-5N

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 12-26-84
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/8 Surface 180
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	2	Top soil (Blackland)						
2	9	CLAY (white)						
9	15	SAND (white)	4		PVC sch 40	surf.	160	
15	36	CLAY + Rock (white)						
36	90	CLAY + SAND (grey)	4		PVC sch 40			
90	103	CLAY (grey)			slotted	160-180		010
103	136	SAND + Rock (grey)						
136	180	SAND (grey)						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
ft. to _____ ft.
Method used 2 Ft X 2 Ft X 4 in
Cemented by SLAB ON SURFACE

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 19 ft. below land surface Date 12-28-84
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Formation Depth 160

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 70 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 50 gpm with 12 ft. drawdown after 4 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
(Type or Print)
ADDRESS Rt #4 Box 1094 Huntsville Texas 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Arthur R. Slott (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only
Well No. 60-27-3F
Located on map Yes D&F

RECEIVED
JAN - 7 1985

DEPT. OF
WATER RESOURCES

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#50 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Arnie Cauthen Address Rt. 2 Box 242, Huntsville, TX 77340
2) LOCATION OF WELL Walker County 8 miles in SSW direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-20-40

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 6/21/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 162
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Sand, Brown clay, Blue clay, Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA
Cemented from 142 ft. to 42 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date
Artesian flow gpm. Date

10) PACKERS: Type Depth
Lead L 137

RECEIVED
JUL-6-1984
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 90 Ft.
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-27-3E Located on map 140 MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 60-27-3D
Located on map YES
Received: C.F.S.

1) OWNER Bruce Jennings (Name) Address 10215 Kirikaspen (Street or RFD) Houston Tex (City) 77049 (State) (Zip)

2) LOCATION OF WELL: County FH 1374 WALKER COUNTY miles in 10 mi SW (N.E., S.W., etc.) direction from Houston, TX (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other Rotary

6) WELL LOG:
Well # 1
Date drilled 9/14/80

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
3 1/2	Surface	152

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	60	Clay
60	80	Sand (TD of completed well)
80	126	Clay
126	144	Sdy clay w/str of sand
144	157	Sand
157	152	Clay (TD of test hole)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
2	N	PVC pipe	0	60	
2	N	PVC plastic wrapped screen	60	80	2006

RECEIVED
APR 6 1982
CR/TDWR

CEMENTING DATA
Cemented from No ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 43 ft. below land surface Date 9/14/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
None

11) TYPE PUMP: (Permanous pump not yet installed)
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 5 gpm with _____ ft. drawdown after 1 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Warren Patten (Type or Print) Water Well Drillers Registration No. 25

ADDRESS PO Box 9469 (Street or RFD) Houston (City) Texas (State) 77049 (Zip)


(Signed) Warren Patten (Water Well Driller) Layne Texas Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days of the completion of the well, file the log with the Department of Water Resources."



are that
ion" in
rly means
1).

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-27-3C
Located on map Y15
Received: 76
dlr

1) OWNER:
Person having well drilled E.F. PAGODA Address New Waverly TEX
(Name) (Street or RFD) (City) (State)
Landowner SAME Address SAME
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 10 miles in NW direction from New Waverly
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.

x well

Fm 1374

North

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 175 ft. Depth of completed well 175 ft. Date drilled 8-30-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	25	SAND
25	75	CLAY
75	90	SAND
90	100	rock + clay
100	130	shale
130	144	CLAY
144	175	SAND

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	175	012

10) SCREEN:
Type plastic sch to 012 ga
 Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	145	175	012

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 15 gpm with 10 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 57 ft. below land surface Date 8-31-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? soft depth of strata 31'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W. A. Waller Water Well Drillers Registration No. 1332
(Type or Print)
ADDRESS Box 516 New Waverly TEXAS 77358
(Street or RFD) (City) (State)
(Signed) W.A. Waller AAA WATER WELL
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

A circular seal with a five-pointed star in the center, surrounded by the words "TEXAS WATER DEVELOPMENT BOARD".
JAN 14 1977

General Board's
Texas Water Development Board

RECEIVED
SEP - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-27-3B Located on map Y-5 Received: 7/1 all

1) OWNER: Person having well drilled John D. Dees Address Box 546 New Waverly Tex
 (Name) (Street or RFD) (City) (State)
 Landowner _____ Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: WALKER County Montgomery, 10 miles in W direction from New Waverly
 (N.E., S.W., etc.) (Town)



OR Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening _____
 Reconditioning _____ Plugging _____
 4) PROPOSED USE (Check):
 Domestic Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____
 5) TYPE OF WELL (Check):
 Rotary Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 126 ft. Depth of completed well 126 ft. Date drilled 10/26/73
 All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	23	Clay + Rock
23	73	SAND
73	100	Clay
100	126	Water SAND

9) Casing: Type: Old _____ New Steel _____ Plastic Other _____
 Cemented from 114 ft. to 50 ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 114

10) SCREEN: Type PVC Sch. 80
 Perforated _____ Slotted
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 116 126 8

7) COMPLETION (Check):
 Straight wall Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

11) WELL TESTS:
 Was a pump test made? Yes _____ No If yes, by whom? _____
 Yield: 13 gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

8) WATER LEVEL:
 Static level 62 ft. below land surface Date 10/28/73
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 94 ft. below land surface.

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No
 Did any strata contain undesirable water? Yes _____ No
 Type of water? H1PT depth of strata 26

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME PATTERSON Water Wells Water Well Drillers Registration No. 182
 (Type or Print)
 ADDRESS 109 N MAGNOLIA CONROE TEXAS
 (Street or RFD) (City) (State)
 (Signed) J. M. Patterson PATTERSON Water Wells
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

JAN 2 1974

RECEIVED

RECEIVED
APR 11 1974
Central Records
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-27-3A
Located on map 73-4-S
Received: 73
dk

1) OWNER:
Person having well drilled R.L. Bird (Name) Address Houston Texas (City) (State)
Landowner R.L. Bird (Name) Address New Waverly Texas (City) (State)

2) LOCATION OF WELL:
County Walker, 10 miles in W. direction from New Waverly (Town)
(N.E., S.W., etc.)



or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/8 in. Depth drilled 206 ft. Depth of completed well 206 ft. Date drilled 6-27-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 4		Top soil
4 - 24		clay
24 - 30		SAND + rock
30 - 70		shale
70 - 90		rocky SAND
90 - 110		shale
110 - 134		rocky SAND
134 - 176		shale
176 - 206		SAND

9) Casing:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0 -	186	ssh 70

10) SCREEN:
Type Plastic
Perforated Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	186 -	206	2-ga

7) COMPLETION (Check):
Straight well Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 68 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes
Did any strata contain undesirable water? Yes No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Paul Siecert (Type or Print) Water Well Drillers Registration No. 1448
ADDRESS P.O. Box 516 (Street or RFD) New Waverly (City) Texas (State)
(Signed) Paul Siecert (Water Well Driller) A.A. Water Wells Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

JUL 20 1973

RECEIVED

RECEIVED
SEP 19 1973
Central Records
Texas Water Development Board

#1 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Gerald Gibson (Name) Address Rt. 2 Box 239 Huntsville, Tx. 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 12 miles in SW direction from Huntsville (Town) (N.E., S.W., etc.)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 11-10-1987 Completed 11-11-1987 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 161 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top Soil, White Clay, Brown Clay, Sand, White Clay, Meally Clay, Sand streaks, Meally Clay, Brown Clay, Sand, Sand, Blue Clay.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 145 ft. to 45 ft. No. of Sacks Used 7 10 ft. to 0 ft. No. of Sacks Used 2 Method used Pressure Cemented by Holly Water Wells

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 39 ft. below land surface Date 11-11-87 Artesian flow 39 gpm. Date

12) PACKERS: Type Depth RxR Rubber 141

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 13 ft. Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 15 gpm with ft. drawdown after hrs.

RECEIVED FEB 2 1988

TEXAS WATER COMMISSION (Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or Print) Water Well Driller's License No. 202612221

ADDRESS 607 Hwy 19 Huntsville, Tx. 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60273 Located on map


**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."


The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

1/15





LEGEND

	INTERSTATE HIGHWAY
	FEDERAL HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	CANAL
	PIPELINE
	AIRPORT
	CITY
	TOWN
	VILLAGE
	UNINCORPORATED COMMUNITY
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL BUILDING
	WAREHOUSE
	GAS STATION
	TELEPHONE OFFICE
	POST OFFICE
	FIRE STATION
	POLICE STATION
	JAIL
	COURT HOUSE
	CITY HALL
	COUNTY COURTHOUSE
	STATE CAPITOL
	STATE OFFICE BUILDING
	STATE JAIL
	STATE PRISON
	STATE HOSPITAL
	STATE SCHOOL
	STATE UNIVERSITY
	STATE COLLEGE
	STATE NORMAL SCHOOL
	STATE TEACHER'S COLLEGE
	STATE AGRICULTURAL COLLEGE
	STATE MILITARY ACADEMY
	STATE NORMAL SCHOOL FOR THE DEAF
	STATE NORMAL SCHOOL FOR THE BLIND
	STATE NORMAL SCHOOL FOR THE MUTE
	STATE NORMAL SCHOOL FOR THE FEEBLE-MINDED
	STATE NORMAL SCHOOL FOR THE PHYSICALLY HANDICAPPED
	STATE NORMAL SCHOOL FOR THE MENTALLY HANDICAPPED
	STATE NORMAL SCHOOL FOR THE EMOTIONALLY HANDICAPPED
	STATE NORMAL SCHOOL FOR THE SOCIALLY HANDICAPPED
	STATE NORMAL SCHOOL FOR THE GIFTED
	STATE NORMAL SCHOOL FOR THE TALENTED
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED (SPECIAL EDUCATION)
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED (GIFTED EDUCATION)
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED (TALENT DEVELOPMENT)
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED (GIFTED AND TALENTED PROGRAM)
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED (GIFTED AND TALENTED CENTER)
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED (GIFTED AND TALENTED RESOURCE CENTER)
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED (GIFTED AND TALENTED PROGRAM CENTER)
	STATE NORMAL SCHOOL FOR THE GIFTED AND TALENTED (GIFTED AND TALENTED PROGRAM CENTER)



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



**ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side**

**State of Texas
WELL REPORT**

**Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299**

1) **OWNER** Andy Flack-Cauthen **ADDRESS** PO Box 1782 Huntsville Tx 77342
(Name) (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:**
County Walker 7 miles SW of Huntsville off 1374 on Possum Walk Loop **STATE WELL #**
(Street or RFD) (City) (State) (Zip)

3) **TYPE OF WORK (Check):**
 New Well Deepening
 Reconditioning Plugging

4) **PROPOSED USE (Check):** Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-27-3

6) **WELL LOG:**
Date Drilling:
Started 5-12 1998
Completed 5-13 1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	181

7) **DRILLING METHOD (Check):** Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	1	bit t.s.
1	21	w. cl. w/ sd.st.
21	44	w. cl.
44	54	sa. FILED
54	73	br. cl.
73	81	br. cl.
81	91	br. & wh. <u>JUL 06 1998</u>
91	99	bl. cl. <u>COMMENT</u>
99	101	sd.
101	109	sd. st.
109	121	bl. cl. w/ sd.st.
121	156	sd.
156	181	coarse sd.

8) **Borehole Completion (Check):** Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	165	
2	N	PVC undercutter scr	170	180	#12

(Use reverse side if necessary)

13) **TYPE PUMP:**
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from -1.5 ft. to 165 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

14) **WELL TESTS:**
Type test: Pump Bailor Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

10) **SURFACE COMPLETION**
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 35
Was a chemical analysis made? Yes No

11) **WATER LEVEL:**
Static level 25 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) **PACKERS:**

Type	Depth
K-Packer R x R	160

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells **WELL DRILLER'S LICENSE NO.** 3114W
(Type or print)
ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Raymond McPike (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

