

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Cleon Fandren ADDRESS 301 Forest Lane Huntsville Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker 2 miles in W direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

SEE ATTACHED MAP (1)

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling: _____
Started 7-9 1990
Completed 7-13 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>355</u>
<u>4 1/2</u>	<u>365</u>	<u>390</u>

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

<u>0-22</u>	<u>C</u>	<u>262-276</u>	<u>C</u>
<u>22-46</u>	<u>S</u>	<u>276-283</u>	<u>Sh</u>
<u>46-102</u>	<u>C</u>	<u>283-355</u>	<u>C</u>
<u>102-114</u>	<u>Sdy</u>	<u>355-370</u>	<u>Sdy</u>
<u>114-174</u>	<u>C</u>	<u>370-385</u>	<u>sd</u>
<u>174-191</u>	<u>Sdy sks</u>	<u>385-390</u>	<u>C</u>
<u>191-219</u>	<u>C</u>		
<u>219-233</u>	<u>sh sd</u>		
<u>233-256</u>	<u>C</u>		
<u>256-262</u>	<u>Sdy</u>		

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>365</u>	<u>40</u>
<u>2 1/2</u>	<u>N</u>	<u>PVC w/c wrapped</u>	<u>365</u>	<u>375</u>	<u>6</u>
<u>2</u>	<u>N</u>	<u>PVC w/c wrapped</u>	<u>375</u>	<u>385</u>	<u>6</u>

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 0 ft. to 15 ft. No. of Sacks Used 4
ft. to _____ ft. No. of Sacks Used _____
Method used Hand
Cemented by JW

13) TYPE PUMP:

Turbine Jet Submersible Cylinder
 Other _____ Oct 3 1990
Depth to pump bowls, cylinder, jet, etc., 300 ft.

14) WELL TESTS:

Type Test: Pump Baller Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level 208 ft. below land surface Date 7-13-90
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type _____ Depth _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Loome Water Wells Inc. WELL DRILLER'S LICENSE NO. 1182
(Type or print)

ADDRESS P.O. Box 89 Porter Texas 77365
(Street or RFD) (City) (State) (Zip)

(Signed) James L. Lowe (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-20-2 Located on map _____

RECEIVED

OCT 10 91

TWC
CENTRAL RECORDS

100-100000-100000

0

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																															
1) OWNER <u>Sam Salvato</u> (Name) ADDRESS <u>180 Rosenwald Rd. Huntsville TX 77340</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> (Street or RFD) <u>Huntsville Tx 77340</u> (City) (State) (Zip) GRID # <u>60-20-2</u>																																																	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																															
6) WELL LOG: Date Drilling: Started <u>9-12 1995</u> Completed <u>9-14-1995</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:25%;">Dia. (in.)</th> <th style="width:25%;">From (ft.)</th> <th style="width:25%;">To (ft.)</th> <th style="width:25%;"></th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>282</u></td> <td></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>282</u></td> <td><u>305</u></td> <td></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		<u>6 3/4</u>	Surface	<u>282</u>		<u>3 7/8</u>	<u>282</u>	<u>305</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																			
Dia. (in.)	From (ft.)	To (ft.)																																																	
<u>6 3/4</u>	Surface	<u>282</u>																																																	
<u>3 7/8</u>	<u>282</u>	<u>305</u>																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0-6</u></td><td><u>275-281</u></td><td><u>Sand</u></td></tr> <tr><td><u>6-29</u></td><td><u>281-285</u></td><td><u>clay/sand</u></td></tr> <tr><td><u>29-30</u></td><td><u>285-292</u></td><td><u>Sand</u></td></tr> <tr><td><u>30-42</u></td><td><u>292-304</u></td><td><u>Sand</u></td></tr> <tr><td><u>42-46</u></td><td><u>304-305</u></td><td><u>clay</u></td></tr> <tr><td><u>46-48</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>48-103</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>103-145</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>145-187</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>187-204</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>204-207</u></td><td></td><td><u>Sand s+p</u></td></tr> <tr><td><u>207-248</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>248-249</u></td><td></td><td><u>Rock</u></td></tr> <tr><td><u>249-271</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>271-275</u></td><td></td><td><u>clay</u></td></tr> </tbody> </table> (Use reverse side if necessary)		From (ft.)	To (ft.)	Description and color of formation material	<u>0-6</u>	<u>275-281</u>	<u>Sand</u>	<u>6-29</u>	<u>281-285</u>	<u>clay/sand</u>	<u>29-30</u>	<u>285-292</u>	<u>Sand</u>	<u>30-42</u>	<u>292-304</u>	<u>Sand</u>	<u>42-46</u>	<u>304-305</u>	<u>clay</u>	<u>46-48</u>		<u>Sand</u>	<u>48-103</u>		<u>clay</u>	<u>103-145</u>		<u>clay</u>	<u>145-187</u>		<u>clay</u>	<u>187-204</u>		<u>clay</u>	<u>204-207</u>		<u>Sand s+p</u>	<u>207-248</u>		<u>clay</u>	<u>248-249</u>		<u>Rock</u>	<u>249-271</u>		<u>clay</u>	<u>271-275</u>		<u>clay</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																																	
<u>0-6</u>	<u>275-281</u>	<u>Sand</u>																																																	
<u>6-29</u>	<u>281-285</u>	<u>clay/sand</u>																																																	
<u>29-30</u>	<u>285-292</u>	<u>Sand</u>																																																	
<u>30-42</u>	<u>292-304</u>	<u>Sand</u>																																																	
<u>42-46</u>	<u>304-305</u>	<u>clay</u>																																																	
<u>46-48</u>		<u>Sand</u>																																																	
<u>48-103</u>		<u>clay</u>																																																	
<u>103-145</u>		<u>clay</u>																																																	
<u>145-187</u>		<u>clay</u>																																																	
<u>187-204</u>		<u>clay</u>																																																	
<u>204-207</u>		<u>Sand s+p</u>																																																	
<u>207-248</u>		<u>clay</u>																																																	
<u>248-249</u>		<u>Rock</u>																																																	
<u>249-271</u>		<u>clay</u>																																																	
<u>271-275</u>		<u>clay</u>																																																	
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																	
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>282</u></td> <td><u>#40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>282</u></td> <td><u>305</u></td> <td><u>#8</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>282</u>	<u>#40</u>	<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>282</u>	<u>305</u>	<u>#8</u>																										
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																														
			From	To																																															
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>282</u>	<u>#40</u>																																														
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>282</u>	<u>305</u>	<u>#8</u>																																														
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>240</u> ft.		9) CEMENTING DATA - [Rule 338.44(1)] Cemented from <u>282</u> ft. to <u>182</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>8</u> Method used <u>Pressure</u> Cemented by <u>Richard Mikel</u> Distance to septic system field lines <u>N/A</u> ft. Method of verification of above distance <u>No Lines or Tank</u>																																																	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>25</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(a)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.74] <div style="text-align: center; font-size: 2em; border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> RECEIVED JUN 1997 </div>																																																	
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>20'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: TEXAS NATURAL RESOURCE CONSERVATION COMMISSION Static level <u>174</u> Date <u>4-95</u> Artesian flow _____ gpm. Date _____																																																	
		12) PACKERS: <u>Rubber</u> Type <u>K</u> Depth <u>278</u>																																																	
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																			
COMPANY NAME <u>Grays Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>																																																	
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)		<u>Trinity</u> (City)		<u>Tx 75862</u> (State) (Zip)																																															
(Signed) <u>Carson Gray</u> (Licensed Well Driller)		(Signed) <u>Richard Mikel</u> (Registered Driller Trainee)																																																	

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Bobby Fish MKE. ADDRESS 1798 Hwy 430 Hunterville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 1798 Hwy 430 EAST Hunterville TX 77340 GRID # 60-20-2
Old Hwy 19 (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 8-8 1996
Completed 8-9 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>160</u>
<u>3 7/8</u>	<u>160</u>	<u>180</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-2</u>	<u>2-8</u>	<u>clay</u>
<u>2-8</u>	<u>8-41</u>	<u>Sand</u>
<u>8-41</u>	<u>41-82</u>	<u>clay</u>
<u>41-82</u>	<u>82-92</u>	<u>clay</u>
<u>82-92</u>	<u>92-96</u>	<u>Sand stone</u>
<u>96-124</u>	<u>124-156</u>	<u>clay</u>
<u>124-156</u>	<u>156-180</u>	<u>Sand</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>160</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>155</u>	<u>180</u>	<u>6</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 160 ft. to 60 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 8
Method used pressure
Cemented by Richard Fisher
Distance to septic system field lines N/A ft. None
Method of verification of above distance _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 117' ft. below land surface Date 8-9-96
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 155'
Type K Depth 155'
Date SEP 05 1997

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 150 ft.

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 1.8 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 24'
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print)

ADDRESS _____ (Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Fisher (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Robere Bowen ADDRESS 259 Rosenall Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL: Walker 259 Rosenall Huntsville Tx 77340 STATE WELL # 60-202
County (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG: Date Drilling: Started 2-5-1997 Completed 2-13-1997
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 200
3 7/8 200 218
7) DRILLING METHOD (Check): Driven Mud Rotary Bored
 Air Rotary Cable Tool Jetted
 Other

From (ft.)	To (ft.)	Description and color of formation material
<u>0-10</u>	<u>199-201</u>	<u>clay Rock</u>
<u>10-31</u>	<u>201-218</u>	<u>clay Sand</u>
<u>31-47</u>		<u>clay</u>
<u>41-61</u>		<u>clay</u>
<u>61-82</u>		<u>clay</u>
<u>82-88</u>		<u>clay</u>
<u>88-90</u>		<u>Sand</u>
<u>90-113</u>		<u>Shale</u>
<u>113-166</u>		<u>Sand</u>
<u>166-119</u>		<u>Rock</u>
<u>119-129</u>		<u>shale</u>
<u>129-145</u>		<u>shale</u>
<u>149-166</u>		<u>shale</u>
<u>166-187</u>		<u>shale</u>
<u>187-199</u>		<u>shale</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>200</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>195</u>	<u>198</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>208</u>	<u>218</u>	<u>10</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 200 ft. to 100 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 7
Method used Pressure
Cemented by Richard Tasker
Distance to septic system field lines 155 ft.
Method of verification of above distance Tape Measure

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other
Depth to pump bowls, cylinder, jet, etc., 180 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]
JAN 05 1998

14) WELL TESTS:
Type test: Pump Bailor Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 147' ft. below land surface Date 2-13-97
Artesian flow _____
Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 17'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 195'
Date SEP 11 1997

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print)
ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Tasker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Virgil Sowell ADDRESS 229 Avenue Q Huntsville Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 1 mile N. of 11th St on Hwy 75 N. GRID # _____
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-20-2

6) WELL LOG:
Date Drilling:
Started May 14, 1997
Completed May 15, 1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	188

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	tob bit soil
2	3	sa.
3	42	br. cl.
42	62	wh. cl.
62	82	br. & wh. cl.
82	142	wh. cl.
142	167	bl.
167	188	sa.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	167	
2	N	PVC Screen	162	182	.010

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 167 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by H. Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance no septic

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pileless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 105 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 21
Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth
<u>2 RxR Rubber Packers</u>	<u>159</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)
ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Herry Lee (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Jimmie Spivey (Name) ADDRESS #15 White oak Dr. Huntsville Tx 72340 (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL: County Walker 2m 247 Huntsville Tx 72340 STATE WELL # 60-2-0-2
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 5-21 1997
Completed 5-23 1997
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 118
3 7/8 118 134

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other

From (ft.)	To (ft.)	Description and color of formation material
0-4		Sand
4-21		Sand stone
21-42		Sand stone
42-67		Sand stone
67-82		Sand
82-88		Sand
88-92		clay
92-96		Sand
96-100		clay
100-103		clay
103-107		Sand
107-113		clay
113-124		Sand
124-134		Sand

(Use reverse side if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	118	4 1/2
2	N	PVC SCREEN	116	134	#10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 118 ft. to 0 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 5
Method used Pressure
Cemented by Richard Mike
Distance to septic system field lines N/A ft. NONE
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

10) SURFACE COMPLETION
 Specified Surface Slab installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(B)]
 Approved Alternative Procedure Used [Rule 338.71]
EQUIPMENT
SEP 05 1998
DSCC CO

14) WELL TESTS:
Type test: Pump Bailor Jetted Estimated
Yield: 45 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 48' ft. below land surface Date 5-23-97
Artesian flow _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 21'
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 113'
EQUIPMENT
SEP 05 1997
DSCC CO
COMMENT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS P.O. Box 1788 (Street or RFD) (City) Trinity (State) Tx (Zip) 75862
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Mike (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																									
1) OWNER <u>Tom Crews</u> (Name) ADDRESS <u>203 Rosenwall Rd</u> (Street or RFD) <u>Huntsville Tx</u> (City) <u>77340</u> (State) (Zip)																																													
2) ADDRESS OF WELL: County <u>Walker</u> <u>203 Rosenwall Rd</u> (Street or RFD) <u>Huntsville Tx</u> (City) <u>77340</u> (State) (Zip) STATE WELL # _____																																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____ <div style="text-align: right; font-size: 1.2em;">60-20-2</div>																																									
6) WELL LOG: Date Drilling: Started <u>6-1</u> 19 <u>98</u> Completed <u>6-2</u> 19 <u>98</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td style="text-align: center;">6.75</td> <td style="text-align: center;">Surface</td> <td style="text-align: center;">246</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	6.75	Surface	246	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																			
Dia. (in.)	From (ft.)	To (ft.)																																											
6.75	Surface	246																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>1</td><td>top bit soil</td></tr> <tr><td>1</td><td>3</td><td>br.</td></tr> <tr><td>3</td><td>41</td><td>calc.</td></tr> <tr><td>41</td><td>50</td><td>sa.</td></tr> <tr><td>50</td><td>61</td><td>wh. cl. & calc.</td></tr> <tr><td>61</td><td>65</td><td>wh. cl. FILE ID</td></tr> <tr><td>65</td><td>109</td><td>bl.</td></tr> <tr><td>109</td><td>117</td><td>sa. st.</td></tr> <tr><td>117</td><td>129</td><td>sa. EMP #</td></tr> <tr><td>129</td><td>161</td><td>bl. JUL 08 1998</td></tr> <tr><td>161</td><td>201</td><td>bl. & mally</td></tr> <tr><td>201</td><td>216</td><td>bl. COMMENT</td></tr> <tr><td>216</td><td>246</td><td>sand.</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0	1	top bit soil	1	3	br.	3	41	calc.	41	50	sa.	50	61	wh. cl. & calc.	61	65	wh. cl. FILE ID	65	109	bl.	109	117	sa. st.	117	129	sa. EMP #	129	161	bl. JUL 08 1998	161	201	bl. & mally	201	216	bl. COMMENT	216	246	sand.	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																											
0	1	top bit soil																																											
1	3	br.																																											
3	41	calc.																																											
41	50	sa.																																											
50	61	wh. cl. & calc.																																											
61	65	wh. cl. FILE ID																																											
65	109	bl.																																											
109	117	sa. st.																																											
117	129	sa. EMP #																																											
129	161	bl. JUL 08 1998																																											
161	201	bl. & mally																																											
201	216	bl. COMMENT																																											
216	246	sand.																																											
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																											
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>PVC Casing</td> <td>-1.5</td> <td>226</td> <td></td> </tr> <tr> <td>2.5</td> <td>N</td> <td>SST Screen</td> <td>231</td> <td>246</td> <td>#10</td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	226		2.5	N	SST Screen	231	246	#10																				
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																								
			From	To																																									
4	N	PVC Casing	-1.5	226																																									
2.5	N	SST Screen	231	246	#10																																								
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> <u>76</u> ft. to <u>226</u> ft. No. of sacks used <u>7</u> Method used <u>by pressure</u> Cemented by <u>H. Lee</u> Distance to septic system field lines _____ ft. Method of verification of above distance _____																																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>215</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																											
14) WELL TESTS: Type test: <u>18</u> <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>156</u> ft. below land surface Date _____ Artesian flow _____ gpm. Date _____																																											
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>30</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Type</th> <th style="width:30%;">Depth</th> </tr> </thead> <tbody> <tr> <td>Rubber packer R x R</td> <td>218 & 219</td> </tr> </tbody> </table>				Type	Depth	Rubber packer R x R	218 & 219																																				
Type	Depth																																												
Rubber packer R x R	218 & 219																																												
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																													
COMPANY NAME <u>Holly Water Wells</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2221W</u>																																											
ADDRESS <u>607 Hwy 19</u> (Street or RFD) <u>Huntsville Tx</u> (City) <u>77340</u> (State) (Zip)																																													
(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																											
Please attach electric log, chemical analysis, and other pertinent information, if available.																																													

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER James Frazier ADDRESS 2967 Bluebird Ln Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Rosenwall Rd Huntsville Tx 77340 Long. Lat. GRID # 60-20-2
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 3-4 19 99 3-5 19 99
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other
8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	5	Gumbo
5	35	Calc.
35	42	Sa.st.
42	65	Bl.
65	72	Sa.
72	77	Bl.cl.
77	81	Sa.
81	90	Bl.cl.
90	93	Sa.
93	162	Bl.cl.
162	172	Sa.st.
172	231	Bl.
231	236	Sa.
236	237	Rock
237	248	Sand

DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6.75 Surface 248

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	236	
2	N	PVC Screen	238	248	#12

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
86 ft. to 236 ft. No. of sacks used 7
Method used By pressure
Cemented by H. Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: To be completed by others
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION To be completed by others
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitees Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL: Static Level 118' ft. below land surface Date DESCCO
Artesian flow _____ gpm _____ Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 11
Was a chemical analysis made? Yes No

12) PACKERS: 2 - 2" Rubber packers RxR 238' & 248'
Depth _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)

ADDRESS 2928 SH 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) H. Lee (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY

RECEIVED
JAN 15 1964

TO THE DIRECTOR
FROM THE DEPARTMENT OF CHEMISTRY

RE: [Illegible text]

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name <i>Robert Kuma</i>	Address <i>317 Rosewall</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip
----------------------------	--------------------------------	---------------------------	-----------------------	-----

2) WELL LOCATION

County <i>Walker 236</i>	Physical Address <i>317 Rosewall</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip
-----------------------------	---	---------------------------	-----------------------	-----

3) Type of Work

New Well Deepening
 Reconditioning

Lat. _____ Long. _____ Grid # *60-20-2*

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) *↑*

6) Drilling Date

Started *3 / 6 / 02*
Completed *3 / 8 / 02*

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<i>10</i>	<i>0</i>	<i>10</i>
<i>6 3/4</i>	<i>10</i>	<i>239</i>
<i>3 7/8</i>	<i>239</i>	<i>257</i>

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
<i>0-1</i>	<i>179-194</i>	<i>Top Soil Tan clay</i>
<i>1-5</i>	<i>194-197</i>	<i>Black clay Rock</i>
<i>5-13</i>	<i>197-229</i>	<i>Limestone Blue shale</i>
<i>13-15</i>	<i>229-238</i>	<i>Rock Blue shale</i>
<i>15-60</i>	<i>238-241</i>	<i>Gray shale Rock</i>
<i>60-90</i>	<i>241-257</i>	<i>Gray shale Sand</i>
<i>90-120</i>		<i>white clay</i>
<i>120-168</i>		<i>Blue shale</i>
<i>168-170</i>		<i>Rock</i>
<i>170-179</i>		<i>Sand</i>

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>		<i>0</i>	<i>239</i>	<i>#40</i>
<i>2</i>	<i>N</i>		<i>232</i>	<i>237</i>	<i>#40</i>
<i>2</i>	<i>N</i>	<i>PVC Screen</i>	<i>237</i>	<i>257</i>	<i>#10</i>

9) Cementing Data
Cementing from *239* ft. to *139* ft. # of sacks used *5*
0 ft. to *10* ft. # of sacks used *8*
Method Used *Pressure*
Cementing By *Pressure*
Distance to septic system field or other concentrated contamination *None*
Method of verification of above distance *MAIL ROOM*

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
 Specified Surface Slab Installed *MAY 31 2002*
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Typepump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc. *220* ft.

11) Water Level
Static level *142* ft. below Date *3 / 8 / 02*
Artesian Flow _____ Date *2001 / /*

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: *40* gpm with _____ ft. drawdown after _____ hrs.

12) Packers *Rubber* Type *K* Depth *232'*

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water *Good* Depth of Strata *18*
Was a chemical analysis made Yes No

TCEQ - CENTRAL FILE ROOM

Company or individual's Name (type or print) *Gray's Water Well Service*

Address <i>P.O. Box 1788</i>	City <i>Trinity</i>	State <i>Tx</i>	Zip <i>75862</i>
Signature <i>Vernon Gray</i>	Date <i>3 / 15 / 02</i>	Signature <i>Richard Miller</i>	Date <i>3 / 15 / 02</i>

#23 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Ray Hall Address (Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 1 miles in N direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-20-6P

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 9/6/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 212
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other
If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, White clay, Brown clay, Sand streaks, Sand, Blue clay, Sandy blue clay, Sand.

CEMENTING DATA
Cemented from 190 ft. to 90 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date
Artesian flow gpm. Date

10) PACKERS: Type Depth
Lead L 185

RECEIVED
OCT 15 1984
DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 178 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 34 FT
Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated
Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Henry Water Wells Water Well Driller's License No. 2026, 2221
ADDRESS Pct. 11 Box 607 HUNTSVILLE TEXAS 77340
(Signed) RADA A. GUNAWAN (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-2E Located on map YES C-F-6.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#2 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-20-20 Located on map Yes Received: C.F.S.

1) OWNER Moses Martinez Address 1608 11th. St. Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 1 miles in North direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 60-21-5R

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 1-23-81 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 6 1/2 227
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-2 black gumbo, 2-10 caliche, 10-18 sand, 18-53 brown clay, 53-76 sand, 76-90 blue clay, 90-91 rock, 91-106 sand, 106-122 blue clay, 122-142 rock and sand streaks, 142-184 blue clay, 184-199 sand streaks, 199-227 sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 215 ft. to 165 ft. Method used Pressure Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date 1-26-81 Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber R&R 211

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 40 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 28 ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) Holly Water Well Service (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED

JUL 14 1982

CR/TDWR

RECEIVED

MAR 17 1981

DEPT. OF
WATER RESOURCES

Dup

MAR 30 1978

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-20-2C
Located on map yes
Received: 28/1/78

DECEIVED

1) OWNER:
Person having well drilled Spaw-Glass Inc. Address P. O. Box 25025 Houston Tx. 77005
(Name) (Street or RFD) (City) (State)
Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 1 miles in W direction from Huntsville
(N.E., S.W., etc.) (Town)



OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging
4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other
5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6-3/4 in. Depth drilled 400 ft. Depth of completed well 387 ft. Date drilled 3/18/78
All measurements made from 18" ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	Top Soil
10	140	Clay
140	160	Sand
160	330	Clay & Shale
330	400	Sand

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 356 ft. to 156 ft.
Diameter (inches) 4 Setting From (ft.) 18" To (ft.) 376 Gage Sch. 40

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole 2 String Cemented

10) SCREEN:
Type Plastic
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 357 To (ft.) 387 Slot Size .012

8) WATER LEVEL:
Static level 205 ft. below land surface Date 3/19/78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 280 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Potable depth of strata 70'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464
(Type or Print)
ADDRESS 11607 FM 149 Houston Texas 77086
(Street or RFD) (City) (State)
(Signed) M. E. Robinson, Jr. Robinson Water Well Service, Inc..
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

WATER RESOURCES
DEPT OF

MAY 30 1978

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 11 1978

Central Records
Texas Dept. of Water Resources


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only. Well No. 60-20-2B Located on map yrs Received: 73

1) OWNER: Person having well drilled Robert Franklin Address Huntsville, Texas Landowner SAME

2) LOCATION OF WELL: County Walker, 2 miles in N direction from Huntsville, Texas



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 156 ft. Depth of completed well 156 ft. Date drilled 3-14-73 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-5 - SURFACE SAND + CLAY, 5-19 - WHITE CLAY, 19-32 - BROWN SAND, 32-60 - BROWN CLAY, 60-146 - BLUE CLAY, 146-156 - SAND

9) CASING: Type: Old, New, Steel, Plastic, Other. Cemented from 146 ft. to 90 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 + 146 SCH. 40

10) SCREEN: Type: Stainless Steel. Perforated, Slotted. Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 146 156 #6

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 68 ft. below land surface Date 3-15-73 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 130 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Good depth of strata 10'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E. A. Holly Water Well Drillers Registration No. 801 ADDRESS Box 37 Riverside, Texas (Signed) Dale Holly E. A. Holly Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
APR 24 1973
Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

MAR 28 1973

RECEIVED

2C

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-2C Located on map Yes Received: 75/11/75

1) OWNER: Person having well drilled R.B. Butler, Inc Address Box 3610 Bryan Tex 77801 Landowner Safeway Stores, Inc. Address 425 MADISON ST OAKLAND, CALIF. 94610

2) LOCATION OF WELL: County WALKER, 1 miles in N direction from HUNTSVILLE. Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other Business. 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 307 ft. Depth of completed well 307 ft. Date drilled 12 Aug 75. All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-63 sand, 63-80 clay, 80-187 sand, 187-307 clay.

9) Casing: Type: Old, New, Steel, Plastic, Other. Cemented from 0 ft. to 170 ft. Diameter (inches) 4, Setting From (ft.) 0 To (ft.) 170, Gage.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole. Lead seal.

10) SCREEN: Type Stainless Steel. Perforated, Slotted. Diameter (inches) 2, Setting From (ft.) 172 To (ft.) 187, Slot Size.

8) WATER LEVEL: Static level 57 ft. below land surface Date 12 Aug 75. Artesian pressure lbs. per square inch. Date. Depth to pump bowls, cylinder, jet, etc., 147 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test 15 gpm with 78 ft. drawdown after 2 hrs. Artesian flow gpm. Temperature of water.

12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? depth of strata.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME WALTER BISHOP Water Well Drillers Registration No. 1507 ADDRESS 2508 Hwy 31 W Bryan, Texas (Signed) Walter Bishop (Water Well Driller) Herrod Drilling (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

N



RECEIVED
OCT 22 1975

TEXAS WATER
DEVELOPMENT BOARD

S

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Raven Timber Co Address Rt 8 Box 710 Huntsville, Texas 77340

2) LOCATION OF WELL: County Walker 1/2 miles in W direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling Started 9-13-1989 Completed 9-14-1989 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 112 ft. to 51 ft. No. of Sacks Used 6 Method used Pressure Cemented by Raymond McPike

10) SURFACE COMPLETION Specified Surface Slab Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 77 ft. below land surface Date 9-14-89 Artesian flow gpm. Date

12) PACKERS: Rubber 107

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 105 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 30 ft

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 12 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-2 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#9 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Maurice Rhynard (Name) Address 1110 Holly Springs Dr Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 2 miles in W direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. 0N60-21-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 8-3 19 89 Completed 8-4 19 89 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6.5 Surface 334 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include soil, clay, sand, and rock layers.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 311 ft. to 211 ft. No. of Sacks Used 6 0 ft. to 15 ft. No. of Sacks Used 2 Method used Pressure Cemented by Raymond McPike

10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

RECEIVED AUG 21 1989

11) WATER LEVEL: Static level 125 ft. below land surface Date 8-4-89 Artesian flow gpm. Date

12) PACKERS: Type Depth Rubber 303

TEXAS WATER COMMISSION

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 180 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 17 ft. Was a chemical analysis made? No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 15 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026 (Type or Print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 6020-2 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



7A

13



54

11

16

14

17



Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER N.B. Davidson (Name) Address 2210 Ave S Huntsville Tex (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 0 miles in _____ direction from Huntsville (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.


3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 4-27 19 89 Completed 4-30 19 89
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 235
4 1/2 235 240
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	82	C						
82	92	S						
92	95 1/2	C	4	N	PVC	0	225	40
95 1/2	115	S	4	N	PVC Slotted	225	235	6
115	149	C						
149	150	S						
150	178	C						
178	182	S						
182	194	C						
194	202	S						
202	216	C						
216	240	S						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 4
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Hand Mix
Cemented by J.W.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]



11) WATER LEVEL:
Static level 123 ft. below land surface Date 5-2-89
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160' ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Low Water Wells, Inc. Water Well Driller's License No. 1182
ADDRESS P.O. Box 89 Porter Texas 77365
(Street or RFD) (City) (State) (Zip)
(Signed) Homer L. Lowe (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-2 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5; the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

✓ WT # 38

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-20-2F Located on map Yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Texas Mirror (Name) Address Lt # 4 Box 262 Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: Huntsville TX. County Walker miles in direction from (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 9/23/84 DIAMETER OF HOLE Dis. (in.) From (ft.) To (ft.) 9 Surface 470 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Casing Screen. Rows include: 0-18 Top Soil + Clay, 18-45 Surface Sand, 45-92 Clay, 92-135 Sand + Gravel, 135-210 Clay, 210-241 Sand, 241-362 Clay, 362-370 Sand, 370-405 Clay, 405-470 Sand.

CEMENTING DATA Cemented from 0 ft. to 442 ft. Method used Halliburton Cemented by Bussell + Son, Inc. (Company or Individual)

9) WATER LEVEL: Static level 207 ft. below land surface Date 9-24-84 Artesian flow gpm. Date

10) PACKERS: Type Depth

RECEIVED MAY 7 1985

DEPT. OF WATER RESOURCES (Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? Yes No

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Baller, Jetted, Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Craig O. Bussell Water Well Drillers Registration No. 2035 ADDRESS P.O. Box 874 Tamball TX 77375 (Signed) Craig Bussell Bussell + Son, Inc. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

11

11

11

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER HCA c/o CHELON USA INC. (Name) Address 6220 Westpark #100 (Street or RFD) Houston TX. (City) 77057 (State) (Zip)
2) LOCATION OF WELL: County Walker miles in N. West corner of 2-45 E FM 1374 (N.E., S.W., etc.) direction from in Huntsville, Tx. (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: Started 3/25 1988 Completed 3/25 1988
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
8" Surface 35'
(4" φ Wells)
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
		<u>cci plugged 3 wells @ this location, each to 35 feet all three wells were dry.</u>						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 35 ft. No. of Sacks Used 4
Bentonite 0 ft. to 35 ft. No. of Sacks Used 1
Sand 0 - 35 " " 1
Method used _____
Cemented by cci (DRY WELLS) - Gravity

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

RECEIVED
APR 25 1988

TEXAS WATER COMMISSION

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Custom Coatings Inc. (Type or Print) Water Well Driller's License No. 2770 DM
ADDRESS 10314 Chevy Chase (Street or RFD) Houston (City) Tx. (State) 77042 (Zip)
(Signed) Mig Asm (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available.
For TWC use only:
Well No. 60-20-2
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**


The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



REFERENCE: Vicinity Map taken from Highway Map of Texas published by the American Automobile Association, 1986 Edition.



STATION NO. 60107714



Harding Lawson Associates
Engineers, Geologists
& Geophysicists

VICINITY MAP
Chevron U.S.A.
I-45 Service Rd. & F.M. 1374
Huntsville, Texas

ATTACHMENT 1


DRAWN
S.K.

JOB NUMBER
09611,209.12

APPROVED
[Signature]

DATE
12-4-87

REVISED DATE



Harding Lawson Associates
 Engineers, Geologists
 & Geophysicists

SITE PLAN
 Chevron U.S.A.
 I-45 Service Rd. & F.M. 1374
 Huntsville, Texas

ATTACHMENT 2

DRAWN S.K.	JOB NUMBER 09611,209.12	APPROVED <i>[Signature]</i>	DATE 12-4-87	REVISED	DATE
---------------	----------------------------	--------------------------------	-----------------	---------	------

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name **Production Services International** Address **790 IH 45** City **Huntsville** State **TX** Zip **77320**

2) WELL LOCATION MW-3 S

County **Walker 236** Physical Address **I-45 & Moffet Spring Rd.** City **Huntsville** State **TX** Zip

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. Long. Grid # **60-20-2**
4) Proposed Use (check) Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell Rig Supply
If Public Supply well, were plans submitted? Yes No

6) Drilling Date

Started **6/20/2003**
Completed **6/20/2003**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
8.25	SURFACE	20.0

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other **Flight Auger**

From (ft)	To (ft)	Description and color of formation material

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other
If Gravel Packed give the interval from **11.0** ft. to **20.0** ft.

NO SAMPLES RECOVERED
RECEIVED
DEC - 2 2004
TCEO CENTRAL FILE ROOM
(Use reverse side of Well Owner's copy, if necessary)

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
2	N	SCHL 40 PVC	0	12	
2	N	SCHL 40 PVC	12	20	0.010

13) Plugged

Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:
From (ft) To (ft) From (ft) To (ft) Sacks used

9) Cementing Data
Cementing from **0** ft. to **9.0** ft. # of sacks used **1/2**
_____ ft. to _____ ft. # of sacks used _____
Method Used **TREMIE**
Cementing By **BEST DRILLING SERVICES, INC.**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) Surface Completion
 Specified Surface Pipe Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used
RECEIVED
JAN 10 2004
MAIL ROOM
CB

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

11) Water Level
Static level _____ ft. below _____ Date _____
Artesian Flow _____ gpm. Date _____

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water _____ Depth of Strata _____
Was a chemical analysis made? Yes No

12) Packers

	Type	Depth
BENTONITE	9.0 TO	11.0

Company or Individual's Name (type or print) **BEST DRILLING SERVICES, INC.** Lic. No. **4926-M**
Address **P.O. BOX 845** City **FRIENDSWOOD** State **TX** Zip **77549**
Signature **[Signature]** **11/21/03** Signature _____ Date _____
Licensed Driller/Pump Installer Date Apprentice Date

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER A. WELL IDENTIFICATION AND LOCATION DATA

Name **Production Services International** Address **790 IH 45** City **Huntsville** State **TX** Zip **77320**

2) WELL LOCATION MW-1

County **Walker** Physical Address **I-45 & Moffet Spring Rd.** City **Huntsville** State **TX** Zip

3) Type of Work
 New Well Reconditioning
 Replacement Deepening
4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

6) Drilling Date
Started 6/19/2003
Completed 6/19/2003

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
8.25	SURFACE	25.5

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other **Hollow Stem Auger**

From (ft)	To (ft)	Description and color of formation material
0	.3	TOPSOIL, grassy
.3	2.5	FILL, sandy material w/root traces, gray/brown

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other
If Gravel Packed give the interval from **8.5** ft. to **25.5** ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
2	N	SCHL 40 PVC	0	10.5	
2	N	SCHL 40 PVC	10.5	25.5	0.010

9) Cementing Data
Cementing from 0 ft. to 6.5 ft. # of sacks used 1/2
_____ ft. to _____ ft. # of sacks used _____
Method Used **TREMIE**
Cementing By **BEST DRILLING SERVICES, INC.**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well:
From (ft) To (ft) From (ft) To (ft) Sacks used

14) Typepump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water _____ Depth of Strata _____
Was a chemical analysis made? Yes No

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level 15.0'
Static level _____ ft. below _____ Date _____
Artesian Flow _____ gpm. _____ Date _____

12) Packers

Type	Depth
BENTONITE	6.5 TO 8.5

Company or Individual's Name (type or print) **BEST DRILLING SERVICES, INC.** Lic. No. **4926-M**
Address **P.O. BOX 845** City **FRIENDSWOOD** State **TX** Zip **77549**
Signature *David Bruce Milton* Date **11/21/03** Signature _____ Date _____
Licensed Driller/Pump Installer _____ Apprentice _____

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name Production Services International	Address 790 IH 45	City Huntsville	State TX	Zip 77320
--	-----------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION MW-2

County Walker	Physical Address I-45 & Moffet Spring Rd.	City Huntsville	State TX	Zip
-------------------------	---	---------------------------	--------------------	----------------

3) Type of Work

<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening	4) Proposed Use (check) <input checked="" type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No	5) N↑
---	---	---------------------

6) Drilling Date

Started <u>6/19/2003</u> Completed <u>6/19/2003</u>	Diameter of Hole <table border="1"> <tr> <th>Dia. (in)</th> <th>From (ft)</th> <th>To (ft)</th> </tr> <tr> <td>8.25</td> <td>SURFACE</td> <td>28.5</td> </tr> </table>	Dia. (in)	From (ft)	To (ft)	8.25	SURFACE	28.5	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Other Hollow Stem Auger
Dia. (in)	From (ft)	To (ft)						
8.25	SURFACE	28.5						

From (ft)	To (ft)	Description and color of formation material	8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____			
0	2.5	FILL, sandy & clayey material	If Gravel Packed give the interval from 11.5 ft. to 28.5 ft.			
2.5	9	CLAY, sandy, drk. red w/gray streaks				
9	15	SAND, red/brown				
15	26	SAND, clayey, gray				
26	27	CLAY, silty, gray/brown				
27	28	SAND, small gray granules				
28	28.5	SANDSTONE				
25.2	25.5	SANDSTONE, gray				

9) Cementing Data
Cementing from 0 ft. to 9.5 ft. # of sacks used 1/2
_____ ft. to _____ ft. # of sacks used _____
Method Used **TREMIÉ**
Cementing By **BEST DRILLING SERVICES, INC.**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water _____ Depth of Strata _____
Was a chemical analysis made? Yes No


10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level 15.0'
Static level _____ ft. below _____
Artesian Flow _____ gpm

12) Packers

Type	Depth
BENTONITE	9.5 TO 11.5

Company or Individual's Name (type or print) **BEST DRILLING SERVICES, INC.** Lic. No. **4926-M**
Address **P.O. BOX 845** City **FRIENDSWOOD** State **TX** Zip **77549**
Signature *David Bruce Milton* Date **11/21/03** Signature _____ Date _____
Licensed Driller/Pump Installer Apprentice



Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name Production Services International	Address 790 IH 45	City Huntsville	State TX	Zip 77320
--	-----------------------------	---------------------------	--------------------	---------------------

2) WELL LOCATION MW-3

County Walker	Physical Address I-45 & Moffet Spring Rd.	City Huntsville	State TX	Zip 77320
-------------------------	---	---------------------------	--------------------	---------------------

3) Type of Work <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Reconditioning <input type="checkbox"/> Replacement <input type="checkbox"/> Deepening	4) Proposed Use (check) <input checked="" type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell <input type="checkbox"/> Rig Supply If Public Supply well, were plans submitted? <input type="checkbox"/> Yes <input type="checkbox"/> No	5) N↑
	7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Other Hollow Stem Auger	

6) Drilling Date Started <u>6/19/2003</u> Completed <u>6/19/2003</u>	Diameter of Hole			7) Drilling Method (check) <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Other Hollow Stem Auger
	Dia. (in)	From (ft)	To (ft)	
	8.25	SURFACE	35.0	

From (ft)	To (ft)	Description and color of formation material	8) Borehole Completion <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Under-reamed <input checked="" type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____					
0	1	TOPSOIL, grassy	If Gravel Packed give the interval from 23.0 ft. to 35.0 ft.					
1	4	CLAY, drk. red/brown	Casing, Blank Pipe, and Well Screen Data					
4	4.3	SANDSTONE, gray	Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	To	Gage Casing Screen
4.3	5.3	SAND, lt. gray	2	N	SCHL 40 PVC	0	25	
5.3	8	SAND, clayey, red/brown	2	N	SCHL 40 PVC	25	35	0.010
8	19.5	SAND, medium brown						
19.5	20	SAND, clayey, gray w/drk. streaks and sandy inclusions						
20	33	SAND, lt. brown/gray						
33	35	CLAY, silty, gray/lt. green						

13) Plugged <input type="checkbox"/> Well plugged within 48 hours Casing left in well: _____ Cement/Bentonite placed in well: _____ <table border="1"> <thead> <tr> <th>From (ft)</th> <th>To (ft)</th> <th>From (ft)</th> <th>To (ft)</th> <th>Sacks used</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																9) Cementing Data Cementing from <u>0</u> ft. to <u>21.0</u> ft. # of sacks used <u>2</u> _____ ft. to _____ ft. # of sacks used _____ Method Used TREMIE Cementing By BEST DRILLING SERVICES, INC. Distance to septic system field or other concentrated contamination _____ ft. Method of verification of above distance _____
	From (ft)	To (ft)	From (ft)	To (ft)	Sacks used																
(Use reverse side of Well Owner's copy, If necessary)	10) Surface Completion <input checked="" type="checkbox"/> Specified Surface Slab Installed <input type="checkbox"/> Specified Surface Sleeve Installed <input type="checkbox"/> Pitless Adapter Used <input type="checkbox"/> Approved Alternative Procedure Used																				
11) Water Level 15.0' Static level _____ ft. below ground surface Artesian Flow _____ gpm. Date _____ RECEIVED TDLR MAIL ROOM JAN 16 2004	12) Packers <table border="1"> <thead> <tr> <th>Type</th> <th>Depth</th> </tr> </thead> <tbody> <tr> <td>BENTONITE</td> <td>21.0 TO 23.0</td> </tr> </tbody> </table>	Type	Depth	BENTONITE	21.0 TO 23.0																
Type	Depth																				
BENTONITE	21.0 TO 23.0																				

14) Typepump <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.	15) Water Test Type test <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
--	--

16) Water Quality Did you knowingly penetrate any strata which contain undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> NO If yes, did you submit a REPORT OF UNDESIRABLE WATER? Type of water _____ Depth of Strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input type="checkbox"/> No	17) Company Information Company or Individual's Name (type or print) BEST DRILLING SERVICES, INC. Lic. No. 4926-M Address P.O. BOX 845 City FRIENDSWOOD State TX Zip 77549 Signature <i>David Bruce Milton</i> Date 11/21/03 Signature _____ Date _____ Licensed Driller/Pump Installer Apprentice
--	--