

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Joyce Sims ADDRESS Rt. 12 box 604 Huntsville Tx
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County Walker Old Colony Rd. Huntsville Tx. GRID # 60-20-3
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 1-10 19 95
Completed 1-12 19 95

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6 7/8	Surface	108
3 3/4		

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-4		top soil
4-39		clay
39-48		sand
48-82		clay
82-84		sand
84-102		clay
102-106		sand
106-108		clay
108-120		sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC casing	0	108	40
2	N	screen & blank	105	120	40 #10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 108 ft. to 8 ft. No. of sacks used 5
0 ft. to 8 ft. No. of sacks used 5
Method used Pressure
Cemented by Vernon Gray
Distance to septic system field lines 82 ft.
Method of verification of above distance tape measure

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 80

RECEIVED
AUG 31 1995
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 33' ft. below land surface Date 1-12-95
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 105

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Service WELL DRILLER'S LICENSE NO. 2011Wpk
(Type or print)

ADDRESS P.O. Box 1788 Trinity Texas 75862
(Street or RFD) (City) (State) (Zip)

(Signed) _____ (Signed) Richard Miller
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER David Martinez ADDRESS 2126 Sam Houston Ave Huntsville Tx
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Off Old Hwy 30 in Huntsville Tx GRID # 60 20 3
County Walker (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 6/25 1997
Completed 6/26 1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	226

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	bit t.s.
2	12	br. sdy. cl.
12	17	sd.
17	114	w. cl.
114	142	bl. cl.
142	152	cl. w/ sd/ st/
152	164	sd.
164	174	cl.
174	182	sd. st.
182	210	bl. cl.
210	224	sd.
224	226	cl.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	210	
	N	PVC screen	210	225	#10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
60 ft. to 210 ft. No. of sacks used 7
Method used by pressure
Cemented by R. McPike
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 7 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 125 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 14
Was a chemical analysis made? Yes No

12) PACKERS:
Type Depth
I RxR K Packer 205

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 3114W
(Type or print)
ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Raymond McPike (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER S. B. M. Drilling Fluids (Name) ADDRESS 15810 Park Ten Place, Houston, Tx 77084 (Street or RFD) Suite 300 (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 975 Hwy 190 (Street, RFD or other) Huntsville (City) Tx (State) 77340 (Zip) GRID # 60-20-3
Hwy 190 E

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 7-14-1997
Completed 7-16 1997

DIAMETER OF HOLE			
Dia. (in.)	From (ft.)	To (ft.)	
10"	Surface	10'	
6 3/4	10'	253'	
3 7/8	253	273'	

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-5		Road Base 171-175 Lgyy
5-31		Sand 175-208 shale
31-36		clay 208-210 Rock
36-50		sand 210-241 shale
50-70		clay 241-243 Rock
70-95		Sand 243-252 clay
95-113		shale 252-273 Sand
113-115		Rock
115-124		Sand
124-126		Rock
126-145		shale
145-147		Rock
147-150		shale
150-152		Rock
152-171		shale

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	253'	*40
2	N	PVC Blank	248	253'	*40
2	N	PVC Screen	253'	273'	*10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 253 ft. to 153 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 17
Method used pressure
Cemented by Richard Myker
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Lines or Tanks

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 105' ft. below land surface Date 7-16-97
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 248'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. Trinity
ADDRESS P.O. Box 1788 (Street or RFD) (City) Tx (State) 77340 (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Myker (Registered Driller Trainee)

FILE ID <u>2011 WPK</u>	SEQ #
DESC CO <u>TX SEP 30 1998 2</u>	
COMMENT <u>Richard Myker</u>	TEMP

Please attach electric log, chemical analysis, and other pertinent information, if available.

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name <i>Robert Gilliam</i>	Address <i>1119 Fisk Halchery</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77320</i>
-------------------------------	--------------------------------------	---------------------------	-----------------------	---------------------

2) WELL LOCATION

County <i>Walker 236</i>	Physical Address <i>1119 Fisk Halchery</i>	City <i>Huntsville</i>	State <i>Texas</i>	Zip <i>77320</i>
-----------------------------	---	---------------------------	-----------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # *60-20-3*

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) _____ NT

6) Drilling Date

Started *11/14/01*
Completed *11/26/01*

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<i>6"</i>	<i>0</i>	<i>10'</i>
<i>6 3/4</i>	<i>10</i>	<i>170'</i>
<i>3 7/8</i>	<i>170</i>	<i>184</i>

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

<i>0-2</i>	<i>Top Soil</i>
<i>2-40</i>	<i>white clay</i>
<i>40-53</i>	<i>Sand</i>
<i>53-100</i>	<i>Blue shale</i>
<i>100-143</i>	<i>Blue shale</i>
<i>143-145</i>	<i>Rock</i>
<i>145-167</i>	<i>Blue clay</i>
<i>167-168</i>	<i>Rock</i>
<i>168-184</i>	<i>Sand</i>

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>170'</i>	<i>40</i>
<i>2</i>	<i>N</i>	<i>PVC</i>	<i>166</i>	<i>174</i>	<i>40</i>
<i>2</i>	<i>N</i>	<i>PVC Screen</i>	<i>174</i>	<i>184</i>	<i>8</i>

9) Cementing Data
Cementing from *170* ft. to *70* ft. # of sacks used *5*
0 ft. to *10* ft. # of sacks used *6*
Method Used *Pressure*
Cementing By *R. Miller*
Distance to septic system field or other concentrated contamination *Local*
Method of verification of above distance *RECEIVED*

13) Plugged

Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion *TDLR MAIL ROOM 8H*
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed *MAY 29 2002*
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Type Pump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., *160* ft.

11) Water Level
Static level *13.2* ft. below _____ Date *11/16/01*
Artesian Flow _____ gpm. Date _____


15) Water Test

Typetest Pump Bailer Stopped Estimated
Yield: *15* gpm with _____ ft. drawdown after _____ hrs.

12) Packers *Rubber* Type *R2* 2004 Depth *166'*

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water *Good* Depth of Strata *16*
Was a chemical analysis made Yes No



Company or individual's Name (type or print) <i>Gray's Well WATER</i>	Lic. No. <i>2011WPIC</i>
Address <i>PO Box 1786</i>	City <i>TRINITY</i> State <i>Tx.</i> Zip <i>75862</i>
Signature <i>Vernon Gray</i> Date <i>11/18/01</i>	Signature <i>Richard Miller</i> Date <i>11/18/01</i>
Driller/Pump Installer	Apprentice


3G
Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-20-38
Located on map Y/S
Received: 75
db

1) OWNER:
 Person having well drilled ROY FREEMAN Address RT 4 HUNTSVILLE TEX
 (Name) (Street or RFD) (City) (State)
 Landowner ll Address " " "
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County WALKER 1 1/2 miles in E direction from HUNTSVILLE
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* TANNARD BRACK OLD COLONY RD

 (Use reverse side if necessary) North ↑
 or Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening _____
 Reconditioning _____ Plugging _____
 4) PROPOSED USE (Check):
 Domestic Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____
 5) TYPE OF WELL (Check):
 Rotary Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 52 ft. Depth of completed well 52 ft. Date drilled Nov 72
 All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	1	DIRT
1	30	clay
30	52	sand

9) CASING:
 Type: Old _____ New Steel _____ Plastic Other _____
 Cemented from _____ ft. to _____ ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 320 32 540

10) SCREEN:
 Type PLASTIC
 Perforated _____ Slotted
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4 32 52 010

7) COMPLETION (Check):
 Straight wall Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

11) WELL TESTS:
 Was a pump test made? Yes _____ No If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

8) WATER LEVEL:
 Static level 20 ft. below land surface Date _____
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 46 ft. below land surface.

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No
 Did any strata contain undesirable water? Yes _____ No
 Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
 NAME THOMAS ANDERS Water Well Drillers Registration No. 1226
 (Type or Print)
 ADDRESS PO Box 4 HUNTSVILLE TEX
 (Street or RFD) (City) (State)
 (Signed) Thomas Anders (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

JUN 12 1975
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
JAN - 9 1975
TEXAS WATER DEVELOPMENT BOARD


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-3H Located on map Received: 75 Yes

1) OWNER: Person having well drilled THOMAS FREEMAN Address RA# 4 HONSKILLIE TEX Landowner CC Address CC

2) LOCATION OF WELL: County WALKER, 1 1/2 miles in E direction from HONSKILLIE TEX



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 60 ft. Depth of completed well 60 ft. Date drilled OCT 20 - 72

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-1 surface, 1-60 sand w/ clay streaks.

9) Casing: Type: Old New Steel Plastic Other Cemented from 0 ft. to 20 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0 40 4 5/40

10) SCREEN: Type PLASTIC Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4 40 60 010

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 40 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 ADDRESS RA# 4 HONSKILLIE TEX (Signed) Thomas Anders (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
Texas Water Development Board

RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-3F Located on map Received: 75 Y15

1) OWNER: Person having well drilled SOB RIGBY Address RT 4 HUNTSVILLE TEX (Name) (Street or RFD) (City) (State) Landowner (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 1 3/4 miles in E direction from HUNTSVILLE (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 120 ft. Depth of completed well 120 ft. Date drilled OCT 12 72 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-2 surface, 2-100 shale clay, 100-120 sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0-100 SP0 10) SCREEN: Type Plated Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4 100 120 010

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level -80 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 110 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 ADDRESS RT 4 Huntsville Dup (Street or RFD) (City) (State) (Signed) (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-20-3G Located on map Received: 7/5/05

1) OWNER: Person having well drilled EARLINE FREEMAN Address RT 4 HUNTSVILLE TEX Landowner (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 1/2 miles in E direction from HUNTSVILLE (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.

TAN YARD BRANCH

North

Give legal location with distances and directions from adjacent sections or survey lines.

Labor League

Block Survey

Abstract No.

(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 80 ft. Depth of completed well 80 ft. Date drilled OCT 72 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 1-3 surface dirt, 3-60 yellow clay, 60-80 sand.

9) CASING: Type: Old New Steel Plastic Other. Cemented from ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage. Row: 4 0 60 540.

10) SCREEN: Type PLASTIC. Perforated Slotted. Diameter (inches) Setting From (ft.) To (ft.) Slot Size. Row: 4 60 80 .010.

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No. Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 40 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 ADDRESS P.O. Box 4 HUNTSVILLE TEX (Signed) Thomas Anders (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
JAN - 9 1975
TEXAS WATER DEVELOPMENT BOARD

Dup


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-3E Located on map 25195 Received: 25/95

1) OWNER: Person having well drilled EDWARD OWENS Address RT4 HONTSVILLE TEX (Name) (Street or RFD) (City) (State) Landowner EDWARD OWENS Address (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER 2 miles in E direction from HONTSVILLE (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 4 in. Depth drilled 170 ft. Depth of completed well 170 ft. Date drilled Aug 17-72 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-3 surface soil, 3-140 sandy clay, 140-170 sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0-150 540

10) SCREEN: Type: PLASTIC Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4 150 170 010

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 96 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME THOMAS ANDELS Water Well Drillers Registration No. 1226 ADDRESS PO Box 4 HONTSVILLE TEX (Signed) (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
Texas Water Development Board

RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

For TWDB use only Well No. 60-20-3F Located on map yes Received: 75 yes dit

WATER WELL REPORT

1) OWNER: Person having well drilled M. L. ROBINSON Address RT 4 HUNTSVILLE, TEX
(Name) (Street or RFD) (City) (State)
Landowner " Address " "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 2 miles in E direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG: Diameter of hole 7 in. Depth drilled 180 ft. Depth of completed well 180 ft. Date drilled MAR 2012
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	1	surface dirt
1	60	shaly clay
60	65	shaly s
65	150	blue shaly sand
150	180	sand

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	160	540

10) SCREEN:
Type PLASTIC
Perforated _____ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	160	180	010

7) COMPLETION (Check):
Straight well Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 120 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226
(Type or Print)
ADDRESS RT 304 HUNTSVILLE TEX
(Street or RFD) (City) (State)
(Signed) Thomas Anders (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
Texas Water Development Board

RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-20-30
Located on map yes
Received: 72
all

1) OWNER:
Person having well drilled DONALD F CHALBERG Address HUNTSVILLE, TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 3 miles in SE direction from HIGHWAY 19
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging
4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other
5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 308 ft. Depth of completed well 308 ft. Date drilled 3-20-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	30	RED CLAY
30	77	WHITE CLAY
77	87	BLUE CLAY
87	157	WHITE CLAY
157	159	SAND
159	294	BROWN MEALY CLAY
294	308	SAND

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 294 ft. to 250 ft.
Diameter (inches) 4 Setting From (ft.) +1 To (ft.) -294 Gage SCA 40

10) SCREEN:
Type STAINLESS STEEL BAR-WELD
Perforated Slotted
Diameter (inches) 2 1/2 Setting From (ft.) 294 To (ft.) 308 Slot Size # 8

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 105 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Good depth of strata 14

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME F. A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) F. A. Holly F. A. HOLLY CO.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY 15 1972

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

APR 4 1972

RECEIVED

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-20-3E
Located on map yes
Received: 75/905
dl

1) OWNER:
Person having well drilled Russ A. Anderson Address Box 4 Huntsville Tex
(Name) (Street or RFD) (City) (State)
Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 1 3/4 miles in E direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
OLD COLONY RD HWY 19 E



North ↑

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 100 ft. Depth of completed well 100 ft. Date drilled Aug 7-72
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-1		surface dirt
1-70		red clay
70-100		sand

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	0	80	540

10) SCREEN:
Type Plastic
Perforated _____ Slotted

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
4	90	100	.010

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight well Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 70 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 90 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226
(Type or Print)
ADDRESS Box 4 Huntsville Tex
(Street or RFD) (City) (State)
(Signed) Thomas Anders (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
Texas Water Development Board

RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60203c
Located on map 205
Received: 9-71
Form GW 8
Form GW 9

GMA

1) OWNER:
Person having well drilled Calvin Ellisor Address Hy 19 Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)
miles in 2 NE direction from Huntsville, Texas
(NE, SW, etc.) (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 241 ft. Depth of completed well 241 ft. Date drilled 8-5-71
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	22	surface clay and sand	121	150	blue clay
22	42	White clay	150	155	sand
42	67	sandy white clay	155	232	brown Clay
67	69	sand	232	241	sand
69	82	white clay			
82	87	sand			
87	120	clay			
120	121	rock			

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open hole

8) WATER LEVEL:
Static level 105 ft. below land surface Date 8-5-71
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old New Steel Plastic Other
Cemented from 231 ft. to 100 ft.

10) SCREEN:
Type Stainless Steel Bar-Weld
Perforated Slotted

Diameter (inches)	Setting		Gage	Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)			From (ft.)	To (ft.)	
4	231	x-1	sch. 40	2 1/2	231	241	8

11) WELL TESTS:
Was a pump test made? Yes No If yes by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? good depth of strata 8 ft.

12) PUMP DATA:
Manufacturer's Name Ruth-Berry
Type Submersible H.P. 3/4
Designed pumping rate 710 gpm gph
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 200 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801
(Type or Print)
Address Box 37 Riverside Texas
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. Holly Company
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

11/17/71

11/17/71

11/17/71

11/17/71

11/17/71

11/17/71

11/17/71

11/17/71
OCT 12 1971
Central Records
Texas Water Development Board

11/17/71

11/17/71

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 10-20-3A
Located on map _____
Received: _____
Form GW 8 _____
Form GW 9 _____

1) OWNER:
Person having well drilled Wilborn Spivery Address 125 Ave M Huntsville, Texas
(Name) (Street or RFD) (City) (State)
Landowner Same Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)
miles in 1 NE direction from Huntsville
(NE, SW, etc.) (Town)
*HUNTSVILLE
WELL #19
HIGHWAY NORTH*

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 75 ft. Depth of completed well 75 ft. Date drilled 6-22-70
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-	26	Sandy Brown Clay
26	65	Brown Clat
65	75	Sand

From (ft.)	To (ft.)	Description and color of formation material

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open hole

8) WATER LEVEL:
Static level 35 ft. below land surface Date 6-22-70
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.

10) SCREEN:
Type Stainless Steel Bar+Weld
Perforated Slotted

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
<u>4</u>	<u>X-1</u>	<u>65</u>	<u>Se. 40</u>

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
<u>2 1/2</u>	<u>65</u>	<u>75</u>	<u>8</u>

11) WELL TESTS:
Was a pump test made? Yes No If yes by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date _____
Temperature of water _____
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? good depth of strata _____

12) PUMP DATA:
Manufacturer's Name Ruth-Berry
Type Submersible H.P. 1/2
Designed pumping rate 250 gpm gph
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 65 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801
Address P.O. Box 37 Riverside, Texas
(Street or RFD) (City) (State)
(Signed) E.A. Holly E.A. Holly Company
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

8

... ..

... ..

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

RECEIVED
AUG 26 1970
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
AUG 30 1970
Central Records
Texas Water Development Board

...

RECEIVED

APR 24 1978

Dupl

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

DEPT. OF WATER RESOURCES For TWDB use only No. 60-20-3C Located on map 495 Received: 28 1/2

WATER WELL REPORT

1) OWNER: Person having well drilled MR FLOYD MOORE Address 1718th ST. HUNTSVILLE TEXAS Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER 1 miles in N direction from HUNTSVILLE (N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 199 ft. Depth of completed well 199 ft. Date drilled 4-19-78 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include SAND + TOP SOIL, SAND, WHITE CLAY, SAND (BLUE).

9) Casing: Type: Old New Steel Plastic Other Cemented from 187 ft. to 100 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 187 71 SCH 40

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 135 ft. below land surface Date 4-20-78 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 176 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Good depth of strata 15 FT

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. Holly Water Well Drillers Registration No. 801 ADDRESS Box 37 RIVERSIDE TEXAS (Signed) E.A. Holly (Water Well Driller) E.A. Holly CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

870142 89A

2) LOCATION OF WELL: 10

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 29 1978

Central Records
Texas Dept. of Water Resources

#17

3K

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-3K Located on map Received: 8-26-76

1) OWNER: Person having well drilled John Byrd (Name) Address 1250 Jasey #14 (Street or RFD) Huntsville Texas (City) (State) Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, - in - miles in direction from Huntsville (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* Well located right at Huntsville City limits on Hwy 19 North on left hand side of road (Use reverse side if necessary)

3) TYPE OF WORK (Check): New Well [checked] Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic [checked] Industrial Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary [checked] Driven Cable Jetted Bored Dug

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 415 ft. Depth of completed well 415 ft. Date drilled 8-17-76 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include SAND, shale, SAND, shale, SANDY-shak, shale, SANDY-shak, shale, SAND.

9) CASING: Type: Old New [checked] Steel [checked] Plastic Other Cemented from 250 ft. to 390 ft. Diameter (inches) 4" Setting From (ft.) 1 To (ft.) 390 Gage 10) SCREEN: Type Stainless Steel Perforated [checked] Slotted Diameter (inches) 2 1/2 Setting From (ft.) 395 To (ft.) 410 Slot Size 10 gage

7) COMPLETION (Check): Straight wall Gravel packed Other Cemented Under reamed Open Hole 8) WATER LEVEL: Static level 110 ft. below land surface Date 8-20-76 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 315 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No [checked] If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water 12) WATER QUALITY: Was a chemical analysis made? Yes No [checked] Did any strata contain undesirable water? Yes No [checked] Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Danny R. Murchison Water Well Drillers Registration No. 1574 ADDRESS 906 East Bowie (Street or RFD) Crockett (City) Texas (State) (Signed) Danny R. Murchison (Water Well Driller) Crockett Drilling Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEVELOPMENT BOARD
TEXAS WATER

OCT 6 1976
RECEIVED

RECEIVED
FEB 8 1977

Central Records
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only Well No. 60-20-3J Located on map Received: 7/5/75

1) OWNER: Person having well drilled James McGowan Address Rt. 5 Box 375-4 Huntsville, Tex Landowner same Address same

2) LOCATION OF WELL: County Walker, 1 miles in E direction from Huntsville

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Irrigation Test Well Municipal Other 5) TYPE OF WELL (Check): Rotary Driven Cable Jetted Bored Dug

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 222 ft. Depth of completed well 142 ft. Date drilled 2-21-75 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-24 white clay, 24-54 white sand, 54-68 white sly, 68-99 brown clay, 99-114 coarse sand, 114-127 white clay, 127-142 sand, 142-182 grey clay, 182-222 blue clay.

9) CASING: Type: Old New Steel Plastic Other Cemented from ft. to ft.

Diameter (inches) Setting From (ft.) To (ft.) Gage 4" = +1 130 sch 40

10) SCREEN: Type plastic Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2" 230 240 12 130 140

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

8) WATER LEVEL: Static level 50 ft. below land surface Date 2-21-75 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 130 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? good depth of strata 12 ft.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801 ADDRESS P.O. Box 37 Riverside, Texas 77367 (Signed) Dale Holly E.A. Holly Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
FEB 25 1975

RECEIVED
MAY 1 1975
Central Records
Texas Water Development Board

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-20-3E
Located on map yes
Received: 7-5-74

1) OWNER:
Person having well drilled ETTA RICBY Address RTA HUNTSVILLE TEX
(Name) (Street or RFD) (City) (State)
Landowner LI Address LI LI
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 2 miles in E direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
OLD COLONY RD HWY 15 E
North
(Use reverse side if necessary)

OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____

4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____

5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 200 ft. Depth of completed well 200 ft. Date drilled 3-16-74
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	surface dirt
3	34	white clay
34	40	sand
40	170	blue clay
170	200	sand

9) CASING:
Type: Old New _____ Steel Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 180 540

10) SCREEN:
Type PLASTIC
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4 180 200 012

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight well Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 130 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226
(Type or Print)
ADDRESS PO Box 4 HUNTSVILLE TEX
(Street or RFD) (City) (State)
(Signed) Thomas Anders (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 12 1975
3
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
JAN - 9 1975
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-20.3E Located on map yes Received: 73 dr

1) OWNER: Person having well drilled LEMAR ASHLEY Address P.O. Box 681 HUNTSVILLE, TEXAS
 Landowner SAME Address _____

2) LOCATION OF WELL: County WALKER miles in 1-E direction from HUNTSVILLE
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
 (Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Irrigation Test Well Municipal Other
 5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 82 ft. Depth of completed well 82 ft. Date drilled 8-10-73
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 15		RED CLAY
15 - 20		WHITE CLAY SAND
20 - 57		WHITE CLAY
57 - 82		SAND

9) CASING: Type: Old New Steel Plastic Other
 Cemented from _____ ft. to _____ ft.
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 72 + 1 SEA 40
 10) SCREEN: Type PLASTIC
 Perforated Slotted
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
4 72 - 82 # 6

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole
 8) WATER LEVEL: Static level 15 ft. below land surface Date 8-10-73
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

11) WELL TESTS:
 Was a pump test made? Yes No If yes, by whom? _____
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____
 12) WATER QUALITY:
 Was a chemical analysis made? Yes No
 Did any strata contain undesirable water? Yes No
 Type of water? Good depth of strata 25

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
 NAME E. A. HOLLY Water Well Drillers Registration No. 801
 ADDRESS Box 37 RIVERSIDE, TEXAS
 (Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

AUG 31 1973

RECEIVED

RECEIVED
NOV 30 1973
Central Records
Texas Water Development Board

RECEIVED
AUG - 6 1979

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-20-3M
Located on map YES
Received: TH

1) OWNER Elmer Louis Perue Address Huntville Texas
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL
County Walker 2 miles in East direction from Huntville
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. Map on 60-18-8F

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled May 299

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6"	Surface	180

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From To	Gage Casing Screen	
0	59	Caliche						
59	90	Snd						
90	93	Shle	4"	N	Case PVC	0 - 155		
93	100	Snd	4"	N	Slotted PVC	155 - 165		
100	145	Shle	2"	N	" Screen	165 - 180		009
145	180	Course Brown Snd						

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME GLENN SNOOK Water Well Drillers Registration No. 1490
(Type or Print)

ADDRESS Box 761 LOLA TEXAS 77861
(Street or RFD) (City) (State) (Zip)

(Signed) Glenn Snook Snook Drilling Co
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 12 '80
CR/IDWR

RECEIVED
SEP 19 1979

Texas Dept. of Water Resources

RECEIVED

State of Texas AUG - 6 1979

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

For TDWR use only Well No. 60-20-3L Located on map YES Received: TH

WATER WELL REPORT

1) OWNER Carl Rollings Estate (Name) Address Humble Texas (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 2 miles in East direction from Humble (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. Map on 60-18-8F

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled May 7-79 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6" Surface 130 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other Cemented

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-15 Caliche, 15-45 Shl, 45-75 Sand, 75-120 Shl, 120-127 Sand, 127-130 Shl.

CEMENTING DATA Cemented from 120 ft. to upwards ft. Method used Equalizer Cemented by Self (Company or Individual)

9) WATER LEVEL: Static level 84 ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 111' ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Glenn S. Snook Water Well Drillers Registration No. 1490 ADDRESS Box 761 (Street or RFD) Lela (City) Humble (State) 77061 (Zip) (Signed) Glenn S. Snook (Water Well Driller) Snook Dalg Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
SEP 12 1979
CR/TDWR

SEP 19 1979

Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-20-36 Located on map YES Received: TH

1) OWNER HALLIE FREEMAN Address Rt. 5 Box 667, HUNTSVILLE, TX 77340
2) LOCATION OF WELL: County WARKER 1 miles in E direction from HUNTSVILLE

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map on 60-19-4H

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 1-12-80 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 91
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-20 BROWN CLAY, 20-40 SAND, 40-81 BROWN CLAY, 81-89 SAND, 89-91 BROWN CLAY.

CEMENTING DATA Cemented from 80 ft. to 25 ft. Method used PRESSURE Cemented by RANDY A. CADWALLADER (Company or Individual)

9) WATER LEVEL: Static level 50 ft. below land surface Date 1-14-80 Artesian flow gpm. Date

10) PACKERS: Type Depth LEAD 79

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 8 Was a chemical analysis made? No
12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME E.A. HOLLY Co Water Well Drillers Registration No. 801 ADDRESS P.O. Box 37 RIVERSIDE, TEXAS 77367 (Signed) (Water Well Driller) (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

SEP 17 '80

SEP 17 '80

CR/IDWR

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Texas Dept. of Water Resources

RECEIVED
MAY 7 1980

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mary Taylor (Name) Address Rt. 8 Box 606, Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: County WALKER miles in 1 N direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-11-6B

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other _____
 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 2-19-85
 DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 212
 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0-2		Top soil						
2-22		Brown clay						
22-38		Sand	4	N	Plastic	-1 1/2	196	40
38-62		Brown clay						
62-72		Sand streaks	2 1/2	N	PVC Undercut	210	200	#12
72-93		Sand						
93-104		Brown clay						
104-117		Sand						
117-122		Brown clay						
122-198		Meally Clay						
198-212		Sand						

CEMENTING DATA
 Cemented from 196 ft. to 96 ft.
 Method used Pressure
 Cemented by Henry Lee
 (Company or Individual)

9) WATER LEVEL: Static level 80 ft. below land surface Date 2-20-85
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
Lead L 192

RECEIVED
 APR - 8 1985

DEPT. OF
 WATER RESOURCES
 (Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Good Depth of strata 16 Ft.
 Was a chemical analysis made? Yes No

11) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated
 Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
 (Type or Print)
 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
 (Street or RFD) (City) (State) (Zip)
 (Signed) [Signature] (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
 For TDWR use only Well No. 60-20-35 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

28 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Donnie Murray Address Rt. 8 Box 85, Huntsville, TX 77340

2) LOCATION OF WELL: County Walker 1/4 miles in ENE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-20-6P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 9/18/84. DIAMETER OF HOLE: Dia. (in.) 6 1/2, From (ft.) Surface, To (ft.) 162. 7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Sand streaks, Sand, Meally clay, etc.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA: Cemented from 0 ft. to 50 ft. Method used Pressure. Cemented by Henry Lee (Company or Individual).

9) WATER LEVEL: Static level ft. below land surface Date. Artesian flow gpm. Date.

RECEIVED OCT 15 1984 DEPT. OF WATER RESOURCES (Use reverse side if necessary)

10) PACKERS: Type Lead, Depth L, 146

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 30 Ft. Was a chemical analysis made? No.

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-3J Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#19 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Bennie Simmons Address Rt. 8 Box 580 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 1/2 miles in NE direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map. map on 60-20-6P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-28-84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 313
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include soil, brown clay, sand streaks, sand, etc.

CEMENTING DATA
Cemented from 283 ft. to 183 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 124 ft. below land surface Date 8-31-84
Artesian flow gpm. Date

RECEIVED OCT 15 1984

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth Lead L 278
11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 220 ft.
12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 10 gpm with ... ft. drawdown after ... hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026 2221
ADDRESS Rt. 11 Box 607 Huntsville, Texas 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 60-20-3J Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

556
OCT 15 1984

#46 WKBC

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Joey Cammarata Address 1001 Avenue J #2 Huntsville, TX 77340

2) LOCATION OF WELL: County Walker 1/4 miles in N direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-03-8G

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 12/15/83 DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 390 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Top soil, Red clay, Sand, White clay, Brown clay, Sand streaks, Blue clay, etc.

CEMENTING DATA: Cemented from 376 ft. to 276 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level 180 ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 371

RECEIVED JAN 14 1984

DEPT. OF WATER RESOURCES (Use reverse side if necessary)

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 14 Ft. Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. Well No. 60-20-30 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#19 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Virgie Ashley Address Rt. 8 Box 582 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 1/2 miles in E direction from Huntsville

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map on 60-03-86

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-25-83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 190
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other If Gravel Packed give interval . . . from ft. to ft.

Table with 6 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include 0-2 top soil, 2-10 red clay, 10-29 sand, 29-56 brown clay, 56-62 sand streaks, 62-77 sand, 77-80 brown clay, 80-86 sand, 86-122 brown clay, 122-142 blue clay, 142-160 sandy clay, 160-162 blue clay, 162-168 sand, 168-174 blue clay, 174-190 sand.

CEMENTING DATA Cemented from 178 ft. to 78 ft. Method used Pressure Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL: Static level ft. below land surface Date 8-27-83 Artesian flow gpm. Date

10) PACKERS: Type Depth Rubber R 174

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 40 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026, 2221 ADDRESS P.O. Box 638, Riverside, Texas 77367 (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-3P Located on map yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#17 Walker

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Pete Allbritton Address Rt. 5 Box 97-1 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 1/2 miles in North direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. Mapon 60-05-1C

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-09-85
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 200 ft. to 100 ft. Method used Pressure Cemented by Henry Lee

10) SURFACE COMPLETION Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level 142 ft. below land surface Date 4-10-85 Artesian flow gpm. Date

12) PACKERS: Lead L Depth 196
13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 192 ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 22 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221 ADDRESS Rt. 11 Box 607 Huntsville, TX 77340

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-30 Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Walker #28

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Johnnie Moore Address P.O. Box 359 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker miles in IN Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. mapon 60-05-1c

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5/24/85
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)]: Cemented from 355 ft. to 255 ft., Method used Pressure, Cemented by Henry Lee

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, Approved Alternative Procedure Used

11) WATER LEVEL: Static level, Artesian flow, Date

12) PACKERS: Lead, Type, Depth 360

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Depth to pump bowls, cylinder, jet, etc.,

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No, Type of water? Good, Depth of strata 58 Ft., Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated, Yield: gpm with ft. drawdown after hrs.

RECEIVED AUG - 9 1985

DEPT. OF WATER RESOURCES

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-20-3C Located on map YES.C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

4A

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Stewarts Garden Center (Name) Address 347A Old Phelps Rd. (Street or RFD) Huntsville, Tx. (City) 77340 (State) (Zip)

2) LOCATION OF WELL: County Walker 1 miles in S direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. ON 60-12-8

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 8/12/87 19 Completed 8/14/87 19

Table with columns: DIAMETER OF HOLE (Dia. in., From ft., To ft.), Surface, 300

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other 2 string cemented

Table with columns: From (ft.), To (ft.), Description and color of formation material (Top soil & Sand, Clay, Sand, Clay, Sand, Clay, Sand, Shale)

Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 125 ft. to 0 ft. No. of Sacks Used 9

Method used Halliburton Cemented by Robinson Water Well

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 50 ft. below land surface Date 8/14/87

Artesian flow gpm. Date

12) PACKERS: Type K Depth 123

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 100 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

RECEIVED JAN 11 1988

TEXAS WATER COMMISSION

15) WATER QUALITY: If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? potable Depth of strata Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Robinson Water Well Service, Inc. Water Well Driller's License No. 1464

ADDRESS 11607 FM 149 Houston, Tx. 77086

(Signed) M. E. Robinson (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60203 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#4 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER ISIAH ROBINSON (Name) Address RT. 12 BOX 672 HUNTSVILLE, TX. 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: WALKER County, 1/4 miles in E direction from HUNTSVILLE (Town) (N.E., S.W., etc.)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. 0760-21-5

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other

5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other

6) WELL LOG: Date Drilling: Started 02/19 1988 Completed 2/20 1988

Table with columns: DIAMETER OF HOLE (Dia. (in.), From (ft.), To (ft.)), rows: 6.5 Surface 232

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-4 TIP SOIL, 4-17 SAND STREAKS, 17-24 ROUGH CLAY, 24-44 BROWN AND WHITE CLAY, 44-64 WHITE CLAY, 64-77 SAND, 77-84 WHITE CLAY, 84-104 BROWN CLAY, 104-124 BROWN AND WHITE CLAY, 124-127 WHITE CLAY, 127-144 SAND, 144-152 FINE SAND STREAKS, 152-180 BROWN CLAY, 180-181 ROCK, 181-184 clay, 184-199 ROCK STREAKS, 199-232 SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) (From, To), Gage Casing Screen. Rows: 4 N PVC 1.5 #14, 2.5 N PVC UNDERCUTT 232-224 #14

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 217 ft. to 117 ft. No. of Sacks Used 6 Method used PRESSURE Cemented by HOLLY WATER WELL SERVICE

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]

RECEIVED MAR 24 1988

11) WATER LEVEL: Static level 100 ft. below land surface Date 02/19/88 Artesian flow gpm. Date

12) PACKERS: Table with columns: Type, Depth. Row: K-PACKER R x L 212

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 140 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata 33 FT Was a chemical analysis made? Yes No

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 20 gpm with ft. drawdown after hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or Print) Water Well Driller's License No. 202612991

ADDRESS 607 Hwy. 19 HUNTSVILLE TEXAS 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-3 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Handwritten mark

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-20-3E Located on map 75 YPS Received: 75 YPS db

1) OWNER: Person having well drilled Lynn Reese (Name) Address Rt 4 Huntville Tex (Street or RFD) (City) (State) Landowner (Name) Address 71 (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 1 3/4 miles in E direction from AUNTSTVILLE (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 140 ft. Depth of completed well 140 ft. Date drilled JAN 73 All measurements made from ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-12, 12-26, 26-30, 30-115, 115-140 with descriptions like red clay, white clay, sand, clay.

9) Casing: Type: Old New Steel Plastic Other Cemented from ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0 120 540 10) SCREEN: Type Plastic Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4 120 140 .005

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 70 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 ADDRESS Rt 4 AUNTSTVILLE TEX (Street or RFD) (City) (State) (Signed) Thomas Anders (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.




 JUN 12 1975
 Texas Water Development Board

RECEIVED
 JAN - 9 1975
 TEXAS WATER
 DEVELOPMENT BOARD

DWS

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-20-3A Located on map 42 Received: 7/18/84

1) OWNER DAN Hurry (Name) Address Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 6 miles in N.E. direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. #1

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 10/17/78

Table with 3 columns: Dia. (in.), From (ft.), To (ft.). Row 1: 6 1/8, Surface, 211

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from 196 ft. to 211 ft.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-108 Sandy Shale, 108-196 Sandy Shale-Grey Shale, 196-211 Water Sand

Table with 5 columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows: 4 N Plastic 0 196, 2 1/2 N Stainless Steel 196 211 .10

CEMENTING DATA Cemented from 146' ft. to 196 ft. Method used Pressure Cemented by J.B. Bradford & Sons (Company or Individual)

9) WATER LEVEL: Static level 80 ft. below land surface Date 10/17/78 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 178 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made?

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Kenneth R. Bradford Water Well Drillers Registration No. 1886 ADDRESS 616 N. M's Zuer Madisonville Texas 77864 (Signed) Kenneth R. Bradford J.B. Bradford & Sons Drilling Co. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED

NOV - 3 1978

DEPT. OF
WATER RESOURCES

RECEIVED

APR 4 '79

CR/TDWR

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER T.A. Caughen Address Route 8 Box 536 Huntsville Texas 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 2 miles in S-E direction from Huntsville
(N.E., S.W., etc.) (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 10/8/ 1987
Completed 10/9 1987

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>6 3/4</u>	<u>0</u>	<u>320</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2 String Cemented
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
0	44	Clay	Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
44	75	Sand	
75	144	Clay	4" N Steel Casing 0 290
144	160	Sand	2 1/2" N PVC Liner 280 290
160	283	Clay & Shale	2 1/2" N PVC Slotted Screen 290 320
283	320	Sand	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 290 ft. to 0 ft. No. of Sacks Used 25
290 ft. to 0 ft. No. of Sacks Used _____
Method used Halliburton
Cemented by ROBINSON WATER WELL SERVICE INC.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 75 ft. below land surface Date 10-9-87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
K-Packer 280

13) TYPE PUMP: 5hp
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 189 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME ROBINSON WATER WELL SERVICE INC. Water Well Driller's License No. 2212
(Type or Print)

ADDRESS 11607 FM 149 Houston Texas 77086
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60203 Located on map _____



#1

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Willi Jerry Jones Address Rt. 8 Box 594 Huntsville, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 114 miles in E direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. 60-13-9

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:

Date Drilling: Started	To	DIAMETER OF HOLE		
		Dia. (in.)	From (ft.)	To (ft.)
6-16	19 86	6 1/2	Surface	392
Completed	6-17			19 86

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-15		White clay
15-36		Sand
36-57		White clay
57-78		Brown clay
78-88		White clay
88-102		Sand course sand streaks
102-120		Meally clay
120-125		Sand
125-178		Meally clay
178-182		Sandy clay
182-221		Meally clay
221-222		Sand
222-330		Meally clay
330-342		Sandy clay
342-360		Meally clay
360-362		Sand
362-380		Meally clay
380-392		Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	Plastic	-1 1/2	345	40
2 1/2	N	Stainless steel	380	390	#6

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 345 ft. to 245 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 2
Method used: Pressure
Cemented by: Holly Water Well

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 130 ft. below land surface Date 6-18-86
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
<u>HEAD</u>	<u>338</u>

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 12 Ft.
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.


I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
(Type or Print)

ADDRESS RT 11 Box 607b Huntsville, TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use (or) Well No. 60-203 Located on map _____



**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#2 WALKER

18m/s/NL
L.O. WJEL

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Curtis Ellisor Address 2305 Badger Lane Huntsville, Tx 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker in _____ miles in _____ direction from Huntsville
(N.E., S.W., etc.) (Town)

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 60-13-9

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 3-24-86 19____ Completed 3-25-86 19____
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/2 Surface 372
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
0-2	top soil		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
2-15	sand		
15-20	white clay		4 N Plastic -1 1/2 350 40
20-27	sandy clay		
27-52	sand		2 1/2 N Plastic undercut 351-371 #8
52-122	white clay		
122-195	blue clay		
195-197	rock		
197-280	blue clay		
280-285	sand		
285-312	blue clay		
312-317	sand		
317-349	blue clay		
349-362	sand and rock streaks		
362-372	sand		

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 350 ft. to 0 ft. No. of Sacks Used 14
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Pressure
Cemented by Holly Water Wells


10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 150 ft. below land surface Date 3-25-86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Lead 345

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 260 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.



15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 23 ft.
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME HOLLY WATER WELLS Water Well Driller's License No. 2026
(Type or Print) (@)
ADDRESS Rt11 Box 607 HUNTSVILLE TX 77340
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-20-3 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER WOODLAND Hills Co. Address 1938 So. 1st CONROE Tex 77301
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County MONTGOMERY 2 miles in NE direction from HUNTSVILLE
WALKER (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. ON HWY 19

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other OFFICE

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 3-17-85

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6"	0	20
6 1/2"	20	209

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	85	Red SAND & Brown CLAY
85	93	BROWN WHITE CLAY
93	130	SAND & BROKEN BROWN CLAY
130	135	Red CLAY
135	146	SAND & GRAVEL
146	209	SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4"	NEW	PVC	0	189	
4"	NEW	PVC Slotted	189	209	1 gage

CEMENTING DATA
Cemented from 0 ft. to 20' ft.
Method used GRAVITY POUR
Cemented by _____ (Company or Individual)

9) WATER LEVEL: Static level 86 ft. below land surface Date 3-18
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
RUBBER-FORMATION 20-189
20'-INTERVALS

RECEIVED
JUL 30 1985

DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 150 ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: 55 gpm with 30 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME BALLARDS WATERWELL Water Well Driller's License No. 2384
(Type or Print)

ADDRESS P.O. Box 2004 WILLIS TEXAS 77378
(Street or RFD) (City) (State) (Zip)

(Signed) Charles A. Ballard (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-20-3T
Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DEPT. OF
WATER RESOURCES

APR 30 1985

DWP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 00-20-30 Located on map yes Received: C.F.S.

1) OWNER Roonie Carter (Name) Address New Colony Rd. Huntsville Tex 77340 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 1 miles in east direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other


6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.)
Date drilled 9-14-81
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other
If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-5 Surface Sand, 5-26 Red Clay, 26-75 gray bumps, 75-100 sand.

CEMENTING DATA
Cemented from ft. to ft.
Method used
Cemented by (Company or Individual)

9) WATER LEVEL: Static level 50 ft. below land surface Date 9-14-81
Artesian flow gpm. Date

10) PACKERS: Type Depth



11) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 80 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated
Yield: 15-20 gpm with ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Thomas Anders Jr. Water Well Drillers Registration No. 1984
ADDRESS F.M. 2929 Huntsville Tex. 77340 (Street or RFD) (City) (State) (Zip)
(Signed) Tommy Anders (Water Well Driller) Anders Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-20-3N
Located on map Yes
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James Gordon (Name) Address New Colony Rd (Street or RFD) Huntsville Tex (City) 77340 (State) (Zip)
2) LOCATION OF WELL: County Walker 1 miles in East direction from Huntsville (N.E., S.W., etc.) (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 8-9-81
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
4" Surface 0" 90"
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
0-3'		Surface sand	4"	new	Plastic 4"	0-90	
3-15'		Red Clay					
15-80'		Blue and White quartz type clay			4" giz screen Anders Well screen		
80-90'		Water sand					

CEMENTING DATA
Cemented from Surface ft. to _____ ft.
Method used Hand
Cemented by SELF
(Company or Individual)

9) WATER LEVEL:
Static level 50' ft. below land surface Date 8-9-81
Artesian flow _____ gpm. Date _____

RECEIVED

JAN - 3 1983

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Thomas Anders Jr (Type or Print) Water Well Drillers Registration No. 1984
ADDRESS F.M. 2929 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)
(Signed) Tommy Anders (Water Well Driller) Anders Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”




The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

*Co-dons
New Colony Road*



LEGEND

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	CANAL
	PIPELINE
	POWER LINE
	TELEPHONE LINE
	ELECTRIC LINE
	GAS LINE
	SEWER LINE
	WATER MAIN
	FIRE HYDRANT
	WELL
	SPRING
	DAM
	RESERVOIR
	LAKE
	BAYOU
	RIVER
	CREEK
	STREAM
	POND
	SWAMP
	MARSH
	FIELD
	PASTURE
	WOODLAND
	FOREST
	PARK
	CEMETERY
	SCHOOL
	CHURCH
	POST OFFICE
	GAS STATION
	STORE
	HOTEL
	MOTEL
	RESTAURANT
	BAR
	TAVERN
	CLUB
	CASINO
	CASINO
	CASINO



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



1970 CENSUS FIGURES
HIGHWAYS RENAMED TO MARCH 1, 1970
NATIONAL PROJECTION NORTH AMERICAN DRIVE
Copyright © U.S. Dept. of Commerce, Bureau of Economic Analysis, 1969
Revised and Expanded Edition

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 00-20-30 Located on map YES Received: C.R.S

1) OWNER Pat Kelly (Name) Address New Colony Huntville Tex 77360 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker miles in 2 east direction from Huntville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines
See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Date drilled 7-10-81 4" 0-60
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0-5 surface sand, 5-15 red clay, 15-40 blue clay shale type, 40-60 blue brown mixed water sand.

CEMENTING DATA Cemented from Surface ft. to ft. Method used Horn Cemented by SLP (Company or Individual)

RECEIVED JAN-3-1983 DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 28 ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 18-20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Thomas Anders (Type or Print) Water Well Drillers Registration No. 1984 ADDRESS FM 2929 Huntville Tex 77340 (Street or RFD) (City) (State) (Zip) (Signed) [Signature] (Water Well Driller) Anders Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-203R
Located on map yes
Received: C.F.S.

1) OWNER C & B Air Cond. Address HUNTSVILLE, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 1 miles in N direction from HUNTSVILLE
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. No 1

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 5-15-79
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 238

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-20</u>		<u>SHAKE</u>
<u>20-40</u>		<u>SAND</u>
<u>40-60</u>		<u>SHAKE</u>
<u>60-90</u>		<u>SAND</u>
<u>90-160</u>		<u>SHAKE</u>
<u>160-180</u>		<u>SAND</u>
<u>180-210</u>		<u>SHAKE</u>
<u>210-238</u>		<u>SAND</u>

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>210</u>	<u>40</u>
<u>2 1/2</u>	<u>N</u>	<u>BLANK LINER</u>	<u>200</u>	<u>218</u>	
<u>2 1/2</u>	<u>N</u>	<u>PLASTIC Screen</u>	<u>218</u>	<u>238</u>	<u>.10</u>

CEMENTING DATA
Cemented from 150 ft. to 210 ft.
Method used Prepacked
Cemented by J. B. Bradford & Son
(Company or Individual)

9) WATER LEVEL:
Static level 80 ft. below land surface Date 5-15-79
Artesian flow _____ gpm. Date _____

RECEIVED
APR 12 1984
DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 189 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 10 gpm with 40 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES B. BRADFORD Water Well Drillers Registration No. 1881
(Type or Print)
ADDRESS 616 N. McIVER MADISONVILLE, TX 77864
(Street or RFD) (City) (State) (Zip)
(Signed) Jimmy Bradford J. B. Bradford & Son
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.



Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

STATE OF TEXAS
DEPARTMENT OF WATER RESOURCES
DALLAS, TEXAS



LEGEND

	INTERSTATE HIGHWAY
	FEDERAL HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	CANAL
	LAKE/RESERVOIR
	RIVER
	CREEK
	WELL
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL BUILDING
	RESIDENTIAL BUILDING
	FOREST
	PARK
	CEMETERY
	WELL
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL BUILDING
	RESIDENTIAL BUILDING



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PRESENTED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

1970 CENSUS FIGURES
HIGHWAYS REVISED TO MARCH 1, 1981
NATIONAL PROJECTION WITHIN AERIAL DATA
BASED ON U.S. Census and Geologic Survey and U.S. Geological Survey
Information, U.S. Census Bureau, 1970 Census, 1970 Census
Information, 1970 Census

1969
SCALE
1:50,000



112



112

112