

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616  
Toll free (800)803-9202

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

Email address: water.well@license.state.tx.us

**WELL REPORT**

**A. WELL IDENTIFICATION AND LOCATION DATA**

**1) OWNER**

Name <i>Shirley Lacombe</i>	Address <i>90-B Sandle lane</i>	City <i>Huntsville</i>	State <i>TX</i>	Zip <i>77340</i>
--------------------------------	------------------------------------	---------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <i>Walker</i>	Physical Address <i>90-B Sandle lane</i>	City <i>Huntsville</i>	State <i>TX</i>	Zip <i>77340</i>
-------------------------	---	---------------------------	--------------------	---------------------

**3) Type of Work**

New Well     Reconditioning  
 Replacement     Deepening

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # *W0-28.4*

**4) Proposed Use (check)**     Monitor     Environmental Soil Boring     Domestic  
 Industrial     Irrigation     Injection     Public Supply     De-watering     Testwell  
 Rig Supply    If Public Supply well, were plans submitted?     Yes     No

**5)**    **N↑**

**6) Drilling Date**

Started *3 / 31 / 03*

Completed *4 / 1 / 03*

**Diameter of Hole**

Dia.(in)	From (ft)	To (ft)
<i>10"</i>	<i>0</i>	<i>10'</i>
<i>6 1/2</i>	<i>10'</i>	<i>196'</i>
<i>3 7/8</i>	<i>196'</i>	<i>212'</i>

**7) Drilling Method (check)**

Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

**From (ft)    To (ft)    Description and color of formation material**

<i>0-2</i>	<i>Top Soil</i>	<i>120-140 white clay</i>
<i>2-13</i>	<i>Red clay</i>	<i>140-160 white sand</i>
<i>13-20</i>	<i>Brown sand</i>	<i>160-179 white clay</i>
<i>20-30</i>	<i>Brown clay</i>	<i>179-180 Rock</i>
<i>30-50</i>	<i>Red Sand</i>	<i>180-193 Blue shale</i>
<i>50-53</i>	<i>Rock</i>	<i>193-195 Rock</i>
<i>53-73</i>	<i>Brown clay</i>	<i>195-212 Sand (blueish)</i>
<i>73-93</i>	<i>Red Sand</i>	
<i>93-100</i>	<i>Red Gravel</i>	
<i>100-120</i>	<i>white clay</i>	

(Use reverse side of Well Owner's copy, If necessary)

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**Casing, Blank Pipe, and Well Screen Data**

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>196</i>	<i>40</i>
<i>2</i>	<i>N</i>	<i>PVC screen</i>	<i>191</i>	<i>212</i>	<i>8</i>

**9) Cementing Data**

Cementing from *196* ft. to *96* ft. # of sacks used *5*  
*0* ft. to *10* ft. # of sacks used *11*

Method Used \_\_\_\_\_  
Cementing By *Pressure*  
Distance to septic system field or other concentrated contamination *100 ft. plus*  
Method of verification of above distance *Tape*

**13) Plugged**

Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Type Pump**

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet etc., *160* ft.

**15) Water Test**

Typetest  Pump     Bailer     Jetted     Estimated  
Yield: *40* gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate a strata which contain undesirable constituents.  
 YES     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER  
Type of water *good*    Depth of Strata *19'*  
Was a chemical analysis made     Yes     No

**10) Surface Completion**

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

**11) Water Level**

Static level *79* ft. below    Date *4 / 1 / 03*  
Artesian Flow \_\_\_\_\_ gpm.    Date \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

**12) Packers** *Rubber* Type *EK*    Depth *191'*

TDLR MAIL ROOM    SH  
APR 30 2003

Company or individual's Name (type or print) <i>Gray's Water Well</i>	RECEIPT #	AMOUNT No. <i>2010PK</i>
Address <i>P.O. Box 1788</i>	City <i>Trinity</i>	State <i>TX</i>
Signature <i>Vernon Gray</i>	Date <i>4 / 23 / 03</i>	Signature <i>Richard Myker</i>
Licensed Driller/Pump Installer	Date	Apprentice
		Date <i>4 / 23 / 03</i>



Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation Water Well Driller/Pump Installer Program P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616 Toll free (800) 803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name: Carolyn Stivender, Address: 51 Oak Ridge, City: Huntsville, State: Texas, Zip: 77340

2) WELL LOCATION

County: Walker, Physical Address: Off Bowden Rd, City: Huntsville, State: TX, Zip: 77340

3) Type of Work

New Well, Deepening, Reconditioning

Lat., Long., Grid # 60-28-4

4) Proposed Use (check) Domestic, Industrial, Irrigation, Injection, Public Supply, De-watering, Testwell

6) Drilling Date

Started 10/7/02, Completed 10/9/02

Table with columns: Diameter of Hole (Dia. in, From ft, To ft) and values: 6.75, -1.5, 272

7) Drilling Method (check) Driven, Air Rotary, Mud Rotary, Bored, Air Hammer, Cable Tool, Jetted, Other

Table with columns: From (ft), To (ft), Description and color of formation material. Rows include Bit t.s., Br. sdy cl., W.cl., W.cl. w/sd.st., W.cl. & sd.gr., W.cl. & bl.cl., Sd., Sd.&gr., W.&br.cl., Br.&bl.cl., Sd., Cl.

8) Borehole Completion Open Hole, Straight Wall, Under-reamed, Gravel Packed, Other

Table with columns: Dia. (in.), New Or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft) From To, Gage Casing Screen. Rows include PVC Casing, U.C. Screen

9) Cementing Data: Cementing from -1.5 ft to 20 ft, # of sacks used 2; 102 ft to 252 ft, # of sacks used 7

13) Plugged

Table with columns: From (ft), To (ft), Cement/Bentonite placed in well, Sacks used

Method Used Pressure, Cementing By R.McPike, Distance to septic system field or other concentrated contamination 0 ft

14) Typepump

Turbine, Jet, Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., 180 ft.

10) Surface Completion: Specified Surface Slab Installed, Specified Surface Sleeve Installed, Pitless Adapter Used, Approved Alternative Procedure Used

15) Water Test

Typetest Pump, Bailer, Jetted, Estimated, Yield: 40 gpm with 18 ft. drawdown after hrs.

11) Water Level: Static level 80 ft. below, Date, Artesian Flow gpm, Date

16) Water Quality


Did you knowingly penetrate any strata which contain undesirable constituents? Yes, NO, Type of water Good, Depth of Strata 18

12) Packers: Type, Depth. Row: 2 - 2.5" K Packers, RxB, 246-247

Company or Individual's Name (type or print) Holly Water Wells, LTD Lic. No. 3114W

Address 2928 State Hwy 19 City Huntsville State TX Zip 77320

Signature Raymond M. Pike Licensed Driller/Pump Installer Date, Signature Apprentice Date







LAKE  
CONROE  
Normal Pool Elev 200'  
Max Flood Elev 214.0'

H O U S T O N T E X A S

HUNTSMVILLE  
pop 23,888

HOUSTON  
NATIONAL FOREST

NEW WAVERLY  
pop 824

INSET NO 2

.6m: SINL  
.4m: EINH

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER: HOWARD COYLE (Name) Address: 2940 OLD Houston Rd. (Street or RFD) Huntsville TX 77340 (City) (State) (Zip)
2) LOCATION OF WELL: County: WALKER (County) 11 miles in S (N.E., S.W., etc.) direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map.


3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled: 10/28/86
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
Surface: 6 1/2, 0, 193
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 0 ft. to 20 ft. Method used: GRUITY Cemented by: BWU (Company or Individual)

9) WATER LEVEL: Static level 30 ft. below land surface Date 10/29/86 Artesian flow gpm. Date



10) PACKERS: Type: 6x6 Rubber Formation Depth: 20', 183'

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc.: 103 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 45 gpm with 30 ft. drawdown after 4 hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata?
Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME: BALLARD'S WATER WELL (Type or Print) Water Well Driller's License No.: 2384
ADDRESS: P.O. Box 2004 (Street or RFD) Willis (City) Texas (State) 77378 (Zip)
(Signed) Charles A. Ballard (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-4 Located on map

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Board  
P.O. Box 13087  
Austin, Texas 78711

1) OWNER Louise Looney ADDRESS 165 S. Timber Top Woodlands TX 77380  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:  
County Walker 6 miles in W direction from New Waverly  
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

LEGAL DESCRIPTION:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_ Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

SEE ATTACHED MAP on 60-11-5

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Irrigation  Industrial  Test Well  Monitor  Injection  Public Supply  De-Watering

5) DRILLING METHOD (Check):  Driven  Mud Rotary  Air Hammer  Jetted  Bored  Air Rotary  Cable Tool  Other \_\_\_\_\_

6) WELL LOG:  
Date Drilling: \_\_\_\_\_  
Started 8-21 1990  
Completed 8-22 1990

Diameter of Hole	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
	6.5	Surface	204

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give Interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		top soil
2-32		brown clay
32-44		sand
44-82		white clay
82-112		blue clay
112-119		white clay
119-130		sand
130-136		sand streaks
136-146		blue clay w/rock streaks
146-191		meally clay
191-204		sand (Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	1.5	192	40
2	N	PVC UC	203	193	#8

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 180

9) CEMENTING DATA [Rule 287.44(1)]  
Cemented from 192 ft. to 92 ft. No. of Sacks Used 7  
0 ft. to 15 ft. No. of Sacks Used 2  
Method used Pressure  
Cemented by Raymond McPike

14) WELL TESTS:  
Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 287.44(2)(A)]  
 Plugless Adapter Used [Rule 287.44(3)(B)]  
 Approved Alternative Procedure Used [Rule 287.71]

15) WATER QUALITY:  
Did the drilling penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 13 ft  
Was a chemical analysis made?  Yes  No

11) WATER LEVEL:  
Static level 80 ft. below land surface Date 8-22-90  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:  
Type Depth  
Rubber R X R K2" 187

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026  
(Type or print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Licensed Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. 60-28-4 Located on map \_\_\_\_\_



# WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER William Pipkin, Sr. Address 605 Powell Road, Huntsville, TX 77340
2) LOCATION OF WELL: County WALKER 12 miles in SSW direction from HUNTSVILLE

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 10/3/84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA: Cemented from 190 ft. to 90 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level 6 ft. below land surface Date 10-4-84 Artesian flow gpm. Date

10) PACKERS: Type Lead Depth L 186

RECEIVED DEC 18 1984 DEPT. OF WATER RESOURCES

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 80 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS Rt. 11 Box 607 Huntsville, TX 77340
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-4E Located on map Yes DLF

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

1978  
MAY 19 1978  
MAY 19 1978  
MAY 19 1978

#2

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-28-4E Located on map YES Received: C.F.S.

1) OWNER Barry Hawes Address P.O. Box 1822 Huntsville, TX 77340
2) LOCATION OF WELL: County Walker 11.5 miles in S direction from Huntsville

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 13 Jan 83
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 173
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other Pressure cement

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Red clay, Sandy clay, Sand (white), White clay, Blue clay, Sand (white), White sand, Sand w/clay streaks, 12 gauge blue sand.

CEMENTING DATA
Cemented from 50 ft. to 147 ft.
Method used Pressure
Cemented by Eugene M. Poldrack (Company or Individual)

RECEIVED

MAR 16 1983

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 20'
Was a chemical analysis made? Yes

9) WATER LEVEL: Static level 53 ft. below land surface Date 17 Jan 83
Artesian flow gpm. Date

10) PACKERS: Type Depth
2" K 143

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 101 ft.

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated
Yield: 20 gpm with 0 ft. drawdown after 4 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Eugene M. Poldrack Water Well Drillers Registration No. 2289
ADDRESS 440 Graham Road Huntsville, Texas 77340
(Signed) Eugene M. Poldrack Clearwater Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED

AUG 22 1978

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

DEPT. OF WATER RESOURCES

For TWDB use only Well No. 60-28-4D Located on map yes Received: 78 dlr

1) OWNER: Person having well drilled Henry Waiker (Name) Address FM1374 New Waverly, TX. (Street or RFD) (City) (State) Landowner WAIKER (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Monty, 6 miles in W direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\* Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well [checked] Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic [checked] Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary [checked] Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 206 ft. Depth of completed well 206 ft. Date drilled 11-7-77 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include clay, sand, and clay & rock.

9) Casing: Type: Old New [checked] Steel Plastic [checked] Other Cemented from 0 ft. to 190 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 190 sch 40 2" 185 196 "

7) COMPLETION (Check): Straight wall [checked] Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 50 gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 78 ft. below land surface Date 11/7/77 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John Weisinger (Type or Print) Water Well Drillers Registration No. 1541 ADDRESS 2200 E. Davis Conroe Texas (Street or RFD) (City) (State) (Signed) John E. Weisinger (Water Well Driller) WEISINGER WATER WELL, INC. (Company Name) 2200 E. Davis Conroe, Texas 77301 (713) 756-7721

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

JAN 12 1979

Office of Water Resources  
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TWDB use only  
Well No. 60-28-4c  
Located on map yes  
Received: 7/7  
dlr

1) OWNER:  
Person having well drilled VERN ZASTROW Address \_\_\_\_\_ (Street or RFD) \_\_\_\_\_ (City) \_\_\_\_\_ (State)  
Landowner SAME Address SAME \_\_\_\_\_ (Street or RFD) \_\_\_\_\_ (City) \_\_\_\_\_ (State)

2) LOCATION OF WELL:  
County Walker, 8 miles in NW direction from New Waverly  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
+ Well site  
EM 1374  
+ New Waverly  
North  
(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW $\frac{1}{4}$  NE $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  
 Irrigation  Test Well  Other

5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  
 Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 7/8 in. Depth drilled 150 ft. Depth of completed well 150 ft. Date drilled 8-16-77  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	35	CLAY
35	70	SAND
70	95	CLAY
95	150	SAND

9) CASING:  
Type: Old  New  Steel  Plastic  Other \_\_\_\_\_  
Cemented from 0 ft. to 0 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4" 0 140 sch 40

10) SCREEN:  
Type plastic sch 40  
Perforated  Slotted   
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
4" 140 150 012

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other \_\_\_\_\_  
 Under reamed  Open Hole

11) WELL TESTS:  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: 10 gpm with 15 ft. drawdown after 1 hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 50 ft. below land surface Date 8-18-77  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes  No   
Did any strata contain undesirable water? Yes  No   
Type of water? soft depth of strata 35'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME James L. Graham Water Well Drillers Registration No. 1781  
(Type or Print)  
ADDRESS Rt 2 Box 274 Willis Tex 77378  
(Street or RFD) (City) (State)  
(Signed) James L. Graham AAA Water Wells  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
SEP 13 1977  
TEXAS WATER RESOURCES COMMISSION  
AUSTIN, TEXAS

RECEIVED  
FEB 9 1978  
Central Records  
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only  
Well No. 60-28-4B  
Located on map yes  
Received: 76  
dlr

1) OWNER:  
Person having well drilled Robert Shelton Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)  
Landowner Robert Shelton Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 6 miles in SW direction from New Waverly  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_

Block \_\_\_\_\_ Survey \_\_\_\_\_

Abstract No. \_\_\_\_\_

(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  
 Irrigation  Test Well  Other

5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  
 Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 95 ft. Depth of completed well 95 ft. Date drilled 6-2-76  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	55	SAND
55	57	Rock
57	66	SAND
66	74	CLAY
74	95	SAND

9) CASING:  
Type: Old  Steel  Plastic Other \_\_\_\_\_  
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4"	0	95	

10) SCREEN:  
Type slotted 012 10' sch 40  
Perforated  Slotted   
Diameter (inches) 4" Setting From (ft.) 82 To (ft.) 92 Slot Size 012

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other \_\_\_\_\_  
 Under reamed  Open Hole

11) WELL TESTS:  
Was a pump test made? Yes  No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
Yield: 10 gpm with 10 ft. drawdown after 1 hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 12 ft. below land surface Date 6-2-76  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? Soft depth of strata 21'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W. A. Waller Water Well Drillers Registration No. 1332  
(Type or Print)  
ADDRESS Box 514 New Waverly TEX 77358  
(Street or RFD) (City) (State)  
(Signed) W. A. Waller AAA Water Wells Inc.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JUL - 5 1976  
TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED  
OCT 04 1976  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-28-4A  
Located on map yes  
Received: 74 yos  
dlr

1) OWNER:  
Person having well drilled MARVIN PIPKIN (Name) Address SYCAMORE DR. HUNTSVILLE TEXAS (Street or RFD) (City) (State)  
Landowner SAME (Name) Address \_\_\_\_\_ (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, \_\_\_\_\_ miles in \_\_\_\_\_ direction from \_\_\_\_\_ (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  Irrigation  Test Well  Other  
5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 195 ft. Depth of completed well 195 ft. Date drilled 8-14-74  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	9	RED CLAY
9	38	WHITE CLAY
38	44	SAND
44	142	WHITE CLAY
142	176	BROWN CLAY
176	195	SAND

9) Casing:  
Type: Old \_\_\_\_\_ New \_\_\_\_\_ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
Cemented from 185 ft. to 125 ft.  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Gage \_\_\_\_\_  
4 185 + 1 SCH 40

10) SCREEN:  
Type STAINLESS STEEL  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) \_\_\_\_\_ Setting From (ft.) \_\_\_\_\_ To (ft.) \_\_\_\_\_ Slot Size \_\_\_\_\_  
2 1/2 185 195 #10

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other \_\_\_\_\_  
 Under reamed  Open Hole

11) WELL TESTS:  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 30 ft. below land surface Date 8-14-74  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes  No   
Did any strata contain undesirable water? Yes  No   
Type of water? Good depth of strata 19

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801  
ADDRESS Box 37 (Street or RFD) RIVERSIDE (City) TEXAS (State)  
(Signed) E.A. Holly (Water Well Driller) E.A. Holly Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JUN 24 1974  
TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED  
JUN 24 1974  
Central Records  
Texas Water Development Board

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER Paul Looney (Name) C/O D. Tibbs Contractor ADDRESS Rt 1 Box 3018 New Waverly TX 77358 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker FM 1374 Hidden Mans Waverly TX 77358 (Street or RFD) (City) (State) (Zip) STATE WELL # \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

5) \_\_\_\_\_

6) WELL LOG: Date Drilling: \_\_\_\_\_  
Started 7-25 19 94  
Completed \_\_\_\_\_ 19 \_\_\_\_\_

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>240</u>
<u>2 1/2</u>	<u>240</u>	<u>282</u>

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

60-28-4

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>66</u>	<u>Clay</u>
<u>66</u>	<u>73</u>	<u>Sand</u>
<u>73</u>	<u>128</u>	<u>Clay</u>
<u>128</u>	<u>191</u>	<u>Sand</u>
<u>191</u>	<u>197</u>	<u>Clay</u>
<u>197</u>	<u>205</u>	<u>Sand</u>
<u>205</u>	<u>207</u>	<u>Clay</u>
<u>207</u>	<u>255</u>	<u>Sand</u>
<u>255</u>	<u>282</u>	<u>Clay</u>

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>240</u>	<u>5ch 40</u>
<u>2.5</u>	<u>N</u>	<u>Galvanized Pipe</u>	<u>232</u>	<u>243</u>	<u>5ch 40</u>
<u>2.5</u>	<u>N</u>	<u>RBSS</u>	<u>243</u>	<u>253</u>	<u>10g</u>
<u>2.5</u>	<u>N</u>	<u>BHA</u>	<u>253</u>	<u>282</u>	<u>5ch 40</u>

RECEIVED  
JUL 07 1995

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from 0 ft. to 240 ft. No. of sacks used 24  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_  
Method used Pressure  
Cemented by Weisinger Water Well Inc  
Distance to septic system field lines \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 120 ft.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:  
Type test:  Pump  Bailor  Jetted  Estimated  
Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

11) WATER LEVEL:  
Static level 23 ft. below land surface Date 7-25-94  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) PACKERS:

Type	Depth
<u>2 1/2 x 4 BP Seal</u>	<u>232</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Weisinger Water Well, Inc. WELL DRILLER'S LICENSE NO. 1541  
2200 E. Davis  
ADDRESS Conroe, Texas 77301 (City) (State) (Zip)  
(409) 756-7721  
(Signed) John Weisinger (Licensed Well Driller) (Signed) \_\_\_\_\_ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530

1) OWNER PL Bird (Name) ADDRESS RT 1 Box 864 Dickinson TX 77539 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker FM 1374 Hunterville TX (Street or RFD) (City) (State) (Zip) GRID # 60-28-4

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:  
Date Drilling:  
Started 6-27-1995  
Completed 6-29-1995

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>130</u>
<u>3 7/8</u>	<u>130</u>	<u>143</u>

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
<u>0-2</u>	<u>Top</u>	
<u>02-10</u>		<u>Clay</u>
<u>10-14</u>		<u>Sand</u>
<u>14-36</u>		<u>Clay</u>
<u>36-52</u>		<u>Sand</u>
<u>52-100</u>		<u>Clay</u>
<u>100-115</u>		<u>Sand</u>
<u>115-120</u>		<u>Clay</u>
<u>120-150</u>		<u>Sand</u>

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>130</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC slott</u>	<u>117</u>	<u>143</u>	<u>12</u>

RECEIVED  
AUG 31 1995

(Use reverse side if necessary) **TEXAS NATURAL RESOURCES CONSERVATION COMMISSION**

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 60 ft.

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from 130 ft. to 20 ft. No. of sacks used 10  
0 ft. to 20 ft. No. of sacks used 19  
Method used Pressure  
Cemented by Vernon Gray  
Distance to septic system field lines 200 ft.  
Method of verification of above distance stapled off

14) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 50 gpm with 0 ft. drawdown after \_\_\_\_\_ hrs.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(b)]  
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 20'  
Was a chemical analysis made?  Yes  No

11) WATER LEVEL:  
Static level 09 ft. below land surface Date 6-29-95  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Rubber Type K Depth 117

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. \_\_\_\_\_  
ADDRESS Po Box 1788 Trinity TX 75862 (Street or RFD) (City) (State) (Zip)  
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Miller (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

