

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Petty Beard (Name) ADDRESS P.O. Box 981 New Waverly Tx 77358 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 236 44 Kelly rd New Waverly Tx 77358 Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) Grid # 60-28-6

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: _____ Started 7-29 2002 Completed 8-4 2002

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>1 1/4</u>	Surface	<u>115</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>1</u>	<u>brown sand</u>
<u>1</u>	<u>11</u>	<u>red clay</u>
<u>11</u>	<u>22</u>	<u>brown sand</u>
<u>22</u>	<u>33</u>	<u>red clay</u>
<u>33</u>	<u>55</u>	<u>gray clay</u>
<u>55</u>	<u>115</u>	<u>broken sand</u>

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4"</u>	<u>New</u>	<u>PVC casing</u>	<u>0</u>	<u>95</u>	
<u>4"</u>	<u>New</u>	<u>PVC screen</u>	<u>95</u>	<u>115</u>	<u>.806</u>

9) CEMENTING DATA
Cemented from surface ft. to 10 below surface ft. No. of sacks used 4
ft. to _____ ft. No. of sacks used _____
Method used _____
Cemented by _____
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance NO Septic System

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 110 ft.

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 5 gpm with 42 ft. drawdown after 3 hrs.

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION

RECEIVED
TDLR MAIL ROOM
SEP 23 2002

Specified Surface Slab Installed Specified Steel Sleeve Installed
 Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: RECEIPT # _____ AMOUNT _____
Static level 60 ft. below land surface Date 8-4-2002
Artesian flow _____ gpm Date _____

12) PACKERS: rubber Type WV Depth 45

NOV 22 2004

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 2275 WP
ADDRESS 1857 A Fm 1375 E (Street or RFD) Huntsville (City) Tx (State) 77340 (Zip)

(Signed) Arthur S. Slott (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Marvin Mc Daniel ADDRESS 16102 Herngrif St. Houston, Tx 77032
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: 76 Ranch Rd. New Warverly Texas Long. _____ Lat. _____
County Walker (Street, RFD or other) (City) (State) (Zip) Grid # 60-28-6

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:

Date Drilling: Started <u>7-27-1901</u> Completed <u>7-30 1901</u>	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
	10"	Surface	10'
	6 3/4	60'	185'
	3 7/8	185'	209'

From (ft.)	To (ft.)	Description and color of formation material
0-2	184-186	Top Soil Rock
2-6	186-209	Sand (red) Sand
6-17		Red clay
17-34		Red sand
34-50		Red Sand
50-70		Red Sand
70-80		Brown clay
80-100		Sand Fine
100-120		Sand Fine
120-139		Sand Fine
139-162		White shale
162-184		White shale

(Use reverse side of Well Owner's copy, if necessary)

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WELL TESTS:
Type test: Pump Bailor Jetted Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 23'
Was a chemical analysis made? Yes No

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	185'	*40
2	N	PVC	180	189'	*40
2	N	PVC Screen	189'	209'	*8

9) CEMENTING DATA
Cemented from 185 ft. to 85 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 8
Method used pressure
Cemented by Richard McKee
Distance to septic system, field lines or other concentrated contamination NA ft.
Method of verification of above distance 2 1/2" x 1 1/2" x 16" E.T. Tanks.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used
MAY 29 2002
RECEIPT AMOUNT

11) WATER LEVEL
Static level 75 ft. below land surface Date 7-30-01
Artesian flow _____ gpm Date _____

12) PACKERS: Rubber Type K Depth 180'
NOV 22 2004

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements here in are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's WATER Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print)
ADDRESS PO Box 1788 Trinity TX. 75862
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Debra Hopson ADDRESS 3 Kelly rd New Waverly Tx 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 236 3 Kelly rd New Waverly Tx 77358 Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) Grid # 60-28-6

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: _____ Started 7-15 #2002 Completed 7-21 #2002

	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
	<u>6 7/8</u>	Surface	<u>180</u>
	<u>4"</u>	<u>180</u>	<u>205</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>1</u>	<u>brown sand</u>
<u>1</u>	<u>11</u>	<u>red clay</u>
<u>11</u>	<u>40</u>	<u>brown sand</u>
<u>40</u>	<u>60</u>	<u>yellow clay</u>
<u>60</u>	<u>77</u>	<u>gray clay</u>
<u>77</u>	<u>88</u>	<u>tan sand</u>
<u>88</u>	<u>154</u>	<u>shale</u>
<u>154</u>	<u>176</u>	<u>shale</u>
<u>176</u>	<u>205</u>	<u>sand (brown)</u>

8) Borehole Completion (Check): Open Hole Straight Wall Underreamed Gravel Packed Other 100% pressure cemented
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4"</u>	<u>New</u>	<u>PVC casing</u>	<u>surface</u>	<u>180</u>	
<u>2 1/2"</u>	<u>New</u>	<u>PVC screen</u>	<u>176</u>	<u>205</u>	<u>.006</u>

9) CEMENTING DATA
Cemented from surface ft. to 180 ft. No. of sacks used 15
Method used Portland cement
Cemented by _____
Distance to septic system field lines or other concentrated contamination 65 ft.
Method of verification of above distance Tape Measure

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 7 gpm with 49 ft. drawdown after 3 hrs.

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed Specified Steel Sleeve Installed Pitless Adapter Used Approved Alternative Procedure

11) WATER LEVEL:
Static level 96 ft. below land surface Date 7-21-2002
Artesian flow _____ gpm Date _____

12) PACKERS:
BP Seal Type _____ Depth 176

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells WELL DRILLER'S LICENSE NO. 2275 WP
(Type or print) (City) (State) (Zip)

ADDRESS 1857 A Fm 1375 E (Street or RFD) (City) (State) (Zip)

(Signed) Arthur L. Slott (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Lonnie C. Ashford	Address 82 Ranch Road	City New Waverly	State TX	Zip 77358
----------------------------------	---------------------------------	----------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker	Physical Address 82 Ranch Road	City New Waverly	State TX	Zip 77358
-------------------------	--	----------------------------	--------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # **60-28-6**

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) _____ **NT**

6) Drilling Date

Started **10/4/02**
Completed **10/7/02**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
10"	0	10'
6 3/4	10'	186'
3 7/8	186'	210'

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0-2	150-184	Top Soil Tan clay
2-18	184-186	Red clay Sand Stone
18-42	186-210	Red Sand Sand
42-50		Tan clay
50-72		Sand
72-100		Tan clay
100-128		Brown sand
128-130		Rock
130-147		Sand
147-150		Rock

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC	0	186	40
2	N	PVC	182	190	40
2	N	PVC Screen	190	210	6

9) Cementing Data
Cementing from **186** ft. to **86** ft. # of sacks used **5**
0 ft. to **10** ft. # of sacks used **6**
Method Used **Pressure**
Cementing By **R. Mikee**
Distance to septic system field or other concentrated contamination **1/4** mi.
Method of verification of above distance **FIVE**

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed **DEC 1 @ 2002**
 Pitless Adapter Used
 Approved Alternative Procedure Used AMOUNT _____

14) Type Pump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., **160** ft.

11) Water Level
Static level **90** ft. below Date **10/7/02**
Artesian Flow _____ gpm. Date _____

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: **40** gpm with _____ ft. drawdown after _____ hrs.

12) Packers **Rubber** Type **K** Depth **182'**

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water **good** Depth of Strata **24'**
Was a chemical analysis made Yes No

Company or individual's Name (type or print) Vernon Gray	Gray's Waterwell	Lic. No. 2011WPH
Address PO Box 1788	City Trinity	State TX Zip 75862
Signature Vernon Gray	Date 10/10/02	Signature Richard Mikee Date 10/10/02
Licensed Driller/Pump Installer		Apprentice

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Joe Cotton	Address 6366 FM 1374	City New Waverly	State Texas	Zip
---------------------------	--------------------------------	----------------------------	-----------------------	-----

2) WELL LOCATION

County Walker	Physical Address 6366 FM1374	City New Waverly	State Texas	Zip
-------------------------	--	----------------------------	-----------------------	-----

3) Type of Work

New Well Deepening
 Reconditioning

Lat. _____ Long. _____ Grid # **60-28-6**

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) **↑**

6) Drilling Date

Started **9/20/00**
Completed **9/29/00**

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
10"	0	10'
6 3/4	10'	350'
3 7/8	350'	373'

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0-1	Sand 126-146 Sand 238-244 Clay 345-357 Sand	
1-21	Clay 146-149 Rock 244-261 clay 357-373 Sand	
21-27	Rock 149-160 clay 261-263 Rock	
27-38	Sand 160-163 Sand 263-286 clay	
38-43	Clay 163-189 clay 286-295 clay	
43-70	Sand 189-194 clay 295-315 shale	
70-75	Clay 194-196 Rock 315-326 shale	
75-91	Sand 196-213 clay 326-330 Rock	
91-102	Clay 213-230 Sandstone 330-344 Sand	
102-126	Sand 230-278 Rock 344-345 Rock	

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC	0	350'	#40
2	N	PVC	345'	353'	#40
2	N	PVC Screen	353'	373'	#40

9) Cementing Data

Cementing from **350** ft. to **250** ft. # of sacks used **5**
_____ ft. to _____ ft. # of sacks used **5**
Method Used **Pressure**
Cementing By **Richard M. Yuen**
Distance to septic system field or other concentrated contamination **150** ft.
Method of verification of above distance **Tape**

13) Plugged

Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:
From (ft) To (ft) From (ft) To (ft) Sacks used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., **320** ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: **35** gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate and strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water **good** Depth of Strata **28'**
Was a chemical analysis made Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level **230** ft. below Date **9/29/00**
Artesian Flow _____ gpm. Date _____ / _____ / _____

12) Packers

Rubber Type **K** Depth **345'**
SEQ # _____
DESC CO _____
DEC 01 2000

Company or individual's Name (type or print) **Gray's Water Well**
Address **P.O. Box 1788** City **Trinity** State **Tx** Zip **75862**
Signature **Vernon Gray** Date **10/6/00** Signature **Richard M. Yuen** Date **10/5/00**
Licensed Driller/Pump Installer Apprentice

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
William Skellern	13858 Maisemore	Houston	Tx	77015

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	6240 FM 1374	New Waverly	TX	77358

3) Type of Work

New Well Deepening
 Reconditioning

Lat. _____ Long. _____ Grid # 66-28-6

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) N↑

6) Drilling Date

Started 11 / 20 / 00
Completed 12 15 1 00

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
6 3/4	0	315
3 7/8	315	336

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

0-2 Sand	184-192 Hard Shale	252-263 Hard Shale
2-10 Clay	192-193 Rock	263-264 Rock
10-15 Sand Stone	193-200 Clay	264-270 Clay
15-63 Sand	200-216 Shale	270-279 Hard Shale
63-80 Sand	216-221 Sand	279-284 Clay
104-131 Clay	221-231 Shale	284-286 Rock
131-158 Shale	231-233 Sand Stone	286-300 Shale
158-166 Clay	233-245 Shale	300-310 Clay
166-183 Shale	245-251 Sand	310-336 Sand
183-184 Rock	251-252 Rock	

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
2	New	Plastic	315	336	26
4	New	Plastic	0	315	

9) Cementing Data
Cementing from 315 ft. to 215 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 30
Method Used Pressure
Cementing By Vernon Gray
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., _____ ft. 300

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: <10 gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Good Depth of Strata 26'
Was a chemical analysis made Yes No

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level
Static level 210 ft. below Date 12 / 5 / 00
Artesian Flow _____ gpm. Date / /

12) Packers

Type	Depth
<u>16" K-Packers</u>	<u>310</u>

Company or individual's Name (type or print) Gray's WATER WELL NOV 9 2001
Address Po Box 1788 City TRINITY State TX Zip 75862
Signature Vernon Gray Date 12 15 1 00 Signature _____ Date _____
Licensed Driller/Pump Installer _____ Apprentice _____

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us
WELL REPORT

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

1) OWNER **A. WELL IDENTIFICATION AND LOCATION DATA**

Name Howard & Patricia Walker	Address PO BOX 1147	City Willis	State TX	Zip 77378
---	-------------------------------	-----------------------	--------------------	---------------------

2) WELL LOCATION

County Walker	Physical Address Ranch Rd	City New Waverly	State TX	Zip
-------------------------	-------------------------------------	----------------------------	--------------------	-----

3) Type of Work

New Well Deepening
 Reconditioning

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) **N1**

6) Drilling Date

Started 10/6/00
Completed 10/10/00

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	220

7) Drilling Method (check) Driven

Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	11	Br.cl.
11	18	Sd.
18	32	Wh.cl.
32	38	Sd.
38	44	Wh.cl.
44	61	Sd.
61	81	Sd w/ cl.st.
81	101	Sd. & gr. w/cl.st.
101	108	Sd.
108	121	Wh.cl.
121	131	Sd.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg. if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	198	
2.5	N	Undercut screen	200	220	#10

9) Cementing Data

Cementing from -1.5 ft. to 10 ft. # of sacks used 2
48 ft. to 198 ft. # of sacks used 7
Method Used Pressure
Cementing By R. McPike
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

11) Water Level

Static level 95 ft. below Date / /
Artesian Flow _____ gpm. Date / /

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

12) Packers

Type	Depth
1 - 2.5" K Packer	RxR
FILE ID	SEQ #

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 29
Was a chemical analysis made? Yes No

Company or Individual's Name (type or print) Holly Water Wells, Inc.	EMP #	DESC CO
Address <u>2928 SH 19</u>	City <u>Huntsville</u>	State <u>TX</u> Zip <u>77320</u>
Signature <u>Raymond M. P. L.</u> Licensed Driller/Pump Installer	Date <u> </u> / <u> </u> / <u> </u>	Signature <u>COMMENT</u> Apprentice Date <u> </u> / <u> </u> / <u> </u>

NOV 27 2000

MEMORANDUM FOR THE RECORD
SUBJECT: [Illegible]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Orin Calamus (Name) ADDRESS P.O. Box 1118 New Waverly TX 77358 (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: County Walker (Street, RFD or other) (City) (State) (Zip) Long. Lat. Grid # 60-28-60

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 8-31-1998
Completed 9-2-1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10	Surface	10'
6 3/4	10'	175'
4 1/2	175'	188'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-7	149-156	Sand Rock
7-26	156-158	clay Sand
26-40	158-169	Sand Rocky
40-49	169-188	Sand
49-63		clay
63-80		Sand
80-82		Shale
82-120		Sand
120-140		shale
140-145		Rock
145-147		Clay
147-149		Rock

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	175	40
2	N	PVC S/TT	167	188	#6

9) CEMENTING DATA
Cemented from 175 ft. to 265 ft. No. of sacks used 10
0 ft. to 10 ft. No. of sacks used 6
Method used Pressure
Cemented by Richard McKee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance No septic system

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 63 ft. below land surface Date 9-2-98
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 16'
Was a chemical analysis made? Yes No

12) PACKERS: 12 Rubber Type 12 Depth 167

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Ser. WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS Po Box 1788 Trinity TX. 75862 (Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray (Licensed Well Driller) Richard McKee (Registered Driller Trainee)
JUN 9 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Josephine Allen ADDRESS 5890 F.M. 1374 New Waverly Texas 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 5890 F.M. 1374 New Waverly Texas Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) Grid # 60-28-6

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 8-20 1999 Completed 8-23 1999

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	104'
3 7/8	104'	119'

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

8) Borehole Completion (Check): Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Sand
2-6		clay
6-28		Sand
28-29		Rock
29-32		Sand
32-54		clay
54-55		Rock
55-70		clay
70-72		Sand
72-86		clay
86-101		Sand
101-105		Sand stone

(Use reverse side of Well Owner's copy, if necessary)

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 80 ft.

15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 80 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 35'
Was a chemical analysis made? Yes No

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	104'	*40
2	N	PVC	98'	100'	*40
2	N	PVC SCREEN	100'	119'	*10

9) CEMENTING DATA
Cemented from 104' ft. to 0' ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 5
Method used pressure
Cemented by Richard Mikee
Distance to septic system field lines or other concentrated contamination 103' ft.
Method of verification of above distance Tape

10) SURFACE COMPLETION
 Specified Surface Slab Installed Specified Steel Sleeve Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 57' ft. below land surface Date 8-2-99
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 98

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Service WELL DRILLER'S LICENSE NO. 2011 WPX
(Type or print) (City) (State) (Zip)

ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray JUN 05 2000 (Signed) Richard Mikee
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER John Irish ADDRESS P.O. Box 100 New Waverly TX 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 5743 FM 1374 Huntsville TX Long. Lat.
(Street, RFD or other) (City) (State) (Zip) Grid # 60-28-6

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling: _____
 Started 1-7-1900
 Completed 1-12-1900

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	127'
3 7/8"	127'	141'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-7		Sand
7-21		clay
21-29		Sand
29-42		clay
42-63		clay
63-82		clay
82-90		clay
90-105		Sand
105-118		Sand stone
118-141		Sand

(Use reverse side of Well Owner's copy, if necessary)

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 100 ft.

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 23'
 Was a chemical analysis made? Yes No

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	127'	#40
2	N	PVC screen	121'	141'	#10

9) CEMENTING DATA 100%
 Cemented from 127' ft. to 0 ft. No. of sacks used 5
0 ft. to 10' ft. No. of sacks used 4
 Method used pressure
 Cemented by Richard M. Yaker
 Distance to septic system field lines or other concentrated contamination 4 1/2 ft.
 Method of verification of above distance No Tanks or Lines

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) WATER LEVEL:
 Static level 60 ft. below land surface Date 1-12-00
 Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 121'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Wells WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print) (FILE ID)

ADDRESS P.O. Box 1788 Trinity TX 75862
(Street or RFD) (City) (State) (Zip)

(Signed) Richard M. Yaker (Registered Driller Trainee)
(Licensed Well Driller) (Signed) (DESC CO)

JUN 05 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Luther Wilson (Name) ADDRESS 8518 Montbridge Houston TX 77053 (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: County WALKER (Street, RFD or other) (City) (State) (Zip) Grid # 60-28-6
77358 Long. Lat.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 2-11 1999 Completed 2-12 1999
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
10" Surface 10'
6 3/4" 10' 127'

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Setting (ft.)		Gage Casting Screen
			From	To	
0-2	100-107	Top Soil			
2-4	107-110	Sand			
4-8	110-111	clay			
8-25	111-127	Sand			
25-27		clay			
27-42		Sand			
42-64		clay			
64-72		clay			
72-74		Rock			
74-86		Shale			
86-88		Sand			
88-100		Clay			

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	118'	# 40
2	N	PVC SCREEN	107'	127'	# 8

9) CEMENTING DATA: Cemented from 118' ft. to 0' ft. No. of sacks used 5 ^{100%}
0 ft. to 10 ft. No. of sacks used 7
Method used pressure
Cemented by Richard McKee
Distance to septic system field lines or other concentrated contamination 82' ft.
Method of verification of above distance Tape

13) Well plugged within 48 hours
14) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100' ft.

15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
10) SURFACE COMPLETION: Specified Surface Slab Installed Specified Steel Sleeve Installed
 Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 52 ft. below land surface Date 2-12-99
Artesian flow _____ gpm. Date _____
12) PACKERS: Rubber Type K Depth 108

16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 20'
Was a chemical analysis made? Yes No

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS P.O. Box 1788 (Street or RFD) (City) Trinity (State) Tx. (Zip) 75862
(Signed) Vernon Gray (Licensed Well Driller) JUN 05 2000 (Signed) Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
 Privilege Notice on reverse side
 of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
 P.O. Box 12157
 Austin, TX 78711
 512-463-7880 177353

1) OWNER Raymond W. Witt (Name) ADDRESS 34 Ranch Rd New Waverly TX (Street or RFD) (City) (State) (Zip)
 2) ADDRESS OF WELL'S LOCATION: County Walker (Street, RFD or other) (City) (State) (Zip) Long. _____ Lat. _____
 Grid # 60-28-80

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG:
 Date Drilling: _____
 Started 9-2-1998
 Completed 9-3-1998

	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
	10	Surface	12
	12		135

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-9	99-100	Clay Rock
9-11	100-124	Rock Sand
11-17	124-155	Clay Sand
17-18		Rock
18-21		Clay
21-27		Sand
27-28		Rock
28-30		Sand
30-41		Clay
41-56		Sand
56-61		Clay
61-99		Shale

(Use reverse side of Well Owner's copy, if necessary)

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 20
 Was a chemical analysis made? Yes No

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4"	N	PVC	0	135	40
2"	N	PVC Blank	127	135	40
2"	N	PVC SLOT	135	155	#8

9) CEMENTING DATA
 Cemented from 135 ft. to 10 ft. No. of sacks used 5
10 ft. to 0 ft. No. of sacks used 5
 Method used Pressure
 Cemented by Richard Mcke
 Distance to septic system field lines or other concentrated contamination 78 ft.
 Method of verification of above distance Tape

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) WATER LEVEL:
 Static level 88 ft. below land surface Date 9-3-98
 Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 127

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME GRAY'S WATER WELL SER. (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
 ADDRESS Po Box 1758 (Street or RFD) Trinity (City) TX (State) 75862 (Zip)
 (Signed) Vernon Gray (Licensed Well Driller) Richard Mcke (Registered Driller Trainee)
 JUN 05 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Lisa Anderson ADDRESS 6 Sandy Farm New Waverly Tx
(Name) (Street or RFD) (City) (State) (Zip)
 2) ADDRESS OF WELL'S LOCATION: # 6 Sandy Farm Creek New Waverly Tx Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) Grid # 60-28-6

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling: _____
 Started 1-29-1999
 Completed 2-1-1999
 DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	124'

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-2	91-124	Sand
2-8		clay
8-21		Sand
21-35		Clay
35-40		Sand
40-52		clay
52-53		Rock
53-58		clay
58-59		Rock
59-80		Sand
80-90		Sand
90-91		Lignite

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	110'	110'	*40
2	N	PVC Screen	104'	124'	*8

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
 Cemented from 110' ft. to 10' ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 9
 Method used pressure
 Cemented by Richard Tucker
 Distance to septic system field lines or other concentrated contamination 128 ft.
 Method of verification of above distance Tape

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 100 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
 Static level 51 ft. below land surface Date 1-29-99
 Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 34'
 Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 103'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print) (FILE ID)
 ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)
 (Signed) Vernon Gray EMP # _____ (Signed) Richard Tucker ESC # _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

JUN 05 2000

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530	
1) OWNER <u>MR Henderson</u> (Name)		ADDRESS <u>4610 Vick Rd New Waver TX 77358</u> (Street or RFD) (City) (State) (Zip)			
2) ADDRESS OF WELL County <u>Walker</u> (Street, RFD or other)		SAME (City)		GRID # <u>60-28-6</u> (State) (Zip)	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)	
6) WELL LOG: Date Drilling: _____ Started <u>4/16</u> 19 <u>98</u> Completed <u>4/20</u> 19 <u>98</u>		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface <u>7</u> <u>0</u> <u>124</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____	
From (ft.) To (ft.) Description and color of formation material		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
<u>0 - 1</u> <u>TOP SOIL</u>					
<u>1 - 80</u> <u>Red & White CLAY</u>					
<u>80 - 125</u> <u>SAND</u>					
		CASING, BLANK PIPE, AND WELL SCREEN DATA:			
		Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial		Setting (ft.) From To Gage Casting Screen	
		<u>4</u> <u>N</u> <u>PVC</u>		<u>0</u> <u>114</u>	
		<u>4</u> <u>N</u> <u>PVC Slotted</u>		<u>114</u> <u>124</u> <u>8ga.</u>	
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>114</u> ft. No. of sacks used <u>16</u> ft. to _____ ft. No. of sacks used _____ Method used <u>Tremie Pipe</u> Cemented by <u>BWW</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>MEASURED</u>			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>162</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]			
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>15</u> gpm with <u>30</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>78</u> ft. below land surface Date <u>4/21/98</u> Artesian flow _____ gpm. Date _____			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: Type Depth <u>2 - 4x7 Formation</u> <u>114</u>			
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.					
COMPANY NAME <u>BALLARD WATER WELL</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2384 W.I.</u> SEQ # _____			
ADDRESS <u>P.O. Box 2004 Willis Tx. 77378</u> (Street or RFD) (City)		EMP # _____ DESC CC _____ (State) <u>10</u> <u>1998</u> (Zip)			
(Signed) <u>Charles A. Ballard</u> (Licensed Well Driller)		(Signed) _____			
COMMENT (Registered Driller Trainee) TEMP					

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Mary Carroll ADDRESS 352 Cardinal St New Waverly Tx 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 1/2 Mile NW of IH45 off 1374 New Waverly STATE WELL # _____
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____
60-28-b
↑

6) WELL LOG:
Date Drilling:
Started 11-18 1996
Completed 11-19 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	179

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	top bit soil
2	11	br. cl.
11	13	wh. cl.
13	22	sa. st.
22	40	sa.
40	42	cl.
42	75	br. cl.
75	82	sa. st.
82	107	sa.
107	160	br. cl.
160	179	sa.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	163	
2	N	PVC Screen	169	179	

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 163 ft. No. of sacks used 10
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by H. Lee
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

RECEIVED
JAN 27 1997

(Use reverse side if necessary)

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 84 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 19
Was a chemical analysis made? Yes No

12) PACKERS:
Type Depth
Rubber Packers R x R 157

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Henry Lee (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name <i>Paulette Dine</i>	Address <i>P.O. Box 1153</i>	City <i>New Waverly</i>	State <i>Texas</i>	Zip <i>77358</i>
------------------------------	---------------------------------	----------------------------	-----------------------	---------------------

2) WELL LOCATION

County <i>Walker 236</i>	Physical Address <i>18249 Buckley at Wilson</i>	City <i>New Waverly</i>	State <i>Texas</i>	Zip <i>77358</i>
-----------------------------	--	----------------------------	-----------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # *60-28-6*

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) *NT*

6) Drilling Date

Started *11/19/01*
Completed *11/26/01*

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<i>10"</i>	<i>0</i>	<i>10</i>
<i>6 3/4</i>	<i>10</i>	<i>177'</i>
<i>3 7/8</i>	<i>177</i>	<i>197'</i>

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

<i>0-6</i>	<i>Black clay</i>
<i>6-46</i>	<i>Brown clay</i>
<i>46-73</i>	<i>Brown clay</i>
<i>73-120</i>	<i>Brown clay</i>
<i>120-168</i>	<i>Blue shale</i>
<i>168-173</i>	<i>Sandy shale</i>
<i>173-197</i>	<i>Sand</i>

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>177</i>	<i>+40</i>
<i>2</i>	<i>N</i>	<i>PVC</i>	<i>172</i>	<i>177</i>	<i>+40</i>
<i>2</i>	<i>N</i>	<i>PVC Screen</i>	<i>177</i>	<i>197</i>	<i>+6+8</i>

9) Cementing Data

Cementing from *177* ft. to *27* ft. # of sacks used *5*
0 ft. to *10* ft. # of sacks used *6*
Method Used *Pressure*
Cementing By *R. Parker*
Distance to septic system field or other concentrated contamination *N/A* ft.
Method of verification of above distance *Visual*

13) Plugged

Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____
From (ft) To (ft) From (ft) To (ft) Sacks used

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Type Pump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., *160* ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: *40* gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water *good* Depth of Strata *24'*
Was a chemical analysis made Yes No

11) Water Level

Static level *60'* ft. below _____ Date *11/21/01*
Artesian Flow _____ gpm. Date _____

12) Packers

Rubber Type *K-2* Depth *172'*
NOV 22 2004

Company or individual's Name (type or print)

Gray's Water Well

Address *PO Box 1788* City *Trinity* State *TX* Zip *75862*

Signature *Vernon Gray* Date *11/23/01* Signature *Richard Parker* Date *11/23/01*
Licensed Driller/Pump Installer Date Apprentice Date

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name Icurus Operating Corp	Address 719 Sawdust Road	City The Woodlands	State TX	Zip 77380
--------------------------------------	------------------------------------	------------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker 236	Physical Address 4 Miles W of FM 1375	City New Waverly	State TX	Zip
------------------------------------	---	----------------------------	--------------------	-----

3) Type of Work

New Well Deepening
 Reconditioning

Lat.		Long.		Grid # 60-28-6
4) Proposed Use (check) <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic				
<input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell				
If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No				

6) Drilling Date

Started 4/02/02
Completed 4/2/02

Diameter of Hole			7) Drilling Method (check) <input type="checkbox"/> Driven	
Dia. (in)	From (ft)	To (ft)	<input type="checkbox"/> Air Rotary	<input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored
7 7/8	-1.5	179	<input type="checkbox"/> Air Hammer	<input checked="" type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted
			<input type="checkbox"/> Other	

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	6	Sd.
6	21	Br.&w.cl.
21	23	cl.
23	38	Sd.
38	56	w.cl.
56	59	Br.cl.
59	81	Sd.
81	84	cl.
84	96	Sd.
96	101	Br.cl.
101	121	Br.&w.cl.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other

If Gravel Packed give the interval from 155 ft. to 179 ft.

Casing, Blank Pipe, and Well Screen Data			Setting (ft)		Gage Casing Screen
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	From	To	
4	N	PVC Casing	-1.5	158	
4	N	Slotted casing screen	158	178	#30

Cementing from -1.5 ft. to 20 ft. # of sacks used 3
150 ft. to 155 ft. # of sacks used 2

Method Used **Pressure**
Cementing By **R. McPike**
Distance to septic system/field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion

Specified Surface Slab Installed **MAY 03 2002**
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

11) Water Level

Static level 25 ft. below _____ Date NOV 22 2004
Artesian Flow _____ gpm. Date NOV 22 2004

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

12) Packers

Gravel pack	Type	Depth

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 20
Was a chemical analysis made? Yes No

Company or Individual's Name (type or print) **Holly Water Wells, LTD** Lic. No. **3114W**

Address **2928 State Hwy 19** City **Huntsville** State **TX** Zip **77320**

Signature Raymond McPike Date 1 / 1 Signature _____ Date _____
Licensed Driller/Pump Installer Apprentice



12



[The text in this section is extremely faint and illegible due to low contrast and scan quality. It appears to be a multi-paragraph document.]

[Small, illegible mark or stamp in the lower right quadrant.]

[Small, illegible mark or stamp at the bottom center.]

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name John Dennis	Address 451 B Hostettler Rd	City New Waverly	State TX	Zip 77378
----------------------------	---------------------------------------	----------------------------	--------------------	---------------------

2) WELL LOCATION

County Walker	Physical Address 451 B Hostettler Rd	City New Waverly	State TX	Zip 77378
-------------------------	--	----------------------------	--------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

Lat.	Long.	Grid # 60-28-6
------	-------	-----------------------

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) N↑

6) Drilling Date

Started 7/25/01
Completed 7/26/01

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
6.75	-1.5	288

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	21	Sd. w/br.cl.st.
21	81	Sd.
81	101	Sd. w/cl.st.
101	111	Wh.cl.
111	113	R.
113	121	Sd.st.
121	141	Sd. w/r.st.
141	151	Sd.
151	201	Wh.cl.
201	221	Wh. & br.cl.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	268	
2.5	N	Undercut screen	268	288	#10

(Use reverse side of Well Owner's copy, If necessary)

13) Plugged

Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

9) Cementing Data
Cementing from -1.5 ft. to 20 ft. # of sacks used 4
118 ft. to 268 ft. # of sacks used 7
Method Used Pressure
Cementing By R. McPike
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____
EMP # _____ DESC CO

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., 200 ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 22
Was a chemical analysis made? Yes No

10) Surface Completion **SEP 05 2001**
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level 123 ft. below Date / /
Artesian Flow _____ gpm. Date / /

12) Packers

Type	Depth
2 - 2.5" K Packers	RxR 260-261'

Company or Individual's Name (type or print) **Holly Water Wells, Inc.** Lic. No. **3114W**

Address **2928 State Highway 19** City **Huntsville** State **TX** Zip **77320**

Signature <u>Raymond M. P. P. K.</u>	Date <u> / / </u>	Signature _____	Date <u> / / </u>
Licensed Driller/Pump Installer		Apprentice	



[The text in this block is extremely faint and illegible, appearing as a series of light gray specks and faint lines across the page.]

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Harold Willis	119 Pavey Cir S	New Waverly	Tx	77358

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	196 Vick Rd.	New Waverly	Tx	77358

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # 60-28-C

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) NT

6) Drilling Date

Started 5/11/01
Completed 5/16/01

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
10"	0	10'
6 3/4	10'	210'
3 7/8	210'	237'

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

0-2'	86'-90'	Top Soil	208'-237'	Sand
2-10'	90'-100'	Red clay		Brown clay
10-16'	100'-103'	Red Sand		Rock
16'-28'	103'-138'	Red clay		Brown clay
28'-33'	138'-160'	Rock		Brown clay
33'-49'	160'-169'	Tan clay		Blue shale
49'-53'	169'-171'	Rock		Rock
53'-70'	171'-199'	Tan clay		Brown clay
70'-71'	199'-207'	Rock		Blue shale
71'-86'	207'-208'	Brown clay		Rock

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC	0	210'	40
2	N	PVC	205'	217'	40
2	N	PVC Screen	217'	237'	8

(Use reverse side of Well Owner's copy, If necessary)

13) Plugged

Well plugged within 48 hours

Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

9) Cementing Data

Cementing from 210 ft. to 60' ft. # of sacks used 6
0 ft. to 60 ft. # of sacks used 29
Method Used Pressure
Cementing By Richard Thayer
Distance to septic system field or other concentrated contamination 44ft.
Method of verification of above distance No Lines of Tanks

14) Type Pump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet etc., 180' ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water good Depth of Strata 29'
Was a chemical analysis made Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level 126 ft. below Date 5/16/01
Artesian Flow _____ gpm. Date _____ / _____ / _____

12) Packers Rubber Type K Depth 205'

FILE ID	SEQ #
EMP #	DESC CO

Company or individual's Name (type or print)	Gray's Water Well Service	Lic. No.	2011 WPK
Address	PO Box 1788	City	Trinity
State	Tx	AG	Zip 75862
Signature	<u>Vernon Gray</u>	Date	<u>5/26/01</u>
		Signature	<u>Richard Thayer</u>
		Date	<u>5/26/01</u>

dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 00-28-6K Located on map YES Received: C.F.S.

1) OWNER: Jack Moore Address: Off F.M. 1374
2) LOCATION OF WELL: County Walker, Texas 16 miles in N direction from CONROE

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 4-30-80
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 3/4 0 354
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.), Gage Casing Screen. Rows include Clay W/ Hd. Stks., Sand, Clay W/ Hd. Sandy Stks., Broken, Sand, Broken, Shale, Sand, Broken.

CEMENTING DATA: Cemented from 0 ft. to 340 ft. Method used Pressure Cemented. Cemented by Con-Tex Water Well Company

RECEIVED APR 6 1982 CR/TDWR

9) WATER LEVEL: Static level 160 ft. below land surface Date 4-30-80 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No. Type of water? Depth of strata? Was a chemical analysis made? Yes No.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 95 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Rick Neal Water Well Drillers Registration No. 1985
ADDRESS P. O. Box 275 Conroe Texas 77301
(Signed) Ricky S. Neal Con-Tex Water Well Company

Please attach electric log, chemical analysis, and other pertinent information, if available.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
NOV 6 1950
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources, P. O. Box 13087, Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-28-6N Located on map YES Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER: Johnny Tate (Name) Address: Rt 1 New Waverly Texas (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County: Walker Co miles in 1 mi west FM 1074 direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Map on back

3) TYPE OF WORK (Check): [X] New Well [] Deepening [] Reconditioning [] Plugging 4) PROPOSED USE (Check): [X] Domestic [] Industrial [] Public Supply [] Irrigation [] Test Well [] Other 5) DRILLING METHOD (Check): [X] Mud Rotary [] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other

6) WELL LOG: Date drilled 8-24-78 DIAMETER OF HOLE: Dia. (in.) 6 3/4 From (ft.) Surface To (ft.) 168 7) BOREHOLE COMPLETION: [] Open Hole [] Straight Wall [] Underreamed [] Gravel Packed [] Other 2 string If Gravel Packed give interval . . . from . . . ft. to . . . ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Includes handwritten entries like 0-1-TS, 1-6-yellow clay, 6-38'-O clay & shale, 38-106- fine sand, 106-141 clay, 141-166- red fine sand, 166-183- grad sand.

CEMENTING DATA: Cemented from 68 ft. to 168 ft. Method used pressure Cemented by M & M Well Service (Company or Individual)

9) WATER LEVEL: Static level 67' ft. below land surface Date 8-25-78 Artesian flow . . . gpm. Date . . .

10) PACKERS: Type Depth

11) TYPE PUMP: [] Turbine [] Jet [X] Submersible [] Cylinder [] Other Depth to pump bowls, cylinder, jet, etc., 140' ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? . . . Depth of strata . . . Was a chemical analysis made? [] Yes [] No 12) WELL TESTS: [] Type Test [] Pump [] Bailer [X] Jetted [] Estimated Yield: 60 gpm with . . . ft. drawdown after . . . hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G MCKAY (Type or Print) Water Well Drillers Registration No. 688 ADDRESS PO Box 523 (Street or RFD) Willis (City) TX (State) 77378 (Zip) (Signed) Donald G McKay (Water Well Driller) M & M WELL SERVICE (Company Name)

RECEIVED

MAY 19 1980


DEPT. OF WATER RESOURCES

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



RECEIVED
DEC 11 1980
CR/TDWR

DWP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-28-68 Located on map YES Received: C.F.S.

1) OWNER G.H. Osburn Address New Traverly TX 2) LOCATION OF WELL: 14 miles in northwest direction from Trulis

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. # 10 map on 60-28-5J

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 10-4-82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other 2-string

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Rows include: 0-5 topsoil, 5-50 red clay, 50-100 blue sand, 100-150 yellow rock+clay, 150-225 black clay, 225-275 shell, 275-380 rock, 380-305 water sand.

CEMENTING DATA Cemented from 25 ft. to 288 ft. Method used Cemented by M+M Tree Service

9) WATER LEVEL: Static level 110 ft. below land surface Date 10-4-82 Artesian flow gpm. Date

RECEIVED SEP-6 1983 DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Other Depth to pump bowls, cylinder, jet, etc.,

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? No

12) WELL TESTS: Type Test: Pump Bailer Yield: 40 gpm with

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay Water Well Drillers Registration No. 688 ADDRESS P.O. Box 523 Trulis TX 77378 (Signed) M+M Tree Service (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DW

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-28-6B Located on map yes Received: C.F.B.

1) OWNER G.H. Osbuen Address New Traverly St (Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Tarrant 14 miles in northwest direction from Mills (N.E., S.W., etc.) (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. # 9 map on 60-28-51

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 9-30-82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 214 3 3/4 214 232
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other 2-string If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include topsoil, blue sand, red clay, black clay, water sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 25 ft. to 214 ft. Method used m+m Well Service Cemented by m+m Well Service (Company or Individual)

9) WATER LEVEL: Static level 78 ft. below land surface Date 9-30-82 Artesian flow gpm. Date

RECEIVED SEP-6 1983 DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Other Depth to pump bowls, cylinder, jet, etc.,

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Yield: 60 gpm with

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay Water Well Drillers Registration No. 688 ADDRESS P.O. Box 523 Mills TX 77378 (Signed) Donald McKay (Water Well Driller) m+m Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

map #3

Dub

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-28-6B Located on map Yes Received: E.P.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Tom Sandal (Name) Address FM 1374 (Street or RFD) New Waverly (City) TX (State) 77854 (Zip) 2) LOCATION OF WELL County Walker (County) 6 (miles in) W (direction from) New Waverly (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines Map with John Weisinger See attached map. map on 60-28-9N

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 11/15/79 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 176 4 1/4 176 190 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include 0-20 (clay), 20-40 (clay & sand), 40-105 (clay), 105-125 (rock & clay), 125-145 (clay), 145-180 (rock & sand), 180-190 (sand).

CEMENTING DATA Cemented from 0 ft. to 176 ft. Method used pressure Cemented by Weisinger (Company or Individual)

RECEIVED APR 6 1982 CR/TL

9) WATER LEVEL: Static level 30 ft. below land surface Date 11/15/79 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 70 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Scott Weisinger (Type or Print) Water Well Drillers Registration No. 1992

ADDRESS (Street or RFD) (City) (State) (Zip)

(Signed) Scott Weisinger (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP 19 1980
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER L. R. Sandel (Name) Address 224 Pine Hill Dr. Conroe Tex 77301 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 3 1/2 miles in W direction from New Waverly Tex. (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. mapon 60-18-9H

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 10-19-83
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	1	Top Soil (SAND)						
1	4	(Red) CLAY						
4	12	CLAY + SAND (Red)	4		PVC Sch 40	0	115	
12	24	SAND (lt. Red)						
24	37	CLAY (white)	4		PVC Sch 40	115	125	010
37	92	CLAY + SAND (white)			Slotted			
92	105	SHALE (soft white) + Grey)						
105	125	SAND (Grey DK)						

CEMENTING DATA
Cemented from 0 ft. to 10 ft.
Method used Poured
Cemented by Arthur Slott (Company or Individual)

9) WATER LEVEL:
Static level 60 ft. below land surface Date 10-20-83
Artesian flow _____ gpm. Date _____

RECEIVED
NOV-9 1983

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth
1 Rubber 115

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 110 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 9 gpm with 30 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME A A A Water Wells (Type or Print) Water Well Driller's License No. 2275
ADDRESS Rt #4 Box 1094 Huntsville Texas 77340 (Street or RFD) (City) (State) (Zip)
(Signed) Arthur L. Slott (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-6B Located on map YES F-5

Texas Dept. of Water Resources

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

NOV - 9 1983

RECEIVED

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential: Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

NOV 10 1983

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER FRANK Krystyniak Address RT#1 Box 3156 New Waverly Tex. 77358
 2) LOCATION OF WELL County WALKER 1 1/4 miles in S-W direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. Mapon Dup 60-29-71

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 5-21-25-84
 DIAMETER OF HOLE
 Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 230
 7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	1/2	SANDY LOAM						
1/2	2	CLAY (Red)						
2	12	CLAY (Yellow)	4		PVC Sch 40	Surface	210	
12	17	SAND (white)	4		PVC Sch 40			
17	36	CLAY (white)			slotted	210	230	010
36	47	CLAY + SAND (white)						
47	146	SAND + CLAY mixed (brown)						
146	157	CLAY + SANDSTONE breaks						
157	197	SAND + CLAY (white)						
197	198	SANDSTONE						
198	230	Rocky SAND (grey)						

CEMENTING DATA
 Cemented from 0 ft. to 10 ft.
 Method used 2 FT X 2 FT X 4 in. SLAB
 Cemented by ON SURFACE
 (Company or Individual)

RECEIVED
JUN 13 1984
DEPT. OF WATER RESOURCES

9) WATER LEVEL:
 Static level 60 ft. below land surface Date 5-24-84
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 210

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 120 ft.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test Pump Bailer Jetted Estimated
 Yield: 35 gpm with 20 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Waten Wells Water Well Driller's License No. 2275
 ADDRESS RT#4 Box 1094 Huntsville Tex 77340
 (Signed) Arthur S. Slott (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
 For TDWR use only Well No. 60-28-6E Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

1987 SEP 23 10 11 AM
TEXAS DEPARTMENT OF WATER RESOURCES
AUSTIN, TEXAS


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-28-6E
Located on map 405
Received: 72
dl

1) OWNER:
Person having well drilled: Mrs. Juanita Osbuen Address Rt. 1 Box 219A New Waverly, Tex
(Name) (Street or RFD) (City) (State)
Landowner _____ Address _____ (City) (State)

2) LOCATION OF WELL: WALKER
County Montgomery, 18 miles in N.W. direction from CONROE
(N.E., S.W., etc.) (Town)



Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 226 ft. Depth of completed well 226 ft. Date drilled 7/7/71
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	clay
10	55	SAND
55	145	clay
145	147	Rock
147	152	clay
152	154	Rock
154	195	clay
195	226	WATER SAND

9) Casing:
Type: Old _____ New Steel Plastic _____ Other _____
Cemented from 210' up ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 210
10) SCREEN:
Type S.S.
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 216 226 12
10' of 2 1/2" seal pipe

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: 33 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 92 ft. below land surface Date 7/3/71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 136 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? HIPH depth of strata 31

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME RICHARD PATTERSON Water Well Drillers Registration No. 182
(Type or Print)
ADDRESS 109 N. MAGNOLIA CONROE TEXAS 77301
(Street or RFD) (City) (State)
(Signed) Richard Patterson Pattersons Water Well Service
(Water Well Driller) (Company Name)
L.M. Patterson #182

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

FEB 25 1972

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED

APR 12 1972

Central District
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

FEB 2 1972

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 60-28-65
Located on map MOS
Received: 7/1
dlr

WATER WELL REPORT

1) OWNER:
Person having well drilled B. BURKE Address Gen Del New Waverly Tex
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, _____ 2 miles in NW direction from New Waverly Tex
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North
↑

(Use reverse side if necessary)

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____	4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____	5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven _____ Dug _____ Cable _____ Jetted _____ Bored _____
---	---	---

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 206 ft. Depth of completed well 206 ft. Date drilled 4-26-71
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-13		Clay flash
13-33		Sandy Gravel
33-55		Clay
55-64		Sandy Clay
64-132		Clay
132-180		Clay
180-206		Sand

9) Casing:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	0	196	feet 40

10) SCREEN:
Type Plastic
Perforated Slotted _____

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
4"	196	206	12 GA

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes No _____ If yes, by whom? W.A. Waller
Yield: 900 gpm with 2.0 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 58 ft. below land surface Date 4-26-71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? Good soft depth of strata 26

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.A. Waller Water Well Drillers Registration No. 1332
(Type or Print)
ADDRESS 32 Timberside Course Texas 77301
(Street or RFD) (City) (State)
(Signed) W.A. Waller AAA Water Wells Inc
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 27 1971
Central Records
Texas Water Development Board

RECEIVED
JUL 21 1971
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only

Well No. 22000
 Located on map 10
 Received: 3/24/70

1) OWNER:
 Person having well drilled Joe Lee Baugh Address _____ (Street or RFD) _____ (City) _____ (State)
 (Name)
 Landowner _____ Address _____ (Street or RFD) _____ (City) _____ (State)
 (Name)

2) LOCATION OF WELL:
 County Walker, _____ 2 1/2 miles in W direction from New Waverly
 (N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening _____
 Reconditioning _____ Plugging _____
 4) PROPOSED USE (Check):
 Domestic Industrial _____ Municipal _____
 Irrigation _____ Test Well _____ Other _____
 5) TYPE OF WELL (Check):
 Rotary Driven _____ Dug _____
 Cable _____ Jetted _____ Bored _____

6) WELL LOG:
 Diameter of hole 6 1/2 in. Depth drilled 333 ft. Depth of completed well 333 ft. Date drilled 3-24-70
 All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	clay 218 - 292 shale
15	26	sand 292 295 sand
26	43	clay 295 305 shale
43	72	sand 305 310 clay
72	82	clay 310 333 water sand
82	106	sand
106	142	clay
142	145	Rock
145	165	clay
165	215	shale
215	218	Rock

9) CASING:
 Type: Old _____ New Steel Plastic _____ Other _____
 Cemented from 315 ft. to 100 ft.
 Diameter (inches) _____ Setting _____ Gage _____
 From (ft.) To (ft.)
4" 0 315'
2 1/2" 21'

10) SCREEN:
 Type S.S.
 Perforated _____ Slotted
 Diameter (inches) _____ Setting _____ Slot Size _____
 From (ft.) To (ft.)
2 1/2 323 333 12

7) COMPLETION (Check):
 Straight wall Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____

11) WELL TESTS:
 Was a pump test made? Yes _____ No If yes, by whom? _____
 Yield: 70 gpm with AIR ft. drawdown after _____ hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

8) WATER LEVEL:
 Static level 121 ft. below land surface Date _____
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 189 ft. below land surface.

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No
 Did any strata contain undesirable water? Yes _____ No _____
 Type of water? High P.H. depth of strata 23

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L.M. Patterson Water Well Drillers Registration No. 182
 (Type or Print)
 ADDRESS Rt 3 Box 159 Conroe Tex
 (Street or RFD) (City) (State)
 (Signed) L.M. Patterson (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 30 1970

Central Records

TEXAS WATER
DEVELOPMENT BOARD

AUG 21 1970

RECEIVED

16 WALKER

DUB

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 00-28-0X Located on map YES Received: C.F.S

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER J.J. Shelly Address 1649 Serpentine Dr. Houston, Tx. 77029
2) LOCATION OF WELL: County Walker 2 miles in NW direction from New Waverly

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 7/19/82
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 185 ft. to 85 ft. Method used Pressure Cemented by Henry L. Lee

9) WATER LEVEL: Static level 70 ft. below land surface Date 7/20/82 Artesian flow gpm. Date

RECEIVED SEP - 7 1982

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 178 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Good Depth of strata 28 Was a chemical analysis made? No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 20 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader, Henry Lee Water Well Drillers Registration No. 2026 2221 ADDRESS P.O. Box 638 Riverside Texas 77367 (Signed) Holly Water Well Service

Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-28-6X Located on map YES Received: C.F-6

1) OWNER: Person having well drilled Lucille Rust Address 10122 BASSOON Houston Tex
 (Name) (Street or RFD) (City) (State)
 Landowner SAME Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 1 miles in W direction from New Waverly
 (N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
 5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 7/8 in. Depth drilled 374 ft. Depth of completed well 374 ft. Date drilled 6-14-82
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	1	top soil
1	20	clay
20	38	SAND
38	130	clay
130	140	SAND
140	330	clay
330	354	shale
354	374	SAND

9) Casing: Type: Old New Steel Plastic Other _____
 Cemented from 0 ft. to 0 ft.
 Diameter (inches) Setting From (ft.) To (ft.) Gage
4" 0 280 sch 40
2 1/2 280 374 sch 40

10) SCREEN: Type plastic
 Perforated Slotted
 Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 1/2 354 374 010

RECEIVED
 AUG 18 1982

7) COMPLETION (Check):
 Straight wall Gravel packed Under reamed Open Hole
DEPT. OF WATER RESOURCES

11) WELL TESTS:
 Was a pump test made? Yes No If yes, by whom? _____
 Yield: 15 gpm with 10 ft. drawdown after 1 hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

8) WATER LEVEL: Static level 165 ft. below land surface Date 6-14-82
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 220 ft. below land surface.

12) WATER QUALITY:
 Was a chemical analysis made? Yes No
 Did any strata contain undesirable water? Yes No
 Type of water? soft depth of strata 20'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
 NAME James Graham Water Well Drillers Registration No. 1781
 (Type or Print)
 ADDRESS P.O. Box 1590 Willis Texas
 (Street or RFD) (City) (State)
 (Signed) James Graham AAA Water Wells
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

SEARCHED
SERIALIZED
INDEXED
MAY 1964
FBI - MEMPHIS

SEARCHED
SERIALIZED
INDEXED
MAY 1964
FBI - MEMPHIS

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-28-66
Located on map yes
Received: 72
dlr

1) OWNER:
Person having well drilled Charles Oats (Name) Address Huntsville (Street or RFD) Texas (City) (State)
Landowner Charles Oates (Name) Address Huntsville (Street or RFD) Texas (City) (State)

2) LOCATION OF WELL:
County Walker miles in 2 direction from New Waverly (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening Reconditioning Plugging	4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other	5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven Dug Cable Jetted Bored
---	---	---

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 121 ft. Depth of completed well 121 ft. Date drilled 6-22-72
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	sand
3	42	clay
42	121	sand

9) CASING:
Type: Old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.
Diameter (inches) Setting From (ft.) To (ft.) Gage
4 0 - 111 Sch 40

10) SCREEN:
Type _____
Perforated Slotted
Diameter (inches) Setting From (ft.) To (ft.) Slot Size 120
4 110 121

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 40 ft. below land surface Date 6-22-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 110 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.A. Waller (Type or Print) Water Well Drillers Registration No. 1332
ADDRESS Box 516 New Waverly (Street or RFD) (City) Texas (State) 77358
(Signed) W.A. Waller (Water Well Driller) AAA Water Wells Inc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
NOV 15 1972
Central Records
Texas Water Development Board

655 2 571
[RECEIVED]

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Gerald C. Mandel (Name) Address P.O. Box 493 New Waverly TX 77358 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 1.5 miles in N.W. direction from New Waverly (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: L.M. Collard League A-10
Section No. _____ Block No. _____ Township New Waverly
Abstract No. _____ Survey Name Volume 423- Page 823
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection De-Watering

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: _____
Started 10-16 1989
Completed 10-30 1989

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>6 7/8</u>	<u>0</u>	<u>258</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>3</u>	<u>Light Clay</u>
<u>3</u>	<u>10</u>	<u>Red Clay</u>
<u>10</u>	<u>30</u>	<u>SAND</u>
<u>30</u>	<u>60</u>	<u>Light Clay</u>
<u>60</u>	<u>75</u>	<u>SAND</u>
<u>75</u>	<u>95</u>	<u>Light Gray Clay</u>
<u>95</u>	<u>130</u>	<u>SAND</u>
<u>130</u>	<u>180</u>	<u>Gray Clay</u>
<u>180</u>	<u>205</u>	<u>SAND</u>
<u>205</u>	<u>220</u>	<u>Gray Clay</u>
<u>220</u>	<u>258</u>	<u>SAND</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>4" PVC S-40</u>	<u>0</u>	<u>230</u>	
		<u>2 1/2" PVC S-40</u>	<u>230</u>	<u>230</u>	
		<u>2 1/2" PVC Slotted Screen</u>	<u>230</u>	<u>258</u>	<u>oob</u>

9) CEMENTING DATA [Rule 287.44(1)]
Cemented from 230 ft. to 19 ft. No. of Sacks Used _____
19 ft. to 0 ft. No. of Sacks Used _____
Method used Concrete Sand Mason
Cemented by _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 287.44(2)(A)]
 Pitless Adapter Used [Rule 287.44(3)(B)]
 Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:
Static level 137 ft. below land surface Date 10-30-89
Artesian flow pump 16 gpm. Date 10-30-89

12) PACKERS:	Type	Depth

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 189 ft.

15) WATER QUALITY:
Did the drilling penetrate any strata which contained undesirable constituents? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? SOFT Depth of strata 137
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm. with 0 ft. drawdown after 0 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Telen Water Well Service Well Driller's License No. 02917-W
ADDRESS 4211 Archwood Houston Texas 77049
(Street or RFD) (City) (State) (Zip)
(Signed) John W. Telen (Licensed Well Driller) (Signed) Jay Telen (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-28-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[Faint, illegible text or stamp]

[Faint, illegible text or stamp]

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Donna Gray ADDRESS Rt 2 Box 3000 New Waverly, Tx 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Rt 2 Box 3000 New Waverly, Tx 77358 STATE WELL # _____
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) 60-28-6

6) WELL LOG:
Date Drilling:
Started 7-5 19 96
Completed 7-7 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	231

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	39	sand
39	40	bc
40	74	sand
74	92	white & gray cl.
92	123	bc
123	126	sand
126	156	bc
156	170	s. st.
170	204	bc
204	206	r
206	214	sand
214	217	cl.
217	226	sand
226	227	clay
227	231	sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	206	40
2	N	PVC uc	210	220	#12
		PVC slotted	220	230	#12

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 206 ft. to 106 ft. No. of sacks used 7
0 ft. to 15 ft. No. of sacks used 2
Method used Pressure
Cemented by RAC
Distance to septic system field lines 150 ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 18ft.
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 120 ft. below land surface Date 7-7-96
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
K Packer RxR 200 & 202

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly water Wells WELL DRILLER'S LICENSE NO. 2026
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299 77358																																												
1) OWNER <u>Jody Slaughter</u> (Name)		ADDRESS <u>PO Box 446 N. Waverly, Tx.</u> (Street or RFD) (City) (State) (Zip)																																														
2) ADDRESS OF WELL: County <u>Walker</u>		<u>FM 1374</u> (Street or RFD)		<u>Smile, Tx.</u> (City) (State) (Zip)																																												
3) TYPE OF WORK (Check): <input type="checkbox"/> New Well <input checked="" type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																												
6) WELL LOG: Date Drilling: Started <u>2-12</u> 19 <u>96</u> Completed <u>2-15</u> 19 <u>96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td>6.5</td> <td>Surface</td> <td>331</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	6.5	Surface	331							7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input checked="" type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																
Dia. (in.)	From (ft.)	To (ft.)																																														
6.5	Surface	331																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0-1</td><td></td><td>top soil</td></tr> <tr><td>1-21</td><td></td><td>br cl</td></tr> <tr><td>21-27</td><td></td><td>sand</td></tr> <tr><td>27-68</td><td></td><td>br cl</td></tr> <tr><td>68-101</td><td></td><td>sand</td></tr> <tr><td>101-121</td><td></td><td>sand/ cl st</td></tr> <tr><td>121-131</td><td></td><td>sand</td></tr> <tr><td>131-161</td><td></td><td>br cl</td></tr> <tr><td>161-181</td><td></td><td>gray cl</td></tr> <tr><td>181-221</td><td></td><td>br cl</td></tr> <tr><td>221-241</td><td></td><td>meally cl</td></tr> <tr><td>241-269</td><td></td><td>br cl</td></tr> <tr><td>269-309</td><td></td><td>meALLY cl</td></tr> <tr><td>309-331</td><td></td><td>sand</td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	0-1		top soil	1-21		br cl	21-27		sand	27-68		br cl	68-101		sand	101-121		sand/ cl st	121-131		sand	131-161		br cl	161-181		gray cl	181-221		br cl	221-241		meally cl	241-269		br cl	269-309		meALLY cl	309-331		sand	8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																														
0-1		top soil																																														
1-21		br cl																																														
21-27		sand																																														
27-68		br cl																																														
68-101		sand																																														
101-121		sand/ cl st																																														
121-131		sand																																														
131-161		br cl																																														
161-181		gray cl																																														
181-221		br cl																																														
221-241		meally cl																																														
241-269		br cl																																														
269-309		meALLY cl																																														
309-331		sand																																														
(Use reverse side if necessary)		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>PVC</td> <td>-1.5</td> <td>312</td> <td>40</td> </tr> <tr> <td>2</td> <td>N</td> <td>PVC under cutt.</td> <td>311</td> <td>331</td> <td>10</td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC	-1.5	312	40	2	N	PVC under cutt.	311	331	10																							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																											
			From	To																																												
4	N	PVC	-1.5	312	40																																											
2	N	PVC under cutt.	311	331	10																																											
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> <u>212</u> ft. to <u>312</u> ft. No. of sacks used <u>7</u> Method used <u>pressure</u> Cemented by <u>McPike</u> Distance to septic system field lines <u>200+</u> ft. Method of verification of above distance _____																																														
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>8/10</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																														
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>22</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>240+</u> ft. below land surface Date <u>2-15-96</u> Artesian flow _____ gpm. Date _____																																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">Type</th> <th style="width:40%;">Depth</th> </tr> </thead> <tbody> <tr> <td>K packer 2"</td> <td>304</td> </tr> </tbody> </table>				Type	Depth	K packer 2"	304																																							
Type	Depth																																															
K packer 2"	304																																															
COMPANY NAME <u>Holly Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. _____																																														
ADDRESS <u>607 HWY 19</u> (Street or RFD) <u>Huntsville Tx</u> (City) <u>77340</u> (State) (Zip)		(Signed) <u>Raymond McPike</u> (Licensed Well Driller) (Registered Driller Trainee)																																														

Please attach electric log, chemical analysis, and other pertinent information, if available.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Driller
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ward LITTLE (Name) Address Gen. Del. NEW WAVERLY TEXAS 77777 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER 3 miles in N.W. direction from NEW WAVERLY (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 0760-29-3

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: Started 7-5 1990 Completed 7-12 1990
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 216
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
		<u>0-1 Topsoil (SANDY)</u>					
		<u>1-10 CLAY (RED)</u>					
		<u>10-22 SAND + White clay</u>	<u>4</u>		<u>PVC sch 40 cas</u>	<u>0-216</u>	
		<u>22-88 SAND BROWN</u>					
		<u>88-99 CLAY White</u>	<u>4</u>		<u>PVC sch 40 well</u>	<u>196-216</u>	<u>RD16</u>
		<u>99-110 CLAY (yellow + white)</u>			<u>Screen slotted</u>		
		<u>110-121 CLAY (White)</u>					
		<u>121-143 SAND (BROWN)</u>					
		<u>143-158 SAND + Rock</u>					
		<u>158-165 CLAY (Yellow + white)</u>					
		<u>165-176 CLAY (GRAY + yellow)</u>					
		<u>176-193 CLAY (GRAY + yellow)</u>					
		<u>193-216 SAND (BROWN)</u>					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 20
Cemented by with 3 in. dia. sleeve around cas 12 in. above slab A.L. Slott
Method used 2 ft. x 4 in. slab on surface
10) SURFACE COMPLETION 287.44 2A
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
SEP 5 1990

11) WATER LEVEL:
Static level 100 ft. below land surface Date 7-10-90
Artesian flow _____ gpm. Date _____

12) PACKERS: Type 1 formation Depth 196

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 10 gpm with 60 ft. drawdown after 4 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells (Type or Print) Water Well Driller's License No. 2275
ADDRESS Rt. 4 Box 1094 (Street or RFD) Huntsville, Texas (City) 77340 (State) (Zip)
(Signed) Arthur L. Slott (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-28-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

11 29 1982

CONFIDENTIAL

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER David Gregory (Name) Address General Delivery New Waverly (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 4 1/2 miles in N.W. direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 0760-29-3

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 8-1-90 Completed 8-10-90
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 261
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
0-1		Topsoil Sand					
1-11		Clay (grey & red)					
11-47		Sand (grey)	4		PVC sch 40 cas	0-241	
47-77		Sand & clay (grey)					
77-88		Clay (tan & white)	4		PVC sch 40 well screen slotted	241-261	D10
88-99		Clay (grey & tan)					
99-121		Shales sand (grey & tan)					
121-143		Sand (grey)					
143-154		Clay (grey & white & tan)					
154-198		Clay (grey & tan)					
198-231		Clay & sand					
231-242		Sand (grey)					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 20
Method used 2ft. x 2ft. x 4 in. slab on surface
Cemented by With 3 in. dia. sleeve around cas 12 in above slab A.L. Slott

10) SURFACE COMPLETION 287.44 2A
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 90 ft. below land surface Date 8-9-90
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
2 formation 241
formation 221

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 190 ft.

14) WELL TESTS: Type Test: Pump Bailor Jetted Estimated
Yield: 12 gpm with 60 ft. drawdown after 3 hrs.

RECEIVED
SEP 5 1990

TEXAS WATER COMMISSION

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells (Type or Print) Water Well Driller's License No. 2275
ADDRESS Pt. 4 Box 1094 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)
(Signed) Arthur L. Slott (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only. Well No. 60-28-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

0136 11/17/2000

Please use black ink.
Send original copy by certified mail to the Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mark Davis (Name) Address P.O. Box 876 New Liberty, Texas 77558 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in W. direction from New Liberty (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 0760-29-5

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: Started 8-1-89 Completed 8-11-89
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 205
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From To	Gage Casing Screen
0-8	8-11	Topsoil (sandy) bn					
8-11	11-22	Clay (red)	4		PVC sch 40 cas.	0 205	
11-22	22-33	Sand & Clay (red)					
22-33	33-44	Sand & Clay (red)	4		PVC sch 40 screen slotted	205 225	.008
33-44	44-55	Sand (brk)					
44-55	55-66	Clay (white)					
55-66	66-77	Clay & rock (white)					
66-77	77-99	Clay & shale (br & grey)					
77-99	99-110	Clay (grey)					
99-110	110-143	Sand & clay (br & grey)					
110-143	143-154	Clay (grey)					
143-154	154-165	Clay & shale (grey & br & white)					
154-165	165-176	Sand (br)					
165-176	176-198	Sand & Clay (grey & br & white)					
176-198	198-225	Sand & rock (grey)					
198-225		Sand (grey)					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 18
Method used 2 ft x 2 ft x 4 in.
Cemented by with 3 in dia skewer 1 in above slab A.L. Slatt

10) SURFACE COMPLETION 387.44 2A
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 90 ft. below land surface Date 8-9-89
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type formation Depth 205

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm with 60 ft. drawdown after 3 1/2 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

RECEIVED
SEP 18 1989

TEXAS WATER COMMISSION

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
ADDRESS Rt 4 Box 1094 Huntsville, Texas 77340
(Signed) Arthur L. Slatt (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TWC use only: Well No. 60-28-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink,
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Florence J. Adamick Address P.O. Box 403 New Waverly, Texas 77358
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 4 miles in E. direction from New Waverly
(Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. 0160-29-5

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: Started 7-5-89 Completed 7-12-89
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6-3/4 Surface 240
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
		<u>0-2 Topsoil (sandy br.)</u>					
		<u>2-11 Clay (red grey)</u>					
		<u>11-22 Clay & rock (tan & yell.)</u>	<u>4</u>		<u>PVC sch. 40 cas</u>	<u>0</u>	<u>220</u>
		<u>22-33 Clay & sand (yell & br.)</u>	<u>4</u>		<u>PVC sch. 40 screen</u>	<u>220</u>	<u>240</u>
		<u>33-44 Sand (br.)</u>					
		<u>44-77 Clay (yell. & grey & white)</u>					
		<u>77-121 Sand & rock (br.) (grey)</u>					
		<u>121-165 Clay & rock (grey & pink & white)</u>					
		<u>165-176 Shale & sch. (white & grey & pink)</u>					
		<u>176-198 Shale & sand (grey & white & br.)</u>					
		<u>198-209 Sand & rock (grey)</u>					
		<u>209-240 Sand (grey)</u>					

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 19 1/2
ft. to _____ ft. No. of Sacks Used _____
Method used 2ft. x 2ft. x 4in.
Cemented by 5' slab on surface with 5in. dia. sleeve 2in. above A.L. 5' off

10) SURFACE COMPLETION 287.442A
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 100 ft. below land surface Date 7-10-89
Artesian flow _____ gpm. Date _____

12) PACKERS: Type formation Depth 220

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 12 gpm with 60 ft. drawdown after 4 1/2 hrs.

RECEIVED
SEP 18 1989

TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
(Type or Print)
ADDRESS Rt. 4 Box 1094 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Arthur L. Slott (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-28-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

8m: SINh
3m: E1Wk

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Phillip J. Yonek (Name) Address Old Montgomery Rd Willis Tex 77378 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in N.W direction from New Waverly (Town)


Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. map on 60-29-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 7-22-86
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 215
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	3	Top soil (Sandy)						
3	5	CLAY (Red)						
5	11	CLAY (Grey)	4		PVC Sch 40 CAS.	0	195	
11	30	SAND (Brown)	4		PVC Sch 40			
30	44	CLAY + Rock (Grey)			Slotted Screens	195	215	010
44	61	SAND + Rock (Grey)						
61	88	CLAY (Grey)						
88	121	SAND + CLAY (Grey + white)						
121	165	SAND + BALL CLAY " + "						
165	198	SAND + CLAY (Grey + white)						
198	215	SAND + Rock (Grey)						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
ft. to _____ ft.
Method used 2 FT X 2 FT X 4 IN.
Cemented by SLAB ON SURFACE



10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL: Static level 45 ft. below land surface Date 7-24-86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Formation Depth 195

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: 8 gpm with 100 ft. drawdown after 4 hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
ADDRESS Rt #4 Box 1094 Huntsville Tex. 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Arthur K. Slatt (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																															
1) OWNER <u>Rodger Osborne</u> (Name)		ADDRESS <u>RT 2 Box 196</u> (Street or RFD)		<u>Huntsville Tx 77340</u> (City) (State) (Zip)																																															
2) ADDRESS OF WELL: County <u>Walker</u>		<u>7m 1374</u> (Street or RFD)		<u>Huntsville Tx 77340</u> (City) (State) (Zip)																																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																															
6) WELL LOG: Date Drilling: Started <u>9-29 1995</u> Completed <u>10-2 1995</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:25%;">Dia. (in.)</th> <th style="width:25%;">From (ft.)</th> <th style="width:25%;">To (ft.)</th> <th style="width:25%;"></th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>190</u></td> <td></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>190</u></td> <td><u>200</u></td> <td></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		<u>6 3/4</u>	Surface	<u>190</u>		<u>3 7/8</u>	<u>190</u>	<u>200</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																			
Dia. (in.)	From (ft.)	To (ft.)																																																	
<u>6 3/4</u>	Surface	<u>190</u>																																																	
<u>3 7/8</u>	<u>190</u>	<u>200</u>																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0-4</u></td><td></td><td><u>Sand Brown 124-145 clay</u></td></tr> <tr><td><u>4-10</u></td><td></td><td><u>clay Red 145-160 clay</u></td></tr> <tr><td><u>10-14</u></td><td></td><td><u>Sand Red 160-166 clay/sand</u></td></tr> <tr><td><u>14-21</u></td><td></td><td><u>clay white 166-182 clay</u></td></tr> <tr><td><u>21-32</u></td><td></td><td><u>Sand white 182-187 Rock</u></td></tr> <tr><td><u>32-38</u></td><td></td><td><u>clay white 187-187 clay</u></td></tr> <tr><td><u>38-40</u></td><td></td><td><u>Sand white 187-190 clay</u></td></tr> <tr><td><u>40-55</u></td><td></td><td><u>clay 190-200 Sand</u></td></tr> <tr><td><u>55-60</u></td><td></td><td><u>Sand 200-205 clay Sand</u></td></tr> <tr><td><u>60-62</u></td><td></td><td><u>clay 205-208 clay Sand</u></td></tr> <tr><td><u>62-82</u></td><td></td><td><u>Sand 208-210 clay</u></td></tr> <tr><td><u>82-87</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>87-103</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>103-117</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>117-124</u></td><td></td><td><u>clay</u></td></tr> </tbody> </table> (Use reverse side if necessary)		From (ft.)	To (ft.)	Description and color of formation material	<u>0-4</u>		<u>Sand Brown 124-145 clay</u>	<u>4-10</u>		<u>clay Red 145-160 clay</u>	<u>10-14</u>		<u>Sand Red 160-166 clay/sand</u>	<u>14-21</u>		<u>clay white 166-182 clay</u>	<u>21-32</u>		<u>Sand white 182-187 Rock</u>	<u>32-38</u>		<u>clay white 187-187 clay</u>	<u>38-40</u>		<u>Sand white 187-190 clay</u>	<u>40-55</u>		<u>clay 190-200 Sand</u>	<u>55-60</u>		<u>Sand 200-205 clay Sand</u>	<u>60-62</u>		<u>clay 205-208 clay Sand</u>	<u>62-82</u>		<u>Sand 208-210 clay</u>	<u>82-87</u>		<u>clay</u>	<u>87-103</u>		<u>Sand</u>	<u>103-117</u>		<u>Sand</u>	<u>117-124</u>		<u>clay</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																																	
<u>0-4</u>		<u>Sand Brown 124-145 clay</u>																																																	
<u>4-10</u>		<u>clay Red 145-160 clay</u>																																																	
<u>10-14</u>		<u>Sand Red 160-166 clay/sand</u>																																																	
<u>14-21</u>		<u>clay white 166-182 clay</u>																																																	
<u>21-32</u>		<u>Sand white 182-187 Rock</u>																																																	
<u>32-38</u>		<u>clay white 187-187 clay</u>																																																	
<u>38-40</u>		<u>Sand white 187-190 clay</u>																																																	
<u>40-55</u>		<u>clay 190-200 Sand</u>																																																	
<u>55-60</u>		<u>Sand 200-205 clay Sand</u>																																																	
<u>60-62</u>		<u>clay 205-208 clay Sand</u>																																																	
<u>62-82</u>		<u>Sand 208-210 clay</u>																																																	
<u>82-87</u>		<u>clay</u>																																																	
<u>87-103</u>		<u>Sand</u>																																																	
<u>103-117</u>		<u>Sand</u>																																																	
<u>117-124</u>		<u>clay</u>																																																	
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																	
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>191</u></td> <td><u>#40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>191</u></td> <td><u>210</u></td> <td><u>#6</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>191</u>	<u>#40</u>	<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>191</u>	<u>210</u>	<u>#6</u>																										
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																														
			From	To																																															
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>191</u>	<u>#40</u>																																														
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>191</u>	<u>210</u>	<u>#6</u>																																														
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>160</u> ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>190</u> ft. to <u>90</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>7</u> Method used <u>pressure</u> Cemented by <u>Richard Miller</u> Distance to septic system field lines <u>N/A</u> ft. Method of verification of above distance <u>No lines or tanks</u>																																																	
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>30</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																	
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>19'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>108</u> ft. below land surface Date <u>10-295</u> Artesian flow _____ gpm. Date _____																																																	
		12) PACKERS: <u>Rubber</u> Type <u>K</u> Depth <u>184'</u>																																																	
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																			
COMPANY NAME <u>Grays Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2011 WPK</u>																																																	
ADDRESS <u>P.O. Box 1288</u> (Street or RFD)		<u>Trinity Tx 75862</u> (City) (State) (Zip)																																																	
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard Miller</u> (Registered Driller Trainee)																																																	

Please attach electric log, chemical analysis, and other pertinent information, if available.

12 Map #1

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-28-6V Located on map YES Received: RDB

1) OWNER Michael Bailey Address Fm 1375 New Waverly Jct 77458 (Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker, 6 miles in NE direction from New Waverly (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. NO MAP

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 1-5-81 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 357 4 1/2 357 371
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Clay, Sand, PVC, Galv., RBSS, Clay & Rock, etc.

CEMENTING DATA Cemented from 0 ft. to 357 ft. Method used Pressure Cemented by Weisinger (Company or Individual)

9) WATER LEVEL: Static level 86 ft. below land surface Date 1-5-81 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 60 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME John E. Weisinger Water Well Drillers Registration No. 1541 ADDRESS Weisinger Water Well, Inc. 2200 E. Davis Conroe, Texas 77301 (713) 756-7721

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 26 1982
CR/TDWR

RECEIVED
JUL 6 1982
DEPT. OF
WATER RESOURCES

Map #5 (4)

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Robert Stone (Name) Address FM 1374 New Waverly TX 77358 (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL: County Walker 5 miles in W direction from New Waverly (Town)

Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. 60-28-9H

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
<u>1-24-84</u>	<u>6 1/2</u>	Surface	<u>227</u>
	<u>4 1/2</u>	<u>227</u>	<u>240</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	20	Sand
20	60	Clay
60	96	Sand
96	100	Rock
100	120	Clay
120	143	Sand
143	163	Clay & Sand
163	180	Clay
180	240	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	227	sch 40
2	N	Galv.	220	230	"
2	N	R.B.S.S.	230	240	12ga

CEMENTING DATA
 Cemented from 0 ft. to 227 ft.
 Method used Water Pressure
 Cemented by Weisinger
 (Company or Individual)

9) WATER LEVEL:
 Static level 90 ft. below land surface Date 1-24-84
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

RECEIVED
 JUL - 3 1984
 DEPT. OF WATER RESOURCES
 (Use reverse side if necessary)

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Tom E. Weisinger Water Well Driller's License No. 1541
 ADDRESS _____ WEISINGER WATER WELL, INC. _____
 (Street or RFD) (City) 2200 E. Davis (State) _____ (Zip) _____
Conroe, Texas 77301
 (Signed) John E. Weisinger (Signed) _____ (Registered Driller Trainee) _____
 (Licensed Water Well Driller) (713) 756-7721

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-62 Located on map 480MM

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

60-28-62

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER M. L. Johns Address New Waverly Tex. 77358
2) LOCATION OF WELL: County Walker 2 miles in N.W. direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-28-9P

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA

CEMENTING DATA: Cemented from NONE ft. to ... ft. Method used ... Cemented by ...

9) WATER LEVEL: Static level 171 ft. below land surface Date 12-30-82

RECEIVED

MAR 21 1983

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth 1- 2 1/2 x 4 in Rubber 330 ft.

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 240 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 15 gpm with 19 ft. drawdown after 1 1/2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
ADDRESS Rt. #4 Box 1094 Huntsville Texas 77340
(Signed) Arthur L. Slott (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-62 Located on map YES.C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

DEPT. OF WATER RESOURCES
OF TEXAS
JAN - 7 1993
RECEIVED

19 map #1

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-28-64 Located on map YES Received: RJB

1) OWNER Mabel Owens Address FM 1374 New Waverly TX 77458
2) LOCATION OF WELL: County Walker, 5 miles in W direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. NO MAP

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 12-13-80
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen

CEMENTING DATA: Cemented from 0 ft. to 195 ft. Method used Weisinger Pressure Cemented by Weisinger (Company or Individual)

9) WATER LEVEL: Static level 86 ft. below land surface Date 12-13-80 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME John E. Weisinger Water Well Drillers Registration No. 1541 ADDRESS Weisinger Water Well, Inc. 2200 E. Davis Conroe, Texas (713) 756-7721

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 26 1982
CR/TDWR

RECEIVED
JUL 6 1981
DEPT. OF
WATER RESOURCES

4 Map #1

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-28-6T Located on map YES Received: RWB

1) OWNER E. B. Stewart Address FM 1374 New Waverly TX 77458
2) LOCATION OF WELL: County Walker, 4 miles in W direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township. Abstract No. Survey Name. Distance and direction from two intersecting section or survey lines. See attached map. NO MAP

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other. 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other.

6) WELL LOG: Date drilled 2-9-81. DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.). 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen.

CEMENTING DATA: Cemented from 0 ft. to 200 ft. Method used Pressure. Cemented by Weisinger (Company or Individual).

9) WATER LEVEL: Static level 86 ft. below land surface Date 2-9-81. Artesian flow gpm. Date.

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made?

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated. Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME John E. Weisinger Water Well Drillers Registration No. 1541 ADDRESS Weisinger Water Well, Inc. 2200 E. Davis Conroe, Texas 77301 (713) 756-7721

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 26 1982
CR/TDWR

RECEIVED
JUL 6 1981
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


For TWDB use only Well No. 60-28-6d Located on map yes Received: 76 dlr

WATER WELL REPORT

1) OWNER: Person having well drilled George Mayo (Name) Address Hughes Dr Jff 1371 (Street or RFD) (City) (State)

Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker miles in W direction from New Waverly (N.E., S.W., etc.) (Town)



OR Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 388 ft. Depth of completed well 388 ft. Date drilled 5-4-76

All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-51	clay + lime	220-240 shale
51-62	sand ^{BLK + WH}	240-246 sand
62-68	Brown sand	246-248 rock
68-89	clay + sand	248-360 shale
89-108	sand	360-367 sand
108-117	clay	367-370 shale
117-135	sand	370-388 sand
135-187	clay	
187-190	sand + clay	
190-198	sand	
198-210	shale	
210-220	shale	

9) Casing: Type: Old New Steel Plastic Other

Cemented from 0 ft. to 370 ft.

Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 370 Gage slk KO

10) SCREEN: Type Ruth Berry PVC

Perforated Slotted

Diameter (inches) 2 1/2 Setting From (ft.) 360 To (ft.) 371 Slot Size Blank

2 1/2 371-386 0 1/2 in

2 1/2 386-388 Blank

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS:

Was a pump test made? Yes No If yes, by whom? _____

Yield: 80 gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

8) WATER LEVEL: Static level 118 ft. below land surface Date 5-4-76

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No

Did any strata contain undesirable water? Yes No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MILTON SCOTT (Type or Print) Water Well Drillers Registration No. 1570

ADDRESS P.O. BOX 275 (Street or RFD) CONROE (City) TEXAS (State) 77301

(Signed) Milton Scott (Water Well Driller) CON-TEX WATER WELL CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 04 1976
GENERAL RECORDS

Texas Water Development Board

RECEIVED
JUL 23 1976
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-6K
Located on map
Received: 7/8/77
dlr

1) OWNER:
Person having well drilled JOHN MOORE Address R1 NEW WAVERLY TEX
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 2 miles in W direction from NEW WAVERLY
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 316 ft. Depth of completed well 316 ft. Date drilled 7-6-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-1	T-S	
1-28	Y-C	
28-46	W-C	
46-89	R-C	
89-113	SAND	
113-182	Y-C	
182-276	SHALE	
276-291	Y-C	
291-316	SAND	

9) Casing:
Type: Old New Steel Plastic Other
Cemented from 173 ft. to 273 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4" PLASTIC #1-276- Sch 40

10) SCREEN: PLASTIC
Type _____
Perforated RIB Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2" #306-316 - 014

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole 2 STRING

8) WATER LEVEL:
Static level 113 ft. below land surface Date 6-9-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G MCKAY Water Well Drillers Registration No. 688
(Type or Print)
ADDRESS PO BOX 523 WILLIS TEXAS
(Street or RFD) (City) (State)
(Signed) Donald McKay M+M WELL SERVICE
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

[Faint, illegible handwritten notes and markings scattered across the page, including some numbers like 08 and 211.]

RECEIVED
JAN 30 1978

Central Records
Texas Dept. of Water Resources

RECEIVED

OCT 28 1977


DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Water Development Board, P. O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-28-6AM
Located on map 400MM
Received: 8

1) OWNER:
Person having well drilled FRANK Smith Address _____ (Name) (Street or RFD) (City) (State)
Landowner _____ (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 3 miles in W direction from New Waverly (N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

(Use reverse side if necessary)

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 332 ft. Depth of completed well 332 ft. Date drilled 7-3-84
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	top soil
4	70	clay
70	96	shale
96	140	sand w/ shale streaks
140	212	clay
212	214	rock
214	304	clay w/ shale streaks
304	332	sand

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 0 ft. to 15 ft.
Diameter (inches) Setting From (ft.) To (ft.) Gage
4 0 240 sch 40
2 1/2 240 312 sch 40
10) SCREEN:
Type plastic sch 40
Perforated Slotted
Diameter (inches) Setting From (ft.) To (ft.) Slot Size
2 1/2 312 332 010

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 10 gpm with 20 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 96 ft. below land surface Date 7-4-84
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? hard depth of strata 24'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME James Barber Water Well Drillers Registration No. 1781
(Type or Print)
ADDRESS P.O. Box 1590 Willis Texas
(Street or RFD) (City) (State)
(Signed) James Barber Air-Flow Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 16 1979

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


DEPT. OF WATER RESOURCES

For TWDB use only
Well No. 60-28-6M
Located on map W-2
Received: 79 87C

WATER WELL REPORT

1) OWNER:
Person having well drilled Tom Gregory Address RFD New Waverly Tex
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker 5 miles in NW direction from New Waverly
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well Deepening Reconditioning Plugging	4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic Industrial Municipal Irrigation Test Well Other	5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary Driven Dug Cable Jetted Bored
---	---	---

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 144 ft. Depth of completed well 144 ft. Date drilled 7-1-79
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	90	SAND (dry)
90	129	clay
129	144	SAND

9) Casing:
Type: Old New Steel Plastic Other
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	0	134	sch 40

(Use reverse side if necessary)

10) SCREEN:
Type plastic sch 40
Perforated Slotted

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
4"	134	144	012

7) COMPLETION (Check):
 Straight wall Gravel packed Other
Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 5 gpm with 10 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 80 ft. below land surface Date 7-3-79
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 130 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? hard depth of strata 15

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L. Graham Water Well Drillers Registration No. 1781
(Type or Print)
ADDRESS Rt 3 Box 150 Willis Tex
(Street or RFD) (City) (State)
(Signed) James L. Graham AAA Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 13 '79
CR/TDWE

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-28-60 Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Tommy LUCAS Address P.O. Box 833 New WAVERLY TX 77377
2) LOCATION OF WELL County Walker 4 miles in N.W direction from New WAVERLY

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. Map on 60-28-84

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 10-8-79
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other 2-steins

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, Black clay, yellow clay, Rock, yellow clay and shale, blue clay, blue water SAND (COARSE).

CEMENTING DATA: Cemented from 0 ft. to 205 ft. Method used Pressure pumped Cemented by M+M WELL SERVICE

RECEIVED APR 7 1982 CR/TB

9) WATER LEVEL: Static level 100ft ft. below land surface Date 10-9-79
10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated
Yield: 35 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald G. McKay Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 Willis TEXAS 77378
(Signed) Donald McKay M+M WELL SERVICE

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP 24 1988
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER W.E. CAIN (Name) Address P.O. Box 421 New Waverly Tex 77358 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 2 miles in W. direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Mapon Dup 60-29-7J

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5-28-84, 6-2-84
DIAMETER OF HOLE: Dia. (in.) 6 7/8, From (ft.) Surface, To (ft.) 205
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA. Includes entries for Top soil (SANDY), CLAY (Red), SAND (Brown), CLAY (white), SAND (Grey), CLAY (yellow), SAND (Brown), CLAY (yellow), SAND (Brown), CLAY (Grey), CLAY + SAND (Grey), SAND + ROCK (Grey).

CEMENTING DATA: Cemented from 0 ft. to 10 ft. Method used 2 ft x 2 ft x 4 in. Cemented by SLAB ON SURFACE

9) WATER LEVEL: Static level 90 ft. below land surface Date 6-1-84

10) PACKERS: Type K, Depth 185

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., 180 ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 10 gpm with 30 ft. drawdown after 4 hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME A A A Water Wells Water Well Driller's License No. 2275
ADDRESS Rt 4 Box 1094 Huntsville TEXAS 77340
(Signed) Arthur L. Slato (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-65 Located on map Yes C.F. 9.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

10-17-80
10-17-80
10-17-80

DUP


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-28-6A Located on map YES Received: C.F.S.

1) OWNER: Person having well drilled J.B. Neely Address Rt. Box 212 El New Waverly Tex Landowner SAME Address SAME

2) LOCATION OF WELL: County WALKER, 2 miles in W direction from NEW WAVERLY



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 7 3/4 in. Depth drilled 185 ft. Depth of completed well 185 ft. Date drilled 9-27-80

Table with columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-5 topsoil, 5-15 CLAY, 15-90 CLAY & SAND, 90-115 SAND, 115-125 CLAY, 125-150 SHELL, 150-165 SAND & CLAY, 165-185 SAND.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 178 SCH 40

10) SCREEN: Type plastic SCH 40 Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 168 185 .010

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 20 gpm with 10 ft. drawdown after 1 hrs.

8) WATER LEVEL: Static level 71 ft. below land surface Date 9-30-80 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? soft depth of strata 20'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME James L Graham Water Well Drillers Registration No. 1781 ADDRESS Rt 3 Box 1501 Willis TEXAS (Signed) James L Graham (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
NOV 10 1980
TEXAS DEPT.
OF
WATER RESOURCES

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 20-222-16
Located on map 285
Received: 4-23-70

1) OWNER:
Person having well drilled Henry Bedford (Name) Address New Waverly Tex (Street or RFD) (City) (State)
Landowner _____ (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 2 miles in West direction from New Waverly (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 360 ft. Depth of completed well 360 ft. Date drilled 4-23-70
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	35	clay 252 325 shale
35	38	sand 325 337 clay
38	50	clay 337 360 sand
50	75	sand
75	85	clay
85	124	sand
124	185	clay
185	220	shale
220	226	sandy shale
226	250	clay
250	252	ROCK

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from 336 ft. to 136 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 _____ 0 336 _____
2 1/2 _____ 29' _____

10) SCREEN:
Type SS
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
326 _____ 336 _____ 12 _____

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: 30 gpm with AIR ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 150 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 189 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? H1 Ph depth of strata 23

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L M Patterson (Type or Print) Water Well Drillers Registration No. 182
ADDRESS Canroe (Street or RFD) (City) Tex (State)
(Signed) L M Patterson (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 30 1970

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

AUG 21 1970

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


For TWDB use only Well No. 60-28-60 Located on map 109 Received: 7/1

WATER WELL REPORT

1) OWNER: Person having well drilled BILL Holden Address 1616 Ridge Wood Houston (Name) (Street or RFD) (City) (State) Landowner (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER, 3 miles in W direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Irrigation Test Well Municipal Other 5) TYPE OF WELL (Check): Rotary Driven Cable Jetted Bored Dug

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 210 ft. Depth of completed well 210 ft. Date drilled 12-9-70 All measurements made from ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-12 Clay, 12-27 sand, 27-44 clay, 44-92 sand, 92-102 clay, 102-117 sand, 117-175 clay, 175-210 Water sand.

9) Casing: Type: Old New Steel Plastic Other Cemented from 190 ft. to 50 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0 190 10) SCREEN: Type 55. Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 200 210 12 2 1/2 Pipe 15'

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole 8) WATER LEVEL: Static level 80 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 147 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 30 gpm with Air ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? HI PH depth of strata 35'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L. M. Patterson Water Well Drillers Registration No. 182 ADDRESS Rt 3 Box 159 Conroe Tex (Street or RFD) (City) (State) (Signed) L. M. Patterson (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 8 1971
General Records
Texas Water Development Board

RECEIVED
FEB 11 1971
TEXAS WATER
DEVELOPMENT BOARD

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Larry KEY (Name) ADDRESS Sandy Creek Farm Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Sandy Creek Farm Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip) STATE WELL # 60-28-6

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5)

6) WELL LOG:
Date Drilling:
Started 8-3 1995
Completed 8-4 1995

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>160</u>
<u>3 7/8</u>	<u>160</u>	<u>176</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-21</u>	<u>Red clay</u>	
<u>21-40</u>	<u>Sand</u>	
<u>40-46</u>	<u>Sand</u>	
<u>46-61</u>	<u>clay white</u>	
<u>61-80</u>	<u>clay</u>	
<u>80-82</u>	<u>Sand</u>	
<u>82-103</u>	<u>Sand Rock</u>	
<u>103-118</u>	<u>Sand Rock</u>	
<u>118-119</u>	<u>clay</u>	
<u>119-124</u>	<u>Rock</u>	
<u>124-145</u>	<u>clay</u>	
<u>145-160</u>	<u>clay</u>	
<u>160-166</u>	<u>Sand</u>	
<u>166-178</u>	<u>Sand</u>	

(Use reverse side if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>160</u>	<u>#40</u>
<u>2</u>	<u>N</u>	<u>PVC screen</u>	<u>160</u>	<u>176</u>	<u>#10</u>

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 160 ft. to 60 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 7
Method used pressure
Cemented by Richard Myker
Distance to septic system field lines 240 ft.
Method of verification of above distance Tape Measure

14) WELL TESTS:
Type test: Pump Bailor Jetted Estimated
Yield: 45 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(B)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 16
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 74 ft. below land surface Date 8-4-95
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 156'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Myker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																																																			
1) OWNER <u>Thomas Vick</u> (Name)		ADDRESS <u>Rt 2 Box 1971 New Waverly Tx 77358</u> (Street or RFD) (City) (State) (Zip)																																																																					
2) ADDRESS OF WELL: County <u>Walker</u> <u>2 miles N.W. of New Waverly</u> STATE WELL # _____ (Street or RFD) (City) (State) (Zip)																																																																							
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) <u>60-28-6</u>																																																																			
6) WELL LOG: Date Drilling: Started <u>4-18</u> 19 <u>97</u> Completed <u>4-23</u> 19 <u>97</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		↑																																																																			
		DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) <u>6.5</u> Surface <u>318</u>																																																																					
8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>2</td><td>top bit soil</td></tr> <tr><td>2</td><td>7</td><td>br. cl.</td></tr> <tr><td>7</td><td>22</td><td>sa. st.</td></tr> <tr><td>22</td><td>26</td><td>sa. st. & wh. cl.</td></tr> <tr><td>26</td><td>42</td><td>sa. st.</td></tr> <tr><td>42</td><td>71</td><td>sa.</td></tr> <tr><td>71</td><td>75</td><td>wh. cl.</td></tr> <tr><td>75</td><td>92</td><td>sa.</td></tr> <tr><td>92</td><td>102</td><td>wh. cl.</td></tr> <tr><td>102</td><td>134</td><td>br. cl.</td></tr> <tr><td>134</td><td>147</td><td>bl.</td></tr> <tr><td>147</td><td>148</td><td>r.</td></tr> <tr><td>148</td><td>187</td><td>bl.</td></tr> <tr><td>187</td><td>189</td><td>sa.</td></tr> <tr><td>189</td><td>202</td><td>bl.</td></tr> </tbody> </table> <p style="text-align:center;">(Use reverse side if necessary)</p>		From (ft.)	To (ft.)	Description and color of formation material	0	2	top bit soil	2	7	br. cl.	7	22	sa. st.	22	26	sa. st. & wh. cl.	26	42	sa. st.	42	71	sa.	71	75	wh. cl.	75	92	sa.	92	102	wh. cl.	102	134	br. cl.	134	147	bl.	147	148	r.	148	187	bl.	187	189	sa.	189	202	bl.	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>PVC Casing</td> <td>-1.5</td> <td>297</td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>PVC Screen</td> <td>306</td> <td>316</td> <td>.010</td> </tr> </tbody> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	297		2	N	PVC Screen	306	316	.010
		From (ft.)	To (ft.)	Description and color of formation material																																																																			
0	2	top bit soil																																																																					
2	7	br. cl.																																																																					
7	22	sa. st.																																																																					
22	26	sa. st. & wh. cl.																																																																					
26	42	sa. st.																																																																					
42	71	sa.																																																																					
71	75	wh. cl.																																																																					
75	92	sa.																																																																					
92	102	wh. cl.																																																																					
102	134	br. cl.																																																																					
134	147	bl.																																																																					
147	148	r.																																																																					
148	187	bl.																																																																					
187	189	sa.																																																																					
189	202	bl.																																																																					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																																		
			From	To																																																																			
4	N	PVC Casing	-1.5	297																																																																			
2	N	PVC Screen	306	316	.010																																																																		
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>15</u> ft. to <u>15</u> ft. No. of sacks used <u>2</u> <u>147</u> ft. to <u>297</u> ft. No. of sacks used <u>7</u> Method used <u>by pressure</u> Cemented by <u>Henry Lee</u> Distance to septic system field lines _____ ft. Method of verification of above distance <u>no septic</u>																																																																					
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>20</u> gpm with _____ ft. drawdown after _____ hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																																					
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>28</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>160</u> ft. below land surface Date _____ Artesian flow _____ gpm. Date _____																																																																					
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> </tr> </thead> <tbody> <tr> <td><u>2 2" Packers</u></td> <td><u>RxR 291</u></td> </tr> </tbody> </table>				Type	Depth	<u>2 2" Packers</u>	<u>RxR 291</u>																																																														
Type	Depth																																																																						
<u>2 2" Packers</u>	<u>RxR 291</u>																																																																						
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																																							
COMPANY NAME <u>Holly Water Wells</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2221W</u>																																																																					
ADDRESS <u>607 Hwy 19</u> (Street or RFD)		<u>Huntsville Tx</u> (City)		<u>77340</u> (State) (Zip)																																																																			
(Signed) <u>Henry Lee</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																																					

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Stacie Anderson ADDRESS 46 A Sandel Rd. Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County Walker 46 A Sandel Rd. Huntsville TX 77340 GRID # 60-28-6
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 4-7 1998
Completed 4-9 1998

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	175'
3 7/8"	175'	189'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-4	Sand	158-189 Sand
4-19	clay	
19-40	Sand	
40-46	Sand	
46-48	clay	
48-57	Sand	
57-63	Sand	
63-95	clay	
95-124	shale	
124-128	clay	
128-130	Rock	
130-142	clay	
142-145	Rock	
145-155	clay	
155-158	Rock	

(Use reverse side of Well Owner's copy, if necessary)

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 31'
Was a chemical analysis made? Yes No

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	175'	*40
2	N	PVC Blank	168	169	*40
2	N	PVC SCREEN	169	189	*8+10

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 175 ft. to 75 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 6
Method used pressure
Cemented by Richard Mikee
Distance to septic system field lines or other concentrated contamination 115 ft.
Method of verification of above distance Tape

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 78 ft. below land surface Date 4-9-98
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 167'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well WELL DRILLER'S LICENSE NO. 2011 State PKO 1998
(Type or print)
ADDRESS P.O. Box 1788 Trinity TX 77888
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray (Signed) Richard Mikee
(Licensed Well Driller) (Registered Driller Trainee)

FILE ID	SEQ #
EMP #	DESC CO
COMMENT	TSR EMP

Please attach electric log, chemical analysis, and other pertinent information, if available.



1970

1970

1970

1970

1970

1970

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-6L
Located on map yes
Received: 78
dlr

1) OWNER:
Person having well drilled Clifton Vick Address New Waverly Tex
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 5 miles in NW direction from New Waverly
(N.E., S.W., etc.) (Town)



or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 190 ft. Depth of completed well 190 ft. Date drilled 4-13-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	7	top soil
7	100	SAND
100	150	CLAY
150	170	shale
170	178	clay
178	190	SAND

9) CASING:
Type: Old New Steel Plastic Other
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	180	sch 40

10) SCREEN:
Type plastic sch 40
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4"	180	190	012

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: 15 gpm with 10 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 87 ft. below land surface Date 4-15-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? soft depth of strata 12'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L Graham Water Well Drillers Registration No. 1781
(Type or Print)
ADDRESS Rt 2 Box 301 Willis Tex 77378
(Street or RFD) (City) (State)
(Signed) James L Graham AAA WATER WELLS
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY 15 1978
DEPT. OF
WATER RESOURCES

RECEIVED
AUG 30 1978
Central Records
Texas Dept. of Water Resources

Map #3

1

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER John W Bonin (Name) Address FM 1374 W. New Waverly Tx 77355 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 4 miles in W direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-29-8L

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Table with columns for Date drilled, Diameter of Hole (Dia. in., From ft., To ft.), and Description and color of formation material.

7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other. If Gravel Packed give interval from ft. to ft.

Table for Well Log with columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-80 Clay, 80-110 Sand, 110-160 Clay, 160-242 Sand.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Table with columns for Dia. (in.), New or Used, Steel, Plastic, etc., Setting (ft.), and Gage Casing Screen.

CEMENTING DATA: Cemented from 0 ft. to 227 ft. Method used Pressure. Cemented by Weisinger (Company/Individual).

9) WATER LEVEL: Static level 70 ft. below land surface Date 4-25-83. Artesian flow gpm. Date

RECEIVED DEC-7 1983

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? Yes No

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other. Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated. Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Weisinger Water Well Drillers License No. ADDRESS 2200 E DAVIS Conroe Tx 77301 (Signed) John E. Weisinger (Licensed Water Well Driller) (Signed) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-6H Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
DEC 1 1980
DEPT OF
WATER RESOURCES

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-28-6H Located on map Received: 78405

1) OWNER: Person having well drilled Charles McGary Address New Waverly (Name) (Street or RFD) (City) (State) Landowner Same (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 4 miles in SW direction from New Waverly (N.E., S.W., etc.) (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 110 ft. Depth of completed well 110 ft. Date drilled 9-22-77 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-2 top soil, 2-50 clay, 50-78 shale, 78-82 clay, 82-110 sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 100 sch 40 10) SCREEN: Type plastic sch 40 Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4" 100 110 1/2

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 5 gpm with 10 ft. drawdown after 1 hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 45 ft. below land surface Date 9-28-77 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 90 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? hard depth of strata 28'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME James L. Graham Water Well Drillers Registration No. 1781 ADDRESS Rt 2 Box 276 Willis TEX (Street or RFD) (City) (State) (Signed) James L. Graham (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JAN 30 1978

Central Records
Texas Dept. of Water Resources

RECEIVED
DEC 2 1977
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

For TWDB use only
Well No. 60-28-6H
Located on map 1e5
Received: 74
dlr

WATER WELL REPORT

1) OWNER:
Person having well drilled George Loal (Name) Address Resum well. New Waverly Texas (Street or RFD) (City) (State)
Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker 4 miles in West direction from New Waverly (N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 170 ft. Depth of completed well 181 ft. Date drilled 7-30-74
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	4	Top Soil
4	94	Red Clay
94	100	rock
100	170	Yellow Clay
170	181	Water Sand

9) Casing:
Type: Old New Steel Plastic Other
Cemented from 151 ft. to 170 ft.
Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 170 Gage Set. KO

(Use reverse side if necessary)

10) SCREEN:
Type Plastic
 Perforated Slotted
Diameter (inches) 4 Setting From (ft.) 171 To (ft.) 181 Slot Size .014

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole 2-string

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? M+M Well Ser.
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 84 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 166 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688
ADDRESS P.O. Box 5123 (Street or RFD) Willis (City) Texas (State)
(Signed) Donald McKay (Water Well Driller) M+M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
APR 3 1976

Central Records
Texas Water Development Board

RECEIVED
AUG 12 1974
TEXAS WATER DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Michael Redman Address Rt# Box 1975 New Waverly Tex 77358
 (Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL County Walker 2 miles in N.W. direction from New Waverly
 (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. map on 60-29-3W

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 3-7-11-83

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>250</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
<u>0</u>	<u>2</u>	<u>Top Soil (SANDY LAND)</u>		<input checked="" type="checkbox"/>			
<u>2</u>	<u>20</u>	<u>CLAY (Red)</u>					
<u>20</u>	<u>28</u>	<u>SAND (Brown)</u>	<u>4</u>		<u>PVC Sch 40 Well</u>	<u>0</u>	<u>230</u>
<u>28</u>	<u>43</u>	<u>CLAY (Yellow)</u>			<u>CASING</u>		
<u>43</u>	<u>90</u>	<u>CLAY (White)</u>	<u>4</u>		<u>PVC Sch 40 Well</u>		
<u>90</u>	<u>126</u>	<u>SAND & Shale mixed</u>			<u>screen</u>	<u>230</u>	<u>250</u>
<u>126</u>	<u>158</u>	<u>CLAY (Grey)</u>			<u>slat</u>		
<u>158</u>	<u>198</u>	<u>CLAY Mixed (Grey + white)</u>					
<u>198</u>	<u>200</u>	<u>Rock</u>					
<u>200</u>	<u>230</u>	<u>Shale soft (Grey)</u>					
<u>230</u>	<u>250</u>	<u>SAND (Grey)</u>					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

CEMENTING DATA
 Cemented from NONE ft. to _____ ft.
 Method used _____
 Cemented by _____
 (Company or Individual)

9) WATER LEVEL:
 Static level 110 ft. below land surface Date 3-10-83
 Artesian flow _____ gpm. Date _____

RECEIVED
MAR 22 1983
DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth
1 Rubber 230

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 180 ft.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 10 gpm with 30 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
 (Type or Print)

ADDRESS Rt# Box 1094 Huntsville Tex 77340
 (Street or RFD) (City) (State) (Zip)

(Signed) Arthur R. Slatt (Signed) _____
 (Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
 Well No. 60-28-6AA
 Located on map YES C.F.S.

DUP

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-28-60 Located on map Yes Received: CIFS.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Rector Address Rt. 1 Box 88 New Waverly Tx. 77377
2) LOCATION OF WELL: County Walker 5 miles in West direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. map on 60-28-8H

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-4-80
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other 2-string

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include Top soil, red sand, yellow clay, shale & rock, shale & clay, yellow clay, rock, yellow clay & shale, water sand.

CEMENTING DATA: Cemented from 100 ft. to 308 ft. Method used Pressure Pumped Cemented by M+M WELL SERVICE

RECEIVED APR 6 1982 CR/TU...

9) WATER LEVEL: Static level 154 ft. below land surface Date 8-5-80 Artesian flow gpm. Date

10) PACKERS: Type Depth
11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated, Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald G. McKay Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 Willis TEXAS 77378
(Signed) Donald G. McKay M+M WELL SERVICE

Please attach electric log, chemical analysis, and other pertinent information, if available.

198

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP 24 1990
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-28-688
Located on map Yes
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER E.F. Greenstein (Name) Address New Traverly (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Travis 10 miles in N.W. direction from Trullis (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. #37 map on 60-28-51

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 6-23-83
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 331
3 3/4 331 354
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	10	topsoil						
10	150	red clay						
150	190	black clay	4	N	PVC	0	331	sch 40
190	235	shell	2 1/2	N	PVC	331	344	80
235	290	yellow clay	2 1/2	N	Everflow	344	354	.014
290	340	shell						
340	354	water sand						

CEMENTING DATA
Cemented from 42 ft. to 331 ft.
Method used _____
Cemented by M+M Well Service (Company or Individual)

9) WATER LEVEL:
Static level 180 ft. below land surface Date 6-24-83
Artesian flow _____ gpm. Date _____

RECEIVED
SEP-6 1983
DEPT. OF
WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 230 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 (Street or RFD) Trullis (City) TX (State) 77378 (Zip)
(Signed) Donald McKay (Water Well Driller) M+M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-28-6CC
Located on map yes
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ben Miller (Name) Address New Traverly, TX (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Travis 8 miles in Northwest direction from Atkins New Traverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. #36 map on 60-28-5.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 6-20-83
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 172
3 3/4 172 188
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen	
							From	To	
0	5	topsoil							
5	70	red clay							
70	135	blue sand	4	N	PVC	0	172	next to	
135	165	black clay	2 1/2	N	PVC	172	178	✓ 80	
165	175	shell	2 1/2	N	Everflow	178	188	.016	
175	188	water sand							

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 21 ft. to 172 ft.
Method used _____
Cemented by m+m Well Service (Company or Individual)

9) WATER LEVEL:
Static level 55 ft. below land surface Date 6-21-83
Artesian flow _____ gpm. Date _____

RECEIVED
SEP-6 1983
DEPT. OF WATER RESOURCES

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 105 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata? _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 (Street or RFD) Travis (City) TX (State) 77378 (Zip)
(Signed) Donald McKay (Water Well Driller) m+m Well Service (Company Name)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Walker Co

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-28-60 Located on map yas Received: 77 yos dlt

1) OWNER: Person having well drilled Jimmie Perkins Realty (Name) Address (Street or RFD) (City) (State) Landowner Larry Williams (Name) Address Emerald Woods Sub (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 1 miles in NW direction from New Waverly (Town)



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other. 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 4 3/4 in. Depth drilled 190 ft. Depth of completed well 190 ft. Date drilled 3-14-77. All measurements made from 4 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-15 surface sand & clay, 15-27 sand, 27-55 clay, 55-70 sandy clay, 70-104 sand, 104-125 clay with sand str, 125-170 clay with lime, 170-180 broken sand, 180-190 sand.

9) CASING: Type: Old, New, Steel, Plastic, Other. Cemented from ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage. 10) SCREEN: Type PVC Eueflo, Perforated, Slotted. Diameter (inches) Setting From (ft.) To (ft.) Slot Size.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole.

8) WATER LEVEL: Static level 66 ft. below land surface Date 3-14-77. Artesian pressure lbs. per square inch Date. Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 12 gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water.

12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? depth of strata.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Milton Scott (Type or Print) Water Well Drillers Registration No. 1570 ADDRESS (Street or RFD) (City) (State) Con-Tex Water Well Co. P. O. Box 275 Conroe, Texas 77301 (Signed) Milton Scott (Water Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAY 19 1977

RECEIVED
JUN 25 1977

Central Records
Texas Water Development Board

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dates Oil Co. (Name) Address 618 Ave. M Huntsville Tex 77340 (Street or RFD) (City) (State) (Zip)
 2) LOCATION OF WELL County Walker 1 1/4 miles in N.W. direction from New Waverly (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-191-79C

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 11-17-83
 DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>3 7/8</u>	<u>115</u>	<u>177</u>

 7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 4 in to 100 ft.
 If Gravel Packed give interval ... from _____ ft. to _____ ft.
2 1/2 to 177

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:								
			<table border="1"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casing Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> </table>	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen	From	To
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)				Gage Casing Screen				
			From	To							
<u>115</u>	<u>132</u>	<u>CLAY L. BROWN</u>	<u>2 1/2</u> <u>PVC SCH 40 well casing</u> <u>100</u> <u>157</u>								
<u>132</u>	<u>152</u>	<u>SHALE + SAND L. BROWN</u>	<u>2 1/2</u> <u>Pvc Sch 40 well screen</u> <u>157-177</u> <u>008</u>								
<u>152</u>	<u>177</u>	<u>SAND L. Grey</u>									

CEMENTING DATA
 Cemented from Re-work ft. to _____ ft.
 Method used Deepening
 Cemented by _____ (Company or Individual)

9) WATER LEVEL:
 Static level 50 ft. below land surface Date 11-21-83
 Artesian flow _____ gpm. Date _____

RECEIVED
 DEC - 5 1983

10) PACKERS: Type Depth
1 Rubber 132
1 " 152

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 98 ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 20 gpm with 11 ft. drawdown after 2 hrs.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells (Type or Print) Water Well Driller's License No. 2275
 ADDRESS Rt #4 Box 1094 Huntsville Texas 77340 (Street or RFD) (City) (State) (Zip)
 (Signed) Arthur L. Slott (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-28-600 Located on map yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-28-6E Located on map 108 Received: 7/21/68

1) OWNER: Person having well drilled FRANK MANN (Name) Address Hughes Dr 1 mi W of New Waverly (Street or RFD) (City) (State) Landowner (Name) Address Waverly on FM 1375 (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker miles in W direction from New Waverly (Town) (N.E., S.W., etc.)



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Irrigation Test Well Municipal Other 5) TYPE OF WELL (Check): Rotary Driven Cable Jetted Dug Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 248 ft. Depth of completed well 248 ft. Date drilled 4-26-76 All measurements made from 4 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-30 clay+lime, 30-32 sand, 32-47 clay+lime, 47-55 white sand, 55-65 gray clay, 65-88 sand, 88-95 broken sand, 95-110 sand, 110-130 broken sand, 130-141 clay, 141-163 sand, 163-175 clay.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 230 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0 230 mh 40 10) SCREEN: Type Rutil Berry PVC Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 1/2 219 230 Blank 2 1/2 230 245 0 1/2 ga 2 1/2 245 248 Blank

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole 8) WATER LEVEL: Static level 88 ft. below land surface Date 4-26-76 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 75 gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water 12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MILTON SCOTT (Type or Print) Water Well Drillers Registration No. 1570 ADDRESS P.O. BOX 275 CONROE TEX 77301 (Street or RFD) (City) (State) (Signed) Milton Scott (Water Well Driller) CON-TEX WATER WELL CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 04 1976
GENERAL RECORDS
Texas Water Development Board

RECEIVED
JUL 23 1976
TEXAS WATER
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 00-286F
Located on map YES
Received: 5-7-72
W.A. Waller

1) OWNER:
Person having well drilled Wayne Clinton Address RT1 Box 228 New Waverly Tex
(Name) (Street or RFD) (City) (State)
Landowner Wayne Clinton Address RT1B, 228 New Waverly Tex
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 4 miles in N.W. direction from New Waverly
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*


Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____



(Use reverse side if necessary)

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening Reconditioning Plugging	4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial Irrigation Test Well Other	5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven Cable Jetted Bored
---	---	---

6) WELL LOG:
Diameter of hole 4 in. Depth drilled ~~203~~ 243 ft. Depth of completed well ~~203~~ 243 ft. Date drilled 1-15-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Sand
3	10	Red clay
10	14	Sand
14	45	Clay
45	48	Sandstone
48	96	Shale
96	138	Sand
138	167	clay & shale
167	168	Sandstone
168	198	Shale
198	199	Hard Rock
199	203 243	Sand

9) Casing:
Type: Old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	233	Pvc 4

10) SCREEN:
Type Plastic - 4" x 10'
Perforated Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	233	243	12 GA

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? W.A. Waller

Yield: 8 gpm with 12 ft. drawdown after 1 hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

8) WATER LEVEL:
Static level 6.5 ft. below land surface Date 1-16-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? good water depth of strata 44'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.A. Waller Water Well Drillers Registration No. 1332
(Type or Print)

ADDRESS Box 516 New Waverly Tex
(Street or RFD) (City) (State)

(Signed) W.A. Waller W.A. Waller
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUN 18 1972
General Manager
Texas Water Development Board

DEVELOPMENT BOARD
TEXAS WATER

MAY 9 1972

RECEIVED

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 28-6EE
Located on map 420MM
Received: _____

1) OWNER Jim McKinsey (Name) Address Huntsville Tex (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 4 miles in SE direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. 28-21-4T

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 1-14-85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 174
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	1	Top soil						
1	26	SAND						
26	29	clay	4	N	Plastic sch 40	0	154	
29	40	SAND	4	N	Plastic sch 40	154	174	012
40	60	clay & shale						
60	92	clay (red)						
92	133	clay (white)						
133	140	broken SAND						
140	145	clay w/ SAND streaks						
145	154	clay						
154	174	SAND						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 0 ft. to 20 ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 32 ft. below land surface Date 1-15-85
Artesian flow _____ gpm. Date _____

RECEIVED
FEB - 8 1985

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

10) PACKERS: Type Rubber Depth 154

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? soft Depth of strata 30'
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 10 gpm with 10 ft. drawdown after 1 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James Corham (Type or Print) Water Well Drillers Registration No. 1781
ADDRESS P.O. Box 1590 (Street or RFD) Willis (City) Texas (State) 77378 (Zip)
(Signed) James Corham (Water Well Driller) Pie Flo Water Well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Noel Nichols (Name) ADDRESS 4670 Vick Rd NEW WAVERLY TX 77358 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County WALKER 4670 Vick Rd NEW WAVERLY TX 77358 (Street, RFD or other) (City) (State) (Zip) GRID # 60-28-6

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
 4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling:
 Started 12/1 1994
 Completed 12/4 1994
 DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>6 1/2</u>	<u>0</u>	<u>289</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>1 1/2</u>	<u>SANDY TOP SOIL</u>
<u>1 1/2</u>	<u>7</u>	<u>Red CLAY</u>
<u>7</u>	<u>26</u>	<u>SAND</u>
<u>26</u>	<u>32</u>	<u>White CLAY</u>
<u>32</u>	<u>48</u>	<u>SAND</u>
<u>48</u>	<u>62</u>	<u>White CLAY</u>
<u>62</u>	<u>97</u>	<u>SAND</u>
<u>97</u>	<u>99</u>	<u>SAND STONE</u>
<u>99</u>	<u>115</u>	<u>BROWN CLAY</u>
<u>115</u>	<u>132</u>	<u>FINE SAND</u>
<u>132</u>	<u>208</u>	<u>White CLAY</u>
<u>208</u>	<u>213</u>	<u>SAND</u>
<u>213</u>	<u>255</u>	<u>Brown & White CLAY</u>
<u>255</u>	<u>289</u>	<u>SAND</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>269</u>	
<u>4</u>	<u>N</u>	<u>PVC Slotted</u>	<u>269</u>	<u>289</u>	<u>899</u>

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 289
 AUG 22 1995
 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 0 ft. to 30 ft. No. of sacks used 8
 _____ ft. to _____ ft. No. of sacks used _____
 Method used GRAVITY POUR
 Cemented by BWW
 Distance to septic system field lines or other concentrated contamination 170 ft.
 Method of verification of above distance MEASURED

14) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 35 gpm with 30 ft. drawdown after 2 hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata? _____
 Was a chemical analysis made? Yes No

11) WATER LEVEL:
 Static level 154 ft. below land surface Date 12/6/94
 Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
<u>2 - 4x6 1/2 Rubber Formation</u>	<u>260</u>
<u>1 - 4x6 1/2 Rubber Formation</u>	<u>30</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BALLARD WATER WELL (Type or print) WELL DRILLER'S LICENSE NO. 239A W.I.
 ADDRESS P.O. Box 2004 Willis TEXAS 77378 (Street or RFD) (City) (State) (Zip)
 (Signed) Charles A. Ballard (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-28-65
Located on map YES
Received: RWB

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jerry Lennox (Name) Address P.O. Box (Street or RFD) Onalaska, Tx. 77360 (City) (State) (Zip)
2) LOCATION OF WELL County Mon Walker 5 miles in N. direction from Willis (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 1-27-81
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface
9" 0 482
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen	
						From	To	
0	50	Clay						
50	90	Sand	4"	N	Galv. Pipe	482	481	stan.
90	91	Rock	4"	N	Ever-Flo Screen	481	418	.012
91	190	Sand	6"	N	Black Steel Pipe	425	0	Stan.
190	415	Clay w/sand strips	4"	N	Galv. Pipe	418	396	"
415	480	Sand						
480	482	Clay						

CEMENTING DATA
Cemented from 0 ft. to 425 ft.
Method used Pressure Pump
Cemented by Miller's Pump and Supply Co. (Company or Individual)

9) WATER LEVEL:
Static level 65 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
4" X 6" Lead Seal 396 ft.

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Dennis Miller (Type or Print) Water Well Drillers Registration No. # 2055
ADDRESS P. O. Box 202 (Street or RFD) Livingston, Texas 77351 (City) (State) (Zip)
(Signed) Dennis Miller (Water Well Driller) Miller's Pump and Supply Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

JUL 14 1982

CR/TDWR

RECEIVED
JUN 21 1982
DEPT. OF
WATER RESOURCES

RECEIVED
JUL 14 1982
CR/TDWR

RECEIVED
JUN 2 1981
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 60-28-6W
Located on map YES
Received: RWB

1) OWNER James Hurley (Name) Address F.M. 1374 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL WAIKER County Henderson, Texas 3 miles in WBST direction from New Waverly (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 5-13-81
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
Surface
4 3/4 0 235
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	50	S/S & Clay						
50	55	Sand						
55	73	Sand & Clay Stks.	2	N	PVC Casing	0	225	Sch 40
73	220	Clay	2	N	PVC Screen	225	235	12ga.
220	235	Sand						

CEMENTING DATA

Cemented from _____ ft. to _____ ft.

Method used _____

Cemented by _____ (Company or Individual)

9) WATER LEVEL:

Static level 110' ft. below land surface Date 5-13-81

Artesian flow _____ gpm. Date _____

10) PACKERS:

Type Depth

Rubber 220

11) TYPE PUMP:

Turbine Jet Submersible Cylinder

Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? Yes No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? Yes No

12) WELL TESTS:

Type Test: Pump Bailer Jetted Estimated

Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ricky Neal (Type or Print) Water Well Drillers Registration No. 1985

ADDRESS P. O. Box 275 (Street or RFD) Conroe (City) Texas (State) 77301 (Zip)

(Signed) Ricky A. Neal (Water Well Driller) Con-Tex Water Well Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
JUL 14 1982
CR/TDWR

RECEIVED
JUL 30 1981
DEPT. OF
WATER RESOURCES

John R. [Signature]



LAKE CONROE
Normal Pool Elev 204.0
Max Flood Elev 214.0

MONTEGOMERY COUNTY TEXAS

30°45'

30°35'

30°33'

30°31'

30°29'

30°27'

30°25'

30°23'

30°21'

30°19'

30°17'

30°15'

30°13'

30°11'

95°30'

95°28'

95°26'

95°24'

95°22'

95°20'

95°18'

95°16'

95°14'

95°12'

95°10'

95°08'

95°06'

95°04'

HUNTSVILLE
Pop. 11,600

HOUSTON NATIONAL FOREST

PACIFIC RAILROAD

Send original copy by certified mail to the Texas Department of Water Resources P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-28-6P Located on map YES Received: TH

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER: Jack Qata (Name) Address: Rt 2 New Waverly Texas (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County: Mitchell 2 miles in West direction from New Waverly (Town)

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map: map on 60-21-8H

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other 5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 2-15-79 DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) Surface 2 3/4 0 290 3 3/4 290 310 7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other 2 string

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include 0-1 topsoil, 1-17 red clay, 17-129 - clay & sand, 129-290 - white clay, 290-310 - sand.

CEMENTING DATA: Cemented from 190 ft. to 290 ft. Method used: Pressurized Cemented by: M+M Well Service (Company or Individual)

9) WATER LEVEL: Static level 134 ft. below land surface Date 2-20-79 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other Depth to pump bowls, cylinder, jet, etc., 200' ft.

12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 35 gpm with 20' drawdown after _____ hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME: DONALD G MEYER (Type or Print) Water Well Drillers Registration No. 688 ADDRESS: PO Box 523 Willis Texas 77378 (Signed) Donald D. Meyer (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED
MAY 19 1980
DEPT. OF
WATER RESOURCES


**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

CR/TDR
DEC 11 1980
RECEIVED



Please use black ink.
Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Allen Sheffield Address 5225 W Graves Graves TX 77619
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL
County Walker 3 miles in E direction from New Waverly
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting
section or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

See attached map.

3) TYPE OF WORK (Check):

New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:

DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)

6 3/4 Surface 272
4 272 292

Date drilled 4-10-85

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed
 Gravel Packed Other _____

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0 3 Top Soil
2 61 SAND
61 97 CLAY
97 122 SAND
122 201 CLAY
201 215 SAND
215 268 CLAY (SHT)
268 292 SAND (Blue)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4 N		Plastic	0	272	
2 1/2 N		Plastic slotted	272	292	010

9) CEMENTING DATA [Rule 319.44(b)]

Cemented from 0 ft. to 10 ft.
_____ ft. to _____ ft.

Method used _____

Cemented by _____

10) SURFACE COMPLETION

Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:

Static level 80 ft. below land surface Date 4-10-85

Artesian flow _____ gpm. Date _____

12) PACKERS:

Type Depth

Rubber 240

13) TYPE PUMP:

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:

Type Test: Pump Bailer Jetted Estimated
Yield: 1.5 gpm with 5 ft. drawdown after 1 hrs.

RECEIVED

MAY 17 1985

DEPT. OF

WATER RESOURCES

(Use reverse side if necessary)

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? Yes No

If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? hard Depth of strata 24'

Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Air Flo Water Well Water Well Driller's License No. 1781
(Type or Print)

ADDRESS P.O. Box 1590 Willis Tex 77378
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-28-6FF
Located on map YES C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

1942

1943

1944

1945

1946

1947

1948

1949

RECEIVED

JAN 31 1979

19up

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT DEPT. OF WATER RESOURCES

For TDWR use only Well No. 60-28-6A Located on map yes Received: 79 stc

1) OWNER M. E. Easterwood Address 7m 1374 New Waverly A 77358 (Name) (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County ~~Waller~~ 4 miles in W direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. #1

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 10-19-78 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) Surface 205 220 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Clay, Sand, Clay, Sand, Clay, Sand.

CEMENTING DATA Cemented from 0 ft. to 205 ft. Method used Pressure Cemented by Weisinger (Company or Individual)

9) WATER LEVEL: Static level 80 ft. below land surface Date 10-19-78 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made?

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME John E Weisinger Water Well Drillers Registration No. 1541 ADDRESS Weisinger Water Well, Inc. 2200 E. Davis Conroe, Texas 77301 (713) 756-7721

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Map #2



Sup
60-28-6A

RECEIVED

APR 17

CR/TDWR

LAKE CONROE
Normal Pool Elev. 224.0'
Max. Flood Elev. 234.0'

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-28-64 Located on map Yes Received: C.F.S.

1) OWNER: Person having well drilled John Jones Address New Waverly Tex Landowner Same Address

2) LOCATION OF WELL: County Walker, 3 miles in NW direction from New Waverly

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* OR Give legal location with distances and directions from adjacent sections or survey lines.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 328 ft. Depth of completed well 328 ft. Date drilled 11-15-83 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, clay, sand & shale, rock, shale, rock + clay, sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 10 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 15 gpm with 10 ft. drawdown after 1 hrs.

8) WATER LEVEL: Static level 60 ft. below land surface Date 11-17-83 Artesian pressure lbs. per square inch Date

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? hard depth of strata 20'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME James Graham Water Well Drillers Registration No. 1781 ADDRESS P.O. Box 1590 Willis Tex 77378 (Signed) James Graham Air Flo Water Wells

Please attach electric log, chemical analysis, and other pertinent information if available.

RECEIVED

DEC 19 1983

DEPT. OF WATER RESOURCES

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

WATER RESOURCES
DEPT. OF
RECEIVED
DEC 19 1983
WATER RESOURCES
DEPT. OF

RECEIVED
DEC 19 1983
DEPT. OF
WATER RESOURCES