Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Fred Sawyers	#99 Little Ro Loop	New Waverly	Tx	77374

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	Same			

Lat. | Long. | Grid # 60-28-8

3) Type of Work
☑ New Well ☐ Reconditioning
☑ Replacement ☐ Deepening

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
☐ Rig Supply If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑
X

6) Drilling Date
Started 4 18 03
Completed 4 18 03

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
5"	0	107'

7) Drilling Method (check) ☐ Driven
☐ Air Rotary ☑ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft)	To (ft)	Description and color of formation material
0-35		Clay
35-62		Sand
62-78		Coarse Sand
78-82		Clay
82-91		Broken Sand
91-97		Clay
97-107		Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☑ Straight Wall
☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
2"	N	PVC	0	97	40
2"	N	Slotted PVC	97	107	10

9) Cementing Data
Cementing from 0 ft. to 10' ft. # of sacks used 2
ft. to ft. # of sacks used
Method Used Tremmy
Cementing By Western
Distance to septic system field or other concentrated contamination 100 ft.
Method of verification of above distance Customer

10) Surface Completion
☐ Specified Surface Slab Installed
☑ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level
Static level 42' ft. below Date 4 18 03
Artesian Flow gpm. Date

12) Packers

Type	Depth
10'	97 Rubber

13) Plugged ☑ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used
0	102	Screen		
		102	107	2 sks
				Holeplug

14) Type Pump
☐ Turbine ☑ Jet ☐ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 60' ft.

15) Water Test
Typetest ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 10 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☑ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Depth of Strata
Was a chemical analysis made ☐ Yes ☑ No

RECEIVED
TDLR MAIL ROOM
MAY 0 7 2003

RECEIPT #	AMOUNT

Company or individual's Name (type or print): Western Water Well | Lic. No. 2475WI

Address 12755 Mallard | City Conroe | State Tx | Zip 7303

Signature Preston Smith | 5/01/03 | Signature | /
Licensed Driller/Pump Installer | Date | Apprentice | Date

TDLR FORM b001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

> Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.
#138

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Kathy Coker	145 Little Rd. Loop	New Waverly	Texas	77358

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	145 Little Rd. Loop	New Waverly	Texas	77358

3) Type of Work
☒ New Well ☐ Deepening
☐ Reconditioning

Lat. 30 | 31 | 95 Long. 095 | 34 | 76 Grid # 60-28-8

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) 3095-311 N↑

6) Drilling Date
Started 09/09/00
Completed 09/13/00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
8	0	262

7) Drilling Method (check) ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft)	To (ft)	Description and color of formation material
0	5	Broken Clay
5	11	Brown & Gray Clay
11	55	Broken Clay &Sand
55	58	Gray Clay
58	69	Broken Sand
69	70	Sand
70	94	Gray Clay
94	100	Broken Sand
100	104	Brown & Gray Clay
104	111	Broken Sand
111	112	Rock
112	119	Broken Sand

Continued on page 2

8) Borehole Completion ☐ Open Hole ☒ Straight Wall
☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC	0	242	S40
4	N	PVC Slotted Screen	242	262	10G

9) Cementing Data
Cementing from 0 ft. to 30 ft. # of sacks used 15
ft. to ft. # of sacks used
Method Used Trimmer Pipe
Cementing By Danny Rancher
Distance to septic system field or other concentrated contamination 100 ft.
Method of verification of above distance Measured with tape

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 20 gpm with 8 ft. drawdown after 2 hrs.

11) Water Level
Static level 135 ft. below Date 09/13/00
Artesian Flow gpm. Date / /

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Depth of Strata
Was a chemical analysis made? ☐ Yes ☒ No

12) Packers Type Depth

Company or Individual's Name (type or print) Rancher Water Well Service 2765 PW
Address P.O. Box 1089, 2311 Golden Ln. City Willis State Texas Zip 77378

Signature (Licensed Driller/Pump Installer) 12/12/00 Date
Signature (Apprentice) / / Date

DEC 21 2000
COMMENT

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.
#138-2

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Kathy Coker	145 Little Rd. Loop	New Waverly	Texas	77358

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	145 Little Rd. Loop	New Waverly	Texas	77358

3) Type of Work
☒ New Well ☐ Deepening
☐ Reconditioning

Lat. 30 | 31 | 95 Long. 095 | 34 | 76 Grid # 60-28-8

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) 3095-311 N↑

6) Drilling Date
Started 09/09/00
Completed 09/13/00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
8	0	262

7) Drilling Method (check) ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft)	To (ft)	Description and color of formation material
119	126	Rock
126	145	Broken Fine Sand
145	161	Brown Clay
161	232	Gray Clay
232	238	Rock
238	262	Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall
☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC	0	242	S40
4	N	PVC	242	262	10G

9) Cementing Data
Cementing from 0 ft. to 30 ft. # of sacks used 15
ft. to ft. # of sacks used
Method Used Trimmer Pipe
Cementing By Danny Rancher
Distance to septic system field or other concentrated contamination 100 ft.
Method of verification of above distance Measured with tape

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., ft.

11) Water Level
Static level 135 ft. below Date 09/13/00
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 20 gpm with 8 ft. drawdown after 2 hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Depth of Strata
Was a chemical analysis made? ☐ Yes ☒ No

12) Packers Type Depth

Company or Individual's Name (type or print) Rancher Water Well Service 2765 PW

Address P.O. Box 1089, 2311 Golden Ln. City Willis State Texas Zip 77378

Signature	/ /	Signature	/ /
Licensed Driller/Pump Installer	Date	Apprentice	Date

Send original copy by certified mail to: TNRCC, P.O. Box [redacted]87, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Fred Sawyers (Name) ADDRESS 1113 Mayleaf Dr (Street or RFD) Irving (City) Tx (State) 77374 (Zip)

2) ADDRESS OF WELL: County Walker County Little Rd (Street, RFD or other) New Waverley (City) Tx (State) 77358 (Zip) GRID # 60-28-8

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling: Started 5-22 1995 Completed 5-22 1995

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
4 3/4	0	107'

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	35	Clay
35	62	Sand
62	78	Coarse Sand
78	82	Clay
82	91	Sand Broken
91	97	Clay
97	107	Sand

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2"	N	Galv - Steel	0	[illegible]	Sch40
2"	N	Stainless Steel Rod Base - Barwell	102	107	10GA

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 25 ft. No. of sacks used 4
ft. to ____ ft. No. of sacks used
Method used Gravity Flow
Cemented by Western Water Well
Distance to septic system field lines or other concentrated contamination ____ ft.
Method of verification of above distance N/A

RECEIVED AUG 23 1995 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

13) TYPE PUMP: ☐ Turbine ☑ Jet ☐ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 84' ft.

14) WELL TESTS: Type test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 15 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? ☐ Yes ☑ No

16) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 42 ft. below land surface Date 5-22-95
Artesian flow ____ gpm. Date ____

12) PACKERS:

Type	Depth
Rubber	25'
	100'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Western Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2475WI

ADDRESS 12855 Mallard (Street or RFD) Conroe (City) Tx (State) 77302 (Zip)

(Signed) Rusty Smith (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: CHAMBERS, CAROL ADDRESS: CITY: NEW WAVERLY STATE: TX ZIP: 77 -

2) ADDRESS OF WELL:
County: ~~MONTGOMERY~~ Walker STATE WELL#
Street or RFD: FM 1375
City, State, Zip code: NEW WAVERLY , TX -

5) 60-28-8

3) TYPE OF WORK: NEW WELL

4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02258

DATE DRILLING:
STARTED: 10/26/95
COMPLETED:

DIAMETER OF HOLE

DIAMETER	FROM	TO
6.5	0	327
4.5	327	344

7) DRILLING METHOD: MUD ROTARY

8) BOREHOLE COMPLETION:
STRAIGHT WALL
IF GRAVEL... FROM FT. TO FT.
FROM FT. TO FT.

N^

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC	0	327	SCH 40
2.5	N	GALV.	316	327	SCH 40
2.5	N	RBSS	327	337	16 GA
2.5	N	RBSS	337	342	10 GA
2.5	N	DOWN HOLE ASSEMBLY	342	344	SCH 40

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	2	SAND
2	18	CLAY
18	38	SAND
38	58	CLAY
58	74	SAND
74	140	CLAY
140	171	SAND
171	193	CLAY ROCK
193	200	SAND
200	220	CLAY ROCK
220	230	SAND
230	250	CLAY ROCK
250	274	SAND
274	301	CLAY
301	344	SAND

9) CEMENTING DATA:
Cemented from No. of Sacks Used
0 FT. TO 327 FT. 33
FT. TO FT.
Method used: PRESSURE
Cemented by: WEISINGER WATER WELL
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 82 FT. DATE: 10/26/95
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
BP SEAL 316

RECEIVED FEB 09 1996 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

13) TYPE PUMP:
SUBMERSIBLE
DEPTH TO PUMP:

14) WELL TEST:
JETTED
YIELD: 200 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:
TYPE OF WATER: EXCELLENT DEPTH OF STRATA: NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO. 1541,1991,&1992
ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301

FOR TWC USE ONLY
WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) John E. Weisinger (LICENSED WATER WELL DRILLER) (signed) _____ (REGISTERED DRILLER TRAINEE)



STEVE DEVILLE
7-23-86

Copies of this ma
cost from the St
Transportation, P

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-28-85
Located on map 7 YES KLW
Received:

1) OWNER Milton Little (Name) Address Rt. 2 New Waverly (Street or RFD) (City) Tx. (State) 77377 (Zip)

2) LOCATION OF WELL:
County Walker 4 miles in West (N.E., S.W., etc.) direction from New Waverly (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☐ **See attached map.**

3) **TYPE OF WORK** (Check):
☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check):
☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check):
☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**
Date drilled 6-16-81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	251

From (ft.)	To (ft.)	Description and color of formation material
0	1	Top soil
1	13	sand
13	78	red clay
78	111	yellow clay & rock
111	213	rock & blue clay
213	251	yellow clay
251	269	water sand

7) **BOREHOLE COMPLETION:**
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	251	Sch 40
2½	N	Eurflow PVC. SCREEN	259	269	010
2½	N	PVC Blank	247	259	Sch 80

CEMENTING DATA
Cemented from 120 ft. to 251 ft.
Method used Pressure Pumped
Cemented by M & M Well Service (Company or Individual)

9) **WATER LEVEL:**
Static level 64 ft. below land surface Date 6-17-81
Artesian flow _____ gpm. Date _____

10) **PACKERS:** Type Depth

RECEIVED
AUG 17 1982
CR/TDWR

(Use reverse side if necessary)

11) **TYPE PUMP:**
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

13) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) **WELL TESTS:**
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 45 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688

ADDRESS P.O. Box 523 Willis (Street or RFD) (City) Texas (State) 77378 (Zip)

(Signed) Donald McKay (Water Well Driller) M & M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER William Little (Name) Address P.O. Box 69 New Waverly Tex. 77358 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 4 miles in W (N.E., S.W., etc.) direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

1

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 2-3-87

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
4	Surface	87

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top Soil (sandy)
3	11	Clay (Red+White)
11	22	Sand+Clay (Br. White)
22	55	Sand (Br.)
55	66	Shale + sand (Lt. Grey)
66	87	Sand (Grey)

7) BOREHOLE COMPLETION:
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
2½		PVC sch. 40 Cas.	0	67	
2½		PVC sch. 40 Screen Slotted	67	87	.010

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
_____ ft. to _____ ft.
Method used 2ft. X 2ft. X 4in. Slab on surface
Cemented by _____

10) SURFACE COMPLETION
☑ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
AUG 31 1987
TEXAS WATER COMMISSION

11) WATER LEVEL:
Static level 35 ft. below land surface Date 2-5-87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Formation Depth 1

13) TYPE PUMP:
☐ Turbine ☑ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 60 ft.

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 5 gpm with 15 ft. drawdown after 3 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME A AA Water Wells (Type or Print) Water Well Driller's License No. 2275

ADDRESS Rt. 4 Box 1094 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)

(Signed) Arthur L. Slott (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-28-8
Located on map _____

DEPARTMENT OF WATER RESOURCES COPY

TDWR-0392 (12/29/83)

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

I. William Little
III. J.A. merino
IV. P. Allan Port
V. John Delloney
VI. Joseph McBride
VII. Elkin Gooden
VIII. Jasper A. Coldwell
IX. Michael Watson



Send original copy by certified return receipt requested mail to: **TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087**

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

77358

1) **OWNER** Arron Little (Name) **ADDRESS** R.R. Box 3245 New Waverley (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:** County Walker Little Rd (Street, RFD or other) New Waverley (City) 77358 (State) (Zip) **GRID #** 60-28-8

3) **TYPE OF WORK (Check):** ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE (Check):** ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) **WELL LOG:**
Date Drilling:
Started 1-29-1998
Completed 1-29-98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
	Surface	
7"	0	100'

7) **DRILLING METHOD (Check):** ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0-38		Sand + Clay
38-42		Clay
42-93		Sand
93-100		Clay

(Use reverse side of Well Owner's copy, if necessary)

8) **Borehole Completion (Check):** ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	PVC Unitco	0	80	Sch 40
4"	N	Slotted Jyco	80	90	8ga
4"	N	PVC Unitco	90	100	Sch 40

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from 0 ft. to 42' ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used Gravity Flow
Cemented by Western
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance _____

13) **TYPE PUMP:**
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 80 ft.

10) **SURFACE COMPLETION**
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

14) **WELL TESTS:**
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

11) **WATER LEVEL:**
Static level 22' ft. below land surface Date 1-29-98
Artesian flow _____ gpm. Date _____

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) **PACKERS:**

Type	Depth
42'	80' 92'
Rubber	

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Western Waterwell Service (Type or print) **WELL DRILLER'S LICENSE NO.** 2475WI

ADDRESS 12855 Mallard Drive (Street or RFD) Conroe (City) Texas (State) 77302-4621 (Zip)

(Signed) Preston F. Smith (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

FILE ID | SEQ # | EMP # | DESC CO | FEB 23 1998 | COMMENT

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) *White - TNRCC Yellow - DRILLER Pink - WELL OWNER*

Please use black ink.
Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) **OWNER** E.C. Parr (Name) **Address** Rt#1 Box 3219 (Street or RFD) New Waverly (City) Tex (State) 77358 (Zip)

2) **LOCATION OF WELL:** County Walker 4½ miles in W (N.E., S.W., etc.) direction from New Waverly (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ **See attached map.**

3) **TYPE OF WORK** (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**

Date drilled 1-6-86

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6⅞	Surface	284

From (ft.)	To (ft.)	Description and color of formation material
0	11	Top Soil (Sandy)
11	22	Sand + Clay (Red)
22	100	Sand + Rock (Brown)
100	147	Clay + Sand (white)
147	191	Shale + Clay (white + grey)
191	202	Clay (Grey)
202	213	Clay + Sand Grey
213	265	Shale + Sand Grey
265	284	Sand Grey

7) **BOREHOLE COMPLETION:**
☐ Open Hole ☑ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4		PVC Sch 40 Cas.	surf	264	
4		Pvc Sch 40 well screen slotted	264	284	.010

9) **CEMENTING DATA** [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
_____ ft. to _____ ft.
Method used 2 Ft X 2 Ft X 4 in
Cemented by Slab on Surface

10) **SURFACE COMPLETION**
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) **WATER LEVEL:**
Static level 75 ft. below land surface Date 1-10-86
Artesian flow _____ gpm. Date _____

12) **PACKERS:** Type 1 formation Depth 264

13) **TYPE PUMP:**
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) **WELL TESTS:**
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 60 gpm with 40 ft. drawdown after 4 hrs.

RECEIVED
FEB 20 1986
TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME A A A Water Wells (Type or Print) Water Well Driller's License No. 2275

ADDRESS Rt#4 Box 1094 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)

(Signed) Arthur L. Slatt (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

For TDWR use only
Well No. 60-28-8
Located on map _____

Please attach electric log, chemical analysis, and other pertinent information, if available.

DEPARTMENT OF WATER RESOURCES COPY

TDWR-0392 (12/29/83)

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

I - J.F. Gregory
II E.C. Parr
III J.W. Smith
IV K.B. Welch



·3m: NISL
·1m: WIEK

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER STEVE DEVILLE (Name) Address RT. 21 BOX 1241 (Street or RFD) CONROE (City) TEX. (State) (Zip)

2) LOCATION OF WELL: County WALKER 7 miles in W. (N.E., S.W., etc.) direction from NEW WAVERLY (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☒ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 7-23-86

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4"	Surface	235'

From (ft.)	To (ft.)	Description and color of formation material
0'	-15'	TOP SOIL + CLAY
15'	-57'	SAND #12
57'	-85'	CLAY, SAND + ROCK
85'	-207'	CLAY
207'	-235'	SAND #6

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 STRING
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC. WELL CASING	0'	-225'	
2½"	N	PVC. BROWN WRAPPED	225'	-235'	#6

CEMENTING DATA
Cemented from 0' ft. to 225' ft.
Method used PRESSURE CEMENT
Cemented by ALL WEATHER PUMP + WELL (Company or Individual)

9) WATER LEVEL:
Static level 50' ft. below land surface Date 7-24-86
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2½"X4" R. or R.-K-PAKER SET AT - 220'

RECEIVED
AUG 29 1986
TEXAS WATER COMMISSION

(Use reverse side if necessary)

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 100' ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:
☐ Type Test: ☒ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME ALL WEATHER PUMP + WELL (Type or Print) Water Well Driller's License No. 02323W

ADDRESS 25286 TIMBERLAKE DR. (Street or RFD) SPRING (City) TEX. (State) 77380 (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-28-8
Located on map _____

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).


HOUSTON
COUNTY
TRINITY COUNTY
MONTGOMERY COUNTY
HOUSTON CO
MADISON CO
To Weldon
STATE PRISON FARM (EASTMAN)
Waller Lake
Whites
FAS 230
Dunlap
New Hope
To Trinity
Harper Branch
Mellon Br
Mason Slough
Bear Branch
Wright Creek
TRINITY RIVER
95°25'
95°40'
30°55'
STATE PRISON FARM (ELLIS)
Horseshoe Lake
To Midway
BEDIAS CREEK
Moten Lake
Calhoun
Lost Indian Lake
Indian Hill Lake
Mt Olive
West Turkey Cr
East Sulphur Br
Falba
2989
Easom Mill Seat Lake
STERLING
Pilgrim Ridge
FAP 19 To Trinity
980
RIVERSIDE POP 225 (EST)
St Olive
Cline Prairie
Prairie
School
Little Creek
Nelson
Post Oak Br
Possum Br
Sudan Lake
Baldwin Creek
Cedar Creek
Harmon
COUNTRY CAMPUS
INSET NO 1
CAMP ALICE B S A
Thessalonia
ARIZONA
Fails
Fails Com
Pinedale Com
Harmony Grove
Coburn
Pine Prairie Com
Pine Prairie
Pat Henry
St Marys
Sutton
RAILROAD
PACIFIC
MISSOURI
Dodge
DODGE
Cook Spring
Petree
1696
CRABBS PRAIRIE
FAS 75
STATE PRISON FARM WYNNE
2821
247
980
405
Robins
Burt
Grant Colony
Ford Branch
Mt Zion
2550
MORIAN-SAM HOUSTON OIL FIELD
Sam 2
FAP 190
FAP 30
HUNTSVILLE POP 17,610
PINE HILL
Hunts 2
Shepherd
Phelps
PHELPS
Gibbs
Ebenezer
Galilee Com
1791
1374
Baldwin Lake
Club Lake
TEXAS STATE PRISON GOREE
2929
2296
Lake Joy
SAM HOUSTON NATIONAL FOREST
Bethel
Sunset Lake
Elkins Lake
Alligator Branch
Martha Chapel
Pleasant Grove
Black Jack
Four Notch Lookout Tower
Goshen Community
Casidy Branch
3179
San Jacinto
Ebenezer
Lake Raven
Little Chinquapin
HUNTSVILLE STATE PARK
Lee
Farris Chapel
Farris
Union Hill
Bath Lookout
Persimmon Creek
Mitchell
Rhodes Cr
Winters Bayou
Goodrich
New
1375
Unity Church
Gourd Creek Cemetery
New Jerusalem
2793
INSET NO 2
Bethel Missionary
Plum Cr
Wave 2
Walk
Moores Grove Lookout Tower
NEW WAVERLY POP 496
150
Hawthorne Community
Hawthorne
SAM HOUSTON NATIONAL FOREST
Heger Br
To Willis
1097
LAKE CONROE
Normal Pool Elev 201.0'
Max Flood Elev 214.0'
95°35'
95°30'
95°25'
95°40'
95°45'
To Houston
FAS 2.0
45
75

ATTACHMENT
60-28-8J

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087 *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Terry Thompson (Name) ADDRESS P.O. Box 696 (Street or RFD) NEW WAVERLY (City) TX (State) 77358 (Zip)

2) ADDRESS OF WELL: County Walker P.O. Box 696 (Street, RFD or other) NEW WAVERLY (City) TX (State) 77358 (Zip) GRID # 60-28-8

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☑ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling: Started 7/1 19 97 Completed 7/2 19 97

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
7	Surface 0	250

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☑ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	SANDY TOP SOIL
2	12	Red CLAY & SAND
12	48	SAND
48	55	Red CLAY
55	67	SAND
67	74	Red CLAY
74	80	SAND
80	87	HARD White CLAY
87	93	SAND
93	94	ROCK
94	102	Fine SAND
102	189	Blue CLAY
189	192	ROCK
192	224	Blue CLAY
224	253	SAND

(Use reverse side if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☑ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	230	
4	N	PVC slotted	230	250	8ga.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 120 ft. No. of sacks used 12
ft. to ft. No. of sacks used
Method used Gravity Pour
Cemented by BWW
Distance to septic system field lines or other concentrated contamination 150 ft.+
Method of verification of above distance: MEASURED

13) TYPE PUMP: ☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 142 ft.

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☑ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

SEP 01 1997

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 60 gpm with 40 ft. drawdown after 2 hrs.

11) WATER LEVEL:
Static level 83 ft. below land surface Date 7/2/96
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☑ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) PACKERS:

Type	Depth
1 - 4X7 FORMATION	230
1 - 4X7 FORMATION	120

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BALLARD WATER WELL (Type or print) WELL DRILLER'S LICENSE NO. 2384 W.I.

ADDRESS P.O. Box 2004 (Street or RFD) Willis (City) TEXAS (State) 77378 (Zip)

(Signed) Charles A. Ballard (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 11-01-94)

TNRCC COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-28-8H
Located on map Yes
Received: C.F.S.

1) OWNER Nathan Little (Name) Address P.O. Box 80 (Street or RFD) New Waverly (City) Tx. (State) 77377 (Zip)

2) LOCATION OF WELL: County Walker 4 miles in West (N.E., S.W., etc.) direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

3

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map.

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 3-31-80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	289
3 3/4	289	302

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	1	Top soil
1	28	red sand
28	119	red clay + shale
119	121	rock
121	137	yellow clay
137	142	rock
142	204	yellow clay
204	230	fine sand
230	289	yellow clay
289	302	water sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	new	PVC	0	289	Sch.40
2½	new	(blank pipe) PVC	282	292	Sch.80
2½	new	(eur-flow) PVC	292	302.	.016

CEMENTING DATA
Cemented from 50 ft. to 289 ft.
Method used Pressure Pumped
Cemented by M & M Well Service (Company or Individual)

RECEIVED
APR 6 1982
CR/TDWR

9) WATER LEVEL:
Static level 96 ft. below land surface Date 4-2-80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald G. McKay (Type or Print) Water Well Drillers Registration No. 688

ADDRESS P.O. Box 523 (Street or RFD) Willis (City) Tx. (State) 77378 (Zip)

(Signed) Donald G. McKay (Water Well Driller) M & M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are con-
cern
priv
Well

log
the
the



Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-8 G
Located on map Yes
Received: 78
dr

1) OWNER:
Person having well drilled Ben Gruba (Name) Address Anderson (Street or RFD) Tex (City) (State)

Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 5 miles in SW (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

FM 1375 X New Waverly
xwellsite
North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
✓New Well — Deepening — Reconditioning — Plugging

4) PROPOSED USE (Check):
✓Domestic — Industrial — Municipal — Irrigation — Test Well — Other

5) TYPE OF WELL (Check):
✓Rotary — Driven — Dug — Cable — Jetted — Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 127 ft. Depth of completed well 127 ft. Date drilled 3-30-78

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5	top soil
5	8	clay
8	50	sand
50	52	clay
52	127	sand

(Use reverse side if necessary)

9) Casing:
Type: Old — ✓New — Steel — ✓Plastic — Other
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	117	sch 40

10) SCREEN:
Type plastic sch 40
Perforated — ✓Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4"	117	127	010

7) COMPLETION (Check):
✓Straight wall — Gravel packed — Other
Under reamed — Open Hole

8) WATER LEVEL:
Static level 56 ft. below land surface Date 3-31-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 100 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓No If yes, by whom?
Yield: 10 gpm with 10 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ✓No
Did any strata contain undesirable water? Yes ✓No
Type of water? hard depth of strata 75'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L Graham (Type or Print) Water Well Drillers Registration No. 1781

ADDRESS Rt 2 Box 304 (Street or RFD) Willis (City) Tex 77378 (State)

(Signed) James L Graham (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
DEC 13 1977

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas
DEPT. OF WATER RESOURCES
WATER WELL REPORT

For TWDB use only
Well No. 60-28-8F
Located on map 425
Received: 78

1) OWNER:
Person having well drilled BILLY SYKES (Name) Address P.O. Box 263 (Street or RFD) NEW WAVERLY (City) TEXAS (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 5 miles in 5 W (N.E., S.W., etc.) direction from NEW WAVERLY (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 201 ft. Depth of completed well 201 ft. Date drilled 12-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	42	BLUE CLAY
42	84	WHITE
84	121	SAND
121	128	WHITE CLAY
128	152	SAND
152	182	SANDY WHITE CLAY
182	201	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 190 ft. to 125 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	191	+1	SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	191	201	#10

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 60 ft. below land surface Date 12-9-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 19

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS 77367 (State)

(Signed) E. A. Holly (Water Well ~~Driller~~) E.A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DUP

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-28-8F
Located on map yes
Received: C.F.S.

1) OWNER Clinton Duncan (Name) Address New Waverly, Tx (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 13 miles in northwest (N.E., S.W., etc.) direction from Willis (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. #19 Mason 60-28-5J

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 1-14-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	252
3 3/4	252	275

From (ft.)	To (ft.)	Description and color of formation material
0	10	topsoil
10	75	black clay
75	125	yellow sand
125	200	red clay
200	265	shell
265	275	water sand

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☑ Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	0	252	sch 40
2 1/2	N	PVC	252	265	v 80
2 1/2	N	Cutflow	265	275	.014

CEMENTING DATA
Cemented from 23 ft. to 252 ft.
Method used _____
Cemented by M+M Well Service (Company or Individual)

9) WATER LEVEL:
Static level 72 ft. below land surface Date 1-14-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 122 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 55 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
SEP - 6 1983
DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☑ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688

ADDRESS P.O. Box 523 (Street or RFD) Willis (City) Tx (State) 77378 (Zip)

(Signed) Donald McKay (Water Well Driller) M+M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

db

For TWDB use only
Well No. 60-28-8E
Located on map yes
Received: 76
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled DR COLLIER (Name) Address NEW WAVERLY TEX (Street or RFD) (City) (State)

Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in WEST (N.E., S.W., etc.) direction from NEW WAVERLY (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☑ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 215' ft. Depth of completed well 215' ft. Date drilled 9-20-76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	1	TOP SOIL			
1	80	YELLOW CLAY			
80	200'	SHALE			
200	215	SAND			
					(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐ 2-STRING

8) WATER LEVEL:
Static level 82 ft. below land surface Date 9-23-76
Artesian pressure ____ lbs. per square inch Date

9) CASING:
Type: old ☐ New ☐ Steel ☑ Plastic ☐ Other ☐
Cemented from 150 ft. to 200 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	+1	200	Sch 40

10) SCREEN:
Type 2 1/2 PLASTIC
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2 1/2	200	215	.014

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
BLOWED 40 GPM

Yield: ____ gpm with ____ ft. drawdown after ____ hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? ____ depth of strata

12) PUMP DATA:
Manufacturer's Name GOULDS
Type SUB H.P. 1 1/2
Designed pumping rate 35 gpm ☐ gph ☐
Type power unit ELECTRIC
Depth to bowls, cylinder, jet, etc., ____ ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G MCKAY (Type or Print) Water Well Drillers Registration No. 688

Address PO BOX 523 (Street or RFD) WILLIS (City) TEXAS (State)

(Signed) Donald G McKay (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Dry

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711	State of Texas WATER WELL REPORT	For TWDB use only Well No. 60-28-8E Located on map yes Received: 7-7 Form GW 8 Form GW 9

1) OWNER:
Person having well drilled Raymond Cotton (Name) Address Pasadena Texas (Street or RFD) (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in 6 NW (N.E., S.W., etc.) direction from New Waverly (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☑ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 4 1/2 in. Depth drilled 159 ft. Depth of completed well 159 ft. Date drilled 7-12-76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	+1	topsoil			
1	-17	yellow clay			
17	64	white clay			
64	75	fine sand			
75	79	fossil breaks			
79	124	shale & clay			
129	159	sand			
					(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☑ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 46 ft. below land surface Date 7-13-76
Artesian pressure ____ lbs. per square inch Date

9) CASING:
Type: old ☐ New ☑ Steel ☑ Plastic ☐ Other ☐
Cemented from ____ ft. to ____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
2 1/2	+1	149	Sch 40

10) SCREEN:
Type Plastic
Perforated ☐ Rib Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2 1/2	149	159	014

11) WELL TESTS:
Was a pump test made? ☐ Yes ☐ No If yes by whom?
Blewed 30 gpm
Yield: ____ gpm with ____ ft. drawdown after ____ hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? ____ depth of strata

12) PUMP DATA:
Manufacturer's Name Star Rite
Type Jet H.P.
Designed pumping rate 10 gpm ☐ gph ☐
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 80' ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G McKAY (Type or Print) Water Well Drillers Registration No. 688

Address PO BOX 523 (Street or RFD) WILLIS (City) TEXAS (State)

(Signed) Donald G McKay (Water Well Driller) M & M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-8D
Located on map 10 S
Received: 7/1
ddr

1) OWNER:
Person having well drilled Ted Hughes (Name) Address Ranch Acres, New Waverly (Street or RFD) (City) (State)
Landowner Ted Hughes Realty Co. (Name) Address Conroe, Texas (Street or RFD) (City) (State)
Walker

2) LOCATION OF WELL:
County ~~Montgomery~~, 6 miles in W (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well ✓ Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic ✓ Industrial Municipal Irrigation Test Well Other stock pond

5) TYPE OF WELL (Check): Rotary ✓ Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 3/4 in. Depth drilled 65 ft. Depth of completed well 65 ft. Date drilled 6-27-74
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	
0	25	Clay	
25	50	sand	12 ga.
50	53	Clay	
53	65	Sand	14 ga

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
2"	0	57	sch 40

10) SCREEN:
Type Everflo
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2"	57	65	.014

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 38 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 3 to 4 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph M Scott (Type or Print) Water Well Drillers Registration No. 404
ADDRESS P. O. Box 275 (Street or RFD) Conroe (City) Tex (State) 77301
(Signed) Ralph M. Scott (Water Well Driller) Con-Tex Water Well Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-8C
Located on map Yes
Received: 73 7
db

1) OWNER:
Person having well drilled Tucker Ozier (Name) Address New Waverly (Street or RFD) Texas (City) (State)
Landowner Tucker Ozier (Name) Address New Waverly (Street or RFD) Texas (City) (State)

2) LOCATION OF WELL:
County Walker, 4 miles in W (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 7/8 in. Depth drilled 127 ft. Depth of completed well 127 ft. Date drilled 5-15-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top soil
3	20	Clay
20	40	SAND
40	80	shale
80	127	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old New Steel Plastic ✓ Other
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	107	sch 40

10) SCREEN:
Type _____
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
4"	107	127	20 ga

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 40 ft. below land surface Date 5-15-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✗ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ✗ No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Paul Siegert (Type or Print) Water Well Drillers Registration No. 1448
ADDRESS P.O. Box 516 (Street or RFD) New Waverly (City) Texas (State)
(Signed) Paul Siegert (Water Well Driller) A.A.A. Water Wells Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-8C
Located on map yes
Received: 7-31
dlr

1) OWNER:
Person having well drilled EARNEST. SCHULTZ - Address
(Name) (Street or RFD) (City) (State)

Landowner SAME Address
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 4 miles in WEST. direction from NEW. WAVERLY. TEX
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 246 ft. Depth of completed well 246 ft. Date drilled MAR. 28, 73
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	10	CLAY.
10	21	SAND
21	28	CLAY.
28	43	SAND
43	70	CLAY.
70	76	SAND
76	88	CLAY.
88	117	SAND
117	214	CLAY.
214	246	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel ✓ Plastic Other
Cemented from 150 ft. to 222' ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	222	
2½	222	231	

10) SCREEN:
Type PLASTIC — RIBBED
Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½"	231	246	#14

7) COMPLETION (Check):
Straight wall Gravel packed Other TWO-STRING.
Under reamed Open Hole

8) WATER LEVEL:
Static level 52' ft. below land surface Date MAR. 28, 73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 105' ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No ✓
Type of water? _____ depth of strata 32'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.L. BODE - (Type or Print) Water Well Drillers Registration No. 46

ADDRESS BOX, 67. WESTFIELD TEX. 77377
(Street or RFD) (City) (State)

(Signed) E. L. Bode (Water Well Driller) E.L. BODE DRILLING CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-8B
Located on map yes
Received: 70
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled Mrs Howard Pool (Name) Address FM 1375 New Waverly, Texas (Street or RFD) (City) (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in 6 west (N.E., S.W., etc.) direction from New Waverly (Town).



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☑ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☐ Driven ☑ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 294 ft. Depth of completed well 294 ft. Date drilled 1-29-70

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	48	Clay and sand			
48	105	sandy brown clay			
105	109	brown clay			
109	285	sandy clay			
285	294	sand			
					(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☑ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 45 ft. below land surface Date 1-29-70
Artesian pressure ____ lbs. per square inch Date

9) CASING:
Type: old ☐ New ☑ Steel ☐ Plastic ☐ Other ☐
Cemented from 285 200 to ____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	X-1	284	83/4

10) SCREEN:
Type Stainless Steel Bar-Weld
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	284	294	10

11) WELL TESTS:
Was a pump test made? ☐ Yes ☑ No If yes by whom?

Yield: ____ gpm with ____ ft. drawdown after ____ hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? good depth of strata 9

12) PUMP DATA:
Manufacturer's Name
Type H.P.
Designed pumping rate ____ gpm ☐ gph ☐
Type power unit
Depth to bowls, cylinder, jet, etc., ____ ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801

Address P.O. Box 37 (Street or RFD) Riverside (City) Texas (State)

(Signed) E. Holly (Water Well Driller) E.A. Holly Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

10

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-8B
Located on map 405
Received: 2-6-77

1) OWNER:
Person having well drilled: Otis Russell (Name) Address: Central Coal + Coke #12 (Street or RFD) (City) (State)
Landowner (Name) Address: FM1375 5 mi (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County: Walker, 5 miles in W (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 175 ft. Depth of completed well 175 ft. Date drilled 2-4-76
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5	sandy loam
5	20	gray clay
20	28	sand
28	48	clay + sand
48	65	clay
65	75	sand
75	110	clay
110	130	dark gray clay
130	131	rock
131	158	gray clay
158	170	sand
170	175	clay

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 0 ft. to 158 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	158	sch 40

10) SCREEN:
Type: Stainless Steel Barweld
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	141	160	Blank
2½	160	170	.014 ga
2½	170	175	Blank

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 18 ft. below land surface Date 2-4-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 60 gpm with jetted ft. drawdown after ____ hrs.
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs.
Artesian flow ____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Milton Scott (Type or Print) Water Well Drillers Registration No. 1570
ADDRESS P O Box 275 (Street or RFD) Conroe (City) Texas (State)
(Signed) Milton Scott (Water Well Driller) Con Tex Water Well Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Dup

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-28-8A
Located on map 40 S
Received: 76
dlb

1) OWNER:
Person having well drilled Frank Pavlock (Name) Address New Waverly, Tex. (Street or RFD) (City) (State)

Landowner " (Name) Address " (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County ~~Montgomery~~ Walker, 3 miles in W (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 303 ft. Depth of completed well 303 ft. Date drilled 3-23-76

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Clay
15	45	Sand
45	80	Clay
80	105	Sand
105	125	blue Sand 16 ga
125	130	Sand
130	240	Clay
240	245	Sand
245	290	Clay
290	303	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 0 ft. to 290 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	290	Sch 40
2 1/2	286	293	"

10) SCREEN:
Type Red Base
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2 1/2	293	303	14 ga

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 66 ft. below land surface Date 3-23-76
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 5000 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E. Weisinger (Type or Print) Water Well Drillers Registration No. 1541

ADDRESS _____ (Street or RFD) (City) (State)

(Signed) John E. Weisinger (Water Well Driller) (Company Name)

Weisinger Water Well Co.
105 N. Magnolia
Conroe, Texas 77301
(713) 756-4268

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.