Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Greg Fisher	1150 FM 2296	Huntsville	Texas	77342

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker 236	1150 FM 2296	Huntsville	Texas	77342

Lat. Long. Grid # 60-29-1

3) Type of Work
☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply
If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 1/25/02
Completed 2/1/02

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
10	0	10
6 3/4	10	237
3 7/8	237	300

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0-1		Top Soil
1-6		Red clay
6-20		Tan clay
20-40		Gray clay
40-60		Gray clay
60-62		Rock
62-82		Gray clay
82-102		white shale
102-122		white shale
122-142		white clay
142-145		Rock
145-149		Sand
149-169		Blue clay
169-189		Blue clay
189-209		Blue shale
209-229		Blue shale
229-249		Blue shale
249-269		Blue shale
269-278		Blue shale
278-300		Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☒ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC	0	237	#40
2	N	PVC	232	280	#40
2	N	PVC	280	300	#10

9) Cementing Data
Cementing from 237 ft. to 137 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 7
Method Used pressure
Cementing By R. McKee
Distance to septic system field or other concentrated contamination None ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Type Pump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 229 ft.

11) Water Level
Static level 198 ft. below Date 2/8/02
Artesian Flow gpm. Date

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 12 gpm with ft. drawdown after hrs.

12) Packers Rubber Type K Depth 232'
Formation Rubber 260'-280'

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water good Depth of Strata 22'
Was a chemical analysis made ☐ Yes ☒ No

RECEIVED TDLR MAIL ROOM SH MAY 3 1 2002 AMOUNT

RECEIVED NOV 22 2004 TDLR MAIL ROOM

Company or individual's Name (type or print)	Gray's Water Well Service	Lic. No. 2011 WPK	
Address P.O.Box 1788	City Trinity	State TX	Zip 75862

Signature (Licensed Driller/Pump Installer)	Date	Signature (Apprentice)	Date
Vernon Gray	2/13/02	Richard McKee	2/13/02

TDLR FORM b001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

> Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material

1/4 #1119

Please use black ink.
File WHITE COPY with:
TNRCC
P.O. Box 13087, MC 177
Austin, TX 78711-3087
512-239-0530

State of Texas
PLUGGING REPORT

(This form must be completed and filed with the TNRCC within 30 days following the date the well is plugged as required by current statutory law.)

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER: LOUISIANA PACIFIC (Name) ADDRESS: PO BOX 368 NEW WAVERLY (Street or RFD) 77358 (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker (Street, RFD or other) New Waverly (City) TX (State) 77358 (Zip) GRID # 60-29-1

3) OWNER'S WELL NO: #4

4) WELL TYPE (Check): ☑ Water ☐ Monitor ☐ Injection ☐ De-watering

5)

Driller, Pump Installer, or Landowner performing the plugging operations must locate and identify the location of the well within a specific grid on a full scale-gridded County map available from the TNRCC/Installers Certification Program. The location of the well should be denoted within the grid by placing a corresponding dot in the grid to the right. The legal description section below is optional.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section lines or survey lines: _____

N

B. HISTORICAL DATA ON WELL TO BE PLUGGED (if available)

6) Driller RALPH CADWALLADER License No. 2026 City _____

7) Drilled 9-21-82 19____; 8) Diameter of hole 6 1/2 inches; 9) Total depth of well 185 feet.

C. CURRENT PLUGGING DATA

10) Date well plugged 12-21-00 ,19____.

11) Sketch of well: Using space at right, show method of plugging the well including all casing and cemented intervals.

12) Name of Driller/Pump Installer actually performing the plugging operations
Scott Weisinger
License number 992WI

13) Casing and cementing data relative to the plugging operations:

DIAMETER (inches)	CASING LEFT IN WELL FROM (feet)	CASING LEFT IN WELL TO (feet)
4	0	185'

CEMENT PLUG(S) PLACED IN WELL FROM (feet)	TO (feet)	SACK(S) OF CEMENT USED
-185'	-3	7
-3	0	1



FILE ID SEQ #
EMP # MAY 07 2001 DSG CO
COMMENT CD

D. VALIDATION OF INFORMATION INCLUDED IN FORM

I hereby certify that this well was plugged by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 13 will result in the report(s) being returned for completion and resubmittal.

Company or Individual's Name (type or print) WEISINGER WATER WELL INC

Address: Street or RFD 2200 E DAVIS City CONROE State TX Zip 77301

Signatures: _____ 1-20-01 LP New Waverly

Licensed Driller/Pump Installer Date Owner of Well Date

Trainee/Apprentice Date

White - TNRCC Yellow - Well Owner Pink - Licensed Well Driller/Pump Installer

TNRCC-0055 (Rev. 07-18-95)

231

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Ed Hulsizer	8407 S.H. 75 South	Huntsville	TX	77340

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	8407 S.H. 75 South	Huntsville	TX	77340

3) Type of Work
☒ New Well ☐ Reconditioning ☐ Replacement ☐ Deepening

Lat. Long. Grid # 60-29-1

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell ☐ Rig Supply
If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 10/16/02
Completed 11/1/02

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
10"	0	10'
6 1/2	10'	236'
3 7/8	236'	301

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0-2	Top Soil	
2-12	Red clay	
12-20	Tan clay	
20-30	Tan clay	
30-50	Sand Red	
50-70	Sand Red	
70-80	Tan clay	
80-82	Rock	
82-122	Brown sand	
122-138	Brown sand	
138-160	Blue clay	
160-195	Blue clay	
195-216	Blue shale	
216-230	Blue shale	
230-256	Blue shale	
256-280	Blue shale	
280-301	Sand	

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC	0	236	#40
2	N	PVC	231	281	#40
2	N	PVC screen	281	301	#8

9) Cementing Data
Cementing from 236 ft. to 136 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 16
Method Used Pressure
Cementing By Rykker
Distance to septic system field or other concentrated contamination N/A ft.
Method of verification of above distance None

RECEIVED TDLR MAIL ROOM FEB 19 2003

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level
Static level 75 ft. below Date 11/1/02
Artesian Flow gpm. Date / /

12) Packers Rubber Type K Depth 231'

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., 200 ft.

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water good Depth of Strata 21'
Was a chemical analysis made ☐ Yes ☒ No

Company or individual's Name (type or print)	Gray's Water Well	Lic. No. 2011WPK
Address 9B Oak Bend Drive	City Huntsville	State TX Zip 77320

Signature Licensed Driller/Pump Installer	Date	Signature Apprentice	Date
Vernon Gray	2/13/03	Richard McKee	2/13/03

TDLR FORM b001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

> Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Carolyn Jones	4710 Valley Brook	San Antonio	Texas	78238

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	1026 FM 2296	Huntsville	TX	77320

Lat. | | | Long. | | | Grid # 60-29-1

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 11 / 9 / 00
Completed 11 / 15 / 00

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
6 3/4	0	345
2 7/8	345	360

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0-2		Top soil
2-6		clay
6-20		Sand clay
20-23		Gray sand
23-31		clay
31-35		clay
35-50		sand
50-65		clay
65-75		shale
75-80		sand
80-84		clay
84-103		sand
103-105		clay
105-111		sand
111-141		clay
141-153		shale
153-177		clay
177-208		hard shale
208-212		sand
212-225		shale
225-229		clay
229-237		sand
237-247		shale
247-252		clay
252-256		sand
256-262		rock
262-273		clay
273-279		sand stone
279-309		shale
309-315		sand
315-325		clay
325-327		rock
327-330		clay
330-332		rock
332-338		clay
338-342		sand
342-345		clay
345-360		sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
2	New	Plastic	340	360	#6
4	New	Plastic	0	340	40

9) Cementing Data
Cementing from 359 ft. to 257 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 7
Method Used Pressure
Cementing By Vernon Gray
Distance to septic system field or other concentrated contamination 108 ft.
Method of verification of above distance TAPE

10) Surface Completion
☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level
Static level 180 ft. below Date 11 / 15 / 00
Artesian Flow gpm. Date / /

12) Packers

Type	Depth
K-Packers	333

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet etc., ft. 260

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 25 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate and strata which contain undesirable constituents.
☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water Good Depth of Strata 15'
Was a chemical analysis made ☐ Yes ☒ No

MAR 09 2001

Company or individual's Name (type or print) Gray's Water Well

Address PO Box 1788 City Trinity State TX Zip 75862

Signature Vernon Gray (Licensed Driller/Pump Installer) Date 11 / 15 / 00
Signature (Apprentice) Date / /

TDLR FORM 001WWD *White - TDLR* *Yellow - Owner* *Pink - Driller/Pump Installer*

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

> Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
George Kliewer	PO BOX 1276	New Waverly	TX	77359

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	21B Vicks Springs Rd	New Waverly	TX	77359

3) Type of Work
☒ New Well ☐ Deepening ☐ Reconditioning

Lat. | Long. | Grid # 60-29-1

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 09-01-00
Completed 09-05-00

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6.75	0	175

7) Drilling Method (check) ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft)	To (ft)	Description and color of formation material
0	1	Bit t.s.
1	21	Br.cl.
21	41	Br. & wh.cl.
41	61	Cl. w/ sd/st.
61	81	Br.cl.
81	101	Sdy.cl.
101	139	Br.cl.
139	156	Sd.
156	161	Sd.st.
161	175	Sand

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☒ Open Hole ☐ Straight Wall ☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC Casing	-1.5	159	
2.5	N	Undercutt Screen	160	170	#10

9) Cementing Data
Cementing from -1.5 ft. to 159 ft. # of sacks used 9
ft. to ft. # of sacks used
Method Used Pressure
Cementing By R. McPike
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☒ Pitless Adapter Used
☐ Approved Alternative Procedure Used

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 140 ft.

11) Water Level
Static level 110 ft. below Date / /
Artesian Flow gpm. Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 10 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 14
Was a chemical analysis made? ☐ Yes ☒ No

12) Packers

	Type	Depth
1 – 2.5" Rubber Packer	RxL	150'

FILE ID SEQ #

Company or Individual's Name (type or print) Holly Water Wells, Inc.
Address 2928 SH 19 City Huntsville State TX Zip 77320

Signature Raymond McPike / / Licensed Driller/Pump Installer — Date
Signature / / Apprentice — Date

ENT # DESC CO OCT 11 2000 COMMENT

Attention Owner:
Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name	Address	City	State	Zip
Eddie Smith	312 FM 2929	HUNTSVILLE	TEXAS	77340

2) WELL LOCATION

County	Physical Address	City	State	Zip
Walker	State Hwy 75 S	Huntsville	TX	77340

Lat. | Long. | Grid # 60-29-1

3) Type of Work
☒ New Well ☐ Deepening
☐ Reconditioning

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N↑

6) Drilling Date
Started 3/7/01
Completed 3/13/01

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6.75	-1.5	661

7) Drilling Method (check) ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft)	To (ft)	Description and color of formation material
0	3	Top bit
3	7	Br.cl.
7	23	Sa.st.
23	53	Sa.
53	63	Wh.cl.
63	78	Sa.
78	83	Br.cl.
83	132	Sa.
132	136	Cl.
136	143	Sa.st.
143	148	Sa.
148	183	Wh. & br.cl.

(Use reverse side of Well Owner's copy, If necessary)

8) Borehole Completion ☒ Open Hole ☐ Straight Wall
☐ Under-reamed ☐ Gravel Packed ☐ Other
If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From	Setting (ft) To	Gage Casing Screen
4	N	PVC Casing	-1.5	630	
2.5	N	Pipe base screen	630	660	#8

9) Cementing Data
Cementing from -1.5 ft. to 630 ft. # of sacks used 81
ft. to ft. # of sacks used
Method Used Pressure
Cementing By H.Lee
Distance to septic system field or other concentrated contamination ft.
Method of verification of above distance

13) Plugged ☐ Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

10) Surface Completion
☐ Specified Surface Slab Installed
☐ Specified Surface Sleeve Installed
☒ Pitless Adapter Used
☐ Approved Alternative Procedure Used

FILE ID SEQ # DOCID MAR 14 2001

14) Typepump
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 320 ft.

11) Water Level
Static level 188 ft. below Date / /
Artesian Flow gpm Date / /

15) Water Test
Typetest ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 25 gpm with ft. drawdown after hrs.

16) Water Quality
Did you knowingly penetrate any strata which contain undesirable constituents?
☐ Yes ☒ No If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 30
Was a chemical analysis made? ☐ Yes ☒ No

12) Packers

Type	Depth
2 – 2.5" Rubber Packers RxR	618' & 619'

Company or Individual's Name (type or print) Holly Water Wells, Inc. Lic. No. 2221W

Address 2928 SH 19 City Huntsville State TX Zip 77320

Signature Licensed Driller/Pump Installer	Date / /	Signature Apprentice	Date / /

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
183	193	Sa.st.
193	203	Br.cl.
203	219	Wh & br.cl.
219	237	Sa.
237	239	Cl.
239	246	Sa.
246	247	Rock
247	263	Sa.st.
263	323	Mlly.cl.
323	335	Sa.st.
335	355	Cl.
355	363	Sa.st.
363	366	Sa.
366	383	Cl.
383	395	Sa.st.
395	403	Cl.
403	415	Mlly. Cl.
415	423	Sa.
423	500	Mllycl.
500	501	Rock
501	503	Cl.
503	603	Mlly.cl.
603	623	Cl.
623	635	Sa.st.
635	661	Sand

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Precision Contractors-Steve Goetz (Name) ADDRESS PO BOX 123 (Street or RFD) Centerville (City) TX (State) 75833 (Zip)

2) ADDRESS OF WELL: County Walker 871 HWY 755 (Street, RFD or other) Huntsville (City) TX (State) 77340 (Zip) Long. ____ Lat. ____ GRID # 60-29-1

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell

If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) 60'

N

6) WELL LOG:

Date Drilling: Started 5-11 20 00; 5-15 20 00

DIAMETER OF HOLE		
Dia.. (in.)	From (ft.)	To (ft.)
6.75	Surface	393

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☒ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit
2	7	Br.cl.
7	12	Sa.st.
12	22	Br.cl.
22	32	Sa.
32	42	Br.cl.
42	73	Sa.
73	82	Sa. & cl.st.
82	127	Sa.
127	142	Br.cl.
142	147	Sa.
147	162	Br.cl.
162	182	Br. & wh. mlly
182	202	Br.cl.
202	221	Br. & wh. mlly

(Use reverse side if necessary)

8) Borehole Completion (Check): ☒ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other

If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	-1.5	359	
2.5	N	SST Screen	372	392	#8

9) CEMENTING DATA [Rule 338.44(1)]

Cemented from -1.5 ft. to 15 ft. No. of sacks used 2

209 ft. to 359 ft. No. of sacks used 7

Method used Pressure

Cemented by HWW

Distance to septic system field lines or other concentrated contamination ____ ft.

Method of verification of above distance ____

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed (Rule 338.44(2)(A)]

☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]

☒ Pitless Adapter Used [Rule 338.44(3)(b)]

☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL

Static Level 196 ft. below land surface Date ____

Artesian flow ____ gpm Date ____

12) PACKERS:

Type	Depth
2 – 2.5 ' Rubber Packers RxR	349' & 350'

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other

Depth to pump bowls, cylinder, jet, etc., 300 ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated

Yield: 15 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? Good Depth of strata 71

Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells, Inc. (Type or print) WELL DRILLER'S LICENSE NO. 2221W

ADDRESS 2928 SH 19 (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

(Signed) Henry Lee (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

FILE ID SEQ # EMP # DESC CO JUN 12 2000 COMMENT

TNRCC-0199 (Rev. 11-1-94)

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
221	225	Sa.
225	232	Cl.
232	254	Sa.
254	277	Br.cl.
277	282	Sa.st.
282	302	Sa. Cl. st.
302	305	Sa.st.
305	312	Mlly.cl.
312	317	R & cl.
317	322	Sa.st.
322	393	Sand

[illegible]

[illegible]

[illegible]

[illegible]

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER: Precision Contractors – Steve Goetz (Name) ADDRESS: PO BOX 123 (Street or RFD) Centerville (City) TX (State) 75833 (Zip)

2) ADDRESS OF WELL: County: Walker; 8421 HWY 75 S (Street, RFD or other); Huntsville (City); TX (State); 77340 (Zip); Long. ____ Lat. ____ GRID # 60-29-1

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boding ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell

If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:

Date Drilling: Started 5-8 20 00; 5-10 20 00

DIAMETER OF HOLE		
Dia.. (in.)	From (ft.)	To (ft.)
6.75	Surface	430

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	22	R & wh.cl.
22	46	Sa.
46	76	Wh.cl.
76	82	Sa. & cl.st.
82	92	Br.cl.
92	96	Sa.
96	102	Sa.st.
102	122	Sa.
122	132	Sa.st.
132	153	Sa.
153	162	Br. & wh.cl.
162	266	Br.cl.
266	278	Sa.
278	282	Cl.

(Use reverse side if necessary)

8) Borehole Completion (Check): ☒ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other

If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	-1.5	399	
2.5	N	SST Screen	408	428	#8

9) CEMENTING DATA [Rule 338.44(1)]

Cemented from -1.5 ft. to 15 ft. No. of sacks used 2

249 ft. to 399 ft. No. of sacks used 7

Method used Pressure

Cemented by HWW

Distance to septic system field lines or other concentrated contamination ____ ft.

Method of verification of above distance ____

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed (Rule 338.44(2)(A)]

☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]

☒ Pitless Adapter Used [Rule 338.44(3)(b)]

☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL

Static Level 198 ft. below land surface Date ____

Artesian flow ____ gpm Date ____

12) PACKERS:

Type	Depth
2.5" Rubber Packers RxR	386' & 387'

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other

Depth to pump bowls, cylinder, jet, etc., 300 ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated

Yield: 15 gpm with ____ ft. drawdown after ____ hrs.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? Good Depth of strata 30

Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME: Holly Water Wells (Type or print) WELL DRILLER'S LICENSE NO. 2221W

ADDRESS: 2928 SH 19 (Street or RFD) Huntsville (City) TX (State) 77320 (Zip)

(Signed) ____ (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

FILE ID SEQ # EMP # DESC CO JUN 12 2000 COMMENT

TNRCC-0199 (Rev. 11-1-94)

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
282	302	Br.cl.
302	322	Sa.st.
322	342	Br.cl. & mlly cl
342	353	Cl.
353	358	R.st.
358	362	Cl.
362	380	Mlly.cl.
380	382	Sa.st.
382	394	Sa.
394	400	Mlly.cl.
400	430	Sand

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880 77340

1) OWNER William Smith (Name) ADDRESS 15 Kalyx Rd (Street or RFD) Huntsville (City) TX (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 8435 Hwy 75 South (Street, RFD or other) Huntsville (City) (State) (Zip) Long. ____ Lat. ____ Grid # 60-29-1

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) N

6) WELL LOG:
Date Drilling:
Started 2-29 1900
Completed 3-8 1900

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	340'
3 7/8	340'	433'

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

From (ft.)	To (ft.)	Description and color of formation material
0-3' Sand	217'-223' Sand	357'-375' Shale
3'-12' Clay	223'-240' Clay	375'-390' Shale
12'-21' Sand	240'-245' Rock	390'-391' Rock
21'-50' Sand	245'-260' Shale	391'-416' Shale
50'-75' Sand	260'-286' Shale	416'-417' Rock
75'-91' Sand	286'-300' Shale	417'-432' Sand
91'-93' Clay	300'-302' Rock	
93'-135' Sand	302'-326' Shale	
135'-180' Sand	326'-336' Shale	
180'-193' Shale	336'-349' Sand	
193'-200' Sand	349'-356' Shale	
200'-217' Clay	356'-357' Rock	

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other ____
If Gravel Packed give interval from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	340'	#40
2	N	PVC Blank	333'	418'	#40
2	N	PVC screen	418'	433'	#8

9) CEMENTING DATA
Cemented from 340 ft. to 240' ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 10
Method used pressure
Cemented by Richard Tucker
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Septic

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder
[ ] Other ____
Depth to pump bowls, cylinder, jet, etc., 320 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[X] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: 20 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 200' ft. below land surface Date 3-8-00
Artesian flow ____ gpm. Date ____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 15'
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS: Rubber Type K Depth 333'
Formation Rubber 418'
Formation Rubber 408'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 0201 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) TX (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Tucker (Registered Driller Trainee)

JUN 05 2000 DESC CO COMMENT

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Jeff Markham Sr. (Name) ADDRESS 12 Hallemar Ranch (Street or RFD) Huntsville (City) Tx. (State) 77340 (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker 12 Hallemar Ranch (Street, RFD or other) Huntsville (City) Tx (State) 77340 (Zip) Long. ____ Lat. ____ Grid # 60-29-1

3) TYPE OF WORK (Check): [x] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [x] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) N

6) WELL LOG:
Date Drilling:
Started 2-2 1999
Completed 2-5 1999

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	341'

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [x] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

From (ft.)	To (ft.)	Description and color of formation material
0-3	Sand	
3-26	Clay	
26-40	Sand	
40-44	Clay	
44-75	Sand	
75-93	clay	
93-94	Rock	
94-122	clay	
122-131	Sand	
131-151	clay	
151-171	clay	
171-191	clay	
191-212	Clay	
212-213	Rock	
213-234	clay	
234-235	Rock	
235-255	shale	
255-275	shale	
275-289	shale	
289-310	shale	
310-313	Rock	
313-315	Sand	
315-317	clay	
317-341	Sand	

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [x] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other ____
If Gravel Packed give interval from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	325	#40
2	N	PVC Blank	306	311	#40
2	N	PVC Screen	311	331	#10

9) CEMENTING DATA
Cemented from 325 ft. to 225 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 8
Method used pressure
Cemented by Richard McKee
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Lines or Tanks

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

14) TYPE PUMP:
[ ] Turbine [ ] Jet [x] Submersible [ ] Cylinder
[ ] Other ____
Depth to pump bowls, cylinder, jet, etc., ____ ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[x] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [x] Jetted [ ] Estimated
Yield: 60 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 190' ft. below land surface Date 2-5-99
Artesian flow ____ gpm. Date ____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [x] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 24'
Was a chemical analysis made? [ ] Yes [x] No

12) PACKERS: Rubber Type K Depth 316

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1780 (Street or RFD) Trinity (City) Tx. (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard McKee (Registered Driller Trainee)

FILE ID SEC # GP # DESC CO JUN 05 2000 COMMENT

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) *White - TDLR Yellow - DRILLER Pink - WELL OWNER*

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

Send original copy by certified return receipt requested m[illegible] TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-30[illegible]

ATTENTION OWNER: *Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Ronald (Name) Wooley ADDRESS 27 Lewis Valley (Street or RFD) Huntsville (City), Tx. (State) 77340 (Zip)

2) ADDRESS OF WELL: County Walker 27 Lewis Valley (Street, RFD or other) Huntsville (City), Tx. (State) 77340 (Zip) GRID # 60-29-1

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) WELL LOG:
Date Drilling:
Started 6-29 1998
Completed 7-3 1998

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	320'
3 7/8	320'	341'

7) DRILLING METHOD (Check): ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0-3		Sand
3-40		Clay
40-59		clay
59-78		Sand
78-80		Rock
80-88		Clay
88-103		Sand
103-111		Sand
111-116		clay
116-118		Rock
118-145		clay
145-150		clay
150-152		Rock
152-166		clay
166-208		shale
208-229		shale
229-231		Rock
231-253		shale
253-271		shale
271-292		shale
292-293		Rock
293-296		Sand
296-313		shale
313-318		shale
318-341		Sand

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	320	#40
2	N	PVC	313'	321'	#40
2	N	PVC	321'	341'	#8

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 320 ft. to 220 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 8
Method used pressure
Cemented by Richard Moyer
Distance to septic system field lines or other concentrated contamination 200 ft.
Method of verification of above distance Tape

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 141 ft. below land surface Date 6-30-98
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 314'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS:
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 85 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 23'
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P. O. Box 1788 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Moyer (Registered Driller Trainee)

FILE # EMP # JUN 9 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 05-21-96) *White - TNRCC Yellow - DRILLER Pink - WELL OWNER*

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy*

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER: Terry Harrel (Name) ADDRESS: FM 2296 Cot 16 (Street or RFD) Huntsville (City) TX (State) 77340 (Zip)

2) ADDRESS OF WELL: County: Walker; FM 2296 Cot 16 (Street, RFD or other); Huntsville (City); TX (State); 77340 (Zip); Long. ____ Lat. ____ GRID # 60-29-1

3) TYPE OF WORK (Check): [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boding [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) ✱ N

6) WELL LOG:
Date Drilling:
Started 2/22, 00
Completed 2/24, 00

DIAMETER OF HOLE

Dia.. (in.)	From (ft.)	To (ft.)
7"	Surface	260

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

From (ft.)	To (ft.)	Description and color of formation material
0	1	TS
1	15	BRN & WH CL
15	28	SND
28	44	WH CL
44	50	TAN CL
50	75	SND
75	95	CL
95	138	SND
138	240	CL
240	260	SND

(Use reverse side if necessary)

8) Borehole Completion (Check): [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other ____
If Gravel Packed give interval ... from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	250	
4	N	PVC SLOTTED	250	260	.008

9) CEMENTING DATA
Cemented from 0 ft. to 100 ft. No. of sacks used 12
____ ft. to ____ ft. No. of sacks used ____
Method used: Pressure Tremmie
Cemented by: Ballard Water Well
Distance to septic system field lines or other concentrated contamination 100+ ft.
Method of verification of above distance: Measure

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	To (ft)	Cement/bentonite placed in well: From (ft)	To (ft)	Sacks used:

14) TYPE PUMP:
[ ] Turbine [ ] Jet [X] Submersible [ ] Cylinder
[ ] Other ____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[X] Specified Sch 80 Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [X] Jetted [X] Estimated
Yield: 25 gpm with 20 ft. drawdown after 2 hrs.

11) WATER LEVEL
Static Level 193 ft. below land surface Date 2/24/00
Artesian flow ____ gpm Date ____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? ____ Depth of strata ____
Was a chemical analysis made? [ ] Yes [X] No

12) PACKERS:

Type	Depth
4" X 7" FORMATION	100

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

Ballard Water Well (Type or print) WELL DRILLER'S LICENSE NO. 54411PKW

ADDRESS: P.O. Box 970 (Street or RFD) Willis (City) TX (State) 77378 (Zip)

(Signed) Sam Ballard (Licensed Well Driller) (Signed) ____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) Form provided by Forms On-A-Disk, Inc. · Dallas, Texas · (214) 340-9429

Copies to TDLR, DRILLER, and WELL OWNER

FILE ID SEQ # EMP # APR 28 2000 COMMENT

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: *Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)*

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Jimmy Stanton (Name) ADDRESS 115 Pine Ridge Lane (Street or RFD) Huntsville (City) TX (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker #13 Saddle Ridge (Street, RFD or other) Huntsville (City) TX (State) (Zip) Long. ____ Lat. ____ Grid # 60-29-1

3) TYPE OF WORK (Check): [x] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

(4) PROPOSED USE (Check): [ ] Monitor [ ] Environmental Soil Boring [x] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5)

6) WELL LOG:
Date Drilling:
Started 2-23 1900
Completed 2-29 1900

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	340'
3 7/8	340'	358'

7) DRILLING METHOD (Check): [ ] Driven [ ] Air Rotary [x] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other ____

N

From (ft.)	To (ft.)	Description and color of formation material
0-5 Sand	140-144 clay	273-290 Shale
5-13 Clay	144-153 Lignite	290-310 Shale
13-27 Sand	153-166 clay	310-322 Shale
27-51 Clay	166-168 Rock	322-323 Rock
51-56 Sand	168-176 clay	323-332 clay
56-60 Clay	176-196 Shale	332-338 Sand
60-70 Sand	196-205 Sand	338-340 Rock
70-88 clay	205-222 clay	340-358 Sand
88-115 Sand	222-226 Rock	
115-136 Sand	226-240 Shale	
136-137 clay	240-245 Rock	
137-140 Sand	245-273 Shale	

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): [ ] Open Hole [x] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other ____
If Gravel Packed give interval from ____ ft. to ____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	340'	#40
2	N	PVC Blank	333'	338'	#40
2	N	PVC Screen	338'	358'	#8

9) CEMENTING DATA
Cemented from 340 ft. to 240 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 7
Method used pressure
Cemented by Richard Miller
Distance to septic system field lines or other concentrated contamination N/A ft.
Method of verification of above distance No Septic

13) [ ] Well plugged within 48 hours

Casing left in well: From (ft)	Casing left in well: To (ft)	Cement/bentonite placed in well: From (ft)	Cement/bentonite placed in well: To (ft)	Sacks used:

10) SURFACE COMPLETION
[ ] Specified Surface Slab Installed
[x] Specified Steel Sleeve Installed
[ ] Pitless Adapter Used
[ ] Approved Alternative Procedure Used

14) TYPE PUMP:
[ ] Turbine [ ] Jet [x] Submersible [ ] Cylinder
[ ] Other ____
Depth to pump bowls, cylinder, jet, etc., 320 ft.

15) WELL TESTS:
Type test: [ ] Pump [ ] Bailer [x] Jetted [ ] Estimated
Yield: 80 gpm with ____ ft. drawdown after ____ hrs.

11) WATER LEVEL:
Static level 191 ft. below land surface Date 2-29-00
Artesian flow ____ gpm. Date ____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [ ] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 18
Was a chemical analysis made? [ ] Yes [x] No

12) PACKERS: Rubber Type K Depth 333'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Huntsville (City) TX (State) 77342 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Miller (Registered Driller Trainee)

JUN 05 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDLR FORM 001WWD (4/98) White - TDLR Yellow - DRILLER Pink - WELL OWNER

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

1A

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711	State of Texas WATER WELL REPORT	For TWDB use only Well No. 60-29-1A Located on map 1/05 Received: 6-9- Form GW 8 Form GW 9

1) OWNER:
Person having well drilled EDITH L. HART (Name) Address 905 EUCLID AVE HOUSTON (Street or RFD) (City) (State)

Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER Labor _____ League _____ Abstract No. _____

NW¼ NE¼ SW¼ SE¼ of Section _____ Block No. _____ Survey BENNET
(Circle as many as are known)

miles in 3 (N.E., S.W., etc.) direction from NEW WAVERLY (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well ☑ Deepening ☐ Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check): Domestic ☑ Industrial ☐ Municipal ☐ Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check): Rotary ☑ Driven ☐ Dug ☐ Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6¾ in. Depth drilled 199' ft. Depth of completed well 199' ft. Date drilled 6-10-69

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	1	TOP SOIL			
1	35	CLAY YELLOW + BLUE			
35	153	LAYERS OF ROCK + FINESAND			
153	199	SALT + PEPPER SAND			
					(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☑ TWO STRING WELL
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 100' ft. below land surface Date 6-10-69
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old ☐ New ☑ Steel ☑ Plastic ☐ Other ☐
Cemented from 169' ft. to 189' ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
2½"	189'	199'	.012

10) SCREEN:
Type 10'- 012 STAINLESS STEEL
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½"			

11) WELL TESTS:
Was a pump test made? ☑ Yes ☐ No If yes by whom? DONALD MCKAY
Yield: 30 gpm with PUMP ft. drawdown after _____ hrs
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs
Artesian flow _____ gpm Date 6-12-69
Temperature of water _____
Was a chemical analysis made? ☐ Yes ☑ No
Did any strata contain undesirable water? ☐ Yes ☑ No
Type of water? _____ depth of strata _____

12) PUMP DATA:
Manufacturer's Name STA RITE
Type SUBMERSIBLE H.P. 1
Designed pumping rate 30 gpm ☐ gph ☐
Type power unit ELECTRIC
Depth to bowls, cylinder, jet, etc., 147' ft. below land surface. 147'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M+M WELL SERVICE (Type or Print) Water Well Drillers Registration No. 688

Address BOX 523 WILLIS TEXAS (Street or RFD) (City) (State)

(Signed) Donald D McKay (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

#35 WALKER

1A Dp.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

1) OWNER Mr. Joe Cannalito (Name) Address 8410 Masa Drive, Houston, TX 77028 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker, 8 miles in SSE (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 60-20-4P

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 5/9/84

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	203

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top soil
2	12	White clay
12	22	Brown clay
22	58	Sand
58	62	Sand streaks
62	70	Brown clay
70	76	Sand
76	78	Rock
78	99	Sand
99	115	Brown clay
115	158	Sand
158	162	Sand streaks
162	203	Sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PVC	-1½	178	40
2½	N	Stainless steel	198	178	#10

CEMENTING DATA
Cemented from 178 ft. to 78 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead L	173

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 41 Ft.
Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED JUL-6 1984 DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, Texas 77340 (Street or RFD) (City) (State) (Zip)

(Signed) Ralph A. Schwabbauer (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-29-1A
Located on map Yes. M.M.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

1C

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-1C
Located on map yes
Received: 71
dlr

1) OWNER:
Person having well drilled Linda Adams (Name) Address New Waverly (Street or RFD) Tex (City) (State)

Landowner _____ (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 3 miles in N (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 209 ft. Depth of completed well 209 ft. Date drilled 11-5-70

All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	70	Clay
70	132	Sand
132	165	Clay
165	209	Water Sand

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel ✓ Plastic Other
Cemented from 189 UP ft. to 50 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	189	

10) SCREEN:
Type SS
Perforated Slotted ✓

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2 1/2	179	189	12
2 1/2 Pipe	15'		

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 100 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 168 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No ✓ If yes, by whom? _____
Yield: 25 gpm with Air ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No ✓
Did any strata contain undesirable water? Yes No ✓
Type of water? Hi PH depth of strata 44

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L M Patterson (Type or Print) Water Well Drillers Registration No. 182

ADDRESS Rt 3 Box 159 (Street or RFD) Conroe (City) Tex (State)

(Signed) L M. Patterson (Water Well Driller) _____ (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

IC Dup

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 30 79 1e
Located on map
Received:

1) OWNER:
Person having well drilled Alton Bolton (Name) Hwy 75 N (4 mi) (Street or RFD) New Waverly (City) Tex (State)

Landowner _____ (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County ~~Montg~~ WALKER, 3 miles in N (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 180 ft. Depth of completed well 180 ft. Date drilled 2-10-71

All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	64	Clay
64	84	Sand
84	99	Clay w/sand
99	115	Sand
115	120	Clay w/sand
120	138	Sand
138	142	Clay w/sand
142	157	Sand
157	163	Clay w/sand
163	178	Sand
178	180	Clay

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic Other
Cemented from 0 ft. to 162 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	162	Sch 40
2 1/2	~~162~~ 157	~~168~~ 165	"

10) SCREEN:
Type Bar Weld
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2 1/2	~~165~~ 175	~~178~~	12ga
2 1/2	Blank to 180		

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 86 ft. below land surface Date 2-10-71
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

5 gpm @ 18 sec, 20 sec, yd. bk.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph M. Scott (Type or Print) Water Well Drillers Registration No. 404

ADDRESS P. O. Box 275 (Street or RFD) Conroe (City) Texas (State) 77301

(Signed) Ralph M. Scott (Water Well Driller) Con-Tex Water Well Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-GW-53

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

1D

GW 7

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No 6829 1D
Located on map YES
Received: 8-71
Form GW 8
Form GW 9

1) OWNER:
Person having well drilled C B Nunn (Name) Address HOUSTON TEXAS (Street or RFD) (City) (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER Labor League Abstract No.

NW¼ NE¼ SW¼ SE¼ of Section Block No. Survey
(Circle as many as are known)

miles in 3 NW (N.E., S.W., etc.) direction from NEW WAVERLY (Town).



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☑ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 3/4" in. Depth drilled 282' ft. Depth of completed well 282' ft. Date drilled 9-30-70

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0	1	TOP SOIL			
1	12	CLAY - SAND			
12	37	SAND			
37	82	WHITE CLAY			
82	155	SAND - CLAY			
155	168	SAND ROCK - CLAY			
168	262	SHALE - CLAY			
262	282	WHITE - GRAY SAND			(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☐ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐ 2-STRING WELL 4" - 2 1/2

8) WATER LEVEL:
Static level 111' ft. below land surface Date 10-4-70
Artesian pressure ____ lbs. per square inch Date

9) CASING:
Type: old ☐ New ☐ Steel ☑ Plastic ☐ Other ☐
Cemented from 250 ft. to 262' ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
2 1/2	272	282	.014

10) SCREEN:
Type PLASTIC .011
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size

11) WELL TESTS: AIR COMPRESSOR
Was a pump test made? ☐ Yes ☐ No If yes by whom?
DONALD G McKAY

Yield: 20 gpm with ____ ft. drawdown after ____ hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date
Temperature of water
Was a chemical analysis made? ☐ Yes ☑ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? ____ depth of strata

12) PUMP DATA:
Manufacturer's Name STA RITE
Type SUBMERSIBLE H.P. 1
Designed pumping rate 25 gpm ☐ gph ☐
Type power unit ELECTRIC
Depth to bowls, cylinder, jet, etc., 168' ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G McKAY (Type or Print) Water Well Drillers Registration No. 688

Address BOX 523 (Street or RFD) WILLIS (City) TEXAS (State)

(Signed) Donald G McKay (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified mail to: TNRCC, P.O. Bo[illegible]87, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) **OWNER** Karl Hardy (Name) **ADDRESS** Rt 4 Box 1160 Huntsville Tx 77340 (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:** County Walker 1/2 M. South of HWY 2296 on Hwy 75 S. (Street or RFD) (City) (State) (Zip) **STATE WELL #** _____

3) **TYPE OF WORK (Check):** ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE (Check):** ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) 60-29-1

N

6) **WELL LOG:**
Date Drilling:
Started 2-17 19 97
Completed 2-18 19 97

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	174

7) **DRILLING METHOD (Check):** ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	top bit soil
2	15	r. cl.
15	22	br. & wh. cl.
22	42	br. cl.
42	49	sa.
49	62	br. & sa. st.
62	82	sa.
82	102	sa. & wh. cl. st.
102	174	sa.

(Use reverse side if necessary)

8) **Borehole Completion (Check):** ☒ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC Casing	-1.5	154	
2	N	PVC screen	164	174	.010

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from -1.5 ft. to 154 ft. No. of sacks used 10
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by H. Lee
Distance to septic system field lines _____ ft.
Method of verification of above distance _____

10) **SURFACE COMPLETION**
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☒ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) **WATER LEVEL:**
Static level 80 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) **PACKERS:**

Type	Depth
Rubber packer RxR	147

13) **TYPE PUMP:** ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) **WELL TESTS:**
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 72
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells (Type or print) **WELL DRILLER'S LICENSE NO.** 2221W

ADDRESS 607 Hwy 19 (Street or RFD) Huntsville (City) Tx (State) 77340 (Zip)

(Signed) Henry Lee (Licensed Well Driller) **(Signed)** _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC ~~WELL OWNER'S~~ COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

Send original copy by certified mail to: TNRCC, P.O. B[illegible]087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) **OWNER** Bill Cooney (Name) **ADDRESS** Rt. 4 Box 1126 (Street or RFD) Huntsville (City) Tx (State) 77340 (Zip)

2) **ADDRESS OF WELL:** County Walker Abby Ln. (Street or RFD) New Waverly (City) Tx (State) (Zip) **STATE WELL #** 60-29-1

3) **TYPE OF WORK (Check):** ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE (Check):** ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) **WELL LOG:**
Date Drilling:
Started 11-20 1996
Completed 11-22 1996

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	179
3 7/8	179	199

7) **DRILLING METHOD (Check):** ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0-3		Soil
3-21		clay
21-40		clay
40-45		Rock
45-61		clay
61-64		Sand
64-82		clay
82-90		Sandy
90-103		clay
103-105		Rock
105-126		Shale
126-136		shale
136-147		Shale
147-150		Rock
150-168		clay
168-176		clay
176-179		Sandy
179-199		Sand

(Use reverse side if necessary)

8) **Borehole Completion (Check):** ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	PVC	0	179	40
2	N	PVC Screen	179	199	8

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from 0 ft. to 179 ft. No. of sacks used 10
0 ft. to 10 ft. No. of sacks used 5
Method used Pressure
Cemented by Richard Mikes
Distance to septic system field lines 165 ft.
Method of verification of above distance Tape Measure

10) **SURFACE COMPLETION**
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) **WATER LEVEL:**
Static level 72 ft. below land surface Date 11-22-96
Artesian flow _____ gpm Date _____

12) **PACKERS:** Rubber Type K Depth 174'

13) **TYPE PUMP:**
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) **WELL TESTS:**
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 20
Was a chemical analysis made? ☐ Yes ☒ No

FILE ID DATE SEQ #
PMP # SEP 05 1997 PERM CO
COMMENT WQ

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) **WELL DRILLER'S LICENSE NO.** 2011 WPK

ADDRESS P.O. Box 1700 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) **(Signed)** Richard Mikes (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

Send original copy by certified mail to: TNRCC, P.O. Box [redacted]7, Austin, TX 78711-3087 [redacted] *Please use black ink.*

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) **OWNER** Edward L. Jordan (Name) **ADDRESS** 1306 Chestnut Ln (Street or RFD) Houston (City) TX (State) 77018 (Zip)

2) **ADDRESS OF WELL:** County Walker 2296 — 7m 2296 (Street or RFD) Huntsville (City) Tx (State) 77340 (Zip) **GRID #** 60-29-1

3) **TYPE OF WORK (Check):** [X] New Well [ ] Deepening [ ] Reconditioning [ ] Plugging

4) **PROPOSED USE (Check):** [ ] Monitor [ ] Environmental Soil Boring [X] Domestic [ ] Industrial [ ] Irrigation [ ] Injection [ ] Public Supply [ ] De-watering [ ] Testwell
If Public Supply well, were plans submitted to the TNRCC? [ ] Yes [ ] No

5) N

6) **WELL LOG:**
Date Drilling:
Started 10-27 1995
Completed 10-30 1995

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
3 7/8	Surface	92

7) **DRILLING METHOD (Check):** [ ] Driven [ ] Air Rotary [X] Mud Rotary [ ] Bored [ ] Air Hammer [ ] Cable Tool [ ] Jetted [ ] Other

From (ft.)	To (ft.)	Description and color of formation material
0-21		Clay
21-32		Clay
32-40		Sand
40-42		Sand
42-44		Clay
44-52		Sand
52-61		clay
61-70		clay
70-82		Sand
82-90		Sand
90-91		clay

(Use reverse side if necessary)

8) **Borehole Completion (Check):** [ ] Open Hole [X] Straight Wall [ ] Underreamed [ ] Gravel Packed [ ] Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
2	N	PVC	0	80	#40
2	N	PVC Screen	80	90	#10

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from 0 ft. to 10 ft. No. of sacks used 5
_____ ft. to _____ ft. No. of sacks used _____
Method used _____
Cemented by Richard Tucker
Distance to septic system field lines N/A ft.
Method of verification of above distance No Tanks or Lines

13) **TYPE PUMP:** [ ] Turbine [X] Jet [ ] Submersible [ ] Cylinder [ ] Other
Depth to pump bowls, cylinder, jet, etc., 84 ft.

10) **SURFACE COMPLETION**
[ ] Specified Surface Slab Installed [Rule 338.44(2)(A)]
[X] Specified Steel Sleeve Installed [Rule 338.44(3)(a)]
[ ] Pitless Adapter Used [Rule 338.44(3)(b)]
[ ] Approved Alternative Procedure Used [Rule 338.71]

RECEIVED JUN 1997 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

14) **WELL TESTS:**
Type test: [ ] Pump [ ] Bailer [X] Jetted [ ] Estimated
Yield: 8 gpm with _____ ft. drawdown after _____ hrs.

11) **WATER LEVEL:**
Static level 61 ft. below land surface Date 10-27-95
Artesian flow _____ gpm. Date _____

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
[ ] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 20'
Was a chemical analysis made? [ ] Yes [X] No

12) **PACKERS:** Formolien Type Rubber Depth 80'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) **WELL DRILLER'S LICENSE NO.** 2011 WPK

ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) **(Signed)** Richard Tucker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93) TNRCC COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

#1 WALKER

DUP

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-29-1K
Located on map Yes
Received: RWB

1) OWNER Louisiana Pacific (Name) Address P.O. Box 368 (Street or RFD) New Waverly, Texas (City) (State) 77358 (Zip)

2) LOCATION OF WELL:
County Walker, 6 miles in South (N.E., S.W., etc.) direction from Huntsville (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ON 60-10-2B

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 6-1-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	250

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		top soil
2-9		brown clay
9-22		sand streaks
22-52		brown clay
52-56		sand streaks
56-62		sand
62-63		rock
63-77		sand
77-78		rock
78-85		sand
85-99		brown clay
99-112		sand
112-117		brown clay
117-122		sand streaks
122-127		sand
127-152		brown clay
152-166		sand
166-182		brown clay
182-202		sand streaks
202-219		brown clay
219-220		rock
220-232		brown clay
232-250		sand

(Use reverse side if necessary)

RECEIVED
JUL 15 1982
DEPT. OF WATER RESOURCES

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galvanized	-2	229	40
2	N	Stainless steel	249	239	#10

CEMENTING DATA
Cemented from 229 ft. to surface ft.
Method used Pressure
Cemented by Holly Watter Well Service (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead L	224

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 223 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER".
Type of water? good Depth of strata 18 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A? CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside, Texas (City) (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT
ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-29-10
Located on map yes
Received: C.F.S.

1) OWNER Louisiana Pacific Trucking (Name) Address P.O. Brawer AA (Street or RFD) New Waverly, Texas (City) (State) 77358 (Zip)

2) LOCATION OF WELL: County Walker, 2½ miles in N (N.E., S.W., etc.) direction from New Waverly (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ **See attached map.**

3) **TYPE OF WORK** (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check): ☐ Domestic ☒ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**

Date drilled 9-21-82

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	189

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	19	brown clay
19	55	sand
55	72	brown clay
72	82	sand
82	88	brown clay
88	96	sand streaks
96	102	sand
102	112	brown clay
112	189	sand

(Use reverse side if necessary)

7) **BOREHOLE COMPLETION:** ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Galvanized	-2	168	40
2½	N	Stainless steel	188	168	#12

CEMENTING DATA
Cemented from 168 ft. to surface ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) **WATER LEVEL:**
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) **PACKERS:**

Type	Depth
Lead L	163

11) **TYPE PUMP:** ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) **WELL TESTS:** ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

13) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER".
Type of water? good Depth of strata 77ft.
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED
JAN 18 1983
DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, HENRY LEE (Type or Print) Water Well Drillers Registration No. 2026 2221

ADDRESS P.O. Box 638 (Street or RFD) Riverside, Texas (City) (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



LEGEND

- DWELLING
- BUSINESS
- DWELLING AND BUSINESS
- HOTEL OR MOTEL
- POST OFFICE
- POST OFFICE COMBINATIONS
- DRIVE IN THEATRE
- FACTORY OR INDUSTRY
- GRAIN ELEVATOR
- SCHOOL
- COMMUNITY OR TOWN HALL
- CLUB HOUSE
- CHURCH
- CEMETERY
- CHURCH AND CEMETERY
- TYPICAL GROUP OF CULTURE
- HOSPITAL
- CAMP OR LODGE
- SANITARIUM
- WATER TANK
- WINDMILL
- FOREST FIRE TOWER
- TRANSMITTER TOWER
- RECREATIONAL FACILITY
- GOLF COURSE OR COUNTRY CLUB
- FAIR GROUND OR RODEO ARENA
- MINE, QUARRY OR GRAVEL PIT
- POWER SUB STATION
- POWER PLANT
- S.D.H.P.T. DISTRICT OFFICE
- T.D.H.P.T. WAREHOUSE
- PUMPING STATION
- OIL OR GAS WELLS
- AUTO JUNK YARD
- GARBAGE AND RUBBISH DUMP
- SCRAP METAL
- FEED LOT

- NATIONAL OR STATE BOUNDARY
- COUNTY BOUNDARY
- LIMIT OF ENLARGED DETAIL
- CITY LIMIT
- RAILROAD AND STATION
- PRIVATE ROAD
- PRIMITIVE ROAD
- STATE - COUNTY
- GRADED EARTH ROAD
- GRADED AND DRAINED ROAD
- SOIL SURFACED ROAD
- GRAVEL SURFACED ROAD
- PAVED ROAD - LOW TYPE
- PAVED ROAD - HIGH TYPE
- DIVIDED ROADWAY
- ROAD IN CITY OR PRIVET
- DIVIDED ROAD IN CITY OR PRIVET
- RURAL - CITY
- HIGHWAY ACCESS FULLY CONTROLLED
- HIGHWAY ACCESS PARTIALLY CONTROLLED
- FEDERAL AID INTERSTATE ROUTE
- FEDERAL AID PRIMARY ROUTE
- FEDERAL AID SECONDARY ROUTE
- FEDERAL AID URBAN ROUTE
- MILEAGE BETWEEN POINTS
- INTERSTATE HIGHWAY
- U.S. NUMBERED HIGHWAY
- STATE HIGHWAY
- STATE HIGHWAY PARK ROAD
- STATE HIGHWAY LOOP OR SPUR
- FARM OR RANCH TO MARKET ROAD
- RECREATIONAL ROAD

- COUNTY SEAT
- TOWN SYMBOLS
- BRIDGE OR CROSSING
- SEPARATION OVER 30'
- MOVABLE SPAN BRIDGE
- CONCRETE FORD
- NATURAL FORD
- GATE (CATTLEGUARDS) IF LOCKED
- INTERMITTENT STREAM
- FLOWING STREAM
- CANAL
- NAVIGABLE STREAM
- INTERMITTENT NAVIGATION
- SHIP AND BARGE CHANNEL
- FISH HATCHERY
- LEVEE LEVEE WITH ROAD
- POND OR LAKE WITH DAM
- AREA SUBJECT TO INUNDATION
- INTERMITTENT LAKE
- PROMINENT ELEVATION
- ESCARPMENT OR BLUFF
- PETROLEUM PROD JCTS PIPE LINE
- WATER PIPE LINE
- TRANSMISSION LINE
- MILITARY AIRFIELD
- AIRFIELD WITH FACILITIES
- AIRFIELD WITH LIMITED FACILITIES
- RADIO BEACON
- S.D.H.P.T. TOURIST BUREAU
- HISTORIC SITE
- TRIANGULATION STATION
- TRIANGULATION CUT STATION
- BOUNDARY MONUMENT





PHELPS

KEY TO COUNTIES

Copies of this map are available for public use at nominal cost from the State Department of Highways and Public Transportation, P.O. Box 5051, Austin, Texas 78763

GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALES
1 INCH = 4 MILES
1 INCH = 1 MILE

1969

1970 CENSUS FIGURES
HIGHWAYS REVISED TO MARCH 1, 1978
POLYCONIC PROJECTION NORTH AMERICAN DATUM

Control: U.S. Coast and Geodetic Survey and U.S. Geological Survey supplemented by U.S. Engineer's surveys, railroad alignments, state highway alignments and road inventory.

Sheet 1 of 1 base sheet and 1 supplementary sheet

Send original copy by certified mail to: **Texas Water Commission, P.O. Box 13087, Austin, Texas 78711**

(29)

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) **OWNER** STUB LEETCH (Name) **ADDRESS** FM2296 (Street or RFD) HUNTSVILLE (City) TX (State) (Zip)

2) **LOCATION OF WELL:** County WALKER, 4 miles in S (NE, SW, etc.) direction from PHELPS (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **LEGAL DESCRIPTION:**

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☐ **SEE ATTACHED MAP** on 60-21-7

3) **TYPE OF WORK (Check):** ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE (Check):** ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) **DRILLING METHOD (Check):** ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Driven ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) **WELL LOG:**

Date Drilling: Started 7-20 1989 Completed 7-21 1989

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6 3/4	0	315

7) **BOREHOLE COMPLETION:** ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 STRING CEMENTED

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	19	CLAY
19	42	SAND
42	74	CLAY
74	113	SAND
113	135	CLAY
135	161	SAND
161	197	CLAY
197	231	SAND
231	276	CLAY
276	315	SAND

(Use reverse side if necessary)

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4"	N	PVBC CASING	0	305	SCH40
2½"	N	LINER	295	305	SCH40
2½"	N	SLOTTED SCREEN	305	315	.0012

9) **CEMENTING DATA** [Rule 287.44(1)]

Cemented from 200 ft. to 100 ft. No. of Sacks Used 10

15 ft. to 0 ft. No. of Sacks Used 3

Method used HALLIBURTON

Cemented by RWW

13) **TYPE PUMP:** ☐ Turbine ☐ Jet ☒ Submersible 1H.P. ☐ Cylinder ☐ Other _____

Depth to pump bowls, cylinder, jet, etc., 280 ft.

10) **SURFACE COMPLETION**

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]

☐ Pitless Adapter Used [Rule 287.44(3)(B)]

☒ Approved Alternative Procedure Used [Rule 287.71]

14) **WELL TESTS:** Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

RECEIVED SEP 26 1989 TEXAS WATER COMMISSION

11) **WATER LEVEL:**

Static level 150 ft. below land surface Date 7-21-89

Artesian flow _____ gpm. Date _____

15) **WATER QUALITY:**

Did the drilling penetrate any strata which contained undesirable constituents?

☐ Yes ☐ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☐ No

12) **PACKERS:**

Type	Depth
K-PACKER	295

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME ROBINSON WATER WELL SERVICE, INC (Type or print) **WELL DRILLER'S LICENSE NO.** 2212

ADDRESS 11607 FM 149 (Street or RFD) HOUSTON (City) TX. (State) 77086 (Zip)

(Signed) Tim Robinson (Licensed Well Driller) **(Signed)** _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-29-1 Located on map _____

WWD-012 (Rev. 09/21/88)

TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material

WALKER #17 · 7 m: NISL · 1 m: WIEL

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER David and Virginia Owens (Name) Address Rt. 4 Box 1347 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 3 miles in S (N.E., S.W., etc.) direction from HUNTSVILLE (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. 0 N 60 - 13 - 4

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 9/16 19 86 Completed 9/17 19 86

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	377

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-22		White clay
22-30		Sand
30-39		White clay
39-47		Sand
47-54		White clay
54-75		Sand
75-98		White clay
98-137		Sand
137-140		White clay
140-173		Sand
173-182		White clay
182-191		Sand
191-214		White clay
214-242		Meally clay
242-252		Sand
252-262		White clay
262-267		Sand
267-292		Meally clay
292-312		Meally clay and Rock streaks
312-319		Sand
319-322		White clay
322-333		Sand
333-342		Calichie and rock streaks
342-357		Sand
357-364		WHite clay
364-377		Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	342	40
2½	N	Stainless steel	365	375	10

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 342 ft. to 242 ft. No. of Sacks Used 6
1'hr ft. to 16'12 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Holly Water Well Service

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☒ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Lead 336

13) TYPE PUMP: ☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 220 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 13 Ft.
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED DEC 18 1986 TEX. WATER COMMISSION

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 60-29-1
Located on map _____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

20

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Mr. Jim Bearden (Name) Address Unknown (Street or RFD) Huntsville, Texas. (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 5 miles in S (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☐ See attached map.

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 9/25/84

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
	Surface	
6-3/4		358

From (ft.)	To (ft.)	Description and color of formation material
0	23	Clay
23	160	Sand
160	212	Clay
212	239	Sand
239	285	Clay
285	305	Sand
305	340	Clay
340	358	Sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION: ☐ Open Hole ☐ Straight Wall ☐ Underreamed ☐ Gravel Packed ☒ Other 2 string cemented
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"	N	PVC Casing	0	340	Sch.
2½"	N	Blank Pipe	333	340	40
2½"	N	PVC Slotted Screen	340	358	.012

CEMENTING DATA
Cemented from 340 ft. to surface f ft.
Method used Hallliburton
Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL:
Static level 160 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type K Depth 335

11) TYPE PUMP: kHP Sub #251 Tank
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

MAY 0 7 8
Texas W

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Robinson Water Well Service, Inc. (Type or Print) Water Well Driller's License No. 1464

ADDRESS 11607 FM 149 (Street or RFD) Houston, (City) Tx. (State) 77086 (Zip)

(Signed) M. E. Robinson (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-29-1
Located on map _____

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS

PREPARED BY THE

STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION

TRANSPORTATION PLANNING DIVISION

IN COOPERATION WITH THE

U.S. DEPARTMENT OF TRANSPORTATION

FEDERAL HIGHWAY ADMINISTRATION

SCALE IN MILES

MAP: 0 1 2 3 4

INSET: 0 1/4 1/2 3/4 1

1981

1980 CENSUS FIGURES

HIGHWAYS REVISED TO MARCH 1, 1986

Copies of this map are available for public use at nominal cost from the State Department of Highways and Public Transportation, P O Box 5051, Austin, Texas 78763

POLYCONIC PROJECTION NORTH AMERICAN DATUM
CONTROL: U.S. COAST AND GEODETIC SURVEY AND U.S. GEOLOGICAL SURVEY

LEGEND

- BUSINESS
- FACTORY OR INDUSTRY
- HOTEL OR MOTEL
- POST OFFICE
- POST OFFICE AND BUSINESS
- GRAIN ELEVATOR
- DRIVE IN THEATRE
- SCHOOL
- COMMUNITY OR TOWN HALL
- CLUB HOUSE
- CHURCH
- DWELLING
- CEMETERY
- CHURCH AND CEMETERY
- HOSPITAL
- CAMP OR LODGE
- SAWMILL
- WATER TANK
- PUMPING STATION
- TRANSMITTER TOWER
- MINE, QUARRY OR GRAVEL PIT
- S D H & P T DISTRICT OFFICE
- S D H & P T WAREHOUSE
- POWER SUB STATION
- POWER PLANT
- AUTO JUNKYARD
- GARBAGE AND RUBBISH DUMP
- SCRAP METAL
- FEED LOT
- SEWAGE TREATMENT PLANT
- TRAILER PARK
- RECREATIONAL FACILITY
- GOLF COURSE OR COUNTRY CLUB
- FAIR GROUND OR RODEO ARENA

- NATIONAL OR STATE BOUNDARY
- COUNTY BOUNDARY
- LIMIT OF ENLARGED DETAIL
- CITY LIMIT
- RAILROAD AND STATION
- P — PRIVATE ROAD
- STATE - OTHER
- BLADED EARTH ROAD
- GRADED AND DRAINED ROAD
- SOIL SURFACED ROAD
- GRAVEL SURFACED ROAD
- PAVED ROAD LOW TYPE
- PAVED ROAD HIGH TYPE
- DIVIDED ROADWAY
- ROAD IN CITY OR INSET
- DIVIDED ROADWAY WITH FRONTAGE ROADS
- FAI — FEDERAL AID INTERSTATE ROUTE
- FAP — FEDERAL AID PRIMARY ROUTE
- FAS — FEDERAL AID SECONDARY ROUTE
- FAU — FEDERAL AID URBAN ROUTE
- 1.9 8.1 — MILEAGE BETWEEN POINTS
- 35 — INTERSTATE HIGHWAY
- 290 — U S NUMBERED HIGHWAY
- 95 — STATE HIGHWAY
- 26 — STATE HIGHWAY LOOP OR SPUR
- P12 — STATE HIGHWAY PARK ROAD
- 2336 — FARM OR RANCH TO MARKET ROAD
- R.R. — RECREATIONAL ROAD
- 87 177 — MULTIPLE U.S. HIGHWAY ROUTE

Sheet 1 of 1 Base Sheet and 1 Supplementary Sheet

WALKER #4 · 7 mi. N15L · 1 mi. W1EL

Please use black ink.
Send original copy by certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Joel Pelham (Name) Address 6620 Fulton /P O Box 16127 Houston, TX 77022 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 5 miles in South (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. on 60 13-4

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:
Date Drilling: Started 7/18 19 86 Completed 7/19 19 86

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	364

From (ft.)	To (ft.)	Description and color of formation material
0	4	Top Soil
4	52	Brown clay
52	64	Sand
64	84	Sand streaks
84	115	Sand
115	123	Blue clay
123	144	Sand
144	224	Meally clay
224	234	Brown clay
234	279	Sand
279	301	Brown clay
301	304	Sand
304	324	Brown clay
324	334	Blue clay
334	336	Rock streaks
336	364	Sand

(Use reverse side if necessary)

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	343	40
2½	N	Stainless steel	342	362	#10

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 343 ft. to 243 ft. No. of Sacks Used 6
0 ft. to 10 ft. No. of Sacks Used 2
Method used Pressure
Cemented by Holly Water Wells

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 150 ft. below land surface Date 7-19-86
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth
Lead 337

13) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☒ Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 28 Ft.
Was a chemical analysis made? ☐ Yes ☒ No

RECEIVED
DEC 18 1986
TEXAS WATER COMMISSION

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service (Type or Print) Water Well Driller's License No. 2026/2221

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340 (Street or RFD) (City) (State) (Zip)

(Signed) [signature] (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 60-29-1
Located on map _____

TWC-0392 (Rev. 06-10-85) TEXAS WATER COMMISSION COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#38 [redacted]UKER Co. [redacted]

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-29-1R
Located on map 405
Received: C.F.S.

1) OWNER Bessie M. Pennington (Name) Address Rt. 4 Box 1240 (Street or RFD) Huntsville, (City) Tx (State) 77340 (Zip)

2) LOCATION OF WELL: County WALKER, 5 miles in South (N.E., S.W., etc.) direction from Huntsville, (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. map on 60-18-3K

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 5/24/83

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	383

7) BOREHOLE COMPLETION: ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		Top soil
2-15		Red clay
15-22		Sand
22-39		Sand streaks
39-52		Sand
52-62		Sand streaks
62-82		White clay
82-90		Brown clay
90-136		Sand
136-148		Brown clay
148-152		Sand streaks
152-238		Brown clay
238-242		Rock streaks
242-262		Brown clay
262-279		Sand
279-316		Brown clay
316-322		Rock streaks
322-354		Brown clay
354-357		Rock streaks
357-370		Brown clay
370-383		Sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	-1½	371	40
2½	N	Stainless steel	382	372	#10

CEMENTING DATA
Cemented from 371 ft. to 271 ft.
Method used Pressure
Cemented by Henry Lee (Company or Individual)

9) WATER LEVEL:
Static level 177 ft. below land surface Date 5/25/83
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead	L	367

11) TYPE PUMP: ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS: ☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 13 Ft.
Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED
JUN - 7 1983
DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ralph A. Cadwallader/Henry Lee (Type or Print) Water Well Drillers Registration No. 2026/2221

ADDRESS P.O. Box 638 (Street or RFD) Riverside (City) Texas (State) 77367 (Zip)

(Signed) RALPH A. CADWALLADER (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

1) OWNER Kenneth Woods (Name) Address Rt 4 Box 1259 Huntsville Tex. 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 6½ miles in N (N.E., S.W., etc.) direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. Map on Dwg 60-29-7J

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 5-1-8-84

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 7/8	Surface	300
4	300	388

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top Soil (SAND)
2	8	CLAY (Red)
11	63	SAND (Brown)
63	95	CLAY (white)
95	126	SAND (Brown)
126	154	CLAY (white)
154	165	SAND (Brown) fine
165	176	CLAY (Grey)
176	203	Shale (Grey) soft
203	253	CLAY + SAND (white)
253	275	SAND (Brown) fine
275	336	CLAY + some SAND (white)
336	366	CLAY + SAND + Shale (white)
366	388	SAND (Light Grey)

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 4 x 2½ in.
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4		PVC Sch 40	0	300	
2½		PVC Sch 40	290	366	
2½		PVC Sch 40 Slotted	366	388	.010

CEMENTING DATA
Cemented from 0 ft. to 10 ft.
Method used 2ft x 2ft x 4 in.
Cemented by sab on surface (Company or Individual)

9) WATER LEVEL:
Static level 150 ft. below land surface Date 5-6-84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
1 - 2½ in K 366

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☑ Jetted ☐ Estimated
Yield: 10 gpm with 35 ft. drawdown after 2 hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED
JUN 13 1984
DEPT. OF WATER RESOURCES

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells (Type or Print) Water Well Driller's License No. 2275

ADDRESS Rt #4 Box 1094 Huntsville (Street or RFD) (City) Texas (State) 77340 (Zip)

(Signed) Arthur L. Slott (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-29-1R
Located on map Yes C.F.S.

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-29-1P
Located on map 2 Yes
Received: RLW

1) OWNER ALBERTA GUTERZ (Name) Address HOUSTON (Street or RFD) TEXAS (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER _____ miles in 5 3/4 N (N.E., S.W., etc.) direction from NEW WAVERLY (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☑ See attached map. Map on 60-28-85

3) **TYPE OF WORK** (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE** (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) **DRILLING METHOD** (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) **WELL LOG:**
Date drilled 10-6-80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	118'
2 7/8	118	128'

From (ft.)	To (ft.)	Description and color of formation material
0	1	TOP.S
1	6	red clay
6	18	white clay
18	22	fine sand
22	82	white clay
82	118	fine sand & clay
118	128	[illegible]

7) **BOREHOLE COMPLETION:**
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 Strings
If Gravel Packed give interval . . . from 0 ft. to _____ ft.

8) **CASING, BLANK PIPE, AND WELL SCREEN DATA:**

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"		Sch 40 PVC	+1	118	
2 1/2		Plastic screen	120	128'	012
2 1/2		Sch 80 Bent	116	120	

CEMENTING DATA
Cemented from 20' ft. to 118' ft.
Method used Pressure
Cemented by M&M Well Service (Company or Individual)

9) **WATER LEVEL:**
Static level 68' ft. below land surface Date 10-7-80
Artesian flow _____ gpm. Date _____

10) **PACKERS:** Type Depth

RECEIVED AUG 17 1982 CR/TU

11) **TYPE PUMP:**
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc. 110 ft.

(Use reverse side if necessary)

13) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

12) **WELL TESTS:**
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G MCKAY (Type or Print) Water Well Drillers Registration No. 688

ADDRESS PO Box 523 (Street or RFD) WILLIS (City) TEXAS (State) 77378 (Zip)

(Signed) Donald G McKay (Water Well Driller) M&M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-29-1N
Located on map 1 yes
Received: KLW

1) OWNER ANNA BURKHALTER (Name) Address HOUSTON (Street or RFD) TEXAS (City) (State) (Zip)

2) LOCATION OF WELL:
County WALKER, _____ miles in 5 1/2 N (N.E., S.W., etc.) direction from NEW WAVERLY (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
☑ See attached map. Map on 60-28-8J

3) TYPE OF WORK (Check): ☑ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☑ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☑ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 9-30-80

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 3/4	Surface	120
3-7/8	120	142

From (ft.)	To (ft.)	Description and color of formation material
0	1	TS
1	6	yc
6	19	clay + rock
19	72	sandy clay
72	118	S & clay
118	142	water sand with clay breaks

7) BOREHOLE COMPLETION:
☐ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other 2 string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4"		Sch 40 Pvc	+1	120	
2 1/2		Screen plastic	132	142	012
2 1/2		Sch 80 Blank	117	132	

CEMENTING DATA
Cemented from 20 ft. to 120 ft.
Method used Pressure
Cemented by M+M Well Service (Company or Individual)

9) WATER LEVEL:
Static level 68' ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
☐ Turbine ☐ Jet ☑ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 110' ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☑ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

(Use reverse side if necessary)

RECEIVED
AUG 17 1982
CR/

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G McKAY (Type or Print) Water Well Drillers Registration No. 688

ADDRESS PO Box 523 (Street or RFD) WILLIS (City) TEXAS (State) 77378 (Zip)

(Signed) Donald G McKay (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#5 WALKER

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-29-1m
Located on map YES
Received: Rwg

1) OWNER K. D. Miller (Name) Address P.O. Box 1657 (Street or RFD) Huntsville, Texas (City) (State) 77340 (Zip)

2) LOCATION OF WELL:
County Walker, 5 miles in South (N.E., S.W., etc.) direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ON 38-61-4A

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 9-8-81

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	389

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	8	red clay
8	32	sand
32	82	white clay
82	100	brown meally clay
100	122	sand
122	142	sand streaks
142	152	sand
152	266	brown clay
266	278	sand
278	350	brown clay
350	356	rock streaks
356	364	brown clay
364	387	sand 364-387
387	389	clay

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	Plastic	0	369	40
2½	N	Stainless steel	380	370	#10

CEMENTING DATA
Cemented from 369 ft. to 319 ft.
Method used Pressure
Cemented by Holly Water Well Service (Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date 9-11-81
Artesian flow _____ gpm. Date _____

10) PACKERS:

Type	Depth
Lead L	365

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 45 gpm with _____ ft. drawdown after _____ hrs.
at 290 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 17 ft.
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER (Type or Print) Water Well Drillers Registration No. 2026

ADDRESS P.O. Box 638 (Street or RFD) Riverside, Texas (City) (State) 77367 (Zip)

(Signed) Ralph A. Cadwallader (Water Well Driller) Holly Water Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-1L
Located on map Wea
Received: 79 RK

1) OWNER:
Person having well drilled Don Richards (Name) Address RFD (Street or RFD) Evergreen (City) Tex (State)

Landowner Mr. Fitz (Name) Address RFD (Street or RFD) New Waverly (City) Tex (State)

2) LOCATION OF WELL:
County Walker, 4 miles in N (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
✓ New Well — Deepening — Reconditioning — Plugging

4) PROPOSED USE (Check):
✓ Domestic — Industrial — Municipal — Irrigation — Test Well — Other

5) TYPE OF WELL (Check):
✓ Rotary — Driven — Dug — Cable — Jetted — Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 375 ft. Depth of completed well 375 ft. Date drilled 12-15-78

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	180	sand & clay
180	200	shale
200	210	Rock
210	300	shale
300	350	clay
350	375	sand

(Use reverse side if necessary)

9) Casing:
Type: Old — ✓ New — Steel — ✓ Plastic — Other

Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	280	sch 40
2"	275	355	sch 40

10) SCREEN:
Type plastic sch 40

Perforated — ✓ Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2	355	375	014

7) COMPLETION (Check):
✓ Straight wall — Gravel packed — Other — Under reamed — Open Hole

8) WATER LEVEL:
Static level 120 ft. below land surface Date 12-23-78

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓ No If yes, by whom?

Yield: 20 gpm with 10 ft. drawdown after 1 hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ✓ No

Did any strata contain undesirable water? Yes ✓ No

Type of water? hard depth of strata 25'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L. Graham (Type or Print) Water Well Drillers Registration No. 1781

ADDRESS Rt 3 Box 150 (Street or RFD) Willis (City) Tex (State)

(Signed) James L Graham (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-1K
Located on map
Received: 78-4-25
LL

1) OWNER:
Person having well drilled Victor J Early (Name) Address New Waverly (Street or RFD) Tex (City) (State)

Landowner (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 4 miles in NW (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
✓ New Well — Deepening — Reconditioning — Plugging

4) PROPOSED USE (Check):
✓ Domestic — Industrial — Municipal — Irrigation — Test Well — Other

5) TYPE OF WELL (Check):
✓ Rotary — Driven — Dug — Cable — Jetted — Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 382 ft. Depth of completed well 382 ft. Date drilled 9-26-77

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	20	clay
20	73	shale
73	150	clay
150	160	broken rock
160	185	sand
185	195	clay
195	360	shale + clay
360	382	sand

(Use reverse side if necessary)

9) Casing:
Type: Old — ✓ New — Steel — ✓ Plastic — Other

Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4"	0	300'	sch 40
2"	282	372	sch 40

10) SCREEN:
Type plastic sch 40

Perforated — ✓ Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2"	372	382	012

7) COMPLETION (Check):
✓ Straight wall — Gravel packed — Other — Under reamed — Open Hole

8) WATER LEVEL:
Static level 120 ft. below land surface Date 9-30-77

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes ✓ No If yes, by whom?

Yield: 20 gpm with 10 ft. drawdown after 1 hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes ✓ No

Did any strata contain undesirable water? Yes ✓ No.

Type of water? soft depth of strata 22'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L Graham (Type or Print) Water Well Drillers Registration No. 1781

ADDRESS Rt 2 Box 276 (Street or RFD) Willis (City) Tex (State) 77378

(Signed) James L Graham (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-15
Located on map 1/25
Received: 76 1/25

1) OWNER:
Person having well drilled Jerry Heartfield (Name) Address Phelps Cut-Off (Street or RFD) Huntsville (City) Tex. (State)
Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION:
County Walker, 5 1/2 miles in N (N.E., S.W., etc.) direction from New Waverly (Town) 77301

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ✓ Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic ✓ Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary ✓ Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 235 ft. Depth of completed well 235 ft. Date drilled 11-6-75
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	23	clay
23	40	sand
40	130	clay
130	148	sand
148	174	clay
174	176	rock
176	183	clay
183	202	fine sand
202	207	clay & rock
207	217	clay
217	235	sand

(Use reverse side if necessary)

9) Casing:
Type: Old New ✓ Steel Plastic ✓ Other
Cemented from 0 ft. to 219 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	219	Sch 40
2 1/2	204	225	"

10) SCREEN:
Type SS
Perforated ✓ Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2 1/2	225	235	12 go

7) COMPLETION (Check):
Straight wall ✓ Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 74 ft. below land surface Date 11-6-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: 2000 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E. Weisinger (Type or Print) Water Well Drillers Registration No. 1541

ADDRESS _____ (Street or RFD) (City) (State)

(Signed) John Earl Weisinger (Water Well Driller)

Weisinger Water Well Co.
105 N. Magnolia
Conroe, Texas 77301
(713) 756-4268
(Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-1H
Located on map 1/05
Received: 25 1
dlr

1) OWNER:
Person having well drilled JOE PLEDGER (Name) Address 8901 BISSONNET APT.# 185 (Street or RFD) HOUSTON (City) 77036 (State)

Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 10 miles in S (N.E., S.W., etc.) direction from HUNTSVILLE (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

SEE MAP # 1

North

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well X, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic X, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary X, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 100 ft. Depth of completed well 100 ft. Date drilled 8-27-74

All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	8	top soil
8	18	fine sand
18	35	clay
35	45	sand
45	85	clay
85	100	sand & gravel

(Use reverse side if necessary)

9) Casing:
Type: Old, New X, Steel, Plastic X, Other

Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
2	0	90	S40

10) SCREEN:
Type Plastic

Perforated, Slotted X

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2	90	100	16G

7) COMPLETION (Check):
Straight wall X, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 70 ft. below land surface Date 8-27-74

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No X

Did any strata contain undesirable water? Yes No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MARVIN GILBERT (Type or Print) Water Well Drillers Registration No. 1328

ADDRESS RT. 2 BOX 609 (Street or RFD) CLEVELAND, TEXAS (City) 77327 (State)

(Signed) [signature] (Water Well Driller) GILBERT'S WATER WELL DRILLING COMPANY (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2)LOCATION OF WELL:

wel

int

tow

the

he

stract.

a map



DUP

Send original copy by certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

For TDWR use only
Well No. 60-29-1H
Located on map YES
Received: TH

1) OWNER JAMES E GOODWIN (Name) Address RT 4 BOX 387-11 (Street or RFD) HUNTSVILLE (City) TEXAS (State) 77340 (Zip)

2) LOCATION OF WELL:
County WALKER 8 miles in S (N.E., S.W., etc.) direction from PHELP'S (Town)

Driller **must** complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ **Legal description:**
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

☒ See attached map. Map on 60-19-4H

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check): ☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 10-18-79

DIAMETER OF HOLE Dia. (in.)	From (ft.)	To (ft.)
6½	Surface	339

From (ft.)	To (ft.)	Description and color of formation material
0	22	RED & WHITE CLAY
22	62	WHITE CLAY
62	82	BROWN CLAY
82	123	SAND
123	232	BROWN CLAY (MEMY)
232	246	ROCK STKS
246	267	SANDY CLAY
267	322	BROWN CLAY
322	339	SAND

(Use reverse side if necessary)

7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
4	N	PLASTIC	327	+1	#40
2½	N	STAINLESS STEEL	329	339	#8

CEMENTING DATA
Cemented from 327 ft. to 250 ft.
Method used PRESSURE
Cemented by E.A. HOLLY (Company or Individual)

9) WATER LEVEL:
Static level 140 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

10) PACKERS: Type LEAD Depth 324

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS:
☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 17
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS (State) 77367 (Zip)

(Signed) E.A. Holly (Water Well Driller) E.A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

> "Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-1Ge
Located on map yes
Received: 23 /
dlr

1) OWNER:
Person having well drilled J. Ellington (Name) Address Rt 4 (Street or RFD) Huntsville (City) Texas (State)

Landowner J Ellington (Name) Address Rt 4 (Street or RFD) Huntsville (City) Texas (State)

2) LOCATION OF WELL:
County Walker, 4 miles in N (N.E., S.W., etc.) direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
✓ New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
✓ Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
✓ Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 202 ft. Depth of completed well 202 ft. Date drilled 5-23-73

All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	29	Sand
29	86	Shale
86	110	Gravel
110	165	Shale
165	202	Sand

(Use reverse side if necessary)

9) Casing:
Type: Old ✓ New Steel ✓ Plastic Other

Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	0	192	Sch40

10) SCREEN:
Type 2" x 10'
✓ Perforated Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2	192	202	12 GA

7) COMPLETION (Check):
✓ Straight wall Gravel packed Other Under reamed Open Hole

8) WATER LEVEL:
Static level 78 ft. below land surface Date 5-24-73

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

11) WELL TESTS:
Was a pump test made? (Yes) No If yes, by whom?

Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? (Yes) No

Did any strata contain undesirable water? Yes No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Dusty Rhodes Water Wells Inc (Type or Print) Water Well Drillers Registration No. 1463

ADDRESS Rt 4 Box 312 (Street or RFD) Huntsville (City) Texas (State)

(Signed) W.C. Rhodes (Water Well Driller) Dusty Rhodes Water Wells Inc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-1F
Located on map Y-2-S
Received: 73
dlf

1) OWNER:
Person having well drilled MR J.H. BOATRIGHT (Name) Address 8017 ELROD ST. (Street or RFD) HOUSTON (City) TEXAS (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 7 miles in S (N.E., S.W., etc.) direction from PHELPS (Town) TEXAS

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* HUNTSVILLE HY 15 PHELPS FM 2296 WELL North DIRT RD

(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 114 ft. Depth of completed well 114 ft. Date drilled 10-20-72

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	22	WHITE CLAY
22	58	BROWN CLAY
58	70	BROWN CLAY
70	114	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other
Cemented from 102 ft. to 50 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	104	+1	SCH 40

10) SCREEN:
Type STAINLESS STEEL
Perforated, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	104	114	#6

7) COMPLETION (Check):
Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 52 ft. below land surface Date 10-20-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 90 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? GOOD depth of strata 44

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS (State)

(Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-1E
Located on map Yes
Received: 73
db

1) OWNER:
Person having well drilled MR DONALD SOWELL (Name) Address PT 4 Box 390 (Street or RFD) HUNTSVILLE (City), TEXAS (State)

Landowner SAME (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 10 miles in S (N.E., S.W., etc.) direction from HUNTSVILLE (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or

Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check):
Domestic, Industrial, Municipal, Irrigation, Test Well, Other

5) TYPE OF WELL (Check):
Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG:
Diameter of hole 6½ in. Depth drilled 345 ft. Depth of completed well 345 ft. Date drilled 10-16-72

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	RED CLAY
15	42	BROWN SAND
42	92	WHITE CLAY
92	122	SAND
122	222	WHITE CLAY
222	335	SANDY WHITE CLAY
335	345	SAND

(Use reverse side if necessary)

9) Casing:
Type: Old, New, Steel, Plastic, Other

Cemented from 333 ft. to 280 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	333	+1	SCH 40

10) SCREEN:
Type STAINLESS STEEL

Perforated, Slotted

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot Size
2½	333	345	#6

7) COMPLETION (Check):
Straight wall, Gravel packed, Other, Under reamed, Open Hole

8) WATER LEVEL:
Static level 148 ft. below land surface Date 10-16-72

Artesian pressure _____ lbs. per square inch Date _____

Depth to pump bowls, cylinder, jet, etc., 220 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No

Did any strata contain undesirable water? Yes No.

Type of water? GOOD depth of strata 10

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS BOX 37 (Street or RFD) RIVERSIDE (City) TEXAS 77367 (State)

(Signed) E. A. Holly (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

GW 7

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711	State of Texas WATER WELL REPORT	For TWDB use only Well No. 60-29-1B Located on map yes Received: 70 Form GW 8 Form GW 9

1) OWNER:
Person having well drilled Mr N.F. Nieman (Name) Address Highway 75 S (Street or RFD) Huntsville (City) Texas (State)

Landowner Same (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker Labor ____ League ____ Abstract No. ____

NW¼ NE¼ SW¼ SE¼ of Section ____ Block No. ____ Survey ____
(Circle as many as are known)

miles in 6 mi S (N.E., S.W., etc.) direction from Huntsville, Texas (Town)



Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):
New Well ☑ Deepening ☐
Reconditioning ☐ Plugging ☐

4) PROPOSED USE (Check):
Domestic ☑ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

5) TYPE OF WELL (Check):
Rotary ☑ Driven ☐ Dug ☐
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 242 ft. Depth of completed well 242 ft. Date drilled 2-5-70

All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	From (ft.)	To (ft.)	Description and color of formation material
0-5		Brown Clay	240	242	Clay
5	72	White Sand			
72	92	brown clay			
92	102	Sand			
102	128	Sandy clay			
128	143	fine sand			
143	226	sandy brown Clay			
226	240	sand			(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☑ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 150 ft. below land surface Date 2-5-70
Artesian pressure ____ lbs. per square inch Date ____

9) CASING:
Type: old ☐ New ☑ Steel ☐ Plastic ☐ Other ☐
Cemented from 240 ft. to 100 ft.

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Gage
4	X-1	238	

10) SCREEN:
Type Stainless Steel Bar-Weld
Perforated ☐ Slotted ☐

Diameter (inches)	Setting From (ft.)	Setting To (ft.)	Slot size
2½	230	240	10

11) WELL TESTS:
Was a pump test made? ☐ Yes ☑ No If yes by whom?

Yield: ____ gpm with ____ ft. drawdown after ____ hrs
Bailer test ____ gpm with ____ ft. drawdown after ____ hrs
Artesian flow ____ gpm Date ____
Temperature of water ____
Was a chemical analysis made? ☐ Yes ☐ No
Did any strata contain undesirable water? ☐ Yes ☐ No
Type of water? good depth of strata 14

12) PUMP DATA:
Manufacturer's Name Ruth-Berry
Type Submersible H.P. 3/4
Designed pumping rate 600 gpm ☐ gph ☑
Type power unit Electric
Depth to bowls, cylinder, jet, etc., 242 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801

Address Box 37 (Street or RFD) Riverside (City) Texas (State)

(Signed) E.A. Holly (Water Well Driller) E.A. Holly Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified mail to: TNRCC, P.O. Box 13087, Austin, TX 78711-3087

Please use black ink.

ATTENTION OWNER: *Confidentiality Privilege Notice on Reverse Side*

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) **OWNER** Doug Coleman (Name) **ADDRESS** P.O.Box122 (Street or RFD) New Waverly (City) TX (State) 77358 (Zip)

2) **ADDRESS OF WELL:** County Walker Hwy.75 South (Street or RFD) Huntsville Tx (City) (State) (Zip) **GRID #** 60-29-1

3) **TYPE OF WORK (Check):** ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) **PROPOSED USE (Check):** ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5) N

6) **WELL LOG:**
Date Drilling:
Started 8-29- 19 94
Completed 8-31 19 94

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6 7/8	Surface	260
3 7/8	260	275

7) **DRILLING METHOD (Check):** ☐ Driven ☐ Air Rotary ☒ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted ☐ Other

From (ft.)	To (ft.)	Description and color of formation material
0	15	Clay
15	18	sand
18	25	clay
25	35	sand
35	51	clay
51	67	sand
67	101	clay
101	128	sand
128	130	clay
130	136	sand
136	170	clay
170	171	rock
171	239	clay
239	240	rock
240	275	sand

(Use reverse side if necessary)

RECEIVED AUG 31 1995 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

8) **Borehole Completion (Check):** ☐ Open Hole ☒ Straight Wall ☐ Underreamed ☐ Gravel Packed ☐ Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casting Screen
4	N	Pvc casing	0	260	40
2	N	Pvc screen	260	275	#8

9) **CEMENTING DATA** [Rule 338.44(1)]
Cemented from 260 ft. to 160 ft. No. of sacks used 10
0 ft. to 10 ft. No. of sacks used 5
Method used Pressure
Cemented by Vernon Gray
Distance to septic system field lines 160 ft.
Method of verification of above distance Stepped off

10) **SURFACE COMPLETION**
☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) **WATER LEVEL:**
Static level 138 ft. below land surface Date 8-31-94
Artesian flow _____ gpm. Date _____

12) **PACKERS:** Rubber Type K Depth 255

13) **TYPE PUMP:** ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder ☐ Other
Depth to pump bowls, cylinder, jet, etc., 240 ft.

14) **WELL TESTS:**
Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 12 gpm with _____ ft. drawdown after _____ hrs.

15) **WATER QUALITY:**
Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Service (Type or print) **WELL DRILLER'S LICENSE NO.** 2011 WPK

ADDRESS P.O.Box 1788 (Street or RFD) Trinity (City) Texas (State) 75862 (Zip)

(Signed) Vernon Gray (Licensed Well Driller) **(Signed)** Richard Mikes (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

TNRCC-0199 (Rev. 09-01-93)

TNRCC COPY

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

> "Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material