

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

1) OWNER

A. WELL IDENTIFICATION AND LOCATION DATA

Name: Jason Barnes, Address: 87 Vela Rd, City: Huntsville, State: TX, Zip: 77340

2) WELL LOCATION

County: Walker, Physical Address: 87 Vela Rd, City: Huntsville, State: TX, Zip: 77340

3) Type of Work

New Well Deepening
 Reconditioning

Lat. _____ Long. _____ Grid # 60-29-2

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) Drilling Date

Started 1/6/03
Completed 1/7/03

Diameter of Hole table with columns: Dia. (in), From (ft), To (ft). Row 1: 6.75, -1.5, 151

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

Log table with columns: From (ft), To (ft), Description and color of formation material. Rows include Bit t.s., Br.cl., Br.&w.cl., Sd., Rock, CL., W.cl., CL., Sd., Br.cl., Sd.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data table with columns: Dia. (in), New Or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft) From To, Gage Casing Screen. Rows: 4 N PVC Casing -1.5 130, 2.5 N UC Screen 131 151 #12

13) Plugged

Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____
Table with columns: From (ft), To (ft), From (ft), To (ft), Sacks used

9) Cementing Data
Cementing from -1.5 ft. to 130 ft. # of sacks used 7
Method Used Pressure
Cementing By R. McPike
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance RECEIVED TDLR MAIL ROOM AR

14) Type pump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) Surface Completion
 Specified Surface Slab Installed FEB 13 2003
 Specified Surface Sleeve Installed
 Pitless Adapter RECEIPT# _____ AMOUNT _____
 Approved Alternative Procedure Used

15) Water Test

Typetest Pump Bailor Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

11) Water Level
Static level 101 ft. below Date / /
Artesian Flow _____ gpm. Date / /

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water Good Depth of Strata 33
Was a chemical analysis made? Yes No

12) Packers Type Depth
2 - 2.5 K Packers RxR 125-126

Company or Individual's Name (type or print) Holly Water Wells, LTD Lic. No. 3114W
Address 2928 State Hwy 19 City Huntsville State TX Zip 77320
Signature Raymond J. Pike Licensed Driller/Pump Installer Date / / Signature _____ Apprentice Date / /

1 31

2

15

9

Handwritten notes and signatures at the bottom of the page, including a signature that appears to be "M. J. ...".

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Richard Ellis ADDRESS F.M. 1378 Newberry Tx
(Name) (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL: Walker Same GRID # 60-29-2
County (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 1-30 1996
Completed 1-30 1996
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
5 1/2 Surface 240
7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
2	N	PVC	0	213	5440
2	N	PVC Screen	213	226	46

CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 9
ft. to _____ ft. No. of sacks used _____
Method used Hand Mix
Cemented by Ind.
Distance to septic system field lines 150 ft.
Method of verification of above distance Measured

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 95' ft. below land surface Date 1-30-96
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Lowe Water Wells WELL DRILLER'S LICENSE NO. 4028 WI
(Type or print)
ADDRESS P.O. Box 89 Porter Tx 77365
(Street or RFD) (City) (State) (Zip)
(Signed) Jerry W. Lowe (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER P.J. Schnieder (Name) Address Gourd Creek Rd. New Waverly Tx. 77378 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 6 1/2 miles in Northerly direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. # 10 60-29-6

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 12/2/84
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 90
3 7/8 90 100
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	25	Topsoil						
25	55	Red clay						
55	80	Fine brown sand	4	N	PVC	0	90	0.04
80	100	Water-sand	2 1/2	N	EURflow (PVC)	90	100	.016
			2 1/2	N	PVC Liner	80	90	0.08

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 90 ft.
Method used Pressure pumped.
Cemented by M+M Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Bitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 39 ft. below land surface Date 12/3/84
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
Depth to pump bowls, cylinder, jet, etc., 89 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 35 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
OCT 24 1985

TEXAS WATER COMMISSION
(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME M+M Well Service Water Well Driller's License No. 2429
ADDRESS P.O. Box 1612 Willis TX 77378 (Street or RFD) (City) (State) (Zip)

(Signed) Jed (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-2 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James Vaughan (Name) Address 2503 River Ridge Conroe Tex 77302 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker H miles in N.E. direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. Map on 60-20-5N

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 180
Date drilled 12-10-13-84
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	1	Top soil (SANDY)						
1	6	CLAY (Red)						
6	13	CLAY (white)	4		Pvc sch 40	surface	160	
13	37	SAND (BROWN)						
37	59	CLAY (white)	4		Pvc sch 40	160 - 180		010
59	169	SANDY Rock (BROWN)			Slotted			
169	180	SAND (LT BROWN)						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
ft. to _____ ft.
Method used 2 FT X 2 FT X 4 in
Cemented by SIAB ON SURFACE

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 35 ft. below land surface Date 12-12-84
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____
2 Formation 140-160

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 15 gpm with 20 ft. drawdown after 4 hrs.

RECEIVED
JAN - 7 1985

DEPT. OF WATER RESOURCES
(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME A A P Water Wells Water Well Driller's License No. 2275
(Type or Print)
ADDRESS Rt #4 Box 1094 Huntsville Tex 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Arthur P. Slatt (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only
Well No. 60-29-2E
Located on map Yes DLF

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

STATE OF TEXAS
DEPARTMENT OF WATER RESOURCES
1000 WEST 11TH STREET
AUSTIN, TEXAS 78701
TEL. 479-1234

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Tom Roberts (Name) Address P.O. Box 870 New Waverly Tex 77358 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 4 miles in N.E. direction from New Waverly (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. Map on 60-20-5N

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 12-17-21-84
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 196
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	1	Top Soil Sandy						
1	6	CLAY (Red)						
6	22	CLAY (white)	4		Pvc sch 40	surf.	176	
22	25	SAND (Brown)						
25	30	CLAY (white)	4		Pvc sch 40	176-196		010
30	36	SAND (Brown)			slotted			
36	47	CLAY (white)						
47	102	SAND & Rock & Clay (white)						
102	122	CLAY (white)						
122	196	SAND & Rock (lt. Brown)						

CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
ft. to _____ ft.
Method used 2 Ft x 2 Ft x 4 in.
Cemented by SLAB ON SURFACE

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 58 ft. below land surface Date 12-19-84
Artesian flow _____ gpm. Date _____

RECEIVED
JAN - 7 1985

12) PACKERS: Type Formation Depth 156-176

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm with 40 ft. drawdown after 5 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells (Type or Print) Water Well Driller's License No. 2275
ADDRESS Rt#4 Box 1094 Huntsville Texas 77340 (Street or RFD) (City) (State) (Zip)
(Signed) Arthur R. Slott (Licensed Water Well Driller) (Signed) Dip (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only
Well No. 60-29-2E
Located on map Yes DLF

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

5

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-29-2E Located on map YES Received: C.F.S.

1) OWNER Glen STRONG (Name) Address FM 1375 NEW WAVERLY TX (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County WALKER 7 miles in N direction from NEW WAVERLY (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-19-3H

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 10 JUNE 83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 324 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other PRESSURE CEMENT If Gravel Packed give interval . . . from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0-30 GRAY CLAY, 30-64 SAND, 64-86 WHITE CLAY, 86-100 SAND, 100-230 GRAY CLAY, 230-244 SAND, 244-288 GRAY CLAY, 288-324 SAND - 12 GA.

CEMENTING DATA Cemented from 185 ft. to 205 ft. Method used PRESSURE CEMENT Cemented by CLEAR WATER WELL SER (Company or Individual)

9) WATER LEVEL: Static level 90 ft. below land surface Date 13 JUNE 83 Artesian flow gpm. Date

RECEIVED

JUL - 1 1983

DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth 2" x 4" K 285

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., 160 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? GOOD Depth of strata 36 Was a chemical analysis made? No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 15 gpm with 10 ft. drawdown after 2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Eugene M. Poldrack Water Well Drillers Registration No. 2289 ADDRESS 440 GRAHAM RD HUNTSVILLE TX 77340 (Signed) Eugene M. Poldrack Clearwater Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																												
1) OWNER <u>RICHARD VELA</u> (Name) ADDRESS <u>Rt 4 Box 1104 Huntsville Tx. 77340</u> (Street or RFD) (City) (State) (Zip)																																																
2) ADDRESS OF WELL: County <u>WALKER</u> <u>Rt 4 Box 1104 Huntsville Tx. 77340</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>60-29-2</u>																																																
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																												
6) WELL LOG: Date Drilling: _____ Started <u>12/8 19 94</u> Completed <u>12/8 19 94</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:20%;">Dia. (in.)</th> <th style="width:20%;">From (ft.)</th> <th style="width:20%;">To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td></td> </tr> <tr> <td><u>6 1/2</u></td> <td><u>0</u></td> <td><u>185</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>6 1/2</u>	<u>0</u>	<u>185</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																			
Dia. (in.)	From (ft.)	To (ft.)																																														
	Surface																																															
<u>6 1/2</u>	<u>0</u>	<u>185</u>																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0</u></td><td><u>1</u></td><td><u>TOP SOIL</u></td></tr> <tr><td><u>1</u></td><td><u>5</u></td><td><u>Red CLAY</u></td></tr> <tr><td><u>5</u></td><td><u>9</u></td><td><u>White SAND</u></td></tr> <tr><td><u>9</u></td><td><u>23</u></td><td><u>White CLAY</u></td></tr> <tr><td><u>23</u></td><td><u>33</u></td><td><u>BROWN CLAY</u></td></tr> <tr><td><u>33</u></td><td><u>42</u></td><td><u>FINE Red SAND</u></td></tr> <tr><td><u>42</u></td><td><u>43</u></td><td><u>ROCK</u></td></tr> <tr><td><u>43</u></td><td><u>50</u></td><td><u>SAND</u></td></tr> <tr><td><u>50</u></td><td><u>63</u></td><td><u>GRAY SAND</u></td></tr> <tr><td><u>63</u></td><td><u>64</u></td><td><u>ROCK</u></td></tr> <tr><td><u>64</u></td><td><u>92</u></td><td><u>BROWN & White CLAY</u></td></tr> <tr><td><u>92</u></td><td><u>104</u></td><td><u>SAND</u></td></tr> <tr><td><u>104</u></td><td><u>155</u></td><td><u>BROWN CLAY</u></td></tr> <tr><td><u>155</u></td><td><u>185</u></td><td><u>SAND</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0</u>	<u>1</u>	<u>TOP SOIL</u>	<u>1</u>	<u>5</u>	<u>Red CLAY</u>	<u>5</u>	<u>9</u>	<u>White SAND</u>	<u>9</u>	<u>23</u>	<u>White CLAY</u>	<u>23</u>	<u>33</u>	<u>BROWN CLAY</u>	<u>33</u>	<u>42</u>	<u>FINE Red SAND</u>	<u>42</u>	<u>43</u>	<u>ROCK</u>	<u>43</u>	<u>50</u>	<u>SAND</u>	<u>50</u>	<u>63</u>	<u>GRAY SAND</u>	<u>63</u>	<u>64</u>	<u>ROCK</u>	<u>64</u>	<u>92</u>	<u>BROWN & White CLAY</u>	<u>92</u>	<u>104</u>	<u>SAND</u>	<u>104</u>	<u>155</u>	<u>BROWN CLAY</u>	<u>155</u>	<u>185</u>	<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																														
<u>0</u>	<u>1</u>	<u>TOP SOIL</u>																																														
<u>1</u>	<u>5</u>	<u>Red CLAY</u>																																														
<u>5</u>	<u>9</u>	<u>White SAND</u>																																														
<u>9</u>	<u>23</u>	<u>White CLAY</u>																																														
<u>23</u>	<u>33</u>	<u>BROWN CLAY</u>																																														
<u>33</u>	<u>42</u>	<u>FINE Red SAND</u>																																														
<u>42</u>	<u>43</u>	<u>ROCK</u>																																														
<u>43</u>	<u>50</u>	<u>SAND</u>																																														
<u>50</u>	<u>63</u>	<u>GRAY SAND</u>																																														
<u>63</u>	<u>64</u>	<u>ROCK</u>																																														
<u>64</u>	<u>92</u>	<u>BROWN & White CLAY</u>																																														
<u>92</u>	<u>104</u>	<u>SAND</u>																																														
<u>104</u>	<u>155</u>	<u>BROWN CLAY</u>																																														
<u>155</u>	<u>185</u>	<u>SAND</u>																																														
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																														
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>165</u></td> <td></td> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC Slotted</u></td> <td><u>165</u></td> <td><u>185</u></td> <td><u>8ga.</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>165</u>		<u>4</u>	<u>N</u>	<u>PVC Slotted</u>	<u>165</u>	<u>185</u>	<u>8ga.</u>																							
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																											
			From	To																																												
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>165</u>																																												
<u>4</u>	<u>N</u>	<u>PVC Slotted</u>	<u>165</u>	<u>185</u>	<u>8ga.</u>																																											
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>40</u> ft. No. of sacks used <u>8</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>GRAVITY POUR</u> Cemented by <u>BWW</u> Distance to septic system field lines or other concentrated contamination <u>150 ft.+</u> Method of verification of above distance <u>MEASURED</u>																																														
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylindrical <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____		RECEIVED AUG 22 1995 TEXAS NATURAL RESOURCE CONSERVATION COMMISSION																																														
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>30</u> gpm with <u>30</u> ft. drawdown after <u>2</u> hrs.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																														
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>60</u> ft. below land surface Date <u>12/8/94</u> Artesian flow _____ gpm. Date _____																																														
		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Type</th> <th style="width:30%;">Depth</th> </tr> </thead> <tbody> <tr> <td><u>1 - 4 X 6 1/2 FORMATION</u></td> <td><u>168'</u></td> </tr> <tr> <td><u>1 - 4 X 6 1/2 FORMATION</u></td> <td><u>48'</u></td> </tr> </tbody> </table>				Type	Depth	<u>1 - 4 X 6 1/2 FORMATION</u>	<u>168'</u>	<u>1 - 4 X 6 1/2 FORMATION</u>	<u>48'</u>																																					
Type	Depth																																															
<u>1 - 4 X 6 1/2 FORMATION</u>	<u>168'</u>																																															
<u>1 - 4 X 6 1/2 FORMATION</u>	<u>48'</u>																																															
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																
COMPANY NAME <u>BALLARD WATER WELL</u> (Type or print) ADDRESS <u>P.O. Box 2004 Willis Tx 77378</u> (Street or RFD) (City) (State) (Zip)		WELL DRILLER'S LICENSE NO. <u>2384 W.I.</u> (Signed) <u>Charles A. Ballard</u> (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)																																														
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only Well No. 60-29-2D Located on map Yes Received: 77

1) OWNER: Person having well drilled FORD CRAWFORD Address NEW WAVERLY TEX Landowner SAME Address SAME

2) LOCATION OF WELL: County WALKER 4 miles in NE direction from NEW WAVERLY

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 134 ft. Depth of completed well 134 ft. Date drilled 3-26-77 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, sand, clay, and sand & rock bedded formation.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft.

Table with 4 columns: Diameter (inches), Setting From (ft.), Setting To (ft.), Gage. Row: 4 inch, 0, 122, seth 40

10) SCREEN: Type PLASTIC seth 40 Perforated slotted

Table with 4 columns: Diameter (inches), Setting From (ft.), Setting To (ft.), Slot Size. Row: 4 inch, 122, 132, 012

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 10 gpm with 20 ft. drawdown after 1 hrs.

8) WATER LEVEL: Static level 47 ft. below land surface Date 3-28-77 Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? HARD depth of strata 50

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W. A. WALLER Water Well Drillers Registration No. 1332 ADDRESS Box 516 NEW WAVERLY TEX (Signed) W. A. Waller AAAA Water Wells

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
APR 10 1977
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAY 24 1977
Central Records
Texas Water Development Board

RECEIVED

NOV 6 1978

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


DEPT. OF WATER RESOURCES

For TWDB use only Well No. 60-29-20 Located on map yes Received: 7/8/78

WATER WELL REPORT

1) OWNER: Person having well drilled M. STANTON Address Houston Tex (Name) (Street or RFD) (City) (State) Landowner Same Address Same (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 10 miles in NW direction from New Waverly (N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines. Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 147 ft. Depth of completed well 147 ft. Date drilled 10-25-78 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	30	clay
30	75	SAND
75	127	clay
127	147	SAND

9) CASING: Type: Old New Steel Plastic Other _____ Cemented from 0 ft. to 0 ft. Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 137 Gage sch 40

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

10) SCREEN: Type plastic sch 40 Perforated Slotted Diameter (inches) 4" Setting From (ft.) 137 To (ft.) 147 Slot Size 012

8) WATER LEVEL: Static level 40 ft. below land surface Date 10-28-78 Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? _____ Yield: 5 gpm with 10 ft. drawdown after 1 hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? soft depth of strata 20'

NAME James L. Graham Water Well Drillers Registration No. 1781 (Type or Print) ADDRESS Rt 3 Box 150 Willis Texas 77578 (Street or RFD) (City) (State) (Signed) James L. Graham AWA Water Wells (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

APR 4 1973

CR/TDWR

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-29-2C
Located on map Y 25
Received: 77
dlr

1) OWNER:
Person having well drilled J. W. McMullen Address New Waverly Tex
(Name) (Street or RFD) (City) (State)
Landowner SAME Address SAME
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker 7 miles in NE direction from New Waverly
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 163 ft. Depth of completed well 163 ft. Date drilled 12-5-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5-	top soil
5-	35	clay
35-	58	SAND + CLAY
58-	75	clay (red)
75-	80	broken rock
80-	100	SAND
100-	104	rock
104-	128	clay
128-	163	SAND

9) CASING:
Type: Old New Steel Plastic Other _____
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4"	0	163	sch 40

10) SCREEN:
Type plastic sch 40 012 ga
Perforated Slotted

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
4"	153	163	012

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

8) WATER LEVEL:
Static level 50 ft. below land surface Date 12-5-74
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: 18 gpm with 10 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? soft depth of strata 35'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W. A. Waller Water Well Drillers Registration No. 1332
(Type or Print)
ADDRESS Box 514 New Waverly TEXAS
(Street or RFD) (City) (State)
(Signed) W. A. Waller AAA WATER WELLS
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEBRUARY 1957
TARRANT COUNTY TEXAS

RECEIVED
FEBRUARY 1957
TARRANT COUNTY TEXAS

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 10-29-2B
Located on map yes
Received: 7/1
dlr

1) OWNER:
Person having well drilled HERMAN MACIECK Address 410 Baywood Houston Tex
(Name) (Street or RFD) (City) (State)
Landowner Jame Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 5 miles in 137.5 NE 2 direction from new Waverly
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

North
↑

(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening Reconditioning Plugging	4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial Irrigation Test Well Other	5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven Cable Jetted Bored
---	---	---

6) WELL LOG:
Diameter of hole 2" in. Depth drilled 189 ft. Depth of completed well 189 ft. Date drilled 4-14-71
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
<u>2"</u>	<u>0</u>	<u>179</u>	<u>sch 40</u>

10) SCREEN:
Type Plastic
Perforated Slotted _____

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
<u>2"</u>	<u>179</u>	<u>189</u>	<u>126-14</u>

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? W.A. Waller
Yield: 20 gpm with 5 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 7 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 80 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? Good soft depth of strata 37'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.A. WALLER Water Well Drillers Registration No. 1332
(Type or Print)
ADDRESS 32 Juniper Side Conroe Texas
(Street or RFD) (City) (State)
(Signed) W.A. Waller AAA Water Wells Inc
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

MAY 13 1971

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

APR 27 1971

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. Located on map Received: Form GW 8 Form GW 9

1) OWNER: Person having well drilled AL Fred Gabarra Address PO Box 272 Landowner New Waverly Tex

2) LOCATION OF WELL: County Walker Labor League Abstract No. 5 miles in NE direction from New Waverly F.M. Rd 1375

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 143 ft. Depth of completed well 143 ft. Date drilled 6-10-70

Table with 2 columns for From (ft.) and To (ft.), and Description and color of formation material. Rows include clay, sand, clay, sand & rock, clay, water sand.

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open hole 8) WATER LEVEL: Static level 26 ft. below land surface Date 6-10-70

9) CASING: Type: old New Steel Plastic Other Cemented from 134 up to 34 ft. 10) SCREEN: Type SS Perforated Slotted

Table with 4 columns: Diameter (inches), Setting (From/To ft.), Gage, Slot size. Rows show 4 inch casing and 2 1/2 inch screen.

11) WELL TESTS: Was a pump test made? Yield: 30 gpm with 11 ft. drawdown after 33 hrs. 12) PUMP DATA: Manufacturer's Name Red Truck Type Sub H.P. 1

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME L M Patterson Water Well Drillers Registration No. 182

Please attach electric log, chemical analysis, and other pertinent information, if available.

TEXAS WATER
DEVELOPMENT BOARD

AUG 21 1970

RECEIVED

RECEIVED
OCT 30 1970

Central Records
Texas Water Development Board

Duff

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-2A Located on map Received: 78-YES

1) OWNER: Person having well drilled Ethene Pete Address New Waverly Tex Landowner SAME Address SAME

2) LOCATION OF WELL: County WALKER, 6 miles in NE direction from New Waverly. Includes a sketch map showing landmarks and a north arrow.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other. 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 4 in. Depth drilled 157 ft. Depth of completed well 157 ft. Date drilled 2-09-78. All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, clay, rock, sand, broken rock + clay, and more sand.

9) Casing: Type: Old, New, Steel, Plastic, Other. Cemented from 0 ft. to 0 ft. Diameter (inches) 2, Setting From (ft.) 0 To (ft.) 147. 10) SCREEN: Type plastic sch 40 012. Perforated, Slotted. Diameter (inches) 2", Setting From (ft.) 147 To (ft.) 157 Slot Size 012.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole.

11) WELL TESTS: Was a pump test made? Yes No. Yield: 10 gpm with 10 ft. drawdown after 1 hrs. Bailer test, Artesian flow, Temperature of water.

8) WATER LEVEL: Static level 42 ft. below land surface Date 2-21-78. Artesian pressure, Depth to pump bowls, cylinder, jet, etc., 100' below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? soft depth of strata 20.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME James L Gephram Water Well Drillers Registration No. 1781 ADDRESS Rt 2 Box 301 Willis Tex 77378 (Signed) James L Gephram (Water Well Driller) AAA Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEPT. OF
WATER RESOURCES

MAR 9 1978

RECEIVED

RECEIVED
JUL 17 1978

Central Records
Texas Dept. of Water Resources

Drup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

For TWDB use only Well No. 60-29-2A Located on map 4e5 Received: 7/7/74 dls

WATER WELL REPORT

1) OWNER: Person having well drilled EARDIS Utley Address New Waverly TEX Landowner SAME Address SAME

2) LOCATION OF WELL: County WALKER 6 miles in NE direction from NEW WAVERLY



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 173 ft. Depth of completed well 173 ft. Date drilled 12-22-74 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, sand, clay, shale, and sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 163 sch 40

10) SCREEN: Type plastic sch 40 Perforated Stotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4" 163 173 012

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 10 gpm with 10 ft. drawdown after 1 hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 59 ft. below land surface Date 12-27-74 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 110 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? soft depth of strata 35'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME W.A. Waller Water Well Drillers Registration No. 1332 ADDRESS Box 514 New Waverly TEXAS (Signed) W.A. Waller AAA WATER WELL (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

yield

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 10 1977
TEXAS WATER DEVELOPMENT BOARD

RECEIVED
FEB 10 1977
TEXAS WATER DEVELOPMENT BOARD

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-29-2A Located on map YPS Received: 9/1/01

1) OWNER: Person having well drilled IBENE UTLEY Address New Waverly TX Landowner Same

2) LOCATION OF WELL: County Walker, 5 1/2 miles in 1375 NE direction from New Waverly

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

or Give legal location with distances and directions from adjacent sections or survey lines.

North



(Use reverse side if necessary)

Labor League

Block Survey

Abstract No.

(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 4 in. Depth drilled 234 ft. Depth of completed well 234 ft. Date drilled 3-15-71

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-16 Sand red, 16-60 Clay red, 60-87 Sand & gravel, 87-109 Clay, 109-110 Sandstone, 110-171 Clay & sandstone, 171-202 Sandstone & clay, 202-234 Sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from ft. to ft.

Table with 4 columns: Diameter (inches), Setting From (ft.), To (ft.), Gage. Rows show 4 inch casing with settings from 224 to 234 ft.

10) SCREEN: Type Plastic Perforated Slotted

Table with 4 columns: Diameter (inches), Setting From (ft.), To (ft.), Slot Size. Shows 4 inch screen with slot size 12 GA.

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? W.A. Walker

Yield: 16 gpm with 16 ft. drawdown after 1 hrs.

Bailer test gpm with ft. drawdown after hrs.

Artesian flow gpm

Temperature of water

8) WATER LEVEL: Static level 60 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No

Did any strata contain undesirable water? Yes No

Type of water? Good, low depth of strata 32 ft

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME James O. August Water Well Drillers Registration No. 897 ADDRESS 2004 McHenry Bryans Texas (Signed) James O. August (Water Well Driller) A.A.A. Water Well Inc (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY 13 1971

Central Records
Texas Water Development Board

RECEIVED
TEXAS WATER
DEVELOPMENT BOARD

APR 26 1971

RECEIVED

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-2A Located on map 5 Received: 21

1) OWNER: Person having well drilled LILBORNE, BREWER Address new Wauwaly Tex Landowner James

2) LOCATION OF WELL: County Walker, 5 1/2 miles in 137.5 NE direction from new Wauwaly

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG: Diameter of hole 2 in. Depth drilled 191 ft. Depth of completed well 191 ft. Date drilled 2-26-71

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include clay, sand, sandstone, and sand.

9) CASING: Type: Old, New, Steel, Plastic, Other. 10) SCREEN: Type: Plastic, Perforated, Slotted.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole 8) WATER LEVEL: Static level 60 ft. below land surface, Depth to pump bowls 120 ft.

11) WELL TESTS: Was a pump test made? Yes, No. Yield: 9 gpm with 18 ft. drawdown after 1 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James D. Siquit Water Well Drillers Registration No. 8997 ADDRESS 2004 McHenry Bryan Texas (Signed) James D. Siquit A.P.A. Water Well Inc

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY 13 1971

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

APR 26 1971

RECEIVED