



ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880 **77358**

1) OWNER Charles Mc Newin (Name) ADDRESS 1323 Little Dirt Rd New Waverly (Street or RFD) 77358 (City) (State) TX (Zip) Long. _____ Lat. _____

2) ADDRESS OF WELL'S LOCATION: County Walker Co. 1323 Little Dirt Rd. New Waverly (Street, RFD or other) (City) (State) (Zip) Grid # 120-29-6

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: _____ Started 4-19-99 Completed 4-20-99

	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
	10	Surface	10
	6 3/4		150

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

8) Borehole Completion (Check): Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-46	153-154	Clay Rock
46-47	154-164	Rock Sand
47-76		Clay
76-77		Rock
77-96		Clay
96-105		Sand
105-119		Sand
119-120		Rock
120-125		Sand
125-126		Rock
126-147		Clay
147-153		Sand

(Use reverse side of Well Owner's copy, if necessary)

9) CEMENTING DATA
Cemented from 150 ft. to 50 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 8
Method used Pressure
Cemented by Richard Mc Newin
Distance to septic system field lines or other concentrated contamination _____
Method of verification of above distance No Septic System

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION: Specified Surface Slab Installed Specified Steel Sleeve Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 66 ft. below land surface Date 4-20-99
Artesian flow _____ gpm. Date _____

12) PACKERS: Rubber Type K Depth 144

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME GRAY WATER WELL SER. (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS PO Box 1788 Trinity TX 75862 (Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) JUN 05 2005 (Signed) Richard Mc Newin (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

**State of Texas
WELL REPORT**

**Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530**

1) OWNER Dennis Moehr ADDRESS 1530 Ave. O Huntsville TX 77340
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 3 M. NW off Hwy 1375 New Waverly TX Long. _____ Lat. 60-29-6
(Street, RFD or other) (City) (State) (Zip) GRID #

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Industrial Irrigation Injection Environmental Soil Boding Public Supply De-watering Testwell Domestic

If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

6) WELL LOG: Date Drilling: Started 3/8 19 99 3/10 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6.75</u>	Surface	<u>167</u>

7) DRILLING METHOD (Check): Air Rotary Mud Rotary Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	7	Gumbo
7	11	Br.cl.
11	15	Sa.
15	19	cl.
19	34	Sa.
34	55	Br.cl.
55	62	Sa. & mlly.cl.
62	63	Rock
63	71	Sa.
71	120	Br.cl.
120	131	Sa.
131	135	Cl.
135	142	Sa.st.
142	167	

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>-1.5</u>	<u>148</u>	
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>147</u>	<u>167</u>	<u>#8</u>

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from -1.5 ft. to 148 ft. No. of sacks used 9
 _____ ft. to _____ ft. No. of sacks used _____
 Method used By pressure
 Cemented by H. Lee

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
 Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS: Type Test: Pump Bailor Jetted Estimated
 Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Good Depth of strata 25
 Was a chemical analysis made? Yes No

10) SURFACE COMPLETION: Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL: Static Level 35 ft. below land surface Date _____
 Artesian flow _____ gpm Date _____

12) PACKERS: Type _____ Depth _____
2 - 2" Rubber Packers RxR 139' & 140'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)

ADDRESS 2928 SH 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) H. Lee (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

OMB No. 1545-0047 **Department of the Treasury Internal Revenue Service**

Form 1041-1 **1996**

1 **Income** **1041-1** **1996**

2 **Capital Gains** **1041-1** **1996**

3 **Dividends** **1041-1** **1996**

4 **Interest** **1041-1** **1996**

5 **Other Income** **1041-1** **1996**

6 **Charitable Deductions** **1041-1** **1996**

7 **Other Deductions** **1041-1** **1996**

Dup
60-29-6D

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER R. D. Handy, Jr. (Name) Address 1515 Ave Q (Street or RFD) Huntsville Texas (City) 77340 (State) (Zip)

2) LOCATION OF WELL County WALKER 8 miles in N.E. (N.E., S.W., etc.) direction from New Waverly (Town)

Legal description: Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____

See attached map. map on 60-21-8K

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other _____

5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 7-4-8-83

Dia. (in.)	DIAMETER OF HOLE	
	From (ft.)	To (ft.)
<u>6 7/8</u>	Surface	<u>242</u>

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
 If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
<u>0 - 1</u>		<u>Black land</u>	
<u>1 - 3</u>		<u>Red clay</u>	
<u>3 - 18</u>		<u>CLAY - yellow</u>	<u>4</u> <u>PVC Sch 40</u> <u>1 1/2 - 220 1/2</u>
<u>18 - 19</u>		<u>Rock Hand Sandstone</u>	
<u>19 - 66</u>		<u>CLAY - Light Brown</u>	<u>4</u> <u>Pvc sch 40</u> <u>220 1/2 - 242</u> <u>010</u>
<u>66 - 99</u>		<u>CLAY - Grey</u>	<u>Slotted</u>
<u>99 - 143</u>		<u>CLAY + SAND mixed-grey</u>	
<u>143 - 176</u>		<u>Shale - Grey (soft)</u>	
<u>176 - 190</u>		<u>SAND Br. (FINE)</u>	
<u>190 - 220</u>		<u>CLAY - Dark Grey</u>	
<u>220 - 242</u>		<u>Rocky - SAND Grey</u>	

CEMENTING DATA
 Cemented from NONE ft. to _____ ft.
 Method used _____
 Cemented by _____ (Company or Individual)

RECEIVED
JUL 14 1983

DEPT. OF
WATER RESOURCES

9) WATER LEVEL: Static level 91 ft. below land surface Date 7-8-83
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
2 Rubber 200 - 220

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
 Depth to pump bowls, cylinder, jet, etc., 215 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
 If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
 Yield: 9 gpm with 45 ft. drawdown after 3 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water Wells (Type or Print) Water Well Driller's License No. 2275

ADDRESS Rt #4 Box 1094 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)

(Signed) Arthur R. Slott (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-6D Located on map Yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
JUL 14 1983
DEPT. OF
WATER RESOURCES

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jerry Wilkerson (Name) Address F.M 2778 (Street or RFD) New Waverly Tx. 77358 (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 7 miles in East (N.E., S.W., etc.) direction from New Waverly (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. # 13

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 3/5/85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 265
3 7/8 265 275
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	70	Topsoil						
70	125	red clay						
125	200	blue sand	4	N	PVC	0	265	sch 40
200	250	fine brown sand	2 1/2	N	EURFLOW (PVC)	265	275	.016
250	275	Gravel sand	2 1/2	N	PVC Liner	255	265	sch 80

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 75 ft. to 265 ft.
ft. to _____ ft.
Method used Pressure pumped
Cemented by M+M Well Service

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 50 ft. below land surface Date 3/6/85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____


13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 80 gpm with _____ ft. drawdown after _____ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME M+M Well Service (Type or Print) Water Well Driller's License No. 2429
ADDRESS P.O. Box 1612 (Street or RFD) Willis (City) Tx (State) 77378 (Zip)
(Signed) Jal Ho (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-296 Located on map _____



TEXAS WATER COMMISSION

(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-29-6M
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Bob Hardy (Name) Address New Gravelly (Street or RFD) 24 (City) (State) (Zip)
2) LOCATION OF WELL: County Travis 13 miles in north (N.E., S.W., etc.) direction from Travis (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. #3 map 60-28-50

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 8-27-82
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 240
3 3/4 240 261
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen	
							From	To	
0	10	topsoil							
10	50	red clay							
50	125	shale	4	N	PVC	0	240	sch 80	
125	175	yellow clay	2 1/2	N	PVC	240	255	sch 80	
175	225	blue sand	2 1/2	N	Everflow	255	261	.014	
225	250	black clay							
250	261	water sand							

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 20 ft. to 240 ft.
Method used _____
Cemented by M+M Well Service (Company or Individual)

9) WATER LEVEL: Static level 90 ft. below land surface Date 8-27-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 140

12) WELL TESTS: Type Test: Pump Bailer Estimated
Yield: 35 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED

SEP-6 1983

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 (Street or RFD) Travis (City) 24 (State) 77378 (Zip)
(Signed) Donald McKay (Water Well Driller) M+M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-29-6L
Located on map Yes
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER J.R. Hardy (Name) Address New Shaverly (Street or RFD) TX (City) (State) (Zip)
2) LOCATION OF WELL: County Traer 15 miles in north direction from Greene (Town)
(N.E., S.W., etc.)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. # 12 map on 60-28-5J

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 10-26-82
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 316
3 3/4 316 339
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2-String
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
0	10	topsoil					
10	50	blue clay					
50	125	rock	4	N	PVC	0	316
125	175	yellow rock	2 1/2	N	PVC	316	329
175	230	red clay	2 1/2	N	Everflow	329	339
230	275	yellow clay					
275	325	sand					
325	339	water sand					

CEMENTING DATA
Cemented from 35 ft. to 316 ft.
Method used _____
Cemented by M+M Well Service
(Company or Individual)

9) WATER LEVEL:
Static level 146 ft. below land surface Date 10-26-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbine Jet Submersible
 Other _____
Depth to pump bowls, cylinder, jet, etc. _____

12) WELL TESTS:
 Type Test: Pump _____
Yield: 40 gpm with _____

RECEIVED
SEP - 6 1983
DEPT. OF
WATER RESOURCES
(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 (Street or RFD) Greene (City) TX (State) 77378 (Zip)
(Signed) Donald McKay (Water Well Driller) M+M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																						
1) OWNER <u>Willis ONeal</u> (Name) ADDRESS <u>8710 Valley Song Houston TX 77078</u> (Street or RFD) (City) (State) (Zip)																																										
2) ADDRESS OF WELL <u>WALKER</u> County <u>HARDY Bottom Rd NEW WALKERY TX 77356</u> (Street, RFD or other) (City) (State) (Zip) GRID # <u>60-29-4</u>																																										
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																						
6) WELL LOG: Date Drilling: <u>8/5 19 97</u> Started <u>8/5 19 97</u> Completed <u>8/6 19 97</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td></td> <td>Surface</td> <td></td> </tr> <tr> <td><u>7</u></td> <td><u>0</u></td> <td><u>260</u></td> </tr> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)		Surface		<u>7</u>	<u>0</u>	<u>260</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																										
DIAMETER OF HOLE																																										
Dia. (in.)	From (ft.)	To (ft.)																																								
	Surface																																									
<u>7</u>	<u>0</u>	<u>260</u>																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0-2</u></td><td></td><td><u>SANDY TOP SOIL</u></td></tr> <tr><td><u>2-42</u></td><td></td><td><u>White CLAY</u></td></tr> <tr><td><u>42-50</u></td><td></td><td><u>FINE SAND</u></td></tr> <tr><td><u>50-70</u></td><td></td><td><u>BROWN CLAY</u></td></tr> <tr><td><u>70-91</u></td><td></td><td><u>FINE SAND</u></td></tr> <tr><td><u>91-105</u></td><td></td><td><u>BROWN CLAY</u></td></tr> <tr><td><u>105-110</u></td><td></td><td><u>FINE SAND</u></td></tr> <tr><td><u>110-135</u></td><td></td><td><u>BROWN CLAY</u></td></tr> <tr><td><u>135-138</u></td><td></td><td><u>Rock</u></td></tr> <tr><td><u>138-175</u></td><td></td><td><u>HARD BROWN CLAY</u></td></tr> <tr><td><u>175-225</u></td><td></td><td><u>SOFT BROWN CLAY</u></td></tr> <tr><td><u>225-260</u></td><td></td><td><u>SAND</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-2</u>		<u>SANDY TOP SOIL</u>	<u>2-42</u>		<u>White CLAY</u>	<u>42-50</u>		<u>FINE SAND</u>	<u>50-70</u>		<u>BROWN CLAY</u>	<u>70-91</u>		<u>FINE SAND</u>	<u>91-105</u>		<u>BROWN CLAY</u>	<u>105-110</u>		<u>FINE SAND</u>	<u>110-135</u>		<u>BROWN CLAY</u>	<u>135-138</u>		<u>Rock</u>	<u>138-175</u>		<u>HARD BROWN CLAY</u>	<u>175-225</u>		<u>SOFT BROWN CLAY</u>	<u>225-260</u>		<u>SAND</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																								
<u>0-2</u>		<u>SANDY TOP SOIL</u>																																								
<u>2-42</u>		<u>White CLAY</u>																																								
<u>42-50</u>		<u>FINE SAND</u>																																								
<u>50-70</u>		<u>BROWN CLAY</u>																																								
<u>70-91</u>		<u>FINE SAND</u>																																								
<u>91-105</u>		<u>BROWN CLAY</u>																																								
<u>105-110</u>		<u>FINE SAND</u>																																								
<u>110-135</u>		<u>BROWN CLAY</u>																																								
<u>135-138</u>		<u>Rock</u>																																								
<u>138-175</u>		<u>HARD BROWN CLAY</u>																																								
<u>175-225</u>		<u>SOFT BROWN CLAY</u>																																								
<u>225-260</u>		<u>SAND</u>																																								
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																								
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>240</u></td> <td></td> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC Slotted</u></td> <td><u>240</u></td> <td><u>260</u></td> <td><u>8gpi</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>240</u>		<u>4</u>	<u>N</u>	<u>PVC Slotted</u>	<u>240</u>	<u>260</u>	<u>8gpi</u>																	
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																					
			From	To																																						
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>240</u>																																						
<u>4</u>	<u>N</u>	<u>PVC Slotted</u>	<u>240</u>	<u>260</u>	<u>8gpi</u>																																					
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>100</u> ft. No. of sacks used <u>14</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>GRAVITY POUR</u> Cemented by <u>BWW</u> Distance to septic system field lines or other concentrated contamination _____ ft. Method of verification of above distance <u>NO SYSTEM</u>																																								
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(B)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71] EMP # _____ OEP <u>01 1997</u> COMMENT _____ CB																																								
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>45</u> gpm with <u>40</u> ft. drawdown after <u>2</u> hrs.		11) WATER LEVEL: Static level <u>70</u> ft. below land surface Date <u>8/6</u> Artesian flow _____ gpm. Date _____																																								
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? _____ Depth of strata _____ Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> </tr> </thead> <tbody> <tr> <td><u>1-4x7 FORMATION</u></td> <td><u>100</u></td> </tr> <tr> <td><u>11</u></td> <td><u>240</u></td> </tr> </tbody> </table>				Type	Depth	<u>1-4x7 FORMATION</u>	<u>100</u>	<u>11</u>	<u>240</u>																															
Type	Depth																																									
<u>1-4x7 FORMATION</u>	<u>100</u>																																									
<u>11</u>	<u>240</u>																																									
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																										
COMPANY NAME <u>BALLARD WATER WELL</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2384 W.I.</u>																																										
ADDRESS <u>P.O. Box 2004 Willis TX 77378</u> (Street or RFD) (City) (State) (Zip)																																										
(Signed) <u>Charles A. Ballard</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																								

Please attach electric log, chemical analysis, and other pertinent information, if available.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-29-6K
Located on map Yes
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER John Hardy Jr. (Name) Address New Waverly (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 7 1/2 miles in N.E. direction from New Waverly (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. #22 n upon 60-29-9R

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 7-12-82
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 298
3 1/8 298 327
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other 2-string
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
0	2	Topsoil					
2	130	Yellow Clay					
130	185	Red Clay	4	N	PVC	0 298	Sch 40
185	270	Gravel	2 1/2	N	PVC Errflow	317 327	012
270	300	Shale	2 1/2	N	PVC	290 317	Sch 80
300	327	Water Sand					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
CEMENTING DATA
Cemented from 100 ft to 298 ft.
Method used Pressure Pumped
Cemented by M+M Well Service (Company or Individual)

9) WATER LEVEL:
Static level 147 ft. below land surface Date 7-13-82
Artesian flow _____ gpm. Date _____

RECEIVED
SEP-2 1982

10) PACKERS: Type Depth

DEPT. OF WATER RESOURCES

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 200 ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield 35 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD McKay (Type or Print) Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 (Street or RFD) Willis (City) Tx (State) 77378 (Zip)
(Signed) Donald McKay (Water Well Driller) M+M Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-6H
Located on map yes
Received: 78
dlb

1) OWNER:
Person having well drilled Rosie Fae Lewis Address New Waverly Tex
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker miles in 10 direction from New Waverly
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 297 ft. Depth of completed well 297 ft. Date drilled 2-15-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	5	top soil
5	40	SAND
40	120	clay
120	165	shale
165	170	ROCK
170	200	shale
200	203	ROCK
203	250	BROKEN SAND & CLAY
250	259	CLAY
259	277	SAND

9) CASING:
Type: Old New Steel Plastic Other _____
Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
1 1/4 2 1/2	0	250	sch 40
	250	267	

10) SCREEN:
Type plastic sch 40
Perforated Stotted

Diameter (inches)	Setting		Slot Size
	From (ft.)	To (ft.)	
2 1/2	267	277	012

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: 5 gpm with 30 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 140 ft. below land surface Date 2-20-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 260 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? soft depth of strata 18

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L. Graham Water Well Drillers Registration No. 1781
(Type or Print)
ADDRESS Rt 2 Box 301 Willis Texas 77378
(Street or RFD) (City) (State)
(Signed) James L. Graham AAA Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEPT. OF
WATER RESOURCES

APR 6 1978

RECEIVED

RECEIVED
JUL 11 1978

Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-29-6G Located on map Received: 78 Yes 25

1) OWNER:
 Person having well drilled Rosie F Lewis Address New Waverly Tex
 (Name) (Street or RFD) (City) (State)
 Landowner Same Address Same
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Walker, 8 miles in NE direction from New Waverly
 (N.E., S.W., etc.) (Town)
 Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
 Give legal location with distances and directions from adjacent sections or survey lines.
 Labor _____ League _____
 Block _____ Survey _____
 Abstract No. _____
 (NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
 Diameter of hole 6 3/4 in. Depth drilled 275 ft. Depth of completed well 275 ft. Date drilled 2-19-78
 All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	35	SAND
35	103	CLAY
103	110	broken rock
110	150	shale
150	230	CLAY
230	250	broken rock SAND
250	252	CLAY
252	275	SAND

9) CASING:
 Type: Old New Steel Plastic Other
 Cemented from 0 ft. to 0 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	0	250	sch 40
2 1/2"	242	252	
2 1/2"	272	275	

10) SCREEN:
 Type plastic sch 40
 Perforated _____ Slotted

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
3 1/2"	252	272	010

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
 Was a pump test made? Yes No If yes, by whom?
 Yield: 10 gpm with 15 ft. drawdown after 1 hrs.
 Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ gpm
 Temperature of water _____

8) WATER LEVEL:
 Static level 160 ft. below land surface Date 2-25-78
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., 220 ft. below land surface.

12) WATER QUALITY:
 Was a chemical analysis made? Yes No
 Did any strata contain undesirable water? Yes No
 Type of water? soft depth of strata 23'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L Graham Water Well Drillers Registration No. 1781
 (Type or Print)
 ADDRESS Rt 2 Box 301 Willis Tex 77378
 (Street or RFD) (City) (State)
 (Signed) James L Graham AAA Water Wells
 (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 9 1978
D

RECEIVED
JUL 17 1978

Central Records
Texas Dept. of Water Resources

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James Wesley (Name) Address 8955 Katy Freeway Houston Tex 7024 (Street or RFD) 5470 200 (City) (State) (Zip)
2) LOCATION OF WELL: County Walke 4 1/2 miles in N.E. direction from New Waverly (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. Map on 60-13-26

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 7-1-5-85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 267
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	1/2	Top soil (Blackland)						
1/2	11	CLAY (Red)						
11	22	CLAY (yellow)	4		Pvc sch 40	247	267	010
22	37	Shale (yellow + Blk.)			Slotted			
37	102	Shale + Rock (white)						
102	113	Shale + Sand (white)						
113	124	CLAY + Rock (white)						
124	152	CLAY (Grey)						
152	186	SAND + Rock (Br) (fine)						
186	234	SAND + Shale + Rock (Br) (white)						
234	267	SAND + Rock (Br)						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
Method used 2 ft x 2 ft with 4 in.
Cemented by SLAB ON SURFACE

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]
11) WATER LEVEL:
Static level 113 ft. below land surface Date 7-4-85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type formation Depth 247 - 227

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
Depth to pump bowls, cylinder, jet, etc., 200 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 12 gpm with 40 ft. drawdown after 3 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
ADDRESS RT#4 Box 1094 Huntsville Texas 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Arthur L. Slatt (Signed) Dup
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only
Well No. 60-29-66
Located on map TESDLF

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-6E
Located on map yes
Received: 74
dlv

1) OWNER:
Person having well drilled David Bohner (Name) Address New Waverly (Street or RFD) Texas (City) (State)
Landowner David Bohner (Name) Address New Waverly (Street or RFD) Texas (City) (State)

2) LOCATION OF WELL:
County Walker, 6 miles in E direction from New Waverly (N.E., S.W., etc.) (Town)



OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 200 ft. Depth of completed well 242 ft. Date drilled 11-1-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	top soil
3	60	clay
60	61	rock
61	142	shale
142	161	sand
161	211	shale
211	242	sand

9) CASING:
Type: Old _____ New _____ Steel _____ Plastic Other _____
Cemented from 0 ft. to 200 ft.
Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 200 Gage SA 40
10) SCREEN:
Type _____
Perforated Slotted _____
Diameter (inches) 2" Setting From (ft.) 200 To (ft.) 232 Slot Size gal.
232 - 242 12ga.

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 56 ft. below land surface Date 11-1-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface. Set 15 gal per min.

12) WATER QUALITY:
Was a chemical analysis made? Yes
Did any strata contain undesirable water? Yes
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Paul Siegent (Type or Print) Water Well Drillers Registration No. 1448
ADDRESS P.O. Box 467 (Street or RFD) New Waverly (City) Texas (State)
(Signed) Paul Siegent (Water Well Driller) A.A.A. Water Well Inc. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

JAN 24 1974

RECEIVED

RECEIVED
APR 11 1974
Central Records
Texas Water Development Board

RECEIVED

JUN 7 1976

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

DEPT. OF WATER RESOURCES

For TWDB use only Well No. 60-29-6E Located on map Yes Received: 287

1) OWNER: Person having well drilled Ellen Jones Address New Waverly Tex Landowner Same Address Same

2) LOCATION OF WELL: County Walker miles in NNE direction from New Waverly



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 1 ft. Depth of completed well 168 ft. Date drilled 5-24-78 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, clay, shale, sand stone & clay, sand, clay (blue), and sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage. Rows: 4 inch 0 130 sch 40; 2 1/2 inch 128 168 sch 40.

10) SCREEN: Type plastic sch 40 Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size. Row: 2 1/2 inch 148 168 012

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 20 gpm with 10 ft. drawdown after 1 hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 60 ft. below land surface Date 5-26-78 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? soft depth of strata 22'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME James L Graham Water Well Drillers Registration No. 1701 ADDRESS Rt 2 Box 301 Willis Tex (Signed) James L Graham AAA Water Wells

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAY 27 1978

Central Records
Texas Dept. of Water Resources


Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-29-60
Located on map yes
Received: 7/3
dlr

1) OWNER:
Person having well drilled A.V. Durdin Address 5535 Kiam Houston Tex
(Name) (Street or RFD) (City) (State)
Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 8 miles in N.E. direction from New Waverly
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 469 ft. Depth of completed well 469 ft. Date drilled 4-3-73
All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	60	Clay 330-350 Clay & Rock
60	65	Rock 350-370 Clay
65	105	Clay 370-390 Clay & Rock
105	125	Clay & Rock 390-405 Clay & Rock
125	130	Clay 405-409 Sand
130	133	Sand & Clay 409-430 Clay
133	165	Clay 430-445 Clay
165	205	Clay & Rock 445-469 Sand
205	270	Clay
270	305	Clay & Rock
305	330	Clay

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from 250 ft. to 443 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 433

10) SCREEN:
Type PVC #80
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 459 469 12
2 1/2 21

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: 60 gpm with Air ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 46 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 12.6 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? H₂O Ph depth of strata 24

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Patterson's Water Wells Water Well Drillers Registration No. 182
(Type or Print)
ADDRESS 109 N. Magnolia Conroe Tex
(Street or RFD) (City) (State)
(Signed) J.M. Patterson _____
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

JUL 12 1973

RECEIVED

RECEIVED
AUG 2 1973
Central Records
Texas Water Development Board

dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-29-608 Located on map 3 YES Received: KWI

1) OWNER MERRALE NORRIS Address R1- NEW WAVERLY (Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County WALKER miles in 5 1/2 NE direction from NEW WAVERLY (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... [] Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines [x] See attached map. 4 Map on 60-28-85

3) TYPE OF WORK (Check): [x] New Well [] Deepening [] Reconditioning [] Plugging 4) PROPOSED USE (Check): [x] Domestic [] Industrial [] Public Supply [] Irrigation [] Test Well [] Other 5) DRILLING METHOD (Check): [x] Mud Rotary [] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other

6) WELL LOG: Date drilled 10-8-80 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 3/4 Surface 151 3 7/8 174 7) BOREHOLE COMPLETION: [] Open Hole [] Straight Wall [] Underreamed [] Gravel Packed [] Other 2 string If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Includes entries for soil layers and casing sections.

CEMENTING DATA Cemented from 50 ft. to 151 ft. Method used Pressure Cemented by M+M WELL SER. (Company or Individual)

9) WATER LEVEL: Static level 34' ft. below land surface Date 10-10-80 Artesian flow ... gpm. Date ...

10) PACKERS: Type Depth

11) TYPE PUMP: [] Turbine [] Jet [x] Submersible [] Cylinder [] Other Depth to pump bowls, cylinder, jet, etc., 100' ft.

12) WELL TESTS: [] Type Test [] Pump [] Bailer [] Jetted [] Estimated Yield: 30 gpm with ... ft. drawdown after ... hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [x] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? ... Depth of strata ... Was a chemical analysis made? [] Yes [] No

RECEIVED AUG 17 1982 GR/TB.....

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME DONALD G MISKAY Water Well Drillers Registration No. 688 ADDRESS PO Box 523 Willis TEXAS 77378 (Signed) Donald D Miskay M+M WELL SERVICE (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP - 21 1991
DEPT. OF
WATER RESOURCES

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-29-6C
Located on map 705
Received: 7/1

1) OWNER:
Person having well drilled Clint Hawkins Address Rab Hill Rd. Evergreen, Tex.
" (Name) (Street or RFD) (City) (State)
Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER miles in NW direction from Evergreen
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____
Well
North
Evergreen
Ellison Supperett

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 3/4 in. Depth drilled 190 ft. Depth of completed well 190 ft. Date drilled 6-15-70
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	65	surf sand & clay
65	82	sand w/ clay
82	86	clay
86	97	sand (black)
97	145	clay
145	190	sand

9) Casing:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
10) SCREEN:
Type Bar Well
Perforated Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 184 190 14 ga

7) COMPLETION (Check):
Straight well Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 55 ft. below land surface Date 6-15-70
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.
3 1/4 gal. @ 15 sec.
6 sec. J.d. bk.

11) WELL TESTS:
Was a pump test made? Yes _____ No _____ If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME Ralph M. Scott Water Well Drillers Registration No. 404
(Type or Print)
ADDRESS P.O. Box 275 Conroe, Tex. 77301
(Street or RFD) (City) (State)
(Signed) Ralph M. Scott Conroe Water Well Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JAN 28 1971

Central Records
Texas Water Development Board

TEXAS WATER

DEC 9 1970

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-6B Located on map Y.C.S. Received: 7/1 Form GW 8 Form GW 9

1) OWNER: Person having well drilled Charles Wilkerson Address Rt 1 Box 166 New Waverly Tex Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey miles in 7 E direction from New Waverly (Town) Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks. NORTH

3) TYPE OF WORK (Check): New Well [x] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] 5) TYPE OF WELL (Check): Rotary [] Driven [] Dug [] Cable [] Jetted [] Bored []

6) WELL LOG: Diameter of hole 4 1/2 in. Depth drilled 228 ft. Depth of completed well 228 ft. Date drilled 10-27-69 All measurements made from ft. above ground level.

Table with 2 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 40-45 Clay, 45-63 Rock & sand, 63-168 Hard clay, 168-172 sand, 172-208 clay, 208-228 water sand.

Table with 2 columns: From (ft.), To (ft.), Description and color of formation material. (Use reverse side if necessary)

7) COMPLETION (Check): Straight wall [x] Gravel packed [] Other [] Under reamed [] Open hole []

8) WATER LEVEL: Static level 53 ft. below land surface Date 10-28-69 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [] New [x] Steel [] Plastic [] Other [] Cemented from ft. to ft.

10) SCREEN: Type ss rib Perforated [] Slotted [x]

Table with 3 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Gage. Row: 2, 222, 228.

Table with 4 columns: Diameter (inches), Setting (From (ft.), To (ft.)), Slot size. Row: 2, 222, 228, 12.

11) WELL TESTS: Was a pump test made? [] Yes [x] No If yes by whom? Yield: 15 gpm with air ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [] Yes [x] No Did any strata contain undesirable water? [] Yes [x] No Type of water? depth of strata 20

12) PUMP DATA: Manufacturer's Name Myers Type Jet H.P. 3/4 Designed pumping rate 8 gpm [x] gph [] Type power unit Depth to bowls, cylinder, jet, etc., 84 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME L.M. Patterson (Type or Print) Water Well Drillers Registration No. 182 Address Rt 3 Box 159 Conroe Tex (Street or RFD) (City) (State) (Signed) L.M. Patterson (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED

JAN 12 1970

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED

MAY 11 1970

Central Records
Texas Water Development Board

JAN 31 1979

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas DEPT. OF WATER WELL REPORT WATER RESOURCES

For TDWR use only Well No. 60-29-63 Located on map 400 Received: 79 8/2

1) OWNER J.E. Owen Address 7M 1374 New Waverly, TX 77358
2) LOCATION OF WELL: County Wauken 4 1/2 miles in W direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. #2, Map on Dup 60-28-6A

3) TYPE OF WORK (Check):

New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check):

Domestic Industrial Public Supply Irrigation Test Well Other

5) DRILLING METHOD (Check):

Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG:

Table with columns: Dia. (in.), From (ft.), To (ft.), Surface. Rows: 6 1/2, 4 1/2, 217, 219, 230

7) BOREHOLE COMPLETION:

Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval ... from ft. to ft.

From (ft.) To (ft.) Description and color of formation material

Table with columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-21 Clay, 21-45 Sand, 45-59 Clay, 59-62 Rock, 62-105 Clay, 105-135 Sand, 135-150 Clay, 150-155 Rock, 155-170 Sand (Fine), 170-200 Clay, 200-230 Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows: 4 N PVC, 2 N Galv, 2 N RBSS

CEMENTING DATA

Cemented from 0 ft. to 217 ft. Method used Pressure Cemented by Weisinger (Company of Individual)

9) WATER LEVEL:

Static level 100 ft. below land surface Date 10-23-78 Artesian flow gpm. Date

10) PACKERS:

Type Depth

11) TYPE PUMP:

Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

12) WELL TESTS:

Type Test: Pump Bailer Jetted Estimated Yield: 60 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E Weisinger Water Well Drillers Registration No. 1541

ADDRESS Weisinger Water Well, Inc. 2200 E. Davis (City) (State) (Zip)

(Signed) John E. Weisinger (Water Well Driller) Conroe, Texas (Company Name) (115) 753-7721

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
APR 1
CR/TDWR
RECEIVED
APR 17 '79
CR/TDWR


Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 68-29-6A Located on map yrs Received: 6-9-69 Form GW 8 Form GW 9

1) OWNER: Person having well drilled John M. Gar (Name) Address Hawthorne (City) (State) Landowner Walker (Name) Address (City) (State)

2) LOCATION OF WELL: County Labor League Abstract No. NW 1/4 NE 1/4 SW 1/4 SE 1/4 of Section Block No. Survey



3) TYPE OF WORK (Check): New Well [X] Deepening [] Reconditioning [] Plugging [] 4) PROPOSED USE (Check): Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] 5) TYPE OF WELL (Check): Rotary [X] Driven [] Dug [] Cable [] Jetted [] Bored []

6) WELL LOG: Diameter of hole 4 3/4 in. Depth drilled 274 ft. Depth of completed well 274 ft. Date drilled 8-6-69 All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	123	Clay
123	130	soak - trashy
130	140	sand
140	146	sand - trashy
146	181	clay w/ lime streaks
181	192	sand w/ clay
192	254	Clay
254	256	sand

From (ft.)	To (ft.)	Description and color of formation material
256	258	rock
258	260	shale sand
260	267	sand
267	268	rock
268	274	sand

7) COMPLETION (Check): Straight wall [] Gravel packed [X] Other [] Under reamed [] Open hole []

8) WATER LEVEL: Static level 92 ft. below land surface Date 8-6-69 Artesian pressure lbs. per square inch Date

9) CASING: Type: old [] New [X] Steel [] Plastic [] Other [] Cemented from ft. to ft.

10) SCREEN: Type Mono metal Perforated [X] Slotted []

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
2	0	268	sch 40

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
2	268	274	12 ga

11) WELL TESTS: Was a pump test made? [] Yes [] No If yes by whom? Yield: gpm with ft. drawdown after hrs Bailer test gpm with ft. drawdown after hrs Artesian flow gpm Date Temperature of water Was a chemical analysis made? [] Yes [] No Did any strata contain undesirable water? [] Yes [] No Type of water? depth of strata

12) PUMP DATA: Manufacturer's Name Sta-Rite Pump Co. Type MSF H.P. 1 1/2 Designed pumping rate 320 gpm [] gph [X] Type power unit Jer Depth to bowls, cylinder, jet, etc., 147' ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME: Ralph M. Scott (Type or Print) Address: P.O. Box 275 (City) (Signed) (Water Well Driller) Water Well Drillers Registration No. 404 Company Name: Con-Ind Water Well Co.

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED
AUG 27 1969
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
OCT 24 1969
SPECIAL DELIVERY
6361 78 400

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Alma Lee (Name) Address P.O. Box 103 New Waverly, Tx 77358 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 8 miles in NE direction from New Waverly (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 1-3 19 89 Completed 1-3 19 89
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
4 1/2 Surface 250
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)	Gage Casing Screen
						From	To
0	3	Sand					
3	12	Clay					
12	19	Sand	2"	N	PVC	0	215
19	36	Clay	2"	N	PVC Slotted	215	225 .010
36	55	Sand	2"	N	PVC	225	239
55	70	Clay	"	"	" Slotted	239	249 .010
70	90	Sand					
90	91	Rock					
91	124	Clay					
124	125	Rock					
125	135	Broken Sand					
135	205	Clay					
205	215	Broken Sand					
215	225	Sand					
225	230	Broken Sand					
230	239	Clay					
239	250	Sand					

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft. No. of Sacks Used _____
_____ ft. to _____ ft. No. of Sacks Used _____
Method used Gravity
Cemented by Hall's Water Well

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 62 ft. below land surface Date 1-3-89
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Rubber Depth 15, 55, 215, 239

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

RECEIVED
FEB 24 1989

TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Hall's Water Well (Type or Print) Water Well Driller's License No. 2736 W
ADDRESS Rt 4 Box 762 Conroe Tx 77302 (Street or RFD) (City) (State) (Zip)
(Signed) Lloyd B. Baker (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-29-6 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 60-29-6T Located on map YES Received: C.F.S.

1) OWNER BRAMLETTE McCLELAND Address Off F.M. 2278
2) LOCATION OF WELL County Walker Texas 25 miles in N direction from Conroe

Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines

See attached map.

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-12-80
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 3/4 0 277
7) BOREHOLE COMPLETION: Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, and 8) CASING, BLANK PIPE, AND WELL SCREEN DATA (Dia., New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen)

CEMENTING DATA: Cemented from 0 ft. to 263 ft. Method used Pressure Cemented Cemented by Con-Tex Water Well Co.

RECEIVED APR 15 1982 CR/TDvvR

9) WATER LEVEL: Static level 96' ft. below land surface Date 8-12-80

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other


12) WELL TESTS: Type Test, Pump, Bailer, Jetted, Estimated Yield: 100 gpm

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Rick Neal Water Well Drillers Registration No. 1985
ADDRESS P. O. Box 275 Conroe, Texas 77301
(Signed) Ricky A. Neal Con-Tex Water Well Company

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING**



on-
ntiality
ing of

The last sentence specifies the means whereby you can, in your own, that
logs of your wells will be kept confidential. Please note that the term "Commission" in
the above-quoted section and elsewhere in the Water Well Drillers Act now properly means
the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
NOV 24 1990
DEPT. OF
WATER RESOURCES

Dup

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-29-6A Located on map YES Received: 76

1) OWNER: Person having well drilled LORENZO REED Address (Street or RFD) (City) (State) Landowner LORENZO & SUSIE REED Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER 7 miles in SE direction from New Waverly (Town)



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 311 ft. Depth of completed well 305 ft. Date drilled 6-9-76 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include top soil, top sand, clay, shale, clay & rock, sand, and clay.

9) CASING: Type: Old New Steel Plastic Other Cemented from 0 ft. to 0 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4" 0 311 Sch 40

10) SCREEN: Type plastic 010 gage sch 40 Perforated Stotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4" 295 305 010

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 10 gpm with 15 ft. drawdown after 1 hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 140 ft. below land surface Date 6-10-76 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 240 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? soft depth of strata 16'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W. A. Waller Water Well Drillers Registration No. 1332 ADDRESS Box 516 New Waverly TEXAS 77358 (Signed) W. A. Waller AAA Water Well Inc (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
OCT 04 1976
Texas Water Development Board

RECEIVED
JUL 16 1976
TEXAS WATER
DEVELOPMENT BOARD

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Bradley Madden ADDRESS Rt 1 Box 1771 New Waverly Tx 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Rt 1 Box 1771 New Waverly Tx 77358 STATE WELL # _____
7 M. E. OF NEW WAVERLY ON Hwy 2693 (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 5-28 19 96 Completed 5-30 19 96
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jatted Other _____

From (ft.)	To (ft.)	Description and color of formation material	DIAMETER OF HOLE		
			Dia. (in.)	From (ft.)	To (ft.)
0	1	top bit soil			
1	6	gumbo			
6	16	br. cl.			
16	21	r. st.			
21	157	br. cl.	6.5	Surface	511
157	158	rock			
158	208	br. cl.			
208	221	sa. & mly cl.			
221	226	mly cl.			
226	227	rock			
227	239	cl.			
239	241	sa. st.			
241	251	mly. cl.			
251	261	sa. st.			
261	263	cl.			

5) 60-29-6
8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4"	N	PVC Casing	-1.5	491	
2"	N	S. Steel screen	496	506	10#

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 12 ft. No. of sacks used 2
411 ft. to 511 ft. No. of sacks used 7
Method used pressure
Cemented by H. Lee
Distance to septic system field lines _____ ft.
Method of verification of above distance no septic

13) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS: Type test: Pump Bailor Jetted Estimated
Yield: 16 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 21
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL: Static level 175' ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
<u>2" R x R rubber Packer</u>	<u>484'</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)
ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)
(Signed) Henry Lee (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

