

Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

# Texas Department of License and Regulation

Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX: (512)463-8616  
Toll free (800)803-9202

Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

## WELL REPORT

### A. WELL IDENTIFICATION AND LOCATION DATA

#### 1) OWNER

Name <i>James Niott</i>	Address <i>819 Chaygen Dr</i>	City <i>Houston</i>	State <i>Texas</i>	Zip <i>77062</i>
----------------------------	----------------------------------	------------------------	-----------------------	---------------------

#### 2) WELL LOCATION

County <i>Walker 236</i>	Physical Address <i>128 Winters Ranch</i>	City <i>New Waverly</i>	State <i>Texas</i>	Zip <i></i>
-----------------------------	--	----------------------------	-----------------------	----------------

#### 3) Type of Work

New Well     Reconditioning  
 Replacement     Deepening

Lat. \_\_\_\_\_ Long. \_\_\_\_\_ Grid # *60-30-7*

4) Proposed Use (check)  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
 Rig Supply      If Public Supply well, were plans submitted?  Yes  No

5) *NT*

#### 6) Drilling Date

Started *4/17/02*  
 Completed *4/19/02*

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<i>10</i>	<i>0</i>	<i>10</i>
<i>6 3/4</i>	<i>10</i>	<i>276'</i>
<i>3 7/8</i>	<i>276'</i>	<i>289'</i>

7) Drilling Method (check)  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

#### From (ft) To (ft) Description and color of formation material

<i>0-2</i>	<i>Top Soil</i>	<i>160-180</i>	<i>Blueclay</i>
<i>2-17</i>	<i>Red clay</i>	<i>180-200</i>	<i>Blueclay</i>
<i>17-19</i>	<i>Rock</i>	<i>200-240</i>	<i>Blueclay</i>
<i>19-40</i>	<i>Tanclay</i>	<i>240-260</i>	<i>Sandy Blueclay</i>
<i>40-43</i>	<i>Gravel</i>	<i>260-266</i>	<i>Blue shale</i>
<i>43-80</i>	<i>Tanclay</i>	<i>266-270</i>	<i>Rock</i>
<i>80-120</i>	<i>Tanclay</i>	<i>270-289</i>	
<i>120-135</i>	<i>whiteclay</i>		
<i>135-137</i>	<i>Rock</i>		
<i>137-160</i>	<i>Blue shale</i>		

8) Borehole Completion  Open Hole  Straight Wall  
 Under-reamed  Gravel Packed  Other \_\_\_\_\_  
 If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

#### Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>276</i>	<i>*40</i>
<i>2</i>	<i>N</i>	<i>PVC screen</i>	<i>271</i>	<i>289</i>	<i>*8</i>

#### 9) Cementing Data

Cementing from *276* ft. to *176* ft. # of sacks used *5*  
 \_\_\_\_\_ ft. to \_\_\_\_\_ ft. # of sacks used *7*  
 Method Used *Pressure*  
 Cementing By *RITINGO RECEIVED*  
 Distance to septic system field or other concentrated contamination *None*  
 Method of verification of above distance *N/A*

#### 13) Plugged

Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

#### 14) Type Pump

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet etc., *200* ft.

#### 15) Water Test

Type test  Pump  Bailer  Jetted  Estimated

Yield: *45* gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

#### 16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.

YES  NO If yes, did you submit a REPORT OF UNDESIRABLE WATER

Type of water *good* Depth of Strata *19'*

Was a chemical analysis made  Yes  No

#### 10) Surface Completion

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used RECEIPT # \_\_\_\_\_  
 Approved Alternative Procedure Used

#### 11) Water Level

Static level *10.2* ft. below \_\_\_\_\_ Date *4/29/02*  
 Artesian Flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

#### 12) Packers

*Rubber* Type *2004* Depth *271'*

TCEQ - CENTRAL FILE ROOM  
Lic. No. *2011* WPK

Company or individual's Name (type or print)

*Gray's Water Well Service*

Address *P.O. Box 1788*

City *Trinity*

State *Tx*

Zip *75862*

Signature *Vernon Gray*

Date *4/22/02*

Signature *Richard Myker*

Date *4/22/02*


Licensed Driller/Pump Installer

Date


Apprentice

Date






S A N J A C I N T O C O U N T Y




NOTICE  
This map has been prepared for internal departmental use and has no official status. Accuracy is limited to validity of available data as of the dates shown.

PHELPS



KEY TO COUNTIES

POLYCONIC PROJECTION NORTH AMERICAN DATUM  
CONTROL: U.S. COAST AND GEODETIC SURVEY AND U.S. GEOLOGICAL SURVEY



1969


1980 CENSUS FIGURES

HIGHWAYS REVISED TO MARCH 1, 1983

Copies of this map are available for public use at nominal cost from the State Department of Highways and Public Transportation, P.O. Box 5051, Austin, Texas 78753

PREPARED BY THE  
**STATE DEPARTMENT OF HIGHWAYS  
 AND PUBLIC TRANSPORTATION**  
 TRANSPORTATION PLANNING DIVISION  
 IN COOPERATION WITH THE  
**U.S. DEPARTMENT OF TRANSPORTATION**  
 FEDERAL HIGHWAY ADMINISTRATION

**GENERAL HIGHWAY MAP  
 WALKER COUNTY  
 TEXAS**



Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

**Texas Department of License and Regulation**  
Water Well Driller/Pump Installer Program  
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616  
Toll free (800) 803-9202  
Email address: water.well@license.state.tx.us

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

**WELL REPORT**

**1) OWNER**

**A. WELL IDENTIFICATION AND LOCATION DATA**

Name <b>Audrey Fisher</b>	Address <b>340 Goffney Road</b>	City <b>New Waverly</b>	State <b>TX</b>	Zip <b>77358</b>
------------------------------	------------------------------------	----------------------------	--------------------	---------------------

**2) WELL LOCATION**

County <b>Walker</b>	Physical Address <b>340 Goffney Road</b>	City <b>New Waverly</b>	State <b>TX</b>	Zip <b>77358</b>
-------------------------	---	----------------------------	--------------------	---------------------

**3) Type of Work**

New Well     Deepening  
 Reconditioning

Lat.	Long.	Grid # <b>60-30-7</b>
<b>4) Proposed Use (check)</b> <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <b>5)</b> <b>N↑</b> <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		

**6) Drilling Date**

Started **3-15-01**  
  
Completed **3-19-01**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<b>6.75</b>	<b>-1.5</b>	<b>541</b>

**7) Drilling Method (check)**

Driven  
 Air Rotary     Mud Rotary     Bored  
 Air Hammer     Cable Tool     Jetted  
 Other \_\_\_\_\_

From (ft)	To (ft)	Description and color of formation material
<b>0</b>	<b>1</b>	<b>T.s.</b>
<b>1</b>	<b>21</b>	<b>Br.sdy.cl.</b>
<b>21</b>	<b>34</b>	<b>Sd.&amp;gr.</b>
<b>34</b>	<b>41</b>	<b>Red cl.</b>
<b>41</b>	<b>47</b>	<b>Sd.</b>
<b>47</b>	<b>121</b>	<b>Br.cl.</b>
<b>121</b>	<b>161</b>	<b>Br.&amp;w.cl.</b>
<b>161</b>	<b>179</b>	<b>Br.cl.</b>
<b>179</b>	<b>181</b>	<b>R.st.</b>
<b>181</b>	<b>185</b>	<b>Cl.</b>
<b>185</b>	<b>186</b>	<b>Hard rock</b>
<b>186</b>	<b>201</b>	<b>Cl.</b>

**8) Borehole Completion**     Open Hole     Straight Wall  
 Under-reamed     Gravel Packed     Other \_\_\_\_\_  
If Gravel Packed give the interval from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Casing, Blank Pipe, and Well Screen Data					
Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<b>4</b>	<b>N</b>	<b>PVC Casing</b>	<b>-1.5</b>	<b>520</b>	
<b>2.5</b>	<b>N</b>	<b>Pipebase screen</b>	<b>520</b>	<b>541</b>	<b>#6</b>

**9) Cementing Data**

Cementing from **-1.5** ft. to **20** ft. # of sacks used **4**  
**370** ft. to **520** ft. # of sacks used **7**  
Method Used **Pressure**  
Cementing By **R.McPike**  
Distance to septic system field or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance \_\_\_\_\_

**13) Plugged**

Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

**14) Typepump**

Turbine     Jet     Submersible     Cylinder  
 Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., **280** ft.

**15) Water Test**

Typetest  Pump     Bailer     Jetted     Estimated  
Yield: **10** gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

**16) Water Quality**

Did you knowingly penetrate any strata which contain undesirable constituents?  
 Yes     NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?  
Type of water **Good**    Depth of Strata **21**  
Was a chemical analysis made?     Yes     No

**10) Surface Completion**

Specified Surface Slab Installed  
 Specified Surface Sleeve Installed  
 Pitless Adapter Used  
 Approved Alternative Procedure Used

**11) Water Level**

Static level **156** ft. below Date \_\_\_\_\_  
Artesian Flow \_\_\_\_\_ gpm Date \_\_\_\_\_

**12) Packers**


**2 - 2.5" K-Packers**  
Type \_\_\_\_\_  
Depth **507'**

Company or Individual's Name (type or print) **Holly Water Wells, Inc.**

Lic. No. **3114W**

Address <b>2928 SH 19</b>	City <b>Huntsville</b>	State <b>TX</b>	Zip <b>77320</b>
---------------------------	------------------------	-----------------	------------------

Signature <i>Raymond M. Pike</i> Licensed Driller/Pump Installer	Date _____	Signature _____	Date _____
---	------------	-----------------	------------



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening, or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy, must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.)	Description and color of formation material
201	221	Cl.w/r.st.
221	241	Meally cl.w/r.st.
241	261	Meally cl.
261	281	Cl.w/r.st.
281	321	Meally cl.
321	324	Cl.
324	331	Sd.
331	341	Cl.
341	381	Meally cl.
381	401	Br.cl.
401	421	Meally cl.
421	436	Shale
436	447	Sd.st.
447	521	Shale
521	541	Sd.w/shale st.

FILE ID	SEQ #
BMP #	000000
MAR 09 2001	
COMMENT	CB

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-0530

1) OWNER BERT EDWARDS ADDRESS 727 Hill Rd. Houston TX. 77037  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: WALKER GRID # 60-30-7  
County (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging

4) PROPOSED USE (Check):  Monitor  Environmental Soil Boring  Domestic  
 Industrial  Irrigation  Injection  Public Supply  De-watering  Testwell  
If Public Supply well, were plans submitted to the TNRCC?  Yes  No

6) WELL LOG:  
Date Drilling: \_\_\_\_\_  
Started 7/8 1996  
Completed 7/10 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>6 1/2</u>	<u>0</u>	<u>320</u>
<u>3 7/8</u>	<u>320</u>	<u>342</u>

7) DRILLING METHOD (Check):  Driven  
 Air Rotary  Mud Rotary  Bored  
 Air Hammer  Cable Tool  Jetted  
 Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
<u>0 - 1</u>		<u>Top Soil</u>
<u>1 - 30</u>		<u>Red &amp; White Clay</u>
<u>30 - 50</u>		<u>White Clay</u>
<u>50 - 84</u>		<u>Hard Brown Clay</u>
<u>84 - 85</u>		<u>Rock</u>
<u>85 - 95</u>		<u>Soft Gray Shale</u>
<u>95 - 180</u>		<u>Soft Blue Clay</u>
<u>180 - 184</u>		<u>Sand Stone</u>
<u>184 - 192</u>		<u>Sand - Fine</u>
<u>192 - 250</u>		<u>Shale</u>
<u>250 - 258</u>		<u>Hard Brown Clay</u>
<u>258 - 310</u>		<u>Broken Sand &amp; Clay</u>
<u>310 - 311</u>		<u>Rock</u>
<u>311 - 342</u>		<u>Sand</u>

8) Borehole Completion (Check):  Open Hole  Straight Wall  
 Underreamed  Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>320</u>	
<u>2 1/2</u>	<u>N</u>	<u>PVC</u>	<u>315</u>	<u>322</u>	
<u>2 1/2</u>	<u>N</u>	<u>PVC</u>	<u>322</u>	<u>342</u>	<u>8ga.</u>

13) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 200 ft.

9) CEMENTING DATA [Rule 338.44(1)]  
Cemented from 0 ft. to 50 ft. No. of sacks used 6  
220 ft. to 320 ft. No. of sacks used 12  
Method used Half Burton  
Cemented by Ballard  
Distance to septic system field lines or other concentrated contamination \_\_\_\_\_ ft.  
Method of verification of above distance No System

14) WELL TESTS:  
Type test:  Pump  Bailer  Jetted  Estimated  
Yield: 40 gpm with 95 ft. drawdown after 2 hrs.

10) SURFACE COMPLETION  
 Specified Surface Slab Installed [Rule 338.44(2)(A)]  
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
 Pitless Adapter Used [Rule 338.44(3)(A)]  
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable constituents?  
 Yes  No If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata? \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

11) WATER LEVEL:  
Static level 105 ft. below land surface Date 7/10/96  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS:  
Type Depth  
1 - 4x6 1/2 Formation 50'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BALLARD WATER WELL WELL DRILLER'S LICENSE NO. 2384 W.I.  
(Type or print)  
ADDRESS P.O. Box 2004 Willis TEXAS 77378  
(Street or RFD) (City) (State) (Zip)  
(Signed) Charles A. Ballard (Signed) \_\_\_\_\_  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



23

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-30-7E Located on map yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER OTTO COLQUITT Address OFF F.M. 150 and Old Waverly Rd. 2) LOCATION OF WELL: County Walker Texas 24 miles in N. EAST direction from CONROE

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): XX New Well 4) PROPOSED USE (Check): XX Domestic 5) DRILLING METHOD (Check): XX Air Rotary

6) WELL LOG: Date drilled 5-18-83 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 7) BOREHOLE COMPLETION: XX Straight Wall

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc., Perf., Slotted, etc., Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen. Rows include S/S & Clay, Broken Sand & Clay, Sand, Broken Soft Clay, Clay & rock, Sand Fine, Shale Soft Pealing, Sand & Shale Fine, Shale, Sand, Broken & Hd., Sandy Hd. Shale, Shale, Sand, Shale, Sand, Hd. Stk & Sand.

CEMENTING DATA Cemented from 0 ft. to 514 ft. Method used Pressure Cemented Cemented by Con-Tex Water Well Company

9) WATER LEVEL: Static level 200 ft. below land surface Date 5-18-83 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: XX Submersible

12) WELL TESTS: XX Jetted Yield: 40 gpm with ft. drawdown after hrs.



RECEIVED SEP 22 1983 DEPT. OF WATER RESOURCES

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.



NAME Ricky L. Neal Water Well Drillers Registration No. 1985 ADDRESS P. O. Box 275 Conroe Texas 77305 (Signed) Ricky L. Neal Con-Tex Water Well Company






KEY TO COUNTIES

Copies of this map are available for public use at nominal cost from the State Department of Highways and Public Transportation, P O Box 5051, Austin, Texas 78763



GENERAL HIGHWAY MAP  
**WALKER COUNTY**  
**TEXAS**

PREPARED BY THE  
 STATE DEPARTMENT OF HIGHWAYS  
 AND PUBLIC TRANSPORTATION  
 TRANSPORTATION PLANNING DIVISION  
 IN COOPERATION WITH THE  
 U.S. DEPARTMENT OF TRANSPORTATION  
 FEDERAL HIGHWAY ADMINISTRATION



1970 CENSUS FIGURES  
 HIGHWAYS REVISED TO MARCH 1, 1979  
 POLYCONIC PROJECTION NORTH AMERICAN DATUM  
 Control: U. S. Coast and Geodetic Survey and U. S. Geological Survey  
 supplemented by U. S. Engineer's surveys, railroad alignments, state highway  
 alignments and road inventory.



SEP 22 1983  
MICHIGAN STATE UNIVERSITY

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-30-70 Located on map yes Received: 75-yes

1) OWNER: Person having well drilled Paul McDas (Name) Address 21 New Waverly Tex (Street or RFD) (City) (State) Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, miles in direction from (Town)



Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\* or Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well [checked], Deepening, Reconditioning, Plugging. 4) PROPOSED USE (Check): Domestic [checked], Industrial, Municipal, Irrigation, Test Well, Other. 5) TYPE OF WELL (Check): Rotary [checked], Driven, Dug, Cable, Jetted, Bored.

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 72 ft. Depth of completed well 72 ft. Date drilled 10-5-74. All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-1 Top soil, 1-37 red sand & clay, 37-72 coarse sand.

9) CASING: Type: Old, New [checked], Steel, Plastic [checked], Other. Cemented from ft. to ft. Diameter (inches) 4" x 10'. Setting From (ft.) To (ft.) Gage. 10) SCREEN: Type Perforated, Slotted [checked]. Diameter (inches) 4". Setting From (ft.) 62-72 To (ft.) Slot Size 016.

7) COMPLETION (Check): Straight wall [checked], Gravel packed, Other, Under reamed, Open Hole. 8) WATER LEVEL: Static level 25 ft. below land surface Date 10-6-74. Artesian pressure lbs. per square inch Date. Depth to pump bowls, cylinder, jet, etc., 60 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 15 gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm. Temperature of water. 12) WATER QUALITY: Was a chemical analysis made? Yes No. Did any strata contain undesirable water? Yes No. Type of water? depth of strata.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M + M WELL SERVICE Water Well Drillers Registration No. 688 (Type or Print) ADDRESS PO BOX 523 WILLIS TEXAS (Street or RFD) (City) (State) (Signed) Donald M [signature] (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED  
SEP 10 1975

JAN 20 1976  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only  
Well No. 60-30-7c  
Located on map yes  
Received: 74  
dlr

1) OWNER:  
Person having well drilled B. J. Hardy Address New Waverly Texas  
(Name) (Street or RFD) (City) (State)  
Landowner Same Address Same  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 7 miles in East direction from New Waverly  
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well  Deepening  Reconditioning  Plugging

4) PROPOSED USE (Check):  
 Domestic  Industrial  Municipal  Irrigation  Test Well  Other

5) TYPE OF WELL (Check):  
 Rotary  Driven  Dug  Cable  Jetted  Bored

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 300 ft. Depth of completed well 317 ft. Date drilled 12-17-73  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top soil
2	55	Red clay
55	68	fine sand
68	197	red clay
197	249	yellow clay
249	300	rock
300	317	water sand

9) CASING:  
Type: Old  New  Steel  Plastic  Other  
Cemented from 280 ft. to 300 ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4	0	300	Del. 40

10) SCREEN:  
Type Plastic  
 Perforated  Slotted  
Diameter (inches) 2 1/2 Setting From (ft.) 307 To (ft.) 317 Slot Size .010

7) COMPLETION (Check):  
 Straight wall  Gravel packed  Other 2-String  
 Under reamed  Open Hole

11) WELL TESTS:  
Was a pump test made? Yes  No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

8) WATER LEVEL:  
Static level 124 ft. below land surface Date 12-19-73  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 189 ft. below land surface.

12) WATER QUALITY:  
Was a chemical analysis made? Yes  No   
Did any strata contain undesirable water? Yes  No   
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay Water Well Drillers Registration No. 688  
(Type or Print)  
ADDRESS P.O. Box 523 Willis Texas  
(Street or RFD) (City) (State)  
(Signed) Donald McKay M+M Well Service  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

**RECEIVED**  
APR 3 1976  
Central Records  
Texas Water Development Board

DEVELOPMENT BOARD

AUG 12 1974

**RECEIVED**

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only Well No. 60-30-7B Located on map Y.P.S Received: 7/1 Y.P.S alb

1) OWNER: Person having well drilled Ethel Williams Address New Waverly Texas  
(Name) (Street or RFD) (City) (State)  
Landowner Ethel Williams Address New Waverly Texas  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 7 miles in E direction from New Waverly  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW $\frac{1}{4}$  NE $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section \_\_\_\_\_

3) TYPE OF WORK (Check): New Well  Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check): Domestic  Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check): Rotary  Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 318 ft. Depth of completed well 318 ft. Date drilled 11-22-73  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 1		top soil
1 - 18		clay
18 - 63		SAND
63 - 292		shale
292 - 318		SAND

9) CASING: Type: Old \_\_\_\_\_ New  Steel \_\_\_\_\_ Plastic  Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 308 Gage sch 40

10) SCREEN: Type \_\_\_\_\_  
Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  
Diameter (inches) 4" Setting From (ft.) 308 To (ft.) 318 Slot Size 12 ga.

(Use reverse side if necessary)

7) COMPLETION (Check): Straight wall  Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

8) WATER LEVEL: Static level 156 ft. below land surface Date 11-22-73  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date 11-22-73  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface. Jet 8 gal per min

11) WELL TESTS: Was a pump test made? Yes \_\_\_\_\_ No  If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY: Was a chemical analysis made? Yes \_\_\_\_\_ No   
Did any strata contain undesirable water? Yes \_\_\_\_\_ No   
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Paul Sargent Water Well Drillers Registration No. 1448  
(Type or Print)  
ADDRESS P.O. Box New Waverly Texas  
(Street or RFD) (City) (State)  
(Signed) Paul Sargent A.A.A. Water Wells Inc.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER  
DEVELOPMENT BOARD

JAN 24 1974

RECEIVED

RECEIVED  
APR 11 1974

Central Records  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only Well No. 60-30-7A Located on map yes Received: 71 db

1) OWNER: Person having well drilled Charles Wilkerson Address (Street or RFD) (City) (State) Landowner Address RT-1 New Waverly Tex (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 8 miles in E direction from New Waverly (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Irrigation Test Well Municipal Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 190 ft. Depth of completed well 190 ft. Date drilled 2-24-71 All measurements made from ft. above ground level.

From To Description and color of formation material

0 - 22 Clay 22 - 38 sand 38 - 105 clay 105 - 120 sand 120 - 165 Clay 165 - 190 Water Sand

9) Casing: Type: Old New Steel Plastic Other Cemented from 169 ft. to 60 ft.

Diameter Setting (inches) From (ft.) To (ft.) Gage 4 0 169

10) SCREEN: Type SS Perforated Slotted

Diameter Setting Slot Size (inches) From (ft.) To (ft.) 2 1/2 180 190 12 2 1/2 Pipe 15'

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 50 gpm with Air ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 56 ft. below land surface Date Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 12.6 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Lo Ph depth of strata 25'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME L M Patterson Water Well Drillers Registration No. 182 ADDRESS 109 N Magnolia Conroe Tex (Signed) L.M. Patterson (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
AUG 27 1971

Central Records  
Texas Water Development Board

RECEIVED

JUL 29 1971

TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-30-7F  
Located on map YES  
Received: C.F.S.

1) OWNER BUD OLSON Address Old Waverly  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Walker, Texas miles in \_\_\_\_\_ direction from \_\_\_\_\_  
(N.E., S.W., etc.) (Town)

Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

**XX** See attached map.

3) TYPE OF WORK (Check):  
 New Well  Deepening  
 Reconditioning  Plugging  
4) PROPOSED USE (Check):  
 Domestic  Industrial  Public Supply  
 Irrigation  Test Well  Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
 Mud Rotary  Air Hammer  Driven  Bored  
 Air Rotary  Cable Tool  Jetted  Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 7-27-83  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
Surface  
6 3/4 0 325

7) BOREHOLE COMPLETION:  
 Open Hole  Straight Wall  Underreamed  
 Gravel Packed  Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.


From (ft.)	To (ft.)	Description and color of formation material
0	15	S/S & Clay
15	20	Gray Sand
20	60	Clay
60	200	Clay & Rock
200	296	Soft Pealy Gummy Shale
296	298	Broken
298	301	Sand & Shale
301	325	Sand

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC Casing	0	307	Sch40
2 1/2	N	Blank	296	307	
2 1/2	N	Stainless Screen	307	317	12ga
2 1/2	N	Blank	317	324	
2 1/2	N	S.T.N.	324	325	

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
CEMENTING DATA  
Cemented from 0 ft. to 307 ft.  
Method used Pressure Cemented  
Cemented by Con-Tex WaterWell Company  
(Company or Individual)

9) WATER LEVEL:  
Static level 132 ft. below land surface Date 7-27-83  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth



11) TYPE PUMP:  
 Turbine  Jet  Submersible  Cylinder  
 Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water?  Yes  No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made?  Yes  No

12) WELL TESTS:  
 Type Test:  Pump  Bailer  Jetted  Estimated  
Yield: 60 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ricky L. Neal Water Well Drillers Registration No. 1985  
(Type or Print)  
ADDRESS P.O. Box 275 Conroe Texas 77305  
(Street or RFD) (City) (State) (Zip)  
(Signed) [Signature] Con-Tex WaterWell Company  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).