

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Beau King	Address Lot # 27 Schultz Sealy	City Sealy	State TX	Zip 77474
--------------------------	--	----------------------	--------------------	---------------------

2) WELL LOCATION

County Walker 236	Physical Address	City	State	Zip
-----------------------------	------------------	------	-------	-----

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat.	Long.	Grid # 66-15-7
------	-------	-----------------------

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) **NT**
110
Sealy X

6) Drilling Date

Started **5/28/02**
Completed **5/28/02**

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
5.14	0	160

7) Drilling Method (check)

Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

0-2	Top Soil
2-23	CLAY
23-45	SAND
45-80	CLAY
80-160	SAND

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
2"	N	PVC CASING	0	120	
2"	N	PVC SCREEN	120	140	008

(Use reverse side of Well Owner's copy, If necessary)

13) Plugged

Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____
From (ft) To (ft) From (ft) To (ft) Sacks used

9) Cementing Data

Cementing from **160** ft. to **140** ft. # of sacks used **10 SACKS**
_____ ft. to _____ ft. # of sacks used **5 SACKS**
Method Used **Surface Grouted**
Cementing By **B+R Water Well**
Distance to septic system field or other concentrated contamination **100ft.**
Method of verification of above distance **Tape measure**

14) Type Pump

Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., **100** ft.

15) Water Test

Typetest Pump Bailer Jetted Estimated
Yield: **100** gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water _____ Depth of Strata _____
Was a chemical analysis made Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level **20** ft. below Date **5/28/02**
Artesian Flow _____ gpm. Date _____ / _____ / _____

12) Packers

Type	Depth
formation packer	140

Company or individual's Name (type or print) B+R WATER well	Lic. No. 50111 WPK
Address 40619 Fm 149	City MAGNOLIA State TX Zip 77351
Signature [Signature] Date 5/28/02	Signature _____ Date _____
Licensed Driller/Pump Installer	Apprentice

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Mr. Miller ? ADDRESS LOT 2 579 SHUTE SEARLY TX 77659
(Name) Co. (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION WALKER SAME Long. _____ Lat. _____
County (Street, RFD or other) (City) (State) (Zip) Grid # 166-15-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental/Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling: _____
Started 10/6/19 2000
Completed 10/6/19 2000

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>7 1/4</u>	<u>0</u>	<u>160</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____



From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>20</u>	<u>SAND</u>
<u>20</u>	<u>80</u>	<u>CLAY</u>
<u>80</u>	<u>160</u>	<u>SAND</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

(Use reverse side of Well Owner's copy, if necessary)

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4"</u>	<u>N</u>	<u>PVC CASING</u>	<u>0</u>	<u>150</u>	<u>---</u>
<u>4"</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>150</u>	<u>160</u>	<u>008</u>

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
 Cemented from 150 ft. to 130 ft. No. of sacks used 10 SACKS
15 ft. to 15 ft. No. of sacks used 7 SACKS
 Method used SURFACE GRout
 Cemented by BTR WATER WELL
 Distance to septic system field lines or other concentrated contamination 100 ft.
 Method of verification of above distance TAPE MEASURE

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
 Static level 80 ft. below land surface Date 10-6-2000
 Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth
<u>formation packer</u>	<u>150'</u>

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BTR WATER WELL WELL DRILLER'S LICENSE NO. 50178004 WPK
(Type or print)

ADDRESS 40619 Fm 149 MAGWATER TX
(Street or RFD) (City) (State) ESC CO (Zip)

(Signed) [Signature] (Licensed Well Driller) (Signed) [Signature] (Registered Driller Trainee)

OCT 19 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Linda Carter ADDRESS Lot 7 Shultz Sealy TX 77684
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: Same
County Walker Long. Lat.
(Street, RFD or other) (City) (State) (Zip) Grid # 66-15-7

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 10-7-19-2000 Completed 10-7-19-2000

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>5 1/4</u>	<u>0</u>	<u>160</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other

Scaly Decorated Drift ↑

From (ft.)	To (ft.)	Description and color of formation material	8) Borehole Completion (Check):
<u>0-2</u>		<u>TOP SOIL</u>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall
<u>2-60</u>		<u>CLAY</u>	<input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other
<u>60-160</u>		<u>SAND</u>	If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>2"</u>	<u>N</u>	<u>PVC CASE INT</u>	<u>0</u>	<u>140</u>	
<u>2"</u>	<u>N</u>	<u>AVE SCREEN</u>	<u>140</u>	<u>160</u>	<u>008</u>

9) CEMENTING DATA
Cemented from 140 ft. to 120 ft. No. of sacks used 5 SACKS
0 ft. to 10 ft. No. of sacks used 7 SACKS
Method used SURFACE GROUT
Cemented by BTR WATER WELL
Distance to septic system field lines or other concentrated contamination 100 ft.
Method of verification of above distance TAPE MEASUREMENT

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

14) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 100 ft.

15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION: Specified Surface Slab Installed Specified Steel Sleeve Installed Pitless Adapter Used Approved Alternative Procedure Used

11) WATER LEVEL: Static level 30' ft. below land surface Date 10-7-2000
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

<u>FORMATION PACKER</u>	<u>140'</u>
-------------------------	-------------

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BTR WATER WELL (Type or print)

ADDRESS 40619 FM 149 (Street or RFD)

(Signed) [Signature] (Licensed Well Driller)

FILE ID _____ WELL DRILLER'S LICENSE NO. 50111 SEDAK

(City) MAGNOLIA (State) TX (Zip) 77355

(Signed) _____ (Registered Driller/Trainee)

OCT 19 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

