

236

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202
Email address: water.well@license.state.tx.us

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name <u>Javier Zumudio</u>	Address <u>25 vela Rd</u>	City <u>New waverly</u>	State <u>TX</u>	Zip <u>77358</u>
-------------------------------	------------------------------	----------------------------	--------------------	---------------------

2) WELL LOCATION

County <u>Walker County</u>	Physical Address <u>25 vela Rd.</u>	City <u>New waverly</u>	State <u>TX</u>	Zip <u>77358</u>
--------------------------------	--	----------------------------	--------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # 60-29-4

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) NT

6) Drilling Date

Started 10/8/02
Completed 10/10/02

Diameter of Hole		
Dia.(in)	From (ft)	To (ft)
<u>10"</u>	<u>0</u>	<u>10'</u>
<u>6 3/4</u>	<u>10'</u>	<u>150'</u>
<u>3 7/8</u>	<u>150'</u>	<u>165'</u>

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
<u>0-2</u>	<u>Top Soil</u>	
<u>1-7</u>	<u>Red clay</u>	
<u>7-24</u>	<u>Red Sand</u>	
<u>24-40</u>	<u>Blue Sand</u>	
<u>40-100</u>	<u>Red Sand</u>	
<u>100-108</u>	<u>Tan clay</u>	
<u>108-128</u>	<u>Tan clay</u>	
<u>128-140</u>	<u>Tan clay</u>	
<u>140-165</u>	<u>Sand</u>	

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., etc commercial	Setting (ft)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>150'</u>	<u>#40</u>
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>145'</u>	<u>165'</u>	<u>#10</u>

9) Cementing Data
Cementing from 150 ft. to 50 ft. # of sacks used 5
0 ft. to 10 ft. # of sacks used 10
Method Used Pressure
Cementing By R. Turner
Distance to septic system field or other concentrated contamination N/A ft.
Method of verification of above distance Pressure

13) Plugged Well plugged within 48 hours
Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., 140 ft.

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water good Depth of Strata 25'
Was a chemical analysis made Yes No

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level
Static level 75 ft. below Date 10/10/02
Artesian Flow _____ gpm. Date _____

12) Packers Rubben Type K Depth 145'

Company or individual's Name (type or print) <u>Vernon Gray/Gray's Waterwell</u>	Lic. No. <u>2011WPK</u>
Address <u>Po Box 1788</u>	City <u>Prinity</u> State <u>tx</u> Zip <u>75862</u>
Signature <u>Vernon Gray</u>	Date <u>10/15/02</u>
Signature <u>Richard M. Kee</u>	Date <u>10/15/02</u>
Licensed Driller/Pump Installer	Apprentice

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name PAUL BRANN	Address P.O. BOX 1051	City CONROE	State TX	Zip 77305
---------------------------	---------------------------------	-----------------------	--------------------	---------------------

2) WELL LOCATION

County Walker 236	Physical Address 111 B VICK SPRING RD NEW WAVEALY	City TX	State TX	Zip 77358
-----------------------------	---	-------------------	--------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat. _____ Long. _____ Grid # **60-29-4**

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) **↑**

6) Drilling Date

Started **8/10/02**
Completed **8/11/02**

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
7"	0	240'

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0-130		CLAY
130-150		SAND
150-165		Rock + Clay
165-221		SAND
221-240		CLAY

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from **10'** ft. to **220'** ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4"	N	CASING PL	0	130	
4"	N	SLOTTED SCREEN	130	150	10 ga
4"	N	CASING	150	165	
4"	N	Screen Slotted	165	220	10 ga
* Cementing Casing			220	240'	

Cementing from **0** ft. to **10'** ft. # of sacks used **6**
ft. to _____ ft. # of sacks used _____

Method Used **Tremmy Pipe**
Cementing By **WESTERN**
Distance to septic system field or other concentrated contaminant **N/A** ft.
Method of verification of above distance _____

13) Plugged Well plugged within 48 hours
Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet etc., **210'** ft.

15) Water Test
Type test Pump Bailer Jetted Estimated
Yield: **45** gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water _____ Depth of Strata _____
Was a chemical analysis made Yes No

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pileless Adapter Used
 Approved Alternative Procedure Used

RECEIVED MAIL ROOM
SEP 30 2002

11) Water Level
Static level **98'** ft. below Date **8/11/02**
Artesian Flow **88** gpm Date **8/11/02**

12) Packers - **CENTRAL FILE ROOM**
Rubber @ 220'

Company or individual's Name (type or print) Western Water Well	Lic. No. 2475WI
Address 7855 80 Allard	City CONROE State TX Zip 77302
Signature Crestor Smith Date 9/16/02	Signature _____ Date _____
Licensed Driller/Pump Installer	Apprentice

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name Ada Brann	Address P.O. Box 95	City NEW WAVEZEV	State TX	Zip 77358
--------------------------	-------------------------------	----------------------------	--------------------	---------------------

2) WELL LOCATION

County WALKER	Physical Address 143542 FRONT ST.	City NEW WAVEZEV	State TX	Zip 77358
-------------------------	---	----------------------------	--------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

5) **NT**

6) Drilling Date

Started **8/6/02**
Completed **8/7/02**

Diameter of Hole

Dia. (in.)	From (ft)	To (ft)
7	0	182

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft) To (ft) Description and color of formation material

0-4	4	15	Brown Clay
56	56	78	Sand
79	79	82	Clay
83	83	97	Gray clay
130	130	145	Gray clay
153	153	156	Broken sand
156	156	174	Clay
174	174	182	Clay

8) Borehole Completion Open Hole Straight Wall

Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	Plastic	0	160	
4	N	Slotted	160	180	008

9) Cementing Data

Cementing from **0** ft. to **106** ft. # of sacks used **8**
ft. to _____ ft. # of sacks used _____

Method Used _____
Cementing By _____
Distance to septic system/field or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) Plugged

Well plugged within 48 hours

Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump

Turbine Jet Submersible Cylinder

Other _____
Depth to pump bowls, cylinder, jet etc., _____ ft.

15) Water Test

Typetest Pump Bailor Jetted Estimated
Yield: **60** gpm with **1** ft. drawdown after **2** hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
Type of water _____ Depth of Strata _____
Was a chemical analysis made Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level **0** ft. below _____ Date _____
Artesian Flow _____ gpm Date _____

12) Packers

Type _____ Depth _____
1 Rubber 150
JAN 21 2003

Company or individual's Name (type or print) Rancho Water Well	Address PO Box 10807	City WILKINSON	State TX	Zip 77378
Signature Pump Installer	Date	Signature Apprentice	Date	

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name <i>Jackie K Barbee</i>	Address <i>Rt 4 Box 1042</i>	City <i>Crockett</i>	State <i>Texas</i>	Zip <i>75835</i>
--------------------------------	---------------------------------	-------------------------	-----------------------	---------------------

2) WELL LOCATION

County <i>Walker 236</i>	Physical Address <i>162 Front St</i>	City <i>New Waverly</i>	State <i>Texas</i>	Zip <i>77358</i>
-----------------------------	---	----------------------------	-----------------------	---------------------

3) Type of Work

New Well Reconditioning
 Replacement Deepening

Lat.	Long.	Grid # <i>60-29-4</i>	5) <i>NT</i>
------	-------	-----------------------	--------------

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 Rig Supply If Public Supply well, were plans submitted? Yes No

6) Drilling Date

Started *6/7/02*
Completed *6/11/02*

Diameter of Hole		
Dia. (in)	From (ft)	To (ft)
<i>10"</i>	<i>0</i>	<i>10'</i>
<i>6 1/2"</i>	<i>10'</i>	<i>130'</i>
<i>3 3/8"</i>	<i>130'</i>	<i>144'</i>

7) Drilling Method (check) Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
<i>0-1</i>	<i>116-121</i>	<i>Brown clay Blueclay</i>
<i>1-3</i>	<i>121-124</i>	<i>Brown Sand Rock</i>
<i>3-16</i>	<i>124-144</i>	<i>Brownclay Sand</i>
<i>16-30</i>		<i>Red Sand</i>
<i>30-60</i>		<i>tanclay</i>
<i>60-63</i>		<i>Rock</i>
<i>63-90</i>		<i>tanclay</i>
<i>90-92</i>		<i>Rock</i>
<i>92-96</i>		<i>Sand (S+P)</i>
<i>96-116</i>		<i>Blueclay</i>

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
 If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
<i>4</i>	<i>N</i>	<i>PVC</i>	<i>0</i>	<i>130</i>	<i>#40</i>
<i>2</i>	<i>N</i>	<i>PVC SCREEN</i>	<i>124'</i>	<i>144'</i>	<i>#8</i>

9) Cementing Data
 Cementing from *130* ft. to *30* ft. # of sacks used *5*
 _____ ft. to _____ ft. # of sacks used *8*
 Method Used *Pressure*
 Cementing By *Richard Tucker*
 Distance to septic system field or other concentrated contamination *N/A* ft.
 Method of verification of above distance *None*

13) Plugged Well plugged within 48 hours
 Casing left in well: _____ Cement/Bentonite placed in well: _____

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet etc., *120* ft.

15) Water Test
 Type test Pump Bailer Jetted Estimated
 Yield: *15* gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality
 Did you knowingly penetrate a strata which contain undesirable constituents.
 YES NO If yes, did you submit a REPORT OF UNDESIRABLE WATER
 Type of water *good* Depth of Strata *20'*
 Was a chemical analysis made Yes No

10) Surface Completion
 Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level
 Static level: *8.9* ft. below _____ Date *6/11/02*
 Artesian Flow _____ gpm Date _____

12) Packers *Rubber* Type *K* Depth *124'*

Company or individual's Name (type or print) <i>Gray's Water Well Service</i>	Lic. No. <i>2011 WPK</i>
Address <i>P.O. Box 1788</i>	City <i>Trinity</i> State <i>Texas</i> Zip <i>75862</i>
Signature <i>Vernon Gray</i> Date <i>6/14/02</i>	Signature <i>Richard Tucker</i> Date <i>6/14/02</i>
Licensed Driller/Pump Installer	Apprentice

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us
WELL REPORT

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

1) OWNER **A. WELL IDENTIFICATION AND LOCATION DATA**

Name Mary Dupree	Address 38 Wickman Dr.	City New Waverly	State TEXAS	Zip 77358
----------------------------	----------------------------------	----------------------------	-----------------------	---------------------

2) WELL LOCATION

County Walker	Physical Address 1.4 mile W on 1374	City New Waverly	State TEXAS	Zip 77358
-------------------------	---	----------------------------	-----------------------	---------------------

3) Type of Work

New Well Deepening
 Reconditioning

Lat.	Long.	Grid # 60-29-4
------	-------	-----------------------

4) Proposed Use (check) Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) N↑

6) Drilling Date

Started **7/24/00**
Completed **7/25/00**

Diameter of Hole

Dia. (in)	From (ft)	To (ft)
6.75	-1.5	187

7) Drilling Method (check)

Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft)	To (ft)	Description and color of formation material
0	2	Top bit soil
2	9	Br.cl.
9	22	Sa.st.
22	24	Wh.cl.
24	30	Sa.
30	62	Wh & br.cl.
62	84	Br.cl.
84	109	Sa.
109	149	Br.cl.
149	150	Rock
150	162	Br.cl.
162	166	Cl & r.st.

8) Borehole Completion Open Hole Straight Wall
 Under-reamed Gravel Packed Other _____
If Gravel Packed give the interval from _____ ft. to _____ ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4	N	PVC Casing	-1.5	166	
2.5	N	PVC Screen	167	187	#8

13) Plugged

Well plugged within 48 hours

Casing left in well:		Cement/Bentonite placed in well:		
From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

9) Cementing Data

Cementing from **-1.5** ft. to **166** ft. # of sacks used **9**
_____ ft. to _____ ft. # of sacks used _____
Method Used **Pressure**
Cementing By **HWW**
Distance to septic system field or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) Typepump

Turbine Jet Submersible Cylinder
 Other _____

Depth to pump bowls, cylinder, jet, etc., **140** ft.

15) Water Test

Type test Pump Bailer Jetted Estimated
Yield: **20** gpm with _____ ft. drawdown after _____ hrs.

16) Water Quality

Did you knowingly penetrate any strata which contain undesirable constituents?
 Yes NO If yes, did you submit a REPORT OF UNDESIRABLE WATER?
Type of water **Good** Depth of Strata **20**
Was a chemical analysis made? Yes No

10) Surface Completion

Specified Surface Slab Installed
 Specified Surface Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

11) Water Level

Static level **84** ft. below Date **/ /**
Artesian Flow _____ gpm. Date **/ /**

12) Packers

Type	Depth
1 - 2.5" Rubber Packer RxL	159
1 - 2.5" Rubber Packer RxR	160

Company or Individual's Name (type or print) **Holly Water Wells, Inc.**

Address **2928 SH 19** City **Huntsville** State **Tx** Zip **77320**

Signature **[Signature]** Date **7/25/00** Signature _____ Date _____

EMP # _____
AUG 25 2000
COMMENT _____
State Tx Zip 77320

STATE OF TEXAS
COUNTY OF [illegible]

[illegible text]

[illegible text]

[illegible text]

[illegible text]

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880 **177358**

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Ray W. Klein (Name) ADDRESS 1681 Hwy 75 S. New Waverly TX (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL'S LOCATION: County Walker Co. (Street, RFD or other) (City) (State) (Zip) Long. _____ Lat. _____ Grid # 60-29-4

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
 (4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: _____ Started 6-13-192000 Completed 6-14-192000
 DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
7" Surface 140
2 7/8
 7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-1		Top Soil
1-98		Clay
98-99		Rock
99-140		Clay
140-159		Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	140	40
2	N	PVC 5/10TT	135	159	#8

(Use reverse side of Well Owner's copy, if necessary)

9) CEMENTING DATA
 Cemented from 140 ft. to 40 ft. No. of sacks used 5
0 ft. to 12 ft. No. of sacks used 5
 Method used Pressure
 Cemented by Vernon Gray
 Distance to septic system field lines or other concentrated contamination 105 ft.
 Method of verification of above distance _____

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 130 ft.

11) WATER LEVEL:
 Static level 106 ft. below land surface Date 6-13-00
 Artesian flow _____ gpm. Date _____

15) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

12) PACKERS: Rubber Type R Depth 135

16) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Good Depth of strata 19
 Was a chemical analysis made? Yes No

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 20 OCT 25 1900
 ADDRESS Po Box 1788 Trinity (Street or RFD) (City) (State) (Zip)
 (Signed) Vernon Gray (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER LP Trucking Plant ADDRESS Box 9 NewWaverly, TX 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker 37 FM 2793 NewWaverly TX Long. 77358 Lat. 60-29-4
(Street, RFD or other) (City) (State) (Zip) GRID #

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 2-24 20 00 2-25 20 00
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6.75 Surface 190
7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
						From	To	
0	1	Bit t.s.						
1	21	Br. & w. cl.						
21	56	Sd.						
56	72	W.cl.						
72	89	Sd.						
89	118	Br.cl.						
118	190	Sand						
4			4	N	PVC Casing	-1.5	170	
			2.5	N	SST screen	170	190	#12

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 15 ft. No. of sacks used 2
20 ft. to 170 ft. No. of sacks used 7
Method used Pressure
Cemented by R. McPike
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS: Type Test Pump Bailor Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 69
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL: Static Level 70 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

12) PACKERS:

Type	Depth
<u>1 - 2.5" K Packer</u>	<u>165'</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.

COMPANY NAME Holly Water Wells
(Type or print)

WELL DRILLER'S LICENSE NO. 3114W

ADDRESS 2928 SH 19
(Street or RFD)

Huntsville TX 77320
(City) (State) (Zip)

(Signed) Raymond McPike
(Licensed Well Driller)

(Signed) _____
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

PLANT INDUSTRY REPORT
NO. 100
1910

No.	Name	Origin	Date
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880 **177358**

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Began Clarke (Name) ADDRESS P.O. Box 1450 New Waverly TX (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: Walker County 2741 E 45 New Waverly TX (Street, RFD or other) (City) (State) (Zip) Long. 77358 Lat. 30-29-4 Grid # 60-29-4

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
(4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 10-2-99 Completed 10-4-99
DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4"	10'	180'
3 7/8"	180'	198'

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
						From	To	
0-8	176-178	clay Rock	4	N	PVC Case	0	180'	40
8-25	178-184	Sand	2	N	PVC	173'	178'	40
25-37	184-185	clay Rock	2	N	PVC screen	178'	198'	8
37-46	185-198	Sand						
46-86		clay						
86-105		Sandy shale						
105-115		Sand						
115-126		Shale						
126-147		Sand						
147-165		Shale						
165-168		Rock						
168-176		Sand						

9) CEMENTING DATA
Cemented from 180 ft. to 80 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 5
Method used pressure
Cemented by Richard Mikee
Distance to septic system field lines or other concentrated contamination 150 ft.
Method of verification of above distance Tape

13) Well plugged within 48 hours
14) TYPE PUMP: Turbine Jet Submersible Cylinder
Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.
15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used
11) WATER LEVEL: Static level 84' ft. below land surface Date 10-4-99
Artesian flow _____ gpm. Date _____

16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 30'
Was a chemical analysis made? Yes No
12) PACKERS: Rubber Type K Depth 173'

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS P.O. Box 1788 (Street or RFD) Trinity (City) Tx (State) 75862 (Zip)
(Signed) Vernon Gray (Licensed Well Driller) Richard Mikee (Registered Driller Trainee)
EMP # _____ SEQ # _____ DESC CO (Signed) _____
JUN 5 2000

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Dandy Kellum ADDRESS 8 Jack Pate Rd New Waverly Tx 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County WALKER BRICKMAN DR. NEW WAVERLY TX. Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) GRID # 60-29-4

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 9-9 19 99
9-10 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6.75</u>	Surface	<u>193</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>2</u>	<u>Top bit soil</u>
<u>2</u>	<u>5</u>	<u>Wh.Cl. & R. Cl.</u>
<u>5</u>	<u>8</u>	<u>Sa.st.</u>
<u>8</u>	<u>17</u>	<u>Sa.</u>
<u>17</u>	<u>42</u>	<u>Br.Cl.</u>
<u>42</u>	<u>47</u>	<u>Wh.Cl.</u>
<u>47</u>	<u>54</u>	<u>Sa.St.</u>
<u>54</u>	<u>126</u>	<u>Sa.</u>
<u>126</u>	<u>159</u>	<u>Br.Cl.</u>
<u>159</u>	<u>169</u>	<u>Sa.St.</u>
<u>169</u>	<u>192</u>	<u>Sand</u>
<u>192</u>	<u>193</u>	<u>Cl.</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC Casing</u>	<u>-1.5</u>	<u>168</u>	
<u>2.5</u>	<u>N</u>	<u>PVC Screen</u>	<u>173</u>	<u>193</u>	<u>#8</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 168 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used Pressure
Cemented by Henry Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 23
Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL
Static Level 73 ft. below land surface Date _____
Artesian flow _____ gpm Date _____

12) PACKERS:
Type Depth
2- 2.5" Rubber Packers RxR 161' & 162'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)

ADDRESS 2928 SH 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Henry Lee (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

FILE ID	SEQ #
DESC CO	
OCT 25 1999	
COMMENT	

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

**State of Texas
WELL REPORT**

**Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530**

1) **OWNER** Buddy Childress **ADDRESS** PO BOX 891 Huntsville TX 77342
(Name) (Street or RFD) (City) (State) (Zip)

2) **ADDRESS OF WELL:** County WALKER BRICKMAN DR. NEWWAVERLY TX. Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) GRID # 60 -29-4

3) **TYPE OF WORK (Check):**
 New Well Deepening Reconditioning Plugging

4) **PROPOSED USE (Check):** Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) **WELL LOG:** **DIAMETER OF HOLE**

Date Drilling:	Dia. (in.)	From (ft.)	To (ft.)
Started <u>9-7</u> 19 <u>99</u>	<u>6.75</u>	<u>Surface</u>	<u>189</u>
<u>9-8</u> 19 <u>99</u>			

7) **DRILLING METHOD (Check):** Driven Mud Rotary Bored
 Air Rotary Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	5	Sa.
5	9	Wh.ci.
9	19	Sa.
19	22	Wh.ci.
22	42	Br.ci.
42	58	Br. & wh.ci.
58	62	Sa.st.
62	110	Sa.
110	114	Sa.st.
114	158	Br.ci.
158	160	Rock
160	162	Sa.
162	167	Sa.st.
167	181	Sand

8) **Borehole Completion (Check):** Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casino	-1.5	168	
2.5	N	PVC Screen	169	189	#8

9) **CEMENTING DATA [Rule 338.44(1)]**
 Cemented from -1.5 ft. to 168 ft. No. of sacks used 9
 Method used Pressure
 Cemented by Henry Lee

13) **TYPE PUMP:** Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) **SURFACE COMPLETION**
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) **WATER LEVEL**
 Static Level 76 ft. below land surface Date _____
 Artesian flow _____ gpm Date _____

12) **PACKERS:** Type _____ Depth _____
2 2.5" Rubber Packers RxR 163' & 164'

14) **WELL TESTS:** Type Test: Pump Bailor Jetted Estimated
 Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

15) **WATER QUALITY:** Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Good Depth of strata: 21
 Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells **WELL DRILLER'S LICENSE NO.** 2221W
(Type or print)

ADDRESS 2928 SH 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Henry Lee (Signed) _____
(Licensed Well Driller) (Registered Driller-Trainer)

EMP # _____ DESC CO _____
 Please attach electric log, chemical analysis, and other pertinent information, if available.

DATE: OCT 23 1999

COMMENT

TO : DIRECTOR, FBI (100-442642) FROM : SAC, NEW YORK (100-100000) (P)
SUBJECT: [Illegible]

[The body of the document contains several paragraphs of text that are extremely faint and mostly illegible due to the quality of the scan. The text appears to be a memorandum or report, possibly detailing an investigation or administrative matter. Some words like "subject", "information", and "report" are faintly visible.]

Very truly yours,
[Illegible Signature]
Special Agent in Charge

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

**State of Texas
WELL REPORT**

**Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530**

1) OWNER Kim Roehn ADDRESS 11940 County Lne Rd. Willis TX 77378
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County WALKER JONES RD. NEW WALKERLY TEXAS Long. _____ Lat. _____
(Street, RFD or other) (City) (State) (Zip) GRID # 60-29-4

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

6) WELL LOG:
 Date Drilling: Started 9-2 19 99
9-3 19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.75	Surface	182

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	Top bit soil
2	7	Gumbo
7	42	Br.Cl.
42	62	Br. & Wh.Cl.
62	67	Bl.Cl.
67	85	Sa.
85	88	Rock
88	90	Sa.
90	92	Rock
92	120	Br.Cl.
120	122	Rock
122	132	Br.Cl.
132	140	Sa.
140	142	Br.Cl.
142	162	Sa. St. & Bl.

(Use reverse side if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casino	-1.5	170	
2.5	N	PVC Screen	172	182	#8

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 160 ft.

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from -1.5 ft. to 170 ft. No. of sacks used 9
 _____ ft. to _____ ft. No. of sacks used _____
 Method used Pressure
 Cemented by H. Lee
 Distance to septic system field lines or other concentrated contamination _____ ft.
 Method of verification of above distance _____

14) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
 Yield: 35 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? Good Depth of strata 11
 Was a chemical analysis made? Yes No

11) WATER LEVEL
 Static Level 68 ft. below land surface Date _____
 Artesian flow _____ gpm Date _____

12) PACKERS: Type Depth
2 - 2.5" Rubber Packers RxR 164' & 165'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)

ADDRESS 2928 SH 19 Huntsville TX 77340
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

FILE ID	SEQ #
OCT 25 1999	
COMMENT	DESC CO

1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that this is essential for ensuring transparency and accountability in the organization's operations.

2. The second part of the document outlines the various methods and tools used to collect and analyze data. It highlights the need for consistent and reliable data collection processes to support effective decision-making.

3. The third part of the document focuses on the role of technology in data management and analysis. It discusses how modern software solutions can streamline data collection, storage, and reporting, thereby improving efficiency and accuracy.

4. The fourth part of the document addresses the challenges associated with data management, such as data quality, security, and privacy. It provides strategies to mitigate these risks and ensure that data is used responsibly and ethically.

5. The fifth part of the document discusses the importance of data governance and the role of a data governance committee. It outlines the key principles and best practices for establishing a robust data governance framework.

6. The sixth part of the document explores the benefits of data-driven decision-making and how it can lead to improved organizational performance. It provides examples of successful data-driven initiatives and the impact they have had on the organization.

7. The seventh part of the document discusses the role of data in strategic planning and how it can be used to identify opportunities and risks. It emphasizes the need for a data-driven mindset and the integration of data into the organization's overall strategy.

8. The eighth part of the document addresses the importance of data literacy and the need for training and development. It outlines the key skills and knowledge required for effective data analysis and interpretation.

9. The ninth part of the document discusses the role of data in compliance and risk management. It highlights the need for accurate and timely data to support regulatory reporting and risk assessment.

10. The tenth part of the document provides a summary of the key findings and recommendations. It emphasizes the need for a holistic approach to data management and the importance of ongoing monitoring and improvement.

11. The eleventh part of the document discusses the role of data in innovation and the need for a data-driven culture. It highlights the importance of experimentation and the use of data to drive new ideas and solutions.

12. The twelfth part of the document provides a conclusion and a call to action. It encourages the organization to embrace data as a key asset and to take the necessary steps to maximize its value.

13. The thirteenth part of the document discusses the role of data in the future of the organization. It highlights the potential of emerging technologies and the need for a forward-looking data strategy.

Send original copy by certified return receipt requested mail to: TDLR, P.O. Box 12157, Austin, TX 78711

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER RAY BUCKNER ADDRESS TAFELSKI RD NEW WAVERLY TX 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County WALKER Long. _____ Lat. _____
SAME (Street, RFD or other) (City) (State) (Zip) GRID # 60-29-4

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boding Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

From (ft.)	To (ft.)	Description and color of formation material
0	20	BLK CL
20	25	SND
25	35	SND STONE
35	80	WHT CL
80	102	SND
102	146	BRN CL
146	176	ROCK & CL
176	190	ROCK
190	218	SND

6) WELL LOG:
Date Drilling:
Started 2/18 99
Completed 2/19 99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7	Surface	198
3 7/8	198	218

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other Pressure
If Gravel Packed give interval ... from _____ ft. to _____ Ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	198	
2 1/2	N	PVC	188	198	
2 1/2	N	PVC SLOTTED	198	218	.008

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
Cemented from 0 ft. to 200 ft. No. of sacks used 21
ft. to _____ ft. No. of sacks used _____
Method used HALIBURTON
Cemented by Ballard Water Well
Distance to septic system field lines or other concentrated contamination 100+ ft.
Method of verification of above distance Measure

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 40 gpm with 40 ft. drawdown after 2 hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Sch 80 Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

11) WATER LEVEL
Static Level 95 ft. below land surface Date 2/21/99
Artesian flow _____ gpm Date _____

12) PACKERS:
Type Depth
2 1/2" X 4" K 188

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

Ballard Water Well (Type or print)
ADDRESS P.O. Box 970
(Street or RFD)
(Signed) Charles Ballard (Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 2384WI
Willis (City)
(Signed) _____

FILED	TX 77378	SEQ #
	(State) (Zip)	
RMB #	APR 17 2000	DESC CO
(Registered Driller Training)		

ATTENTION OWNER: Confidentiality
 Privilege Notice on reverse side
 of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
 MC 177
 P.O. Box 13087
 Austin, TX 78711-3087
 512-239-0530

Cowroe Greenhouses

1) OWNER PAUL BRAUNN (Name) ADDRESS 1143 Vicks Spring Rd Huntsville (Street or RFD) 77311 (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker (Street, RFD or Other) Same (City) (State) (Zip) GRID # 60-29-4

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
 4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling:
 Started 10-22-1998
 Completed 10-25-1998
 7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other
 DIAMETER OF HOLE:

Dia. (in.)	From (ft.)	To (ft.)
7"	0	245'

8) Borehole Completion (Check): Open Hole Straight Well
 Underreamed Gravel Packed Other
 If Gravel Packed give interval ... from 130 ft. to 225' ft.

From (ft.)	To (ft.)	Description and color of formation material	CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
						From	To	
0-28		Clay				0	130'	
28-33		SAND w/clay streaks				130	160	10ga
33-40		SAND				160'	173'	
40-47		Rock + Sand	4"	N	PVC Casing			
47-50		Rocky streaks	4"	N	Slotted PVC			
50-51		HRD Rock	4"	N	Casing			
51-54		SAND	4"	N	Slotted	173-	183	10ga
54-65		Rocky SAND	4"	N	Casing			
65-126		Clay						
126-131		Broken						
131-160		SAND				183	205	10ga
160-172		Clay + Rock				205-225		10ga
172-185		SAND						
185-186		Rock						
186-205		Fine SAND						

CEMENTING DATA [Rule 338.44(1)]
 Cemented from 0 ft. to 10 ft. No. of sacks used 6 BAGS
 4" Casing - _____ ft. to _____ ft. No. of sacks used _____
 Method used Gravity Flow
 Cemented by WESTERN
 Distance to septic system field lines or other concentrated contamination N/A ft.
 Method of verification of above distance _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc. 220' ft.

14) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 60 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
 Static level 103' ft. below land surface Date 10-25-98
 Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
<u>Rubber @</u>	<u>10' @ 225'</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Western Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2475WJ (State) TX (City) Huntsville (Zip) 77302

ADDRESS 12855 Mallard (Street or RFD) (City) (State) (Zip)

(Signed) Ruston L. Smith (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

SECRET

SECRET

SECRET

SECRET

SECRET

SECRET

SECRET

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																																							
1) OWNER <u>KP Oil</u> ADDRESS <u>PO Box 958 Conroe tx 77305</u> <small>(Name) (Street or RFD) (City) (State) (Zip)</small>		2) ADDRESS OF WELL: <u>Walker 236 NW of New Waverly @ I45 & 1374</u> STATE WELL # _____ <small>County (Street or RFD) (City) (State) (Zip)</small>		3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging																																																							
4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5) _____ 60-29-4		6) WELL LOG: Date Drilling: Started <u>6-26</u> 19 <u>98</u> Completed <u>6-29</u> 19 <u>98</u>																																																							
DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:33%;">Dia. (in.)</th> <th style="width:33%;">From (ft.)</th> <th style="width:33%;">To (ft.)</th> </tr> <tr> <td>6.75</td> <td>Surface</td> <td>152</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	6.75	Surface	152	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____		8) Borehole Completion (Check): <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.																																																	
Dia. (in.)	From (ft.)	To (ft.)																																																									
6.75	Surface	152																																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td>0</td><td>2</td><td>top bit soil</td></tr> <tr><td>2</td><td>4</td><td>r.cl.</td></tr> <tr><td>4</td><td>22</td><td>sa.st.</td></tr> <tr><td>22</td><td>42</td><td>br.cl.</td></tr> <tr><td>42</td><td>52</td><td>wh.cl.</td></tr> <tr><td>52</td><td>97</td><td>sa.</td></tr> <tr><td>97</td><td>102</td><td>cl.</td></tr> <tr><td>102</td><td>116</td><td>sa.</td></tr> <tr><td>116</td><td>122</td><td>wh. & br.cl.</td></tr> <tr><td>122</td><td>137</td><td>br.cl.</td></tr> <tr><td>137</td><td>152</td><td>sand</td></tr> </tbody> </table> <p style="text-align: center;"><i>(Use reverse side if necessary)</i></p>		From (ft.)	To (ft.)	Description and color of formation material	0	2	top bit soil	2	4	r.cl.	4	22	sa.st.	22	42	br.cl.	42	52	wh.cl.	52	97	sa.	97	102	cl.	102	116	sa.	116	122	wh. & br.cl.	122	137	br.cl.	137	152	sand	CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>PVC Casing</td> <td>-1.5</td> <td>139</td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>PVC Screen</td> <td>142</td> <td>152</td> <td>#8</td> </tr> </tbody> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	PVC Casing	-1.5	139		2	N	PVC Screen	142	152	#8
From (ft.)	To (ft.)	Description and color of formation material																																																									
0	2	top bit soil																																																									
2	4	r.cl.																																																									
4	22	sa.st.																																																									
22	42	br.cl.																																																									
42	52	wh.cl.																																																									
52	97	sa.																																																									
97	102	cl.																																																									
102	116	sa.																																																									
116	122	wh. & br.cl.																																																									
122	137	br.cl.																																																									
137	152	sand																																																									
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																						
			From	To																																																							
4	N	PVC Casing	-1.5	139																																																							
2	N	PVC Screen	142	152	#8																																																						
9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>-1.5</u> ft. to <u>139</u> ft. No. of sacks used <u>9</u> _____ ft. to _____ ft. No. of sacks used _____ Method used <u>pressure</u> Cemented by <u>H. Lee</u> Distance to septic system field lines _____ ft. Method of verification of above distance _____		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input checked="" type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]		11) WATER LEVEL: Static level <u>60</u> ft. below land surface Date _____ Artesian flow _____ gpm. Date _____																																																							
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Type</th> <th style="width:30%;">Depth</th> </tr> </thead> <tbody> <tr> <td>2" Rubber Packers RxR</td> <td>135 & 136</td> </tr> </tbody> </table>		Type	Depth	2" Rubber Packers RxR	135 & 136	14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>12</u> gpm with _____ ft. drawdown after _____ hrs.																																																			
Type	Depth																																																										
2" Rubber Packers RxR	135 & 136																																																										
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER". Type of water? <u>good</u> Depth of strata <u>15</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		11) WATER LEVEL: Static level <u>60</u> ft. below land surface Date _____ Artesian flow _____ gpm. Date _____		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Type</th> <th style="width:30%;">Depth</th> </tr> </thead> <tbody> <tr> <td>2" Rubber Packers RxR</td> <td>135 & 136</td> </tr> </tbody> </table>		Type	Depth	2" Rubber Packers RxR	135 & 136																																																		
Type	Depth																																																										
2" Rubber Packers RxR	135 & 136																																																										
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																											
COMPANY NAME <u>Holly Water Wells</u> <small>(Type or print)</small>		WELL DRILLER'S LICENSE NO. <u>20617</u>		DATE <u>Aug 17 1998</u>																																																							
ADDRESS <u>607 Hwy 19</u> <u>Huntsville Tx 77340</u> <small>(Street or RFD) (City) (State) (Zip)</small>		(Signed) <u>[Signature]</u> (Licensed Well Driller)		(Signed) _____ (Registered Driller Trainee)																																																							

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

STATE OF TEXAS
WATER WELL REPORT

1) OWNER: HINE ORVILLE ADDRESS: PO BOX 647 CITY: NEW WAVERLY STATE: TX ZIP: 77358-

2) ADDRESS OF WELL:
County: WALKER GRID #
Street or RFD: TAFELSKI RD
City, State, Zip code: NEW WAVERLY, TX

5)
60-29-4

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: DOMESTIC
If Public Supply well, were plans submitted to the TNRCC?

6) WELL LOG: 02619	DIAMETER OF HOLE	7) DRILLING METHOD:	8) BOREHOLE COMPLETION:
DATE DRILLING:	DIAMETER FROM TO	MUD ROTARY	STRAIGHT WALL
STARTED: 12/01/97	6.5 0 249		IF GRAVEL... FROM FT. TO FT.
COMPLETED: 12/02/97	4.5 249 261		FROM FT. TO FT.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

DIA	NEW/USED	DESCRIPTION	FROM	TO	GAGE CASING SCREEN
4	N	PVC	0	249	SCH40
5X2.5	N	-----	244		
2.5	N	BP SEAL	244	249	SCH40
2.5	N	GALV.	249	259	.006
2.5	N	RBSS	259	261	SCH40

GEOLOGICAL DESCRIPTION:

FROM	TO	DESCRIPTION
0	1	TOPSOIL
1	62	CLAY
62	77	SAND AND SHALE
77	112	SAND AND CLAY
112	129	SAND
129	141	CLAY
141	150	ROCK
150	190	SAND
190	194	CLAY
194	240	CLAY AND SAND
240	261	SAND

9) CEMENTING DATA:
Cemented from 0 FT. TO 249 FT. No. of Sacks Used 24
Method used: HALIBURTON METHOD
Cemented by: WEISINGER
Distance to septic field lines: ft.
Method of verification of above distance:

10) SURFACE COMPLETION:
APP. ALTER. PROCD.

11) WATER LEVEL:
STATIC LEVEL : 151 FT. DATE: 12/02/97
ARTESIAN FLOW: GPM. DATE:

12) PACKERS: TYPE DEPTH
BP SEAL 244

13) TYPE PUMP: SUBMERSIBLE DEPTH TO PUMP:
14) WELL TEST: JETTED YIELD: 15 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY: TYPE OF WATER: EXCELLENT DEPTH OF STRATA: 240-261 NO CHEMICAL ANALYSIS MADE
NO STRATA OF UNDESIRABLE WATER PENETRATED

COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO.: 1541,1991,&1992 FOR TWC USE ONLY
ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301 WELL NO. _____
LOCATED ON MAP _____

I HEREBY CERTIFY THAT THIS WELL WAS DRILLED BY ME (OR UNDER MY SUPERVISION) AND THAT EACH AND ALL OF THE STATEMENTS HEREIN ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF. I UNDERSTAND THAT FAILURE TO COMPLETE ITEMS 1 THRU 15 WILL RESULT IN THE LOG(S) BEING RETURNED FOR COMPLETION AND RESUBMITTAL.

(signed) *[Signature]*
(LICENSED WATER WELL DRILLER)

(signed) _____
(REGISTERED DRILLER TRAINEE)

FILED IN	REQ'D
EMPT	DROPPED
DEC 31 1997	
COMMENT	GC

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

**State of Texas
WELL REPORT**

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER STEVE ADAMICK ADDRESS TAFELSKI Rd. NEW WAVERLY TX 77788
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL WALKER SAME GRID # 60-29-4
County (Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling: _____
 Started 11/7 19 97
 Completed 11/8 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>7</u>	<u>0</u>	<u>190</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other PRESSURE CEMENT
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>3</u>	<u>TOP SOIL</u>
<u>3</u>	<u>45</u>	<u>BROWN CLAY</u>
<u>45</u>	<u>75</u>	<u>SAND</u>
<u>75</u>	<u>80</u>	<u>BROWN CLAY</u>
<u>80</u>	<u>108</u>	<u>SAND</u>
<u>108</u>	<u>142</u>	<u>BROWN CLAY</u>
<u>142</u>	<u>190</u>	<u>SAND</u>

CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>165</u>	
<u>2 1/2</u>	<u>N</u>	<u>PVC</u>	<u>160</u>	<u>170</u>	
<u>2 1/2</u>	<u>N</u>	<u>PVC Slotted</u>	<u>170</u>	<u>190</u>	<u>8ga.</u>

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 0 ft. to 165 ft. No. of sacks used 18
 _____ ft. to _____ ft. No. of sacks used _____
 Method used HALIPYETON
 Cemented by BWW
 Distance to septic system field lines or other concentrated contamination 200 ft.
 Method of verification of above distance MEASURED

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 122 ft.

14) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 50 gpm with 40 ft. drawdown after 2 hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
 Static level 55 ft. below land surface Date 11/12/97
 Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

12) PACKERS:

Type	Depth
<u>1 - 4 x 7 FORMATION</u>	<u>160</u>
<u>1 - 2 1/2 x 4 K-PACKER</u>	<u>160</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME BALLARD WATER WELL WELL DRILLER'S LICENSE NO. 2384 W.I.

ADDRESS P.O. Box 2904, Willis TX 77378

(Signed) Charles A. Ballard (Licensed Well Driller) (Signed) _____ (Registered Well Driller or Trainee)

FILE #	SEQ #
EMP #	DBSC #
(State) <u>SEP 10 1998</u>	
TEMP	

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER Scott Bullard ADDRESS Rt. 2 Box 3056 New Waverly Tx 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County Walker Rt. 2 Box 3056 New Waverly Tx 77358 GRID # 60-29-4
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 9-15-1997
Completed 9-17-1997

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
10"	Surface	10'
6 3/4	10'	160'
3 7/8	160'	180'

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-33		clay
33-37		Sand
37-61		clay
61-63		Rock
63-75		clay
75-77		Rock
77-88		clay
88-100		Sand
100-101		Rock
101-107		clay
107-153		Sand
153-161		clay
161-163		Rock
163-168		Sand Rock

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	160'	+40
2	N	PVC Blank	155'	160'	+40
2	N	PVC Screen	160'	180'	+10

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 160 ft. to 60 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 10
 Method used pressure
 Cemented by Richard Mikee
 Distance to septic system field lines or other concentrated contamination N/A ft.
 Method of verification of above distance No lines or Tanks

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
 Static level 87 ft. below land surface Date 9-17-97
 Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 17
 Was a chemical analysis made? Yes No

12) PACKERS: Rubben Type K Depth 155'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME <u>Gray's Water Well</u> (Type or print)	WELL DRILLER'S LICENSE NO. <u>2016 346K</u> <u>SEP 30 1998</u>	FILE ID	SEQ #
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)	<u>Trinity</u> (City)	COMMENT <u>Tra</u>	DESC CO <u>15962</u> <u>1248</u>
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)	(Signed) <u>Richard Mikee</u> (Registered Driller Trainee)		

Please attach electric log, chemical analysis, and other pertinent information, if available.



1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Santa Maria Ranch-H Morgan ADDRESS Rt 1 Box 3289 New Waverly Tx 77358
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
County Walker SW of New Waverly on I-45 GRID # 60-28-9
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 7-17 19 97
Completed 7-19 19 97

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	165

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0	2	top bit soil
2	42	br. cl.
42	51	sa. st.
51	54	cl.
54	58	sa.
58	62	br. cl.
62	82	bl. cl.
82	102	sa.
102	122	br. cl.
122	142	sa. st.
142	165	sa.

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC Casing	-1.5	139	
	N	PVC Screen	145	165	#8

(Use reverse side if necessary) **AUG - 5 1997**

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from -1.5 ft. to 139 ft. No. of sacks used 9
_____ ft. to _____ ft. No. of sacks used _____
Method used by pressure
Cemented by H. Lee
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance none

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 80 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 23
Was a chemical analysis made? Yes No

12) PACKERS:
Type Depth
2 Rubber packers RxR 133

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2221W
(Type or print)

ADDRESS 607 Hwy 19 Huntsville Tx 77340
(Street or RFD) (City) (State) (Zip)

(Signed) Gerry Lee (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Joe Moore (Name) ADDRESS Hwy 75 N. New Waverly Tx (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL County Walker (Street, RFD or other) (City) (State) (Zip) GRID # 60-29-4

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started Oct 8 19 96
Completed Oct 10 19 96

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>212</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
<u>0-70</u>	<u>Clay</u>	
<u>70-76</u>	<u>Sand</u>	
<u>76-133</u>	<u>Clay</u>	
<u>133-160</u>	<u>Sand</u>	
<u>160-181</u>	<u>Clay</u>	
<u>181-182</u>	<u>Rock</u>	
<u>182-191</u>	<u>Clay</u>	
<u>191-212</u>	<u>Sand</u>	

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0</u>	<u>192</u>	<u>40</u>
<u>4</u>	<u>N</u>	<u>300 P.V.C.</u>	<u>192</u>	<u>212</u>	<u>.08</u>

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 15 ft. No. of sacks used 8
_____ ft. to _____ ft. No. of sacks used _____
Method used Hand Mix
Cement CWW
(Distance to septic system field lines or other concentrated contamination) 175 ft.
Method of verification of above distance Owner

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 10 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Potable Depth of strata 21'
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 100 ft. below land surface Date Oct 10, 96
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
<u>Formation</u>	<u>180'</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME COASTAL WATER WELL (Type or print) WELL DRILLER'S LICENSE NO. 812

ADDRESS P.O. Box 745 (Street or RFD) Porter Tx (City) 77365 (State) (Zip)

(Signed) J.R. Gehl (Licensed Well Driller) (Signed) Keith Gehl (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																																	
1) OWNER <u>Billy Poteet</u> (Name)		ADDRESS <u>E. Front St. New Waverly, Tx.</u> (Street or RFD) (City) (State) (Zip)																																																			
2) ADDRESS OF WELL: County <u>Walker</u>		(Street, RFD or other) (City) (State) (Zip)		GRID # <u>60-29-4</u>																																																	
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																																	
6) WELL LOG: Date Drilling: Started <u>Aug 14, 96</u> Completed <u>Aug 28, 1996</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>220</u></td> </tr> <tr> <td><u>4 1/2</u></td> <td><u>220</u></td> <td><u>263</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>220</u>	<u>4 1/2</u>	<u>220</u>	<u>263</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																								
Dia. (in.)	From (ft.)	To (ft.)																																																			
<u>6 3/4</u>	Surface	<u>220</u>																																																			
<u>4 1/2</u>	<u>220</u>	<u>263</u>																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0-57</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>57-61</u></td><td></td><td><u>Rock</u></td></tr> <tr><td><u>61-70</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>70-88</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>88-103</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>103-173</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>173-202</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>202-204</u></td><td></td><td><u>Rock</u></td></tr> <tr><td><u>204-220</u></td><td></td><td><u>Sand & Rocks</u></td></tr> <tr><td><u>220-221</u></td><td></td><td><u>Rock</u></td></tr> <tr><td><u>221-229</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>229-230</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>230-242</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>242-245</u></td><td></td><td><u>Clay</u></td></tr> <tr><td><u>245-263</u></td><td></td><td><u>Sand, fine</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-57</u>		<u>Clay</u>	<u>57-61</u>		<u>Rock</u>	<u>61-70</u>		<u>Clay</u>	<u>70-88</u>		<u>Sand</u>	<u>88-103</u>		<u>Clay</u>	<u>103-173</u>		<u>Sand</u>	<u>173-202</u>		<u>Clay</u>	<u>202-204</u>		<u>Rock</u>	<u>204-220</u>		<u>Sand & Rocks</u>	<u>220-221</u>		<u>Rock</u>	<u>221-229</u>		<u>Sand</u>	<u>229-230</u>		<u>Clay</u>	<u>230-242</u>		<u>Sand</u>	<u>242-245</u>		<u>Clay</u>	<u>245-263</u>		<u>Sand, fine</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input checked="" type="checkbox"/> Other <u>Two-String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																																			
<u>0-57</u>		<u>Clay</u>																																																			
<u>57-61</u>		<u>Rock</u>																																																			
<u>61-70</u>		<u>Clay</u>																																																			
<u>70-88</u>		<u>Sand</u>																																																			
<u>88-103</u>		<u>Clay</u>																																																			
<u>103-173</u>		<u>Sand</u>																																																			
<u>173-202</u>		<u>Clay</u>																																																			
<u>202-204</u>		<u>Rock</u>																																																			
<u>204-220</u>		<u>Sand & Rocks</u>																																																			
<u>220-221</u>		<u>Rock</u>																																																			
<u>221-229</u>		<u>Sand</u>																																																			
<u>229-230</u>		<u>Clay</u>																																																			
<u>230-242</u>		<u>Sand</u>																																																			
<u>242-245</u>		<u>Clay</u>																																																			
<u>245-263</u>		<u>Sand, fine</u>																																																			
		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td><u>P.V.C.</u></td> <td><u>0</u></td> <td><u>220</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>P.V.C. Lined</u></td> <td><u>210</u></td> <td><u>230</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>P.V.C. JACO</u></td> <td><u>230</u></td> <td><u>245</u></td> <td><u>.08</u></td> </tr> <tr> <td><u>2 1/2</u></td> <td><u>N</u></td> <td><u>P.V.C. Stringer</u></td> <td><u>245</u></td> <td><u>263</u></td> <td><u>.40</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To			<u>P.V.C.</u>	<u>0</u>	<u>220</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>P.V.C. Lined</u>	<u>210</u>	<u>230</u>	<u>40</u>	<u>2 1/2</u>	<u>N</u>	<u>P.V.C. JACO</u>	<u>230</u>	<u>245</u>	<u>.08</u>	<u>2 1/2</u>	<u>N</u>	<u>P.V.C. Stringer</u>	<u>245</u>	<u>263</u>	<u>.40</u>																
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																																
			From	To																																																	
		<u>P.V.C.</u>	<u>0</u>	<u>220</u>	<u>40</u>																																																
<u>2 1/2</u>	<u>N</u>	<u>P.V.C. Lined</u>	<u>210</u>	<u>230</u>	<u>40</u>																																																
<u>2 1/2</u>	<u>N</u>	<u>P.V.C. JACO</u>	<u>230</u>	<u>245</u>	<u>.08</u>																																																
<u>2 1/2</u>	<u>N</u>	<u>P.V.C. Stringer</u>	<u>245</u>	<u>263</u>	<u>.40</u>																																																
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>15</u> ft. No. of sacks used <u>5</u> Cemented from <u>50</u> ft. to <u>220</u> ft. No. of sacks used <u>10</u> Method used <u>Pressure</u> Cemented by <u>C.W.W.</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>owner, not in yet.</u>																																																			
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>200</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																																			
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>10</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>90</u> ft. below land surface Date <u>Aug 28, 96</u> Artesian flow _____ gpm. Date _____																																																			
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>12</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Type</th> <th>Depth</th> </tr> </thead> <tbody> <tr> <td><u>4X 2 1/2</u></td> <td><u>K</u></td> </tr> <tr> <td></td> <td><u>210</u></td> </tr> </tbody> </table>				Type	Depth	<u>4X 2 1/2</u>	<u>K</u>		<u>210</u>																																										
Type	Depth																																																				
<u>4X 2 1/2</u>	<u>K</u>																																																				
	<u>210</u>																																																				

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER S. J. Palmer (Name) ADDRESS PO Box 888 New Waverly TX 77358
(Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL: Hwy 75 South New Waverly TX 77358 GRID # 60-294
County Walker (Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 7-24 1996
Completed 7-25 1996
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 133
5 1/8 133 153

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-40		Clay
40-60		Clay
60-73		Sand
73-114		Clay
114-119		Sand
119-124		Clay
124-133		Clay
133-140		Sand
140-141		Sand
141-153		Sand

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	0	133	40
2	N	PVC	127	133	40
2	N	PVC Screens	133	153	6+10

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 120 ft.

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 133 ft. to 33 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used _____
Method used pressure
Cemented by Richard Miskel
Distance to septic system field lines 160 ft.
Method of verification of above distance Tape

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 20 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 20'
Was a chemical analysis made? Yes No

11) WATER LEVEL:
Static level 87 ft. below land surface Date 7-25-96
Artesian flow _____

12) PACKERS: Rubber Type K Depth 127
SEP 05 1997

Flowm. _____ Date _____ SEQ # _____
COMMENT _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK
ADDRESS PO Box 1788 Trinity TX 75862 (Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard Miskel (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council:
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Alexander ADDRESS PO Box 888 New Waverly TX 77358
(Name) (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL Waken Hwy 753 New Waverly TX 77358
County Walker (Street or RFD) (City) (State) (Zip) GRID # 60-29-4
Rabon Bay Astford

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling:
Started 7-12 1996
Completed 7-23 1996
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 145
3 7/8 145 159

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
		<u>0-40 Clay</u>
		<u>40-82 Clay</u>
		<u>82-103 Clay</u>
		<u>103-145 clay</u>
		<u>145-153 Sand</u>
		<u>155-159 Sand</u>

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>145</u>	<u>*40</u>
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>141</u>	<u>149</u>	<u>*40</u>
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>149</u>	<u>159</u>	<u>*8</u>

(Use reverse side if necessary)

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 145 ft. to 45 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used _____
Method used Pressure
Cemented by Richard Mike
Distance to septic system field lines _____ ft.
Method of verification of above distance Tape

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 108 ft. below land surface Date 7-23-96
Artesian flow _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 14
Was a chemical analysis made? Yes No

12) PACKERS: Rubber Type K Depth 14 1/2'
Date SEP 05 1997

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well WELL DRILLER'S LICENSE NO. 2011 WPK
(Type or print)
ADDRESS Po Box 1798 TRINITY TX. 75862
(Street or RFD) (City) (State) (Zip)
(Signed) Vernon Gray (Signed) Richard Mike
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																
1) OWNER <u>Steve Anis</u> (Name) ADDRESS <u>Vick Springs Rd.</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> <u>Vick Springs</u> <u>Newbury Twp</u> (Street or RFD) (City) (State) (Zip) GRID # <u>60-29-4</u> <u>Vick Rd</u>																																		
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																
6) WELL LOG: Date Drilling: Started <u>5-3-</u> 19 <u>96</u> Completed <u>5-5-</u> 19 <u>96</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:25%;">Dia. (in.)</th> <th style="width:25%;">From (ft.)</th> <th style="width:25%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>132</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>132</u></td> <td><u>147</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>132</u>	<u>3 7/8</u>	<u>132</u>	<u>147</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																							
Dia. (in.)	From (ft.)	To (ft.)																																		
<u>6 3/4</u>	Surface	<u>132</u>																																		
<u>3 7/8</u>	<u>132</u>	<u>147</u>																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0-35</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>35-37</u></td><td></td><td><u>Rock</u></td></tr> <tr><td><u>37-43</u></td><td></td><td><u>Sand</u></td></tr> <tr><td><u>43-61</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>61-82</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>82-103</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>103-124</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>124-128</u></td><td></td><td><u>clay</u></td></tr> <tr><td><u>128-132</u></td><td></td><td><u>Sandy</u></td></tr> <tr><td><u>132-147</u></td><td></td><td><u>Sand</u></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-35</u>		<u>clay</u>	<u>35-37</u>		<u>Rock</u>	<u>37-43</u>		<u>Sand</u>	<u>43-61</u>		<u>clay</u>	<u>61-82</u>		<u>clay</u>	<u>82-103</u>		<u>clay</u>	<u>103-124</u>		<u>clay</u>	<u>124-128</u>		<u>clay</u>	<u>128-132</u>		<u>Sandy</u>	<u>132-147</u>		<u>Sand</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.	
From (ft.)	To (ft.)	Description and color of formation material																																		
<u>0-35</u>		<u>clay</u>																																		
<u>35-37</u>		<u>Rock</u>																																		
<u>37-43</u>		<u>Sand</u>																																		
<u>43-61</u>		<u>clay</u>																																		
<u>61-82</u>		<u>clay</u>																																		
<u>82-103</u>		<u>clay</u>																																		
<u>103-124</u>		<u>clay</u>																																		
<u>124-128</u>		<u>clay</u>																																		
<u>128-132</u>		<u>Sandy</u>																																		
<u>132-147</u>		<u>Sand</u>																																		
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																		
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:40%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>132</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC SCREEN</u></td> <td><u>126</u></td> <td><u>147</u></td> <td><u>10</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>132</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>126</u>	<u>147</u>	<u>10</u>											
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																															
			From	To																																
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>132</u>	<u>40</u>																															
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>126</u>	<u>147</u>	<u>10</u>																															
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>132</u> ft. to <u>32</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>7</u> Method used <u>Pressure</u> Cemented by <u>Richard Mike</u> Distance to septic system field lines <u>N/A</u> ft. <u>No Uses or Tank</u> Method of verification of above distance _____																																		
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																		
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>20</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>93</u> ft. below land surface Date <u>5-5-96</u> Artesian flow _____ gpm. Date _____																																		
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>15</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <u>Rubber</u> <u>RECEIVE</u> Depth <u>125</u> <div style="text-align: center; font-size: 2em; font-weight: bold;">R</div> JUN 1997																																		
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmission.																																				
COMPANY NAME <u>Gray's Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2010</u>																																		
ADDRESS <u>P.O. Box 1788</u> <u>Trinity</u> <u>Tx 75862</u> (Street or RFD) (City) (State) (Zip)																																				
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard Mike</u> (Registered Driller Trainee)																																		

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-371-6299

1) OWNER Jim Groves (Name) ADDRESS 3514 Cicada Ho. TX. 77039 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County Walker Hwy 75 N New Waverly TX. (Street or RFD) (City) (State) (Zip) STATE WELL # _____

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

5) _____

6) WELL LOG: Date Drilling: Started 3-18 1996 Completed 3-21 1996

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 3/4</u>	Surface	<u>392</u>
<u>2 7/8</u>	<u>392</u>	<u>403</u>

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

8) Borehole Completion (Check): Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mtg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>392</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>370</u>	<u>390</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC SCREEN WITH</u>	<u>390</u>	<u>403</u>	<u>#10</u>

9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 392 ft. to 292 ft. No. of sacks used 5
0 ft. to 10 ft. No. of sacks used 9
Method used Pressure
Cemented by Richard McKee
Distance to septic system field lines _____ ft. No septic system
Method of verification of above distance _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 234 ft. below land surface Date 3-21-96
Artesian flow _____ gpm Date _____

12) PACKERS: Rubber Type 1C Depth 369

13) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc., 300 ft.

14) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 50 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Good Depth of strata 14
Was a chemical analysis made? Yes No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well Service (Type or print) WELL DRILLER'S LICENSE NO. 2011 WPK

ADDRESS PO Box 1788 TRINITY TX. 75862 (Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Licensed Well Driller) (Signed) Richard McKee (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

60-29-4
N

RECEIVED
JUN 1997

TEXAS NATURAL RESOURCE
CONSERVATION COMMISSION

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-371-6299																																																
1) OWNER <u>Douglas E. Guilan</u> (Name) ADDRESS <u>Rt 4 Box 1130 Hunterville TX 77340</u> (Street or RFD) (City) (State) (Zip)		2) ADDRESS OF WELL: County <u>Walker</u> (Street or RFD) <u>New Waverly TX.</u> (City) (State) (Zip) STATE WELL # <u>60-29-4</u>																																																		
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																																
6) WELL LOG: Date Drilling: Started <u>3-13-1996</u> Completed <u>3-14-1996</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> </tr> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>156</u></td> </tr> <tr> <td><u>3 7/8</u></td> <td><u>156</u></td> <td><u>167</u></td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>156</u>	<u>3 7/8</u>	<u>156</u>	<u>167</u>	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																							
Dia. (in.)	From (ft.)	To (ft.)																																																		
<u>6 3/4</u>	Surface	<u>156</u>																																																		
<u>3 7/8</u>	<u>156</u>	<u>167</u>																																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> <th style="width:70%;">Description and color of formation material</th> </tr> <tr> <td><u>0-61</u></td> <td><u>61-78</u></td> <td><u>Clay</u></td> </tr> <tr> <td><u>61-78</u></td> <td><u>78-79</u></td> <td><u>Sand</u></td> </tr> <tr> <td><u>78-79</u></td> <td><u>79-82</u></td> <td><u>Rock</u></td> </tr> <tr> <td><u>79-82</u></td> <td><u>82-156</u></td> <td><u>Sand</u></td> </tr> <tr> <td><u>82-156</u></td> <td><u>156-167</u></td> <td><u>Clay</u></td> </tr> <tr> <td><u>156-167</u></td> <td></td> <td><u>Sand</u></td> </tr> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-61</u>	<u>61-78</u>	<u>Clay</u>	<u>61-78</u>	<u>78-79</u>	<u>Sand</u>	<u>78-79</u>	<u>79-82</u>	<u>Rock</u>	<u>79-82</u>	<u>82-156</u>	<u>Sand</u>	<u>82-156</u>	<u>156-167</u>	<u>Clay</u>	<u>156-167</u>		<u>Sand</u>	8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.		CASING, BLANK PIPE, AND WELL SCREEN DATA: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2" style="width:10%;">Dia. (in.)</th> <th rowspan="2" style="width:10%;">New or Used</th> <th rowspan="2" style="width:30%;">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2" style="width:20%;">Setting (ft.)</th> <th rowspan="2" style="width:10%;">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>156</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC Blank</u></td> <td><u>150</u></td> <td><u>157</u></td> <td><u>40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC Slott</u></td> <td><u>157</u></td> <td><u>167</u></td> <td><u>#8</u></td> </tr> </table>		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>156</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>150</u>	<u>157</u>	<u>40</u>	<u>2</u>	<u>N</u>	<u>PVC Slott</u>	<u>157</u>	<u>167</u>	<u>#8</u>
From (ft.)	To (ft.)	Description and color of formation material																																																		
<u>0-61</u>	<u>61-78</u>	<u>Clay</u>																																																		
<u>61-78</u>	<u>78-79</u>	<u>Sand</u>																																																		
<u>78-79</u>	<u>79-82</u>	<u>Rock</u>																																																		
<u>79-82</u>	<u>82-156</u>	<u>Sand</u>																																																		
<u>82-156</u>	<u>156-167</u>	<u>Clay</u>																																																		
<u>156-167</u>		<u>Sand</u>																																																		
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																															
			From	To																																																
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>156</u>	<u>40</u>																																															
<u>2</u>	<u>N</u>	<u>PVC Blank</u>	<u>150</u>	<u>157</u>	<u>40</u>																																															
<u>2</u>	<u>N</u>	<u>PVC Slott</u>	<u>157</u>	<u>167</u>	<u>#8</u>																																															
(Use reverse side if necessary)		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>156</u> ft. to <u>56</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>7</u> Method used <u>Pressure</u> Cemented by <u>Richard McKee</u> Distance to septic system field lines <u>160</u> ft. Method of verification of above distance <u>Tape Measure</u>		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.44(3)(c)]		11) WATER LEVEL: Static level <u>100</u> ft. below land surface <u>1997</u> <u>3-14-96</u> Artesian flow _____ gpm. Date _____																																														
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., _____ ft.		12) PACKERS: <u>Red</u> TEXAS NATURAL RESOURCE CONSERVATION COMMISSION Depth <u>150</u>		15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Good</u> Depth of strata <u>10'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																																
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																																				
COMPANY NAME <u>Gray's Water Well Ser.</u> (Type or print) WELL DRILLER'S LICENSE NO. <u>2011 WP12</u>		ADDRESS <u>P.O. Box 1788 Trinity TX 75862</u> (Street or RFD) (City) (State) (Zip)		(Signed) <u>Vernon Gray</u> (Licensed Well Driller) (Signed) <u>Richard McKee</u> (Registered Driller Trainee)																																																
Please attach electric log, chemical analysis, and other pertinent information, if available.																																																				

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																											
1) OWNER <u>Mr. Williams</u> (Name)		ADDRESS <u>Tupelo Rd New Waverly, TX</u> (Street or RFD) (City) (State) (Zip)																													
2) ADDRESS OF WELL: County <u>Walker</u> (Street, RFD or other) (City) (State) (Zip)		GRID # <u>60-29-4</u>																													
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																											
6) WELL LOG: Date Drilling: Started <u>Aug 16 19 95</u> Completed <u>Aug 21 19 95</u>		DIAMETER OF HOLE <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Dia. (in.)</th> <th style="width:15%;">From (ft.)</th> <th style="width:15%;">To (ft.)</th> </tr> <tr> <td>7"</td> <td>Surface</td> <td>360</td> </tr> <tr> <td>4 1/2"</td> <td>360</td> <td>392</td> </tr> </table>		Dia. (in.)	From (ft.)	To (ft.)	7"	Surface	360	4 1/2"	360	392	7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other																		
Dia. (in.)	From (ft.)	To (ft.)																													
7"	Surface	360																													
4 1/2"	360	392																													
From (ft.) To (ft.) Description and color of formation material <u>0-130 Clay-rocks</u> <u>130-164 Sand</u> <u>164-190 Clay-rocks</u> <u>190-214 Sand</u> <u>214-365 Clay, rock, ad stone</u> <u>365-392 Sand</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other <u>Two String</u> If Gravel Packed give interval ... from _____ ft. to _____ ft.																													
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																													
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>N</td> <td>P.V.C.</td> <td>0</td> <td>360</td> <td>40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>P.V.C. Liner</td> <td>330</td> <td>377</td> <td>40</td> </tr> <tr> <td>2 1/2</td> <td>N</td> <td>P.V.C. Screen</td> <td>377</td> <td>392</td> <td>.08</td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	4	N	P.V.C.	0	360	40	2 1/2	N	P.V.C. Liner	330	377	40	2 1/2	N	P.V.C. Screen	377	392	.08
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																										
			From	To																											
4	N	P.V.C.	0	360	40																										
2 1/2	N	P.V.C. Liner	330	377	40																										
2 1/2	N	P.V.C. Screen	377	392	.08																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>6</u> <u>150</u> ft. to <u>360</u> ft. No. of sacks used <u>12</u> Method used <u>Pressure</u> Cemented by <u>Cum.</u> Distance to septic system field lines or other concentrated contamination <u>150</u> ft. Method of verification of above distance <u>Owner</u>																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>300</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																													
14) WELL TESTS: Type test: <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Bailer <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Estimated Yield: <u>12</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>215</u> ft. below land surface Date <u>Aug 21, 95</u> Artesian flow _____ gpm. Date _____																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>Potable</u> Depth of strata <u>27'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:60%;">Type</th> <th style="width:40%;">Depth</th> </tr> <tr> <td><u>4X2 1/2</u></td> <td><u>K 330'</u></td> </tr> </table>				Type	Depth	<u>4X2 1/2</u>	<u>K 330'</u>																						
Type	Depth																														
<u>4X2 1/2</u>	<u>K 330'</u>																														
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																															
COMPANY NAME <u>COASTAL WATER WELL</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>812</u>																													
ADDRESS <u>P.O. Box 745</u> (Street or RFD)		<u>Porter TX</u> (City) (State)		<u>77365</u> (Zip)																											
(Signed) <u>J.R. Gehrels</u> (Licensed Well Driller)		(Signed) <u>Keith Gehrels</u> (Registered Driller Trainee)																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																															

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

**State of Texas
WELL REPORT**

**Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530**

1) OWNER Wanda Quinters ADDRESS Abbey Rd. New Waverly Tx
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL:
 County Walker Abbey Rd. New Waverly Tx. GRID # 60-29-4
(Street or RFD) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling:
 Started 12-6-1994
 Completed 12-9-1994

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>180</u>
<u>3 7/8</u>	<u>180</u>	<u>205</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>180</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC SCREEN</u>	<u>180</u>	<u>205</u>	<u>40</u>

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 180 ft. to 180 ft. No. of sacks used 10
0 ft. to 10 ft. No. of sacks used 5
 Method used pressure
 Cemented by _____
 Distance to septic system field lines 92 ft.
 Method of verification of above distance Tape Measure

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 160 ft.

14) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 40 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? good Depth of strata 25
 Was a chemical analysis made? Yes No

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
 Static level 123 ft. below land surface Date 12-9-94
 Artesian flow _____ gpm. Date _____

12) PACKERS: K Type Rubber Depth 170

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well WELL DRILLER'S LICENSE NO. 2011 WPIC
(Type or print)

ADDRESS P.O. Box 1788 Trinity Tx 75862
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Signed) Richard Thayer
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

AT present...

...

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

*FP - 10-51
11-51*

*10-51
11-51
12-51
1-52
2-52
3-52
4-52
5-52
6-52
7-52
8-52
9-52
10-52
11-52
12-52
1-53
2-53
3-53
4-53
5-53
6-53
7-53
8-53
9-53
10-53
11-53
12-53
1-54
2-54
3-54
4-54
5-54
6-54
7-54
8-54
9-54
10-54
11-54
12-54
1-55
2-55
3-55
4-55
5-55
6-55
7-55
8-55
9-55
10-55
11-55
12-55
1-56
2-56
3-56
4-56
5-56
6-56
7-56
8-56
9-56
10-56
11-56
12-56
1-57
2-57
3-57
4-57
5-57
6-57
7-57
8-57
9-57
10-57
11-57
12-57
1-58
2-58
3-58
4-58
5-58
6-58
7-58
8-58
9-58
10-58
11-58
12-58
1-59
2-59
3-59
4-59
5-59
6-59
7-59
8-59
9-59
10-59
11-59
12-59
1-60
2-60
3-60
4-60
5-60
6-60
7-60
8-60
9-60
10-60
11-60
12-60
1-61
2-61
3-61
4-61
5-61
6-61
7-61
8-61
9-61
10-61
11-61
12-61
1-62
2-62
3-62
4-62
5-62
6-62
7-62
8-62
9-62
10-62
11-62
12-62
1-63
2-63
3-63
4-63
5-63
6-63
7-63
8-63
9-63
10-63
11-63
12-63
1-64
2-64
3-64
4-64
5-64
6-64
7-64
8-64
9-64
10-64
11-64
12-64
1-65
2-65
3-65
4-65
5-65
6-65
7-65
8-65
9-65
10-65
11-65
12-65
1-66
2-66
3-66
4-66
5-66
6-66
7-66
8-66
9-66
10-66
11-66
12-66
1-67
2-67
3-67
4-67
5-67
6-67
7-67
8-67
9-67
10-67
11-67
12-67
1-68
2-68
3-68
4-68
5-68
6-68
7-68
8-68
9-68
10-68
11-68
12-68
1-69
2-69
3-69
4-69
5-69
6-69
7-69
8-69
9-69
10-69
11-69
12-69
1-70
2-70
3-70
4-70
5-70
6-70
7-70
8-70
9-70
10-70
11-70
12-70
1-71
2-71
3-71
4-71
5-71
6-71
7-71
8-71
9-71
10-71
11-71
12-71
1-72
2-72
3-72
4-72
5-72
6-72
7-72
8-72
9-72
10-72
11-72
12-72
1-73
2-73
3-73
4-73
5-73
6-73
7-73
8-73
9-73
10-73
11-73
12-73
1-74
2-74
3-74
4-74
5-74
6-74
7-74
8-74
9-74
10-74
11-74
12-74
1-75
2-75
3-75
4-75
5-75
6-75
7-75
8-75
9-75
10-75
11-75
12-75
1-76
2-76
3-76
4-76
5-76
6-76
7-76
8-76
9-76
10-76
11-76
12-76
1-77
2-77
3-77
4-77
5-77
6-77
7-77
8-77
9-77
10-77
11-77
12-77
1-78
2-78
3-78
4-78
5-78
6-78
7-78
8-78
9-78
10-78
11-78
12-78
1-79
2-79
3-79
4-79
5-79
6-79
7-79
8-79
9-79
10-79
11-79
12-79
1-80
2-80
3-80
4-80
5-80
6-80
7-80
8-80
9-80
10-80
11-80
12-80
1-81
2-81
3-81
4-81
5-81
6-81
7-81
8-81
9-81
10-81
11-81
12-81
1-82
2-82
3-82
4-82
5-82
6-82
7-82
8-82
9-82
10-82
11-82
12-82
1-83
2-83
3-83
4-83
5-83
6-83
7-83
8-83
9-83
10-83
11-83
12-83
1-84
2-84
3-84
4-84
5-84
6-84
7-84
8-84
9-84
10-84
11-84
12-84
1-85
2-85
3-85
4-85
5-85
6-85
7-85
8-85
9-85
10-85
11-85
12-85
1-86
2-86
3-86
4-86
5-86
6-86
7-86
8-86
9-86
10-86
11-86
12-86
1-87
2-87
3-87
4-87
5-87
6-87
7-87
8-87
9-87
10-87
11-87
12-87
1-88
2-88
3-88
4-88
5-88
6-88
7-88
8-88
9-88
10-88
11-88
12-88
1-89
2-89
3-89
4-89
5-89
6-89
7-89
8-89
9-89
10-89
11-89
12-89
1-90
2-90
3-90
4-90
5-90
6-90
7-90
8-90
9-90
10-90
11-90
12-90
1-91
2-91
3-91
4-91
5-91
6-91
7-91
8-91
9-91
10-91
11-91
12-91
1-92
2-92
3-92
4-92
5-92
6-92
7-92
8-92
9-92
10-92
11-92
12-92
1-93
2-93
3-93
4-93
5-93
6-93
7-93
8-93
9-93
10-93
11-93
12-93
1-94
2-94
3-94
4-94
5-94
6-94
7-94
8-94
9-94
10-94
11-94
12-94
1-95
2-95
3-95
4-95
5-95
6-95
7-95
8-95
9-95
10-95
11-95
12-95
1-96
2-96
3-96
4-96
5-96
6-96
7-96
8-96
9-96
10-96
11-96
12-96
1-97
2-97
3-97
4-97
5-97
6-97
7-97
8-97
9-97
10-97
11-97
12-97
1-98
2-98
3-98
4-98
5-98
6-98
7-98
8-98
9-98
10-98
11-98
12-98
1-99
2-99
3-99
4-99
5-99
6-99
7-99
8-99
9-99
10-99
11-99
12-99
1-100
2-100
3-100
4-100
5-100
6-100
7-100
8-100
9-100
10-100
11-100
12-100
1-101
2-101
3-101
4-101
5-101
6-101
7-101
8-101
9-101
10-101
11-101
12-101
1-102
2-102
3-102
4-102
5-102
6-102
7-102
8-102
9-102
10-102
11-102
12-102
1-103
2-103
3-103
4-103
5-103
6-103
7-103
8-103
9-103
10-103
11-103
12-103
1-104
2-104
3-104
4-104
5-104
6-104
7-104
8-104
9-104
10-104
11-104
12-104
1-105
2-105
3-105
4-105
5-105
6-105
7-105
8-105
9-105
10-105
11-105
12-105
1-106
2-106
3-106
4-106
5-106
6-106
7-106
8-106
9-106
10-106
11-106
12-106
1-107
2-107
3-107
4-107
5-107
6-107
7-107
8-107
9-107
10-107
11-107
12-107
1-108
2-108
3-108
4-108
5-108
6-108
7-108
8-108
9-108
10-108
11-108
12-108
1-109
2-109
3-109
4-109
5-109
6-109
7-109
8-109
9-109
10-109
11-109
12-109
1-110
2-110
3-110
4-110
5-110
6-110
7-110
8-110
9-110
10-110
11-110
12-110
1-111
2-111
3-111
4-111
5-111
6-111
7-111
8-111
9-111
10-111
11-111
12-111
1-112
2-112
3-112
4-112
5-112
6-112
7-112
8-112
9-112
10-112
11-112
12-112
1-113
2-113
3-113
4-113
5-113
6-113
7-113
8-113
9-113
10-113
11-113
12-113
1-114
2-114
3-114
4-114
5-114
6-114
7-114
8-114
9-114
10-114
11-114
12-114
1-115
2-115
3-115
4-115
5-115
6-115
7-115
8-115
9-115
10-115
11-115
12-115
1-116
2-116
3-116
4-116
5-116
6-116
7-116
8-116
9-116
10-116
11-116
12-116
1-117
2-117
3-117
4-117
5-117
6-117
7-117
8-117
9-117
10-117
11-117
12-117
1-118
2-118
3-118
4-118
5-118
6-118
7-118
8-118
9-118
10-118
11-118
12-118
1-119
2-119
3-119
4-119
5-119
6-119
7-119
8-119
9-119
10-119
11-119
12-119
1-120
2-120
3-120
4-120
5-120
6-120
7-120
8-120
9-120
10-120
11-120
12-120
1-121
2-121
3-121
4-121
5-121
6-121
7-121
8-121
9-121
10-121
11-121
12-121
1-122
2-122
3-122
4-122
5-122
6-122
7-122
8-122
9-122
10-122
11-122
12-122
1-123
2-123
3-123
4-123
5-123
6-123
7-123
8-123
9-123
10-123
11-123
12-123
1-124
2-124
3-124
4-124
5-124
6-124
7-124
8-124
9-124
10-124
11-124
12-124
1-125
2-125
3-125
4-125
5-125
6-125
7-125
8-125
9-125
10-125
11-125
12-125
1-126
2-126
3-126
4-126
5-126
6-126
7-126
8-126
9-126
10-126
11-126
12-126
1-127
2-127
3-127
4-127
5-127
6-127
7-127
8-127
9-127
10-127
11-127
12-127
1-128
2-128
3-128
4-128
5-128
6-128
7-128
8-128
9-128
10-128
11-128
12-128
1-129
2-129
3-129
4-129
5-129
6-129
7-129
8-129
9-129
10-129
11-129
12-129
1-130
2-130
3-130
4-130
5-130
6-130
7-130
8-130
9-130
10-130
11-130
12-130
1-131
2-131
3-131
4-131
5-131
6-131
7-131
8-131
9-131
10-131
11-131
12-131
1-132
2-132
3-132
4-132
5-132
6-132
7-132
8-132
9-132
10-132
11-132
12-132
1-133
2-133
3-133
4-133
5-133
6-133
7-133
8-133
9-133
10-133
11-133
12-133
1-134
2-134
3-134
4-134
5-134
6-134
7-134
8-134
9-134
10-134
11-134
12-134
1-135
2-135
3-135
4-135
5-135
6-135
7-135
8-135
9-135
10-135
11-135
12-135
1-136
2-136
3-136
4-136
5-136
6-136
7-136
8-136
9-136
10-136
11-136
12-136
1-137
2-137
3-137
4-137
5-137
6-137
7-137
8-137
9-137
10-137
11-137
12-137
1-138
2-138
3-138
4-138
5-138
6-138
7-138
8-138
9-138
10-138
11-138
12-138
1-139
2-139
3-139
4-139
5-139
6-139
7-139
8-139
9-139
10-139
11-139
12-139
1-140
2-140
3-140
4-140
5-140
6-140
7-140
8-140
9-140
10-140
11-140
12-140
1-141
2-141
3-141
4-141
5-141
6-141
7-141
8-141
9-141
10-141
11-141
12-141
1-142
2-142
3-142
4-142
5-142
6-142
7-142
8-142
9-142
10-142
11-142
12-142
1-143
2-143
3-143
4-143
5-143
6-143
7-143
8-143
9-143
10-143
11-143
12-143
1-144
2-144
3-144
4-144
5-144
6-144
7-144
8-144
9-144
10-144
11-144
12-144
1-145
2-145
3-145
4-145
5-145
6-145
7-145
8-145
9-145
10-145
11-145
12-145
1-146
2-146
3-146
4-146
5-146
6-146
7-146
8-146
9-146
10-146
11-146
12-146
1-147
2-147
3-147
4-147
5-147
6-147
7-147
8-147
9-147
10-147
11-147
12-147
1-148
2-148
3-148
4-148
5-148
6-148
7-148
8-148
9-148
10-148
11-148
12-148
1-149
2-149
3-149
4-149
5-149
6-149
7-149
8-149
9-149
10-149
11-149
12-149
1-150
2-150
3-150
4-150
5-150
6-150
7-150
8-150
9-150
10-150
11-150
12-150
1-151
2-151
3-151
4-151
5-151
6-151
7-151
8-151
9-151
10-151
11-151
12-151
1-152
2-152
3-152
4-152
5-152
6-152
7-152
8-152
9-152
10-152
11-152
12-152
1-153
2-153
3-153
4-153
5-153
6-153
7-153
8-153
9-153
10-153
11-153
12-153
1-154
2-154
3-154
4-154
5-154
6-154
7-154
8-154
9-154
10-154
11-154
12-154
1-155
2-155
3-155
4-155
5-155
6-155
7-155
8-155
9-155
10-155
11-155
12-155
1-156
2-156
3-156
4-156
5-156
6-156
7-156
8-156
9-156
10-156
11-156
12-156
1-157
2-157
3-157
4-157
5-157
6-157
7-157
8-157
9-157
10-157
11-157
12-157
1-158
2-158
3-158
4-158
5-158
6-158
7-158
8-158
9-158
10-158
11-158
12-158
1-159
2-159
3-159
4-159
5-159
6-159
7-159
8-159
9-159
10-159
11-159
12-159
1-160
2-160
3-160
4-160
5-160
6-160
7-160
8-160
9-160
10-160
11-160
12-160
1-161
2-161
3-161
4-161
5-161
6-161
7-161
8-161
9-161
10-161
11-161
12-161
1-162
2-162
3-162
4-162
5-162
6-162
7-162
8-162
9-162
10-162
11-162
12-162
1-163
2-163
3-163
4-163
5-163
6-163
7-163
8-163
9-163
10-163
11-163
12-163
1-164
2-164
3-164
4-164
5-164
6-164
7-164
8-164
9-164
10-164
11-164
12-164
1-165
2-165
3-165
4-165
5-165
6-165
7-165
8-165
9-165
10-165
11-165
12-165
1-166
2-166
3-166
4-166
5-166
6-166
7-166
8-166
9-166
10-166
11-166
12-166
1-167
2-167
3-167
4-167
5-167
6-167
7-167
8-167
9-167
10-167
11-167
12-167
1-168
2-168
3-168
4-168
5-168
6-168
7-168
8-168
9-168
10-168
11-168
12-168
1-169
2-169
3-169
4-169
5-169
6-169
7-169
8-169
9-169
10-169
11-169
12-169
1-170
2-170
3-170
4-170
5-170
6-170
7-170
8-170
9-170
10-170
11-170
12-170
1-171
2-171
3-171
4-171
5-171
6-171
7-171
8-171
9-171
10-171
11-171
12-171
1-172
2-172
3-172
4-172
5-172
6-172
7-172
8-172
9-172
10-172
11-172
12-172
1-173
2-173
3-173
4-173
5-173
6-173
7-173
8-173
9-173
10-173
11-173
12-173
1-174
2-174
3-174
4-174
5-174
6-174
7-174
8-174
9-174
10-174
11-174
12-174
1-175
2-175
3-175
4-175
5-175
6-175
7-175
8-175
9-175
10-175
11-175
12-175
1-176
2-176
3-176
4-176
5-176
6-176
7-176
8-176
9-176
10-176
11-176
12-176
1-177
2-177
3-177
4-177
5-177
6-177
7-177
8-177
9-177
10-177
11-177
12-177
1-178
2-178
3-178
4-178
5-178
6-178
7-178
8-178
9-178
10-178
11-178
12-178
1-179
2-179
3-179
4-179
5-179
6-179
7-179
8-179
9-179
10-179
11-179
12-179
1-180
2-180
3-180
4-180
5-180
6-180
7-180
8-180
9-180
10-180
11-180
12-180
1-181
2-181
3-181
4-181
5-181
6-181
7-181
8-181
9-181
10-181
11-181
12-181
1-182
2-182
3-182
4-182
5-182
6-182
7-182
8-182
9-182
10-182
11-182
12-182
1-183
2-183
3-183
4-183
5-183
6-183
7-183
8-183
9-183
10-183
11-183
12-183
1-184
2-184
3-184
4-184
5-184
6-184
7-184
8-184
9-184
10-184
11-184
12-184
1-185
2-185
3-185
4-185
5-185
6-185
7-185
8-185
9-185
10-185
11-185
12-185
1-186
2-186
3-186
4-186
5-186
6-186
7-186
8-186
9-186
10-186
11-186
12-186
1-187
2-187
3-187
4-187
5-187
6-187
7-187
8-187
9-187
10-187
11-187
12-187
1-188
2-188
3-188
4-188
5-188
6-188
7-188
8-188
9-188
10-188
11-188
12-188
1-189
2-189
3-189
4-189
5-189
6-189
7-189
8-189
9-189
10-189
11-189
12-189
1-190
2-190
3-190
4-190
5-190
6-190
7-190
8-190
9-190
10-190
11-190
12-190
1-191
2-191
3-191
4-191
5-191
6-191
7-191
8-191
9-191
10-191
11-191
12-191
1-192
2-192
3-192
4-192
5-192
6-192
7-192
8-192
9-192
10-192
11-192
12-192
1-193
2-193
3-193
4-193
5-193
6-193
7-193
8-193
9-193
10-19*

#1 WALKER

Please use black ink. Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER James Pinto (Name) Address 403 Century Plaza Houston, TX 77073 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 2 miles in N direction from New Waverly (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. 0160-13-3

3) TYPE OF WORK (Check): 4) PROPOSED USE (Check): 5) DRILLING METHOD (Check):

6) WELL LOG: Date Drilling: Started 8-21-89 Completed 8-22-89 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 7) BOREHOLE COMPLETION: Open Hole, Gravel Packed, etc.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From, To, Gage Casing Screen.

9) CEMENTING DATA [Rule 319.44(b)] Cemented from 185 ft. to 85 ft. No. of Sacks Used 7. Method used Pressure. Cemented by Raymond McPike.

10) SURFACE COMPLETION: Specified Surface Slab Installed, Pitless Adapter Used, etc.

RECEIVED DEC 15 1989

11) WATER LEVEL: Static level 110 ft. below land surface Date 8-22-89. Artesian flow gpm. Date

12) PACKERS: Rubber 177

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder. Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. Type of water? good. Depth of strata 40 ft.

14) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated. Yield 15-15 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026

ADDRESS 607 Hwy 19 Huntsville, Texas 77340

(Signed) [Signature] (Signed) [Signature] (Licensed Water Well Driller) (Registered Driller Trainee)


Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only Well No. 60-29-4 Located on map

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:




“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



LEGEND

Interstate Highway	State Highway	County Road	Local Road
Major Road	Minor Road	Unimproved Road	Trail
Waterway	Canal	Ditch	Drainage
Water	Swamp	Marsh	Wetland
Forest	Reservoir	Lake	Bayou
City	Town	Village	Hamlet
Post Office	Police Station	Fire Station	Public Building
Religious Building	School	College	University
Public Utility	Power Line	Telephone Line	Gas Line
Electric Line	Water Line	Sanitary Sewer	Storm Sewer
Other



**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

1969

1:50,000

#1 of Map 2

STATE OF TEXAS WATER WELL REPORT

1) Owner: CONROE GREENHOUSE Address: JOHN CRISP City: NEW WAVERLY State: TX ZIP: 77358

2) LOCATION OF WELL: County: WALKER 3 miles in N direction from NEW WAVERLY

LEGAL DESCRIPTION: SEE ATTACHED MAP: 01531

Section No.: Block No.: Township: Abstract No.: Survey Name: Distance and direction from two intersecting section or survey lines:

3) TYPE OF WORK: NEW WELL 4) PROPOSED USE: IRRIGATION 5) DRILLING METHOD: MUD ROTARY

6) WELL LOG: 01531 DIAMETER OF HOLE 7) BOREHOLE METHOD: STRAIGHT WALL IF GRAVEL... FROM FT TO FT FROM FT TO FT

Date Drilled: 08/08/88

GEOLOGICAL DESCRIPTION:

Table with 3 columns: FROM, TO, DESCRIPTION. Rows include CLAY, SAND, CLAY, ROCK, CLAY, SAND, CLAY, SAND.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Table with 7 columns: DIA, NEW/USED, DESCRIPTION, FROM, TO, GAGE CASING, SCREEN. Rows include GALV., RBSS, BHA.

9) CEMENTING DATA:

Cemented from 0 FT. TO 208 FT. Method used: PRESSURE Cemented by: WEISINGER WATER WELL

10) SURFACE COMPLETION:

APP. ALTER. PROCD.

11) WATER LEVEL:

STATIC LEVEL : 100 FT. DATE 08/08/88 ARTESIAN FLOW: GPM. DATE / /

12) PACKERS: TYPE PVC BF SEAL DEPTH 208

13) TYPE PUMP:

SUBMERSIBLE DEPTH TO PUMP:

14) WELL TEST:

JETTED YIELD: 40 GPM WITH FT DRAWDOWN AFTER HRS

15) WATER QUALITY:

TYPE OF WATER: GOOD DEPTH OF STRATA: 234 NO STRATA OF UNDESIRABLE WATER PENETRATED

RECEIVED AUG 26 1988

NO CHEMICAL ANALYSIS MADE



COMPANY NAME: WEISINGER WATER WELL, INC WATER WELL DRILLER'S LICENSE NO.: 1542, 1991, & 1992 ADDRESS: 2200 EAST DAVIS CITY: CONROE STATE: TX ZIP CODE: 77301

TEXAS WATER COMMISSION

(signed) [Signature] (signed)

60-29-4





LEGEND

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	WATERWAY
	AIRPORT
	SCHOOL
	CHURCH
	CEMETERY
	PUBLIC BUILDING
	INDUSTRIAL BUILDING
	RESIDENTIAL BUILDING
	FOREST
	PARK
	LAKE
	RIVER
	STREAM
	WELL
	POWER LINE
	TELEPHONE LINE
	GAS LINE
	SEWER LINE
	ELEVATION CONTOUR
	SPOT ELEVATION
	BOUNDARY
	SECTION CORNER
	SURVEY LINE
	UNIMPROVED ROAD
	ROAD UNDER CONSTRUCTION
	ROAD CLOSED
	ROAD TO BE CONSTRUCTED
	PROPOSED ROAD
	PROPOSED HIGHWAY
	PROPOSED INTERSTATE HIGHWAY
	PROPOSED STATE HIGHWAY
	PROPOSED COUNTY ROAD
	PROPOSED LOCAL ROAD
	PROPOSED RAILROAD
	PROPOSED WATERWAY
	PROPOSED AIRPORT
	PROPOSED SCHOOL
	PROPOSED CHURCH
	PROPOSED CEMETERY
	PROPOSED PUBLIC BUILDING
	PROPOSED INDUSTRIAL BUILDING
	PROPOSED RESIDENTIAL BUILDING
	PROPOSED FOREST
	PROPOSED PARK
	PROPOSED LAKE
	PROPOSED RIVER
	PROPOSED STREAM
	PROPOSED WELL
	PROPOSED POWER LINE
	PROPOSED TELEPHONE LINE
	PROPOSED GAS LINE
	PROPOSED SEWER LINE
	PROPOSED ELEVATION CONTOUR
	PROPOSED SPOT ELEVATION
	PROPOSED BOUNDARY
	PROPOSED SECTION CORNER
	PROPOSED SURVEY LINE

**GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS**

PREPARED BY THE
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SCALE: 1" = 10 MILES

1963

Please use black ink,
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Montgomery Co. Barnstormer Address 148 April Cove Montgomery Tex, 77358
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL County Walker 2 1/2 miles in N.W. direction from New Waverly Tex.
(Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. on 60-11-9

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 11-10 1987 Completed 11-19 1987
Diameter of Hole:
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 219
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-1		Top soil (Black land)						
1-2		Clay (Tan)						
2-11		Clay + Colache (yell)	4		PVC sch 40 Cas.	0	199	40
11-22		Clay (yell)						
22-60		Clay (w/ bits + Br.)	4		PVC sch 40 screen	199	219	10
60-70		Sand (Br.)			Slotted			
70-77		Clay (Br.)						
77-115		Sand (Br.)						
115-121		Clay (Br.)						
121-158		Sand (Br.)						
158-194		Clay (Br.)						
194-198		Rock (Br.)						
198-209		Sand + Rock (Br.)						
209-219		Sand (Br.)						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 18
_____ ft. to _____ ft. No. of Sacks Used _____
Method used 4 1/2" sq. X 4 1/2" slab on surface
Cemented by A.L. Slott

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 90 ft. below land surface Date 11-18-87
Artesian flow _____ gpm. Date _____

12) PACKERS:
Type Formation Depth 179-199

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS:
Type Test Pump Bailor Jetted Estimated
Yield: 9 1/2 gpm with 70 ft. drawdown after 2 1/2 hrs.

RECEIVED
DEC 22 1987

TEXAS WATER COMMISSION

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Water Wells Water Well Driller's License No. 2275
ADDRESS Rt. 4 Box 1094 Huntzville, Texas 77346
(Street or RFD) (City) (State) (Zip)
(Signed) Arthur L. Slott (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TWC use only
Well No. 60 29-4
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Michael Watson (Name) Address P.O. Box 689 New Waverly, TX 77358 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 2 1/2 miles in N.E. direction from New Waverly (Town)

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. on 60-28-8

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 7-14-87
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 238
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.) From	To	Gage Casing Screen
0	6	Top Soil (sand+clay)						
6	9	Clay (Brown)						
9	11	Clay (Yellow)	4		PVC sch 40 CAS	0	218	
11	26	Clay + Rock (yellow)	4		PVC sch 40 screen			
26	37	Clay (grey + red)			slotted	218	238	.010
37	48	Clay (grey + red)						
48	59	Shell (grey + brown + red)						
59	90	Sand + rock (brown)						
90	103	Clay sand (brown)						
103	125	Sand + Rock (brown)						
125	136	Sand + rock + clay (brown)						
136	180	Sand + rock (Brown)						
180	194	Shale + Rock (Br. yellow)						
194	196	Rock + Clay (yellow)						
196	224	Rock + sand (Brown)						
224	238	Sand (grey)						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft.
ft. to _____ ft.
Method used 2 1/2" x 2 1/2" x 4 in.
Cemented by slab on surface

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 76 ft. below land surface Date 7-20-87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Formation Depth 218

RECEIVED
AUG 31 1987

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 15 gpm with 41 ft. drawdown after 4 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME AAA Waterwell Water Well Driller's License No. 2275
ADDRESS Rt. 4 Box 1094 Huntsville, Texas 77340
(Signed) Arthur R. Slatt (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-4 Located on map _____


**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

- I. William Little
- III. J.A. Merino
- IV. Allan Bort
- V. John DeJoney
- VI. Joseph McBride
- VII. Elkin Gooden
- VIII. Jasper A. Coldwell
- IX. Michael Watson




**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

I ANNA Krystyniak
 II A.B. Butler
 III Louis Blazek
 I Phillip Yohak
 II Johnny Vick



4

Please use black ink. Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Jake Boeski Address RFD New Waveely Tr (Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 3 miles in NE direction from New Waveely (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...
Legal description: Section No. Block No. Township
Abstract No. Survey Name
Distance and direction from two intersecting section or survey lines
See attached map. 60-21-8

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 2-27-86
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 130
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other
If Gravel Packed give interval ... from ... ft. to ... ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From, To, Gage Casing Screen. Rows include top soil, clay, sand, rock, clay w sand streaks, sand.

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft.
Method used
Cemented by

10) SURFACE COMPLETION
Specified Surface Slab Installed [Rule 319.44(c)]
Pitless Adapter Used [Rule 319.44(d)]
Approved Alternative Procedure Used [Rule 319.71]

RECEIVED
MAR 24 1986

11) WATER LEVEL:
Static level 60 ft. below land surface Date 3-3-86
Artesian flow gpm. Date

12) PACKERS: Type Depth

13) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:
Type Test: Pump, Bailer, Jetted, Estimated
Yield: 10 gpm with 15 ft. drawdown after 1 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? hard Depth of strata 26'
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Aie-Flb Water Well Driller's License No. 1781
ADDRESS P.O. Box 1590 Willis TEXAS 77378
(Signed) [Signature] (Signed) [Signature] (Registered Driller Trainee)
Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-4 Located on map



**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”


The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

STATE DEPARTMENT OF HIGHWAYS
 AND PUBLIC TRANSPORTATION
 TRANSPORTATION PLANNING DIVISION
 U.S. DEPARTMENT OF TRANSPORTATION
 FEDERAL HIGHWAY ADMINISTRATION



LEGEND

1	Interstate Highway
2	State Highway
3	County Road
4	Local Road
5	Unimproved Road
6	Waterway
7	Stream
8	Canal
9	Railroad
10	Electric Line
11	Telephone Line
12	Gas Line
13	Water Line
14	Sanitary Sewer
15	Storm Sewer
16	Drainage Canal
17	Gravel Pit
18	Quarry
19	Open Pit
20	Gravel Pit
21	Quarry
22	Open Pit
23	Gravel Pit
24	Quarry
25	Open Pit
26	Gravel Pit
27	Quarry
28	Open Pit
29	Gravel Pit
30	Quarry
31	Open Pit
32	Gravel Pit
33	Quarry
34	Open Pit
35	Gravel Pit
36	Quarry
37	Open Pit
38	Gravel Pit
39	Quarry
40	Open Pit
41	Gravel Pit
42	Quarry
43	Open Pit
44	Gravel Pit
45	Quarry
46	Open Pit
47	Gravel Pit
48	Quarry
49	Open Pit
50	Gravel Pit
51	Quarry
52	Open Pit
53	Gravel Pit
54	Quarry
55	Open Pit
56	Gravel Pit
57	Quarry
58	Open Pit
59	Gravel Pit
60	Quarry
61	Open Pit
62	Gravel Pit
63	Quarry
64	Open Pit
65	Gravel Pit
66	Quarry
67	Open Pit
68	Gravel Pit
69	Quarry
70	Open Pit
71	Gravel Pit
72	Quarry
73	Open Pit
74	Gravel Pit
75	Quarry
76	Open Pit
77	Gravel Pit
78	Quarry
79	Open Pit
80	Gravel Pit
81	Quarry
82	Open Pit
83	Gravel Pit
84	Quarry
85	Open Pit
86	Gravel Pit
87	Quarry
88	Open Pit
89	Gravel Pit
90	Quarry
91	Open Pit
92	Gravel Pit
93	Quarry
94	Open Pit
95	Gravel Pit
96	Quarry
97	Open Pit
98	Gravel Pit
99	Quarry
100	Open Pit



Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Roy Kolb (Name) Address Jones Rd (Street or RFD) New Waverly Tx (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 6 miles in N (N.E., S.W., etc.) direction from New Waverly (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

13 See attached map. Map 60-29-5P

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 7-9-85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 200
4 200 250
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) From	Setting (ft.) To	Gage Casing Screen
0	6	Top soil						
6	12	clay						
12	13	Rock	4	N	Plastic	0	200	
13	18	clay	2 1/2	N	Plastic slotted	200	240	010
18	19	Rock	2 1/2	N	"	240	250	
19	70	clay						
70	110	SAND						
110	126	clay						
126	138	SAND w ROCK						
138	140	Rock						
140	145	clay						
145	172	SAND						
172	173	Rock						
173	250	SAND						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft.
_____ ft. to _____ ft.
Method used _____
Cemented by _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 65 ft. below land surface Date 7-12-85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Rubber Depth 180

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 180 ft.

14) WELL TESTS:
Type Test: Pump Bailor Jetted Estimated
Yield: 25 gpm with 10 ft. drawdown after 1 hrs.

RECEIVED
JUL 24 1985
DEPT. OF WATER RESOURCES

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? soft Depth of strata 77'
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Air-Flow Water Well (Type or Print) Water Well Driller's License No. 1781
ADDRESS P.O. Box 1590 (Street or RFD) Willis (City) Tx (State) 77378 (Zip)
(Signed) [Signature] (Licensed Water Well Driller) (Signed) [Signature] (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-4P Located on map Y&D LF

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER New Waverly Machine Address Em 1374 New Waverly TX
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL
County Walker 2 miles in W direction from New Waverly
(N.E., S.W., etc.) (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

#6 See attached map. Map on 60-29-5P

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 7-3-85
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 3/4 Surface 184
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	3	Top soil						
3	20	clay						
20	55	shale	4	N	Plastic	0	164	
55	104	SAND	4	N	Plastic slotted	164	184	012
104	128	clay						
128	154	SAND (dry)						
154	184	SAND						

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 15 ft.
_____ ft. to _____ ft.
Method used _____
Cemented by _____

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 65 ft. below land surface Date 7-6-85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield: 5 gpm with 10 ft. drawdown after 1 hrs.

RECEIVED
JUL 24 1985

DEPT. OF
WATER RESOURCES

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? soft Depth of strata 30'
Was a chemical analysis made? Yes No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Air Flo Water Well Water Well Driller's License No. 1781
(Type or Print)
ADDRESS P.O. Box 1590 Willis TX 77378
(Street or RFD) (City) (State) (Zip)
(Signed) [Signature] (Signed) _____
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.
For TDWR use only
Well No. 60-29-4P
Located on map Yes DLE

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only
Well No. 60-29-4X
Located on map Yes
Received: C.F.S.

1) OWNER Charles Kelley (Name) Address Sou Lake Tex (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 5 miles in NE direction from New Waverly (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. #5.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 10-8-84
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
3/4 Surface 150
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0	2	Top Soil						
2	30	Rock + clay						
30	37	SAND	4	N	Plastic	0	150	
37	38	Rock	4	N	Plastic	150	170	010
38	74	SAND BROWN						
74	114	CLAY						
114	124	SAND grey						
124	140	SAND DARKER grey						
140	170	SAND DARK grey to blue						

CEMENTING DATA
Cemented from 0 ft. to 15 ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL: Static level 35 ft. below land surface Date 10-9-84
Artesian flow _____ gpm. Date _____

RECEIVED

OCT 24 1984

DEPT. OF WATER RESOURCES

(Use reverse side if necessary)

10) PACKERS: Type Depth
Rubber 150
Rubber 70

11) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 80 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? HARD Depth of strata 30'
Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: 30 gpm with 10 ft. drawdown after 1 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L. Graham (Type or Print) Water Well Drillers Registration No. 1781
ADDRESS P.O. Box 1590 (Street or RFD) Willis (City) Texas (State) 77378 (Zip)
(Signed) _____ (Water Well Driller) Aie - Flo Water Well (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

7199

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

WALKER # 21

4W

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Louisiana Pacific Sawmill Address P.O. Box 368 New Waverly TX 77358
2) LOCATION OF WELL: County Walker 3 1/2 miles in N direction from New Waverly

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 10/3/83
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Setting (ft.), Gage Casing Screen

CEMENTING DATA: Cemented from 213 ft. to 0 ft. Method used Pressure Cemented by Henry Lee

9) WATER LEVEL: Static level ft. below land surface Date Artesian flow gpm. Date

10) PACKERS: Type Lead Depth L 209

RECEIVED JAN 14 1984 DEPT. OF WATER RESOURCES

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No
Type of water? Good Depth of strata 50 Ft.

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other
Depth to pump bowls, cylinder, jet, etc., 201 ft.

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated
Yield: 57 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221
ADDRESS P.O. Box 638 Riverside Texas 77367
(Signed) [Signature] (Signed) [Signature]

Please attach electric log, chemical analysis, and other pertinent information, if available. For TDWR use only Well No. 60-29-44 Located on map YES.C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

4V
60-29-4V

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Johnny P Gregory (Name) Address Gen. Del. New Waverly 77358 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Waiken 1 1/2 miles in NE direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. Mapon 60-21-8K

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 6-20-24-83
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 7/8 Surface 191

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-2		BLACKLAND
2-4		CLAY-Red
4-38		CLAY-yellow
38-43		SAND-Brown
43-91		CLAY-yellow+white
91-150		CLAY+Rock yellow
150-171		CLAY+SAND mixed
171-191		Rocky SAND-Bright Brown

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4		PVC sch 40	1 1/2	169 1/2	
4		PVC sch 40 slotted	171	191	010

CEMENTING DATA
Cemented from NONE ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

RECEIVED
JUL 14 1983
DEPT. OF WATER RESOURCES

9) WATER LEVEL: Static level 90 ft. below land surface Date 6-23-83
Artesian flow _____ gpm. Date _____

10) PACKERS: Type 1 Rubber Depth 171

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

11) TYPE PUMP: Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated
Yield: 10 gpm with 12 ft. drawdown after 1 1/2 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME AAA Water wells (Type or Print) Water Well Driller's License No. 2275
ADDRESS Rt#4 Box 1094 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)
(Signed) Arthur R. Slott (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 60-29-4V
Located on map Yes C.F.S.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#11 WALKER

415

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-29-44 Located on map YES Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Louisiana Pacific Address P.O. Box 368 New Waverly, Texas 77358
2) LOCATION OF WELL: County Walker 3 miles in N direction from New Waverly

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... See attached map. Map on 60-21-5V

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging
4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other
5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 8-20-82
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.) 10 1/2 Surface 519
7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.), Gage Casing Screen

CEMENTING DATA: Cemented from 476 ft. to 276 ft. Method used Pressure Cemented by Holly Water Wells (Company or Individual)

9) WATER LEVEL: Static level, Artesian flow, Date

10) PACKERS: Type Lead, Depth L 449

11) TYPE PUMP: Turbine, Jet, Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., 420 ft.

12) WELL TESTS: Type Test, Pump, Bailor, Jetted, Estimated, Yield: 120 gpm with 77 ft. drawdown after hrs.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No. If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 77 ft. Was a chemical analysis made? No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, HENRY LEE Water Well Drillers Registration No. 2026, 2221
ADDRESS P.O. Box 638 Riverside, Texas 77367
(Signed) RALPH A. CADWALLADER Holly Water Wells (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

392-408 sand
408-430 blue clay
430-435 rock
435-442 rock streaks
442-462 rock and sand streaks
462-498 sand
498-502 rock
502-519 sand

CONFIDENTIAL

NOV 5 1980

DEPT. OF
WATER RESOURCES

4
How map 2

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 60-29-47
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Larry Dupre (Name) Address FM 1374 New Waverly, TX 77325 (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Montgomery miles in 1 direction from New Waverly (Town)
walker

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
8-9-82	6 1/2	Surface	180
	4 1/2	180	195

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
0	72	Clay
72	121	Sand
121	147	Clay
147	157	Rock
157	166	Clay
166	195	Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	0	180	2 1/2" x 10'
2	N	Galv	173	185	"
2	N	RB SS	185	195	12ga

CEMENTING DATA
Cemented from 0 ft. to 180 ft.
Method used Pressure
Cemented by Weisinger (Company or Individual)

RECEIVED
OCT 15 1982
DEPT. OF
WATER RESOURCES

9) WATER LEVEL:
Static level 79 ft. below land surface Date 8-9-82
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) WELL TESTS:
 Type Test: Pump Bailer Jetted Estimated
Yield: 30 gpm with _____ ft. drawdown after _____ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E. Weisinger (Type or Print) Water Well Drillers Registration No. 1541
ADDRESS _____ (Street or RFD) (City) Weisinger Water Well, Inc. (State) (Zip)
2200 E. FM 1374
(Signed) John E. Weisinger (Water Well Driller) Conec, TX 77301 (Company Name)
(713) 750-7121

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
OCT 15 1987
DEPT. OF WATER RESOURCES
AUSTIN TEXAS

RECEIVED
OCT 15 1987
DEPT. OF WATER RESOURCES
AUSTIN TEXAS

2 on map

45

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-29-45 Located on map yes Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER H.T. Abbey (Name) Address Elmira Rd. New Waverly, TX (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County Walker miles in 2 direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines... Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map. map on 600-28511

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 7-20-82 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 7) BOREHOLE COMPLETION: Open Hole Gravel Packed If Gravel Packed give interval... ft. to ft. Straight Wall Underreamed Other

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include Clay, Clay + Rock, Sand, Sand + Rock, Rock, Clay, Rock, Clay, Sand.

CEMENTING DATA Cemented from 0 ft. to 183 ft. Method used Pressure Cemented by Weisinger (Company or Individual)

9) WATER LEVEL: Static level 108 ft. below land surface Date 7-20-82 Artesian flow gpm. Date

RECEIVED OCT 15 1982 DEPT. OF WATER RESOURCES

10) PACKERS: Type Depth

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME John E. Weisinger Water Well Drillers Registration No. 1541 ADDRESS 2200 E. Davis, Conroe, Texas 77301 (713) 756-7721 (Signed) John E. Weisinger (Water Well Driller)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

CONFIDENTIAL
CONFIDENTIAL
CONFIDENTIAL

154B
dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only Well No. 00-29-4B Located on map YR Received: C.F.S.

1) OWNER Mr. Lamb (Name) Address Unknown (Street or RFD) New Waverly, Tx. (City) (State) (Zip)
2) LOCATION OF WELL: County Walker 6 miles in S direction from Huntsville (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

3) TYPE OF WORK (Check): [X] New Well [] Deepening [] Reconditioning [] Plugging
4) PROPOSED USE (Check): [X] Domestic [] Industrial [] Public Supply [] Irrigation [] Test Well [] Other
5) DRILLING METHOD (Check): [X] Mud Rotary [] Air Hammer [] Driven [] Bored [] Air Rotary [] Cable Tool [] Jetted [] Other

6) WELL LOG: Date drilled 9/10/81
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
Surface: 6-3/4 260
7) BOREHOLE COMPLETION: [] Open Hole [] Straight Wall [] Underreamed [] Gravel Packed [X] Other 2 string cemented

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, and 8) CASING, BLANK PIPE, AND WELL SCREEN DATA (Dia., New or Used, Steel, Plastic, etc., Setting (ft.), Gage Casing Screen).

CEMENTING DATA: Cemented from 240 ft. to 80 ft. Method used Halliburton Cemented by Robinson Water Well (Company or Individual)

9) WATER LEVEL: Static level 104 ft. below land surface Date 9/11/81 Artesian flow gpm. Date

10) PACKERS: Type K Depth 235

11) TYPE PUMP: 1HP [] Turbine [] Jet [X] Submersible [] Cylinder [] Other Depth to pump bowls, cylinder, jet, etc., 200 ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? [] Yes [X] No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? potable Depth of strata Was a chemical analysis made? [] Yes [X] No

12) WELL TESTS: [] Type Test [] Pump [] Bailer [] Jetted [] Estimated Yield: gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME M. E. Robinson, Jr. Water Well Drillers Registration No. 1464 ADDRESS 11607 FM 149 Houston, Tx. 77086 (Signed) M. E. Robinson, Jr. Robinson Water Well Service, Inc. (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#13 WALKER

4R

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-29-4R Located on map YES Received: RLW

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Texas Y Ranches & Cattle Co. Address P.O. Box 1811 Huntsville, Texas 77340
2) LOCATION OF WELL: County Walker 10 miles in South direction from Huntsville

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines

See attached map. Map on 60-13-8B Dup

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other
5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 7-27-81 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 571

7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval from ft. to ft.

Table with 5 columns: From (ft.), To (ft.), Description and color of formation material, Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows include: 0-6 Black gumbo, 6-50 brown clay, 50-56 sand streaks, 56-67 sand, 67-69 rock, 69-118 brown clay, 118-158 sand, 158-180 brown clay, 180-222 sand, 222-225 brown clay, 225-232 sand streaks, 232-268 brown clay, 268-290 white clay, 290-338 brown clay, 338-385 sand, 385-443 blue clay, 443-465 sand, 465-466 rock, 466-515 sand well here, 515-571 blue clay.

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: CEMENTING DATA Cemented from 450 ft. to 400 ft. Method used Pressure Cemented by Ralph A. Cadwallader (Company or Individual)

9) WATER LEVEL: Static level 160 ft. below land surface Date 8-8-81 Artesian flow gpm. Date

10) PACKERS: Type Depth Lead L 443

RECEIVED AUG 17 1982 CR/TDWR

11) TYPE PUMP: Turbine Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? good Depth of strata 49ft. Was a chemical analysis made? Yes No

12) WELL TESTS: Type Test Pump Bailer Jetted Estimated Yield: 50 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 ADDRESS P.O. Box 638 Riverside, Texas 77367 (Signed) RALPH A. CADWALLADER Holly Water Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED
SEP - 21 1981
DEPT. OF
WATER RESOURCES

Map # 3



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 60-29-40 Located on map YES Received: RWR

1) OWNER Charles Duffin Address Northwest New Waverly Tx 2 mi (Name) (Street or RFD) (City) (State) (Zip) 2) LOCATION OF WELL: County Walker 2 miles in NW direction from New Waverly (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description: Section No. Block No. Township Abstract No. Survey Name Distance and direction from two intersecting section or survey lines See attached map.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Public Supply Irrigation Test Well Other 5) DRILLING METHOD (Check): Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other

6) WELL LOG: Date drilled 9-13-80 DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 6 1/2 Surface 243 4 1/2 243 257 7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other If Gravel Packed give interval . . . from ft. to ft.

Table with 4 columns: From (ft.), To (ft.), Description and color of formation material, and 8) CASING, BLANK PIPE, AND WELL SCREEN DATA (Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial, Setting (ft.) From To, Gage Casing Screen). Rows include Clay, Sand, PVC, Galv., R.

CEMENTING DATA Cemented from 0 ft. to 243 ft. Method used Pressure Cemented by Weisinger (Company or Individual)

9) WATER LEVEL: Static level 120 ft. below land surface Date 9-13-80 Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin Jet Submersible Cylinder Other Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata? Was a chemical analysis made? No

12) WELL TESTS: Type Test: Pump Bailer Jetted Estimated Yield: 30 gpm with ft. drawdown after hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME John E. Weisinger Water Well Drillers Registration No. 1541 (Type or Print)

ADDRESS Weisinger Water Well, Inc. 2200 E. Davis (Street or RFD) (City) (State) (Zip)

(Signed) John E. Weisinger (Water Well Driller) Conroe, Texas 77301 (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available. (713) 756-7721

*Additional instructions on reverse side. TDWR-0392

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
JUL 26 1982
CR/12/11

RECEIVED
JUL 6 1981
DEPT. OF
WATER RESOURCES

① Charles Duffin

② David Driscoll



RECEIVED
JUL 26 1982
CR/TDWR

RECEIVED
JUL 6 1981
DEPT. OF
WATER RESOURCES




LEGEND

	INTERSTATE HIGHWAY
	STATE HIGHWAY
	COUNTY ROAD
	LOCAL ROAD
	RAILROAD
	AIRWAY
	WATERWAY
	CANAL
	DAM
	RESERVOIR
	LAKE
	RIVER
	STREAM
	MARSH
	SWAMP
	FOREST
	PARK
	CEMETERY
	SCHOOL
	CHURCH
	POST OFFICE
	CITY
	TOWN
	VILLAGE
	HAMLET
	UNINCORPORATED COMMUNITY
	BOUNDARY
	ELEVATION
	CONTOUR
	SPOT ELEVATION
	INDEX




GENERAL HIGHWAY MAP
WALKER COUNTY
TEXAS
 PREPARED BY THE
 STATE DEPARTMENT OF HIGHWAYS
 AND PUBLIC TRANSPORTATION
 TRANSPORTATION PLANNING DIVISION
 IN COOPERATION WITH THE
 U.S. DEPARTMENT OF TRANSPORTATION
 FEDERAL HIGHWAY ADMINISTRATION



1970 CENSUS FIGURES
 HIGHWAYS REVISED TO MARCH 1, 1961
 POLYCONIC PROJECTION NORTH AMERICAN DATUM
 CONTROL: U. S. Coast and Geodetic Survey and U. S. Geological Survey
 ELEVATIONS: U. S. Geological Survey, unless otherwise noted, are in feet
 DISTANCES: U. S. Geological Survey, unless otherwise noted, are in miles



KEY TO COUNTIES
 This map was prepared by the public use of revised
 control: U. S. Coast and Geodetic Survey and U. S. Geological Survey
 ELEVATIONS: U. S. Geological Survey, unless otherwise noted, are in feet
 DISTANCES: U. S. Geological Survey, unless otherwise noted, are in miles



Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-4P
Located on map yes
Received: 78
dlv

1) OWNER:
Person having well drilled Mike Ferguson Address Conroe Tex
(Name) (Street or RFD) (City) (State)
Landowner Same Address Same
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 2 miles in NW direction from New Waverly
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Sketch: West edge Rd. North New Waverly. X Well site. Hwy 75.
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$, NE $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

5) TYPE OF WELL (Check):
 Rotary Driven Dug
 Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 158 ft. Depth of completed well 158 ft. Date drilled 4-21-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	50	sand
50	73	clay
73	100	shale
100	135	clay
135	158	sand

9) CASING:
Type: Old New Steel Plastic Other _____
Cemented from 0 ft. to 0 ft.
Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 148 Gage Sch 40

10) SCREEN:
Type plastic sch 40
Perforated Stotted
Diameter (inches) 4" Setting From (ft.) 148 To (ft.) 158 Slot Size 012

7) COMPLETION (Check):
 Straight wall Gravel packed Other
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: 12 gpm with 10 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm.
Temperature of water _____

8) WATER LEVEL:
Static level 80 ft. below land surface Date 4-26-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? soft depth of strata 23'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James L Graham Water Well Drillers Registration No. 1781
(Type or Print)
ADDRESS Rt 2 Box 301 Willis Tex 77378
(Street or RFD) (City) (State)
(Signed) James L Graham AAA Water Wells
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

MAY 15 1978

DEPT. OF
WATER RESOURCES

RECEIVED
AUG 30 1978


Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TWDB use only
Well No. 60-29-4N
Located on map yes
Received: 7/8/78
dlb

1) OWNER:
Person having well drilled MR. W. R. ELLIOTT Address 113 ROCKINGHAM COURSE TEXAS
(Name) (Street or RFD) (City) (State)
Landowner SAME Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, _____ miles in N direction from NEW WAVERLY, TX
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*

or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 433 ft. Depth of completed well 433 ft. Date drilled 2-24-78
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	42	BROWN CLAY
42	102	BLUE CLAY
102	165	BROWN CLAY
165	222	SAND
222	417	BROWN CLAY
417	433	SAND

9) CASING:
Type: Old _____ New Steel _____ Plastic Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 416 +1 SCH 40
10) SCREEN:
Type STAINLESS STEEL
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 417 433 #12

7) COMPLETION (Check):
 Straight wall _____ Gravel packed _____ Other _____
 Under reamed _____ Open Hole _____
8) WATER LEVEL:
Static level 190 ft. below land surface Date 2-24-78
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 273 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____
12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? GOOD depth of strata 15

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME E. A. HOLLY Water Well Drillers Registration No. 801
(Type or Print)
ADDRESS Box 37 RIVERSIDE TEXAS 77367
(Street or RFD) (City) (State)
(Signed) E. A. Holly E. A. HOLLY CO.
(Water Well Driller) (Company Name)
Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEPT. OF
WATER RESOURCES
FEB 28 1978
RECEIVED

RECEIVED
JUL 17 1978

Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-29-4M
Located on map 405
Received: 77
dlr

1) OWNER:
Person having well drilled Tommy Pavlock (Name) Address New Waverly TEX (Street or RFD) (City) (State)
Landowner _____ (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County WALKER, 3 miles in NW direction from New Waverly (Town)
(N.E., S.W., etc.)



or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check):
 Rotary Driven Dug Cable Jetted Bored

6) WELL LOG:
Diameter of hole 6 7/8 in. Depth drilled 215 ft. Depth of completed well 215 ft. Date drilled 8-29-77
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	2	top soil
2	10	CLAY
10	12	ROCK
12	18	CLAY
18	20	ROCK
20	100	CLAY
100	150	SHALE
150	195	CLAY + ROCK
195	215	Rocky SAND

9) CASING:
Type: Old New Steel Plastic Other _____
Cemented from 0 ft. to 0 ft.
Diameter (inches) 4" Setting From (ft.) 0 To (ft.) 195 Gage sch 40

10) SCREEN:
Type plastic sch 40
Perforated Blotted _____
Diameter (inches) 4" Setting From (ft.) 195 To (ft.) 215 Slot Size 012

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: 10 gpm with 15 ft. drawdown after 1 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 92 ft. below land surface Date 8-31-77
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., N/A ft. below land surface. Did Not set pump Recommended it be set at 140'

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? soft depth of strata 20'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
NAME JAMES L. GRAHAM (Type or Print) Water Well Drillers Registration No. 1781
ADDRESS Rt 2 Box 276 (Street or RFD) Willis (City) TEX 77378 (State)
(Signed) James L. Graham (Water Well Driller) AAA WATER WELLS (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
SEP 13 1977
TEXAS WATER RIGHTS COMMISSION
AUSTIN, TEXAS

RECEIVED
FEB 9 1978

Central Records
Texas Dept. of Water Resources

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-29-4K
Located on map Y15
Received: 76
dlb

1) OWNER: Person having well drilled Maude Curtis (Name) Address OFF FM1374 W of New Waverly (Street or RFD) (City) (State) Tx
Landowner _____ (Name) Address _____ (Street or RFD) (City) (State)

2) LOCATION OF WELL County Walker miles in W direction from New Waverly (Town) (N.E., S.W., etc.)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.



OR Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other
5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 4 3/4 in. Depth drilled 176 ft. Depth of completed well 176 ft. Date drilled 9-24-75
All measurements made from 4 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	47	clay
47	60	sandy clay
60	70	clay
70	90	white sand
90	140	white clay
140	155	sandy clay
155	174	Tan sand
174	175	rock
175	176	clay

9) Casing: Type: Old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.

Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
2 0 169 sch 40

10) SCREEN: Type Stainless Steel Barweld
Perforated Slotted

Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 169 174 .012 ga

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? _____

Yield: 15 gpm jetted ft. drawdown after _____ hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

8) WATER LEVEL: Static level 71 ft. below land surface Date 9-24-75
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No

Did any strata contain undesirable water? Yes No

Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME MILTON SCOTT (Type or Print) Water Well Drillers Registration No. 1570
ADDRESS P.O. Box 275 (Street or RFD) Conroe (City) Texas (State)
(Signed) Milton Scott (Water Well Driller) Con Tex Water Well Co (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
NOV 25 1975
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
MAR 8 1976
Texas Water Development Board

45

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-4J Located on map YPS Received: 7/1/73 dlk

1) OWNER: Person having well drilled Davey G. Vela (Name) Address Gen. Del. Willis, Texas (Street or RFD) (City) (State) Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 2 1/2 miles in N.E. direction from New Wavely (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* See Map #1 North (Use reverse side if necessary) or Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well X Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic X Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary X Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 165 ft. Depth of completed well 165 ft. Date drilled 8-16-73 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-55 Top Soil & Clay, 55-57 Fine Sand, 57-108 Clay, 108-165 Sand.

9) CASING: Type: Old New X Steel Plastic X Other Cemented from W/2 sks. ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0 155 S40 10) SCREEN: Type Plastic Perforated Slotted X Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4 155 165 14G

7) COMPLETION (Check): Straight wall X Gravel packed Other Under reamed Open Hole 8) WATER LEVEL: Static level 70 ft. below land surface Date 8-16-73 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No X If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water 12) WATER QUALITY: Was a chemical analysis made? Yes No X Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME MARVIN GILBERT Water Well Drillers Registration No. 1328 ADDRESS RT. 2 BOX 609 CLEVELAND, TEXAS 77327 (City) (State) (Signed) GILBERT'S WATER WELL DRILLING COMPANY (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the Report is greatly reduced.



KEY TO COUNTIES

OCT 7 1974
 Central Records
 Texas Water Development Board

DEVELOPMENT BOARD

JUN - 3 1974

RECEIVED

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 60-29-4H
Located on map yes
Received: 73
slr

1) OWNER:
Person having well drilled F. H. Houvis (Name) Address P.O. Box 343 New Waverly Tx (Street or RFD) (City) (State)
Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 2 miles in North direction from New Waverly (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 163 ft. Depth of completed well 182 ft. Date drilled 9-6-72
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	1	Top Soil
1	46	Red Clay
46	73	Fine sand
73	86	Yellow clay
86	118	Red Sand
118	163	Sandy type clay
163	182	water Sand

9) Casing:
Type: Old Steel Plastic Other _____
Cemented from 143 ft. to 163 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	0	163	sch. 40
2 1/2	163	172	1" 80

10) SCREEN:
Type Plastic
Perforated Slotted _____
Diameter (inches) 2 1/2 Setting From (ft.) 172 To (ft.) 182 Slot Size .014

7) COMPLETION (Check):
Straight wall _____ Gravel packed _____ Other two string
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 108 ft. below land surface Date 9-8-72
Artesian pressure _____ lbs. per square inch Date ###
Depth to pump bowls, cylinder, jet, etc., 141 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No _____ If yes, by whom? M+M Well Service
Yield: 25 gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No _____
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Donald McKay (Type or Print) Water Well Drillers Registration No. 688
ADDRESS P.O. Box 523 Willis Texas (Street or RFD) (City) (State)
(Signed) Donald McKay (Water Well Driller) M+M WELL SERVICE (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER
DEVELOPMENT BOARD

AUG 29 1973

RECEIVED

RECEIVED
NOV 30 1973
Texas Water Development Board
Central Records

46

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-4G Located on map 23 Yes Received: dlr

1) OWNER: Person having well drilled Richard L. Vela (Name) Address New Waverly, Texas (Street or RFD) (City) (State) Landowner Same (Name) Address Same (Street or RFD) (City) (State)

2) LOCATION OF WELL: County Walker, 2 miles in N direction from New Waverly (Town) Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* See Back North (Use reverse side if necessary) or Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well X Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic X Industrial Irrigation Test Well Municipal Other 5) TYPE OF WELL (Check): Rotary X Driven Cable Jetted Bored Dug

6) WELL LOG: Diameter of hole 4 1/2 in. Depth drilled 143 ft. Depth of completed well 143 ft. Date drilled 7/20/72 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Row 1: 0 to 110, Top Soil & Clay. Row 2: 110 to 143, Mixed Sand & Clay.

9) CASING: Type: Old New X Steel Plastic X Other Cemented from W/2sks. ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 2 0 133 S40

10) SCREEN: Type Plastic Perforated Slotted X Diameter (inches) Setting From (ft.) To (ft.) Slot Size 2 133 143 14G

7) COMPLETION (Check): Straight wall X Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No X If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 70 ft. below land surface Date 7/20/72 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No X Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME Marvin Gilbert (Type or Print) Water Well Drillers Registration No. 1328 ADDRESS Rt. 2 Box 615 Cleveland, Texas 77327 (Street or RFD) (City) (State) (Signed) [Signature] (Water Well Driller) Gilbert's Water Well Drilling Co. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
FEB 20 1973
Central Records
Texas Water Development Board

RECEIVED
DEC 15 1972

TEXAS WATER
DEVELOPMENT BOARD

4F

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TWDB use only Well No. 60-29-4F Located on map Yes Received: 71

1) OWNER: Person having well drilled William J. Novark Address 1243 Hopper Rd. Houston, Tex. 77037 Landowner Same Address Same

2) LOCATION OF WELL: County Walker, 5 miles in N direction from New Waverly

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* See Back North (Use reverse side if necessary)

3) TYPE OF WORK (Check): New Well X Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic X Industrial Irrigation Test Well Municipal Other 5) TYPE OF WELL (Check): Rotary X Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 1/2 in. Depth drilled 200 ft. Depth of completed well 120 ft. Date drilled 8-11-71 All measurements made from 1 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-15 Top Soil, 15-100 Clay, 100-200 Sand

9) Casing: Type: Old New X Steel Plastic X Other Cemented from W/1 Sk. ft. to ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0 100 4 S-40

10) SCREEN: Type Plastic Perforated Slotted X Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4 100 120 1 1/4 G

7) COMPLETION (Check): Straight wall X Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No X If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 70 ft. below land surface Date 8-11-71 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No X Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Marvin Gilbert Water Well Drillers Registration No. 1328 ADDRESS Rt. 2 Box 615 Cleveland, Texas 77327 (Signed) Marvin Gilbert Gilbert's Water Well Drilling Company

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Huntsville



TEXAS WATER DEVELOPMENT BOARD

DEC 15 1971

RECEIVED

WALKER COUNTY

RECEIVED
FEB 24 1972

General Records
Texas Water Development Board

CONCRETE

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-29-40 Located on map 916 Received: 9/18 dr

1) OWNER: Person having well drilled Weldon Mauney Address Gen Old Newhaverly, Tex Landowner same

2) LOCATION OF WELL: County Walker, 1 miles in N 02 75 direction from Newhaverly

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* North arrow pointing up

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging 4) PROPOSED USE (Check): Domestic, Industrial, Municipal, Irrigation, Test Well, Other 5) TYPE OF WELL (Check): Rotary, Driven, Dug, Cable, Jetted, Bored

6) WELL LOG: Diameter of hole 4 in. Depth drilled 186 ft. Depth of completed well 186 ft. Date drilled 6-23-71 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include 0-8 Clay red, 8-43 Clay grey, 43-45 Sandstone, 45-61 Clay green, 61-88 Rocky sand, 88-114 Clay, 114-138 Rocky sand, 138-159 sand, 159-160 Sandstone, 160-186 sand.

7) COMPLETION (Check): Straight wall, Gravel packed, Other, Under reamed, Open Hole 11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: 850 gpm with 12 ft. drawdown after 1 hrs.

8) WATER LEVEL: Static level, Artesian pressure, Depth to pump bowls, cylinder, jet, etc., below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? Soft good depth of strata 26

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. NAME W.A. Waller Water Well Drillers Registration No. 1332 ADDRESS 32 Timberside Course Sugar (City) (State) (Signed) W.A. Waller A A A Water Wells (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 27 1971
Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

JUL 21 1971

RECEIVED

4E

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-29-4E Located on map yr-5 Received: 7/1/71

1) OWNER: Person having well drilled James H. Cockrell Address Houston, Texas Landowner same

2) LOCATION OF WELL: County Walker, 2 1/2 miles in N.W. direction from New Waverly, Texas

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.* or Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well X Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other X Mobile Home Park 5) TYPE OF WELL (Check): Rotary X Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 3/4 in. Depth drilled 389 ft. Depth of completed well 389 ft. Date drilled 4/12/71 All measurements made from 3 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include Shale, Rock, Gypsum, Sand, and Shale.

9) CASING: Type: Old New X Steel X Plastic Other Cemented from 200 ft. to 360 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage

10) SCREEN: Type Plastic WOP Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size

7) COMPLETION (Check): Straight wall Gravel packed Other X Lead seal Under reamed Open Hole 8) WATER LEVEL: Static level 165 ft. below land surface Date 4/14/71 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.

11) WELL TESTS: Was a pump test made? Yes No X If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

12) WATER QUALITY: Was a chemical analysis made? Yes No X Did any strata contain undesirable water? Yes No X Type of water? good depth of strata 27'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Melvin William Hildebrandt Water Well Drillers Registration No. 932 ADDRESS P. O. Box 607, Spring, Texas 77373 (Signed) Melvin W. Hildebrandt HILDEBRANDT SERVICES

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
DEC 27 1971

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

SEP 2 1971

RECEIVED

4B

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

WATER WELL REPORT

For TWDB use only Well No. 60-29-4B Located on map 100 Received: 7/1

1) OWNER: Person having well drilled BEN GREGORY Address GEN. DEL. NEW WAYERLY TEX Landowner (Name) Address (Street or RFD) (City) (State)

2) LOCATION OF WELL: County WALKER miles in NE direction from NEW WAYERLY



Give legal location with distances and directions from adjacent sections or survey lines. Labor League Block Survey Abstract No. (NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging 4) PROPOSED USE (Check): Domestic Industrial Municipal Irrigation Test Well Other 5) TYPE OF WELL (Check): Rotary Driven Dug Cable Jetted Bored

6) WELL LOG: Diameter of hole 4 in. Depth drilled 220 ft. Depth of completed well 220 ft. Date drilled 11-15-70 All measurements made from 0 ft. above ground level.

Table with 3 columns: From (ft.), To (ft.), Description and color of formation material. Rows include: 0-2 surface dirt, 2-31 Clay, 31-32 sand, 32-190 Clay, 190-220 sand.

9) CASING: Type: Old New Steel Plastic Other Cemented from 20 ft. to 50 ft. Diameter (inches) Setting From (ft.) To (ft.) Gage 4 0 200 173

10) SCREEN: Type PLASTIC Perforated Slotted Diameter (inches) Setting From (ft.) To (ft.) Slot Size 4 200 220 0.16

7) COMPLETION (Check): Straight wall Gravel packed Other Under reamed Open Hole

11) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Yield: gpm with ft. drawdown after hrs. Bailer test gpm with ft. drawdown after hrs. Artesian flow gpm Temperature of water

8) WATER LEVEL: Static level 85 ft. below land surface Date 11-15-70 Artesian pressure lbs. per square inch Date Depth to pump bowls, cylinder, jet, etc., 120 ft. below land surface.

12) WATER QUALITY: Was a chemical analysis made? Yes No Did any strata contain undesirable water? Yes No Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226 ADDRESS P.O. Box 4 HUNTSVILLE TEX (Signed) Thomas Anders (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

FEB 17 1971

TEXAS WATER
DEVELOPMENT BOARD

RECEIVED

MAR 8 1971

Central Records
Texas Water Development Board